

Eglin Air Force Base Outpatient Formulary
Alphabetical Listing by Name

This document is current as of 2/3/20

The availability of formulary items is subject to change

ABIRATERONE ACETATE

Abiraterone Acetate

Outpatient Dosage Forms

Tablet, Oral:
Zytiga: 250 mg

Acamprosate

Outpatient Dosage Forms

Tablet Delayed Release, Oral, as calcium:
Generic: 333 mg

Acetaminophen

Outpatient Dosage Forms

Caplet, oral:
Mapap® Extra Strength: 500 mg [scored]
Elixir, oral:
Mapap® Children's: 160 mg/5 mL (118 mL) [ethanol free; contains benzoic acid, propylene glycol, sodium benzoate; cherry flavor]
Suppository, rectal: 650 mg (12s)
Acephen™: 120 mg (12s); 325 mg (12s)
Suspension, oral:
Tylenol® Children's: 160 mg/5 mL (60 mL) [ethanol free; contains propylene glycol, sodium 2 mg/5 mL, sodium benzoate; cherry flavor]
Tablet, oral: 325 mg

Acetaminophen and Codeine

Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (480 mL) [BCF]
Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

Acetaminophen, Isometheptene, and Dichloralphenazone

Outpatient Dosage Forms

Capsule, oral: Acetaminophen 325 mg, isometheptene mucate 65 mg, and dichloralphenazone 100 mg

AcetaZOLAMIDE

Outpatient Dosage Forms

Capsule, sustained release, oral:
Diamox® Sequels®: 500 mg
Tablet, oral: 250 mg

Acetic Acid, Propylene Glycol Diacetate, and Hydrocortisone

Outpatient Dosage Forms

Solution, otic [drops]: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL)

Acetylcysteine

Outpatient Dosage Forms

Solution, for inhalation/oral: 20% [200 mg/mL] (30 mL)

Acitretin

Outpatient Dosage Forms

Capsule, oral:
Soriatane®: 10 mg

Acyclovir (Systemic)

Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]
Suspension, oral:
Zovirax®: 200 mg/5 mL (473 mL) [banana flavor] [BCF]
Tablet, oral: 800 mg [BCF]
Zovirax®: 800 mg [BCF]

Adalimumab

Outpatient Dosage Forms

Kit, Subcutaneous [preservative free]:
Humira: 40 mg/0.8 mL [contains polysorbate 80] [BCF]

Adapalene

Outpatient Dosage Forms

Cream, topical:
Differin®: 0.1% (45 g)
Gel, topical:
Differin®: 0.1% (45 g) [ethanol free]

Albendazole

Outpatient Dosage Forms

Tablet, Oral:
Albenza: 200 mg [contains saccharin sodium]

Albuterol

Outpatient Dosage Forms

Aerosol Solution, Inhalation:
ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF]
Solution, for nebulization: 0.5% [100 mg/20 mL] (1s)
Solution, for nebulization [preservative free]: 0.083% [2.5 mg/3 mL] (30s) [BCF]

Alcohol (Ethyl)

Outpatient Dosage Forms

Pad, topical: 200s

Alendronate

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

Alfuzosin

Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride:
Uroxatral®: 10 mg [BCF]

Aliskiren

Outpatient Dosage Forms

Tablet, oral:
Tekturna®: 150 mg, 300 mg

Allopurinol

Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

ALPRAZolam

Outpatient Dosage Forms

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg

Aluminum Acetate and Acetic Acid

Outpatient Dosage Forms

Solution, otic: Aluminum acetate 10% and acetic acid 2% (60 mL)

Aluminum Chloride Hexahydrate

Outpatient Dosage Forms

Solution, topical:
Drysol™: 20% (60 mL) [contains ethanol 93%]

Amantadine

Outpatient Dosage Forms

Capsule, softgel, oral, as hydrochloride: 100 mg [BCF]

AMILoride

Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:
Generic: 5 mg

Amiodarone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:
Pacerone®: 200 mg [scored] [BCF]

Amitriptyline

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

AmLODIPine

Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Amlodipine and Benazepril

Outpatient Dosage Forms

Capsule, oral:
Lotrel®: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]
Lotrel®: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]
Lotrel®: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]
Lotrel®: 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]
Lotrel®: 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]
Lotrel®: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]

Amoxicillin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Powder for suspension, oral: 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF]
Tablet, oral: 875 mg
Tablet, chewable, oral: 250 mg

Amoxicillin and Clavulanate

Outpatient Dosage Forms

Powder for suspension, oral:
200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (100 mL) [BCF]
400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (100 mL) [BCF]
600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (125 mL) [BCF]
Augmentin: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (150 mL) [contains potassium 0.16 mEq/5 mL; banana flavor] [BCF]
Tablet, oral:
500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]
875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]

Augmentin®: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg
[contains potassium 0.63 mEq/tablet] [BCF]

Tablet, extended release, oral:

Augmentin XR®: 1000: Amoxicillin 1000 mg and clavulanate potassium 62.5 mg [contains potassium 12.6 mg/tablet, sodium 29.3 mg/tablet]

Anastrozole

Outpatient Dosage Forms

Tablet, Oral:

Generic: 1 mg

Apixaban

Outpatient Dosage Forms

Tablet, Oral:

Eliquis: 2.5 mg [BCF], 5 mg [BCF]

Apraclonidine

Outpatient Dosage Forms

Solution, Ophthalmic:

Generic: 0.5% (5 mL, 10 mL)

ARIPiprazole

Outpatient Dosage Forms

Tablet, oral:

Abilify®: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg

Artificial Tears

Outpatient Dosage Forms

Ointment, Ophthalmic [drops, preservative free]:

Lacri-Lube S.O.P.: 3.5 g

Generic: 3.5 g

Solution, Ophthalmic [drops]:

FreshKote: 15 mL

Liquitears: 15 mL

Ascorbic Acid

Outpatient Dosage Forms

Tablet, Oral:

Generic: 500 mg

Aspirin

Outpatient Dosage Forms

Tablet, chewable, oral: 81 mg

Tablet, enteric coated, oral: 81 mg, 325 mg

Aspirin and Dipyridamole

Outpatient Dosage Forms

Capsule, variable release, oral:

Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]

Atenolol

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

AtoMOXetine

Outpatient Dosage Forms

Capsule, oral:

Strattera®: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg, 100 mg

AtorvaSTATin

Outpatient Dosage Forms

Tablet, oral:

Lipitor®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Atovaquone and Proguanil

Outpatient Dosage Forms

Tablet, oral:

Malarone®: Atovaquone 250 mg and proguanil hydrochloride 100 mg

Atropine (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as sulfate [drops]: 1% (15 mL)

AzaTHIOprine

Outpatient Dosage Forms

Tablet, oral: 50 mg

Azelaic Acid

Outpatient Dosage Forms

Gel, topical:

Finacea®: 15% (50 g) [contains benzoic acid]

Azelastine (Nasal)

Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]:

Astelin®: 0.1% [137 mcg/spray] (30 mL) [contains benzalkonium chloride; 200 metered sprays]

Azithromycin (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

AzaSite®: 1% (2.5 mL) [contains benzalkonium chloride]

Azithromycin (Systemic)

Outpatient Dosage Forms

Powder for suspension, oral, as dihydrate [strength expressed as base]:

Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor] [BCF]

Zithromax®: 200 mg/5 mL (15 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]

Zithromax®: 1 g/packet (3s, 10s) [contains sodium 37 mg/packet; banana-cherry flavor] [BCF]

Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

Bacitracin (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic: 500 units/g (3.5 g)

Bacitracin (Topical)

Outpatient Dosage Forms

Ointment, topical, as zinc [strength expressed as base]: 500 units/g (0.9 g, 15 g, 30 g)

Baclofen

Outpatient Dosage Forms

Tablet, oral: 10 mg

Balsalazide

Outpatient Dosage Forms

Capsule, oral, as disodium:

Colazal®: 750 mg [contains sodium ~86 mg/capsule]

Belladonna and Opium

Outpatient Dosage Forms

Suppository, rectal: Belladonna extract 16.2 mg and opium 60 mg (12s)

Benazepril

Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:

Generic: 5 mg, 10 mg, 20 mg, 40 mg

Benzonatate

Outpatient Dosage Forms

Capsule, Oral:

Generic: 100 mg, 200 mg

Benzoyl Peroxide

Outpatient Dosage Forms

Gel, topical: 5% (42.5 g); 10% (42.5 g)

Liquid, topical [wash/water based]:

Desquam-X® 5: 5% (140 g)

Benztropine

Outpatient Dosage Forms

Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]

Betamethasone and Clotrimazole

Outpatient Dosage Forms

Cream, External:

Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g, 45 g)

Betamethasone (Topical)

Outpatient Dosage Forms

Lotion, topical, as valerate [strength expressed as base]: 0.1% (60 mL)

Ointment, topical, as dipropionate [strength expressed as base, augmented]: 0.05% (45 g)

Betaxolol (Ophthalmic)

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:

Betoptic S®: 0.25% (10 mL) [contains benzalkonium chloride]

Bethanechol

Outpatient Dosage Forms

Tablet, oral, as chloride:

Urecholine®: 25 mg [scored]

Bimatoprost

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Lumigan®: 0.01% (2.5 mL) [contains benzalkonium chloride]

BISACODYL

Bisacodyl

Outpatient Dosage Forms

Suppository, rectal:
Bisac-Evac™: 10 mg (50s)
Tablet, enteric coated, oral:
Dacodyl™: 5 mg

Bismuth Subsalicylate

Outpatient Dosage Forms

Tablet, chewable, oral, as subsalicylate: 262 mg

Brimonidine and Timolol

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Combigan®: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL) [contains benzalkonium chloride]

Brimonidine (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as tartrate [drops]: 0.2% (5 mL) [BCF]
Alphagan® P: 0.1% (15 mL); 0.15% (10 mL) [BCF] [contains Purite®]

Bromocriptine

Outpatient Dosage Forms

Tablet, oral:
Parlodel® SnapTabs®: 2.5 mg [scored]

Budesonide (Oral Inhalation)

Outpatient Dosage Forms

Suspension, Inhalation:
Generic: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)

Budesonide (Systemic)

Outpatient Dosage Forms

Capsule, enteric coated, oral:
Entocort® EC: 3 mg

Bumetanide

Outpatient Dosage Forms

Tablet, oral: 1 mg

BuPROPion

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 75 mg [generic for Wellbutrin®] [BCF], 100 mg [generic for Wellbutrin®] [BCF]
Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Wellbutrin XL®] [BCF]
Tablet, sustained release, oral, as hydrochloride:
Wellbutrin SR®: 200 mg
Zyban®: 150 mg [BCF]

BusPIRone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF]

Butalbital, Acetaminophen, and Caffeine

Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

Cabergoline

Outpatient Dosage Forms

Tablet, Oral:
Generic: 0.5 mg

Calcipotriene

Outpatient Dosage Forms

Cream, topical:
Dovonex®: 0.005% (60 g)
Solution, topical:
Dovonex®: 0.005% (60 mL)

Calcitonin

Outpatient Dosage Forms

Solution, intranasal [calcitonin-salmon/rDNA origin/spray]:
Fortical®: 200 units/actuation (3.7 mL) [contains benzyl alcohol; delivers 30 doses]
Solution, intranasal [calcitonin-salmon/spray]:
Miacalcin®: 200 units/actuation (3.7 mL) [contains benzalkonium chloride; delivers 30 doses]

Calcitriol (Systemic)

Outpatient Dosage Forms

Capsule, oral:
Generic: 0.25 mcg, 0.5 mcg

Calcium Acetate

Outpatient Dosage Forms

Gelcap, oral:
PhosLo®: 667 mg [equivalent to elemental calcium 169 mg (8.45 mEq)]

Calcium and Vitamin D

Outpatient Dosage Forms

Tablet, Oral:
Generic: Calcium 600 mg and vitamin D 400 units

Capecitabine

Outpatient Dosage Forms

Tablet, Oral:
Generic: 150 mg, 500 mg

Captopril

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

CarBAMazepine

Outpatient Dosage Forms

Suspension, oral:
TEGretol®: 100 mg/5 mL (450 mL) [contains propylene glycol; citrus-vanilla flavor] [BCF]
Tablet, oral: 200 mg [BCF]
Tablet, chewable, oral: 100 mg [BCF]
Tablet, extended release, oral: 400 mg [BCF]

Carbidopa and Levodopa

Outpatient Dosage Forms

Tablet, oral: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF]
Sinemet®: 25/100: Carbidopa 25 mg and levodopa 100 mg [scored] [BCF]
Sinemet®: 25/250: Carbidopa 25 mg and levodopa 250 mg [scored] [BCF]
Tablet, extended release, oral: 50/200: Carbidopa 50 mg and levodopa 200 mg
Tablet, sustained release, oral:
Sinemet® CR: 25/100: Carbidopa 25 mg and levodopa 100 mg

Carboxymethylcellulose

Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]:
Refresh® Celluvisc®: 1% (0.4 mL)
Refresh Tears®: 0.5% (15 mL)
Solution, ophthalmic, as sodium [drops, preservative free]:
Refresh Plus®: 0.5% (0.4 mL)

Carvedilol

Outpatient Dosage Forms

Capsule, extended release, oral, as phosphate:
Coreg CR®: 10 mg, 20 mg, 40 mg, 80 mg
Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF]
Coreg®: 25 mg [BCF]

Cefadroxil

Outpatient Dosage Forms

Capsule, oral, as monohydrate [strength expressed as base]: 500 mg

Cefdinir

Outpatient Dosage Forms

Capsule, oral: 300 mg
Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (60 mL, 100 mL)

Cefprozil

Outpatient Dosage Forms

Powder for suspension, oral: 250 mg/5 mL (50 mL, 100 mL)

Cefuroxime

Outpatient Dosage Forms

Tablet, oral, as axetil [strength expressed as base]: 250 mg
Ceftin®: 250 mg

Celecoxib

Outpatient Dosage Forms

Capsule, oral:
CeleBREX®: 100 mg, 200 mg

Cephalexin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Powder for suspension, oral: 250 mg/5 mL (200 mL) [BCF]

Cetirizine

Outpatient Dosage Forms

Syrup, oral, as hydrochloride: 5 mg/5 mL (120 mL)
Tablet, oral, as hydrochloride: 10 mg

Cetirizine and Pseudoephedrine

Outpatient Dosage Forms

Tablet, extended release, oral: Cetirizine hydrochloride 5 mg and pseudoephedrine hydrochloride 120 mg

Cevimeline**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride:
Evoxac®: 30 mg

Chlorambucil**Outpatient Dosage Forms**

Tablet, oral:
Leukeran®: 2 mg

Chloroquine**Outpatient Dosage Forms**

Tablet, oral, as phosphate: 500 mg [equivalent to chloroquine base 300 mg]

Chlorpheniramine**Outpatient Dosage Forms**

Syrup, oral, as maleate:
Aller-chlor®: 2 mg/5 mL (118 mL) [contains ethanol 5%, menthol, propylene glycol; cherry flavor]

Chlorthalidone**Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Cholecalciferol**Outpatient Dosage Forms**

Liquid, Oral:
Generic: 400 units/mL (50 mL)

Cholestyramine Resin**Outpatient Dosage Forms**

Powder for suspension, oral: Cholestyramine resin 4 g/5.7 g of powder (239.4 g)

Ciclopirox**Outpatient Dosage Forms**

Solution, External:
Generic: 8% (6.6 mL)

Ciprofloxacin and Dexamethasone**Outpatient Dosage Forms**

Suspension, otic:
Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

Ciprofloxacin (Systemic)**Outpatient Dosage Forms**

Suspension Reconstituted, Oral:
Generic: 250 mg/5 mL (100 mL) [BCF]
Tablet, Oral, as hydrochloride [strength expressed as base]:
Generic: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

Citalopram**Outpatient Dosage Forms**

Solution, Oral:
Generic: 10 mg/5 mL (240 mL) [BCF]
Tablet, Oral:
Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

Clarithromycin**Outpatient Dosage Forms**

Suspension Reconstituted, Oral:
Generic: 250 mg/5 mL (100 mL)
Tablet, Oral:
Biaxin: 250 mg
Generic: 250 mg, 500 mg
Tablet, Extended Release, Oral:
Generic: 500 mg

Clindamycin and Benzoyl Peroxide**Outpatient Dosage Forms**

Gel, topical:
BenzaClin®: Clindamycin phosphate 1% and benzoyl peroxide 5% (50 g)

Clindamycin (Systemic)**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF], 300 mg
Cleocin HCl®: 150 mg [contains tartrazine] [BCF]
Granules for solution, oral, as palmitate hydrochloride [strength expressed as base]:
Cleocin Pediatric®: 75 mg/5 mL (100 mL) [cherry flavor]

Clindamycin (Topical)**Outpatient Dosage Forms**

Cream, vaginal, as phosphate [strength expressed as base]:
Cleocin®: 2% (40 g) [contains benzyl alcohol, mineral oil] [BCF]
Solution, topical, as phosphate [strength expressed as base]: 1% (60 mL) [BCF]

Clobetasol**Outpatient Dosage Forms**

Cream, External, as propionate:
Generic: 0.05% (15 g, 30 g) [BCF]
Foam, External, as propionate:
Olux: 0.05% (100 g) [chlorofluorocarbon free; contains ethanol 60%; for scalp application]
Generic: 0.05% (50 g)
Ointment, External, as propionate:
Generic: 0.05% (15 g, 30 g) [BCF]
Solution, External, as propionate [for scalp application]:
Generic: 0.05% (25 mL)

ClomiPHENE**Outpatient Dosage Forms**

Tablet, oral, as citrate: 50 mg

Clonazepam**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF], 1 mg

CloNIDine**Outpatient Dosage Forms**

Patch, transdermal:
Catapres-TTS®-1: 0.1 mg/24 hours (4s) [contains metal]
Catapres-TTS®-2: 0.2 mg/24 hours (4s) [contains metal]
Catapres-TTS®-3: 0.3 mg/24 hours (4s) [contains metal]
Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]

Clopidogrel**Outpatient Dosage Forms**

Tablet, Oral:
Plavix: 75 mg [BCF]
Generic: 300 mg [BCF]

Clotrimazole (Topical)**Outpatient Dosage Forms**

Cream, topical: 1% (15 g)
Solution, topical: 1% (10 mL) [BCF]

Cocaine (Topical)**Outpatient Dosage Forms**

Solution, topical, as hydrochloride: 4% (10 mL)

Codeine**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 30 mg

Colchicine**Outpatient Dosage Forms**

Tablet, oral:
Colcrys®: 0.6 mg [scored]

Colestipol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride [micronized]:
Colestid®: 1 g

Collagenase (Topical)**Outpatient Dosage Forms**

Ointment, topical:
Santyl®: 250 units/g (30 g)

Contraceptive Devices**Outpatient Dosage Forms**

Condom: 3s

Cortisone**Outpatient Dosage Forms**

Tablet, oral, as acetate: 25 mg

Cromolyn (Nasal)**Outpatient Dosage Forms**

Solution, intranasal, as sodium [spray]:
NasalCrom®: 40 mg/mL (13 mL) [contains benzalkonium chloride; 5.2 mg/inhalation]

Cromolyn (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 4% (10 mL)

Cyanocobalamin**Outpatient Dosage Forms**

Injection, solution: 1000 mcg/mL (1 mL)
Tablet, oral: 1000 mcg

Cyclobenzaprine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg, 10 mg [BCF]

CYCLOPENTOLATE

Cyclopentolate

Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL)
Cyclogyl®: 1% (2 mL) [contains benzalkonium chloride]

Cyclophosphamide

Outpatient Dosage Forms

Tablet, oral: 50 mg

CycloSPORINE (Ophthalmic)

Outpatient Dosage Forms

Emulsion, ophthalmic [drops, preservative free]:
Restasis®: 0.05% (0.4 mL) [contains castor oil]

CycloSPORINE (Systemic)

Outpatient Dosage Forms

Capsule, oral: 25 mg, 50 mg, 100 mg

Cyproheptadine

Outpatient Dosage Forms

Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]
Tablet, oral, as hydrochloride: 4 mg [BCF]

Dabigatran Etexilate

Outpatient Dosage Forms

Capsule, oral:
Pradaxa®: 75 mg, 150 mg

Dapsone (Systemic)

Outpatient Dosage Forms

Tablet, oral: 100 mg

Dasatinib

Outpatient Dosage Forms

Tablet, Oral:
Sprycel: 100 mg

Desipramine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 25 mg, 50 mg

Desmopressin

Outpatient Dosage Forms

Solution, intranasal, as acetate [spray]:
DDAVP: 0.1 mg/mL (5 mL) [contains benzalkonium chloride; delivers 10 mcg/ spray]
Tablet, oral, as acetate:
DDAVP: 0.1 mg, 0.2 mg [scored]

Desonide

Outpatient Dosage Forms

Cream, topical: 0.05% (15 g, 60 g)
Ointment, topical: 0.05% (15 g, 60 g)

Desoximetasone

Outpatient Dosage Forms

Cream, topical: 0.25% (15 g, 60 g)

DexAMETHasone (Systemic)

Outpatient Dosage Forms

Elixir, oral: 0.5 mg/5 mL (237 mL)
Tablet, oral: 0.5 mg, 0.75 mg, 4 mg

Dexmethylphenidate

Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:
Generic: 5 mg, 10 mg

Dextroamphetamine

Outpatient Dosage Forms

Capsule, extended release, oral, as sulfate: 15 mg
Tablet, oral, as sulfate: 5 mg

Dextroamphetamine and Amphetamine

Outpatient Dosage Forms

Capsule, extended release, oral:
Adderall XR®: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]
Adderall XR®: 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]
Adderall XR®: 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]

Adderall XR®: 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]

Adderall XR®: 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]

Adderall XR®: 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)]

Tablet, oral: [BCF]

5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]

10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]

20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]

Diabetic Supplies

Outpatient Dosage Forms

Glucose meter:

FreeStyle Lite Glucose Monitor
Precision Xtra Blood Glucose Monitoring System

Lancet: 100s

Lancet [ultra thin]: 200s

Syringe and needle:

BD Luer-Lok Syringe 21 gauge x 1 1/2 (3 mL)
BD Ultra-Fine 29 gauge x 0.5" [0.5 mL] (100s)
BD Ultra-Fine 30 gauge x 0.5" [1 mL] (100s)
NovoFine® Pen Needle [32 gauge - 6 mm] (100s)

Test Strips:

FreeStyle Lite Test Strips: 50/box [BCF], 100/box [BCF]
Precision Xtra Blood Glucose Test Strips: 100/box [BCF]

DiazePAM

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg

Diclofenac (Systemic)

Outpatient Dosage Forms

Tablet Delayed Release, Oral, as sodium:
Generic: 25 mg, 50 mg, 75 mg

Diclofenac (Topical)

Outpatient Dosage Forms

Gel, topical, as sodium:
Solaraze®: 3% (100 g) [contains benzyl alcohol]
Voltaren® Gel: 1% (100 g) [contains isopropyl alcohol]

Dicloxacillin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]

Dicyclomine

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF]
Syrup, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF]
Tablet, oral, as hydrochloride: 20 mg [BCF]

Difluprednate

Outpatient Dosage Forms

Emulsion, ophthalmic:
Durezol: 0.05% (5 mL) [contains edetate sodium (tetrasodium), polysorbate 80]

Digoxin

Outpatient Dosage Forms

Tablet, oral:
Lanoxin®: 125 mcg [BCF], 250 mcg [BCF] [scored]

DIITIAZem

Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral, as hydrochloride:
Cardizem CD: 120 mg, 180 mg, 240 mg, 300 mg
Tiazac: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF]
Tablet, Oral, as hydrochloride:
Generic: 30 mg, 60 mg, 90 mg

Dimercaprol

Outpatient Dosage Forms

Injection, oil:
BAL in Oil®: 100 mg/mL (3 mL) [contains benzyl benzoate, peanut oil]

DiphenhydrAMINE (Systemic)

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 25 mg, 50 mg

Solution, oral, as hydrochloride:

Diphenhist®: 12.5 mg/5 mL (118 mL) [ethanol free; contains sodium 7 mg/5 mL, sodium benzoate; cherry flavor]

Diphenoxylate and Atropine

Outpatient Dosage Forms

Tablet, oral: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg

Dipyridamole

Outpatient Dosage Forms

Tablet, oral: 25 mg, 50 mg

Disulfiram

Outpatient Dosage Forms

Tablet, oral:
Antabuse®: 250 mg [scored]

Docusate

Outpatient Dosage Forms

Capsule, softgel, oral, as sodium:

Dok™: 100 mg

Liquid, oral, as sodium: 50 mg/5 mL (473 mL mL)

Dofetilide

Outpatient Dosage Forms

Capsule, Oral:

Generic: 250 mcg, 500 mcg

Donepezil

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:

Aricept®: 5 mg, 10 mg

Dorzolamide

Outpatient Dosage Forms

Solution, ophthalmic [drops]: 2% (10 mL)

Trusopt®: 2% (10 mL) [contains benzalkonium chloride]

Dorzolamide and Timolol

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Cosopt®: Dorzolamide 2% and timolol 0.5% (10 mL) [contains benzalkonium chloride]

Doxepin (Systemic)

Outpatient Dosage Forms

Capsule, Oral:

Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg, 150 mg

Tablet, Oral:

Silenor: 3 mg, 6 mg

Doxycycline

Outpatient Dosage Forms

Capsule, oral [strength expressed as base]:

Oracea: 40 mg [30 mg (immediate release) and 10 mg (delayed release)]

Kit, Combination, as hyclate [strength expressed as base]:

Ocudox: 50 mg [contains Ocusoft eyelid scrub & Ocusoft Tears Again Advanced eyelid spray]

Tablet, oral, as hyclate [strength expressed as base]: 20 mg, 100 mg [BCF]

Doxylamine

Outpatient Dosage Forms

Tablet, Oral, as succinate:

Generic: 25 mg

Dronedarone

Outpatient Dosage Forms

Tablet, oral:

Multaq®: 400 mg

Dulaglutide

Outpatient Dosage Forms

Solution Pen-injector, Subcutaneous [preservative free]:

Trulicity: 0.75 mg/0.5 mL (0.5 mL); 1.5 mg/0.5 mL (0.5 mL) [contains polysorbate 80]

DULoxetine

Outpatient Dosage Forms

Capsule, delayed release particles, oral: 20 mg, 30 mg, 60 mg

Eletriptan

Outpatient Dosage Forms

Tablet, Oral:

Relpax: 20 mg, 40 mg

Emollients

Outpatient Dosage Forms

Cream, topical: 454 g

Minerin™: 454 g

Lotion, topical: 480 mL

Ointment, topical:

Absorbase®: 454 g

Empagliflozin

Outpatient Dosage Forms

Tablet, Oral:

Jardiance: 10 mg, 25 mg

Emtricitabine and Tenofovir Alafenamide

Outpatient Dosage Forms

Tablet, Oral:

Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg

Enoxaparin

Outpatient Dosage Forms

Injection, solution, as sodium [preservative free]:

Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [prefilled syringe]

Enzalutamide

Outpatient Dosage Forms

Capsule, Oral:

Xtandi: 40 mg

EPINEPHrine (Systemic)

Outpatient Dosage Forms

Injection, solution:

EpiPen 2-Pak®: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection]

EpiPen Jr 2-Pak®: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]

Twinject®: 0.15 mg/0.15 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.15 mg per injection]

Twinject®: 0.3 mg/0.3 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.3 mg per injection]

Ergocalciferol

Outpatient Dosage Forms

Capsule, oral: 50,000 units [1.25 mg]

Erlotinib

Outpatient Dosage Forms

Tablet, Oral:

Tarceva: 150 mg

Erythromycin (Ophthalmic)

Outpatient Dosage Forms

Ointment, Ophthalmic:

Generic: 5 mg/g (1 g, 3.5 g) [BCF]

Erythromycin (Systemic)

Outpatient Dosage Forms

Granules for suspension, oral, as ethylsuccinate:

E.E.S.®: Erythromycin activity 200 mg/5 mL (200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF]

Tablet, oral, as base: 250 mg

Erythromycin (Topical)

Outpatient Dosage Forms

Gel, topical: 2% (30 g) [BCF]

Solution, topical: 2% (60 mL) [BCF]

Escitalopram

Outpatient Dosage Forms

Tablet, oral: 5 mg, 10 mg, 20 mg

Eslicarbazepine

Outpatient Dosage Forms

Tablet, Oral:

Aptiom: 200 mg [scored]

Aptiom: 400 mg

Aptiom: 600 mg

esomeprazole

Outpatient Dosage Forms

Granules for suspension, delayed release, oral, as magnesium [strength expressed as base]:

NexlUM: 20 mg/packet (30s); 40 mg/packet (30s)

Estradiol and Norethindrone

Outpatient Dosage Forms

Patch, transdermal:

CombiPatch®: 0.05/0.25: Estradiol 0.05 mg and norethindrone acetate 0.25 mg per day (8s) [16 sq cm]

CombiPatch®: 0.05/0.14: Estradiol 0.05 mg and norethindrone acetate 0.14 mg per day (8s) [9 sq cm]

ESTRADIOL (SYSTEMIC)

Estradiol (Systemic)

Outpatient Dosage Forms

Oil, Intramuscular, as valerate:

Delestrogen: 40 mg/mL (5 mL) [contains benzyl alcohol]

Patch Twice Weekly, Transdermal:

Alora: 0.05 mg/24 hours (8s) [18 cm², total estradiol 1.5 mg]

Alora: 0.1 mg/24 hours (8s) [36 cm², total estradiol 3.1 mg]

Vivelle-Dot: 0.0375 mg/24 hours (24s) [3.75 cm², total estradiol 0.585 mg]

Patch Weekly, Transdermal:

Climara: 0.025 mg/24 hours (4s) [6.5 cm², total estradiol 2 mg] [BCF]

Climara: 0.0375 mg/24 hours (4s) [9.375 cm², total estradiol 2.85 mg] [BCF]

Climara: 0.05 mg/24 hours (4s) [12.5 cm², total estradiol 3.8 mg] [BCF]

Climara: 0.06 mg/24 hours (4s) [15 cm², total estradiol 4.55 mg] [BCF]

Climara: 0.075 mg/24 hours (4s) [18.75 cm², total estradiol 5.7 mg] [BCF]

Climara: 0.1 mg/24 hours (4s) [25 cm², total estradiol 7.6 mg] [BCF]

Tablet, Oral:

Generic: 0.5 mg, 1 mg, 2 mg

Estradiol (Topical)

Outpatient Dosage Forms

Cream, Vaginal:

Estrace: 0.1 mg/g (42.5 g)

Tablet, Vaginal, as base:

Vagifem: 10 mcg

Estrogens (Conjugated/Equine) and Medroxyprogesterone

Outpatient Dosage Forms

Tablet, oral:

Prempro®: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF]

Prempro®: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF]

Prempro®: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF]

Prempro®: 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]

Estrogens (Conjugated/Equine, Systemic)

Outpatient Dosage Forms

Tablet, oral:

Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]

Estrogens (Conjugated/Equine, Topical)

Outpatient Dosage Forms

Cream, vaginal:

Premarin®: 0.625 mg/g (30 g) [BCF]

Estrogens (Esterified) and Methyltestosterone

Outpatient Dosage Forms

Tablet, oral: Esterified estrogens 1.25 mg and methyltestosterone 2.5 mg

Covaryx® H.S.: Estrogens (Esterified) 0.625 mg and methyltestosterone 1.25 mg [contains tartrazine]

Eszopiclone

Outpatient Dosage Forms

Tablet, oral:

Lunesta®: 1 mg, 2 mg, 3 mg

Ethambutol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 400 mg [BCF]

Myambutol®: 100 mg [BCF]

Ethinyl Estradiol and Drospirenone

Outpatient Dosage Forms

Tablet, oral:

Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF]

Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]

Ethinyl Estradiol and Ethynodiol Diacetate

Outpatient Dosage Forms

Tablet, oral:

Zovia® 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets]

Ethinyl Estradiol and Etonogestrel

Outpatient Dosage Forms

Ring, vaginal:

NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]

Ethinyl Estradiol and Levonorgestrel

Outpatient Dosage Forms

Tablet, oral [extended cycle regimen]:

Jolessa: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF]

Tablet, oral [low dose formulation]:

Sronyx: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 white tablets and 7 peach inactive tablets] (28s) [BCF]

Tablet, oral [monophasic formulation]:

Levora: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 white tablets and 7 peach inactive tablets] (28s) [BCF]

Tablet, oral [triphasic formulation]:

Trivora:

Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets]

Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]

Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets]

Day 22-28: 7 peach inactive tablets (28s)

Ethinyl Estradiol and Norelgestromin

Outpatient Dosage Forms

Patch, transdermal:

Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day] (3s)

Ethinyl Estradiol and Norethindrone

Outpatient Dosage Forms

Tablet, oral:

femhr®: 1/5: Ethinyl estradiol 0.005 mg and norethindrone acetate 1 mg [white tablets]

Tablet, oral [monophasic formulation]:

Microgestin® 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [white tablets]

Norinyl® 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow green tablets and 7 orange inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:

Ortho-Novum® 7/7/7:

Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets]

Day 22-28: 7 green inactive tablets (28s)

Ethinyl Estradiol and Norgestimate

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:

MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:

Ortho Tri-Cyclen® Lo [BCF]:

Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]

Day 22-28: 7 dark green inactive tablets (28s)

TriNessa® [BCF]:

Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets]

Day 22-28: 7 dark green inactive tablets (28s)

Ethinyl Estradiol and Norgestrel

Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:

Low-Ogestrel®: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets] (28s)

Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 pink inactive tablets] (28s)

Ethosuximide

Outpatient Dosage Forms

Capsule, softgel, oral:

Zarontin®: 250 mg

Etoposide

Outpatient Dosage Forms

Capsule, Oral:

Generic: 50 mg

Everolimus

Outpatient Dosage Forms

Tablet, Oral:

Afinitor®: 10 mg

Exemestane

Outpatient Dosage Forms

Tablet, Oral:
Generic: 25 mg

Exenatide

Outpatient Dosage Forms

Pen-injector, subcutaneous:
Bydureon: 2 mg

Ezetimibe

Outpatient Dosage Forms

Tablet, oral:
Zetia®: 10 mg

Famotidine

Outpatient Dosage Forms

Tablet, Oral:
Generic: 20 mg, 40 mg

Felodipine

Outpatient Dosage Forms

Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg

Fenofibrate and Derivatives

Outpatient Dosage Forms

Tablet, Oral, as fenofibrate:
Generic: 48 mg [BCF], 145 mg [BCF]

FentaNYL

Outpatient Dosage Forms

Patch, transdermal, as base: 100 [delivers 100 mcg/hr] (5s); 25 [delivers 25 mcg/hr] (5s); 50 [delivers 50 mcg/hr] (5s); 75 [delivers 75 mcg/hr] (5s)

Ferrous Gluconate

Outpatient Dosage Forms

Tablet, Oral:
Generic: 324 mg (38 Fe)

Ferrous Sulfate

Outpatient Dosage Forms

Liquid, oral [drops]: 75 mg/mL (50 mL) [elemental iron 15 mg/mL]
Tablet, enteric coated, oral: 325 mg [elemental iron 65 mg]

Fexofenadine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 60 mg, 180 mg

Fexofenadine and Pseudoephedrine

Outpatient Dosage Forms

Tablet, extended release, oral:
Allegra-D® 12 Hour: Fexofenadine hydrochloride 60 mg [immediate release] and pseudoephedrine hydrochloride 120 mg [extended release]
Allegra-D® 24-Hour: 180/240: Fexofenadine hydrochloride 180 mg and pseudoephedrine hydrochloride 240 mg

Fidaxomicin

Outpatient Dosage Forms

Tablet, Oral:
Diffidic: 200 mg [contains soybean lecithin]

Filgrastim

Outpatient Dosage Forms

Injection, solution [preservative free]:
Neupogen®: 300 mcg/mL (1 mL) [contains polysorbate 80, sodium 0.035 mg/mL, sorbitol; vial]

Finasteride

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF]

FlavoxATE

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg

Flecainide

Outpatient Dosage Forms

Tablet, oral, as acetate: 100 mg

Fluconazole

Outpatient Dosage Forms

Powder for suspension, oral:
Diflucan®: 40 mg/mL (35 mL) [contains sodium benzoate, sucrose; orange flavor]
Tablet, oral: 150 mg [BCF], 200 mg
Diflucan®: 100 mg

Fludrocortisone

Outpatient Dosage Forms

Tablet, oral, as acetate: 0.1 mg

Flunisolide (Nasal)

Outpatient Dosage Forms

Solution, intranasal [spray]: 25 mcg/actuation (25 mL); 29 mcg/actuation (25 mL)

Fluocinolone (Topical)

Outpatient Dosage Forms

Oil, topical, as acetone [scalp oil]:
Derma-Smoother/F5®: 0.01% (120 mL) [contains isopropyl alcohol, peanut oil]
Solution, topical, as acetone: 0.01% (60 mL)

Fluocinonide

Outpatient Dosage Forms

Cream, External:
Generic: 0.05% (15 g, 60 g) [BCF]
Gel, External:
Generic: 0.05% (15 g)
Ointment, External:
Generic: 0.05% (15 g, 60 g) [BCF]

Fluoride

Outpatient Dosage Forms

Cream, oral, as sodium [toothpaste]:
PrevDent® 5000 Plus®: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]
Gel, topical, as sodium:
PrevDent®: 1.1% (56 g) [very berry flavor; equivalent to fluoride 2 mg/dose]
Solution, oral, as sodium [drops]: 1.1 mg/mL (50 mL) [equivalent to fluoride 0.5 mg/mL]

Fluorometholone

Outpatient Dosage Forms

Suspension, ophthalmic, as base [drops]: 0.1% (5 mL, 10 mL)

Fluorouracil (Topical)

Outpatient Dosage Forms

Cream, topical:
Carac®: 0.5% (30 g)
Efudex®: 5% (40 g)

FLUoxetine

Outpatient Dosage Forms

Capsule, oral: 20 mg [BCF]
Solution, oral: 20 mg/5 mL (120 mL) [BCF]
Tablet, oral: 10 mg [BCF]

Flurandrenolide

Outpatient Dosage Forms

Tape, topical [roll]:
Cordran®: 4 mcg/cm² (80 inch)

Flurbiprofen (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]:
Ocufen®: 0.03% (2.5 mL)

Fluticasone and Salmeterol

Outpatient Dosage Forms

Aerosol, for oral inhalation:
Advair® HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Advair® HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Advair® HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Powder, for oral inhalation:
Advair Diskus®: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]
Advair Diskus®: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]

Fluticasone (Nasal)

Outpatient Dosage Forms

Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF]
Flonase®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]

Fluticasone (Oral Inhalation)

Outpatient Dosage Forms

Aerosol, for oral inhalation, as propionate:
Flovent® HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Flovent® HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Flovent® HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Powder, for oral inhalation, as propionate:
Flovent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]
Flovent® Diskus®: 100 mcg (60s) [contains lactose] [BCF]
Flovent® Diskus®: 250 mcg (60s) [contains lactose] [BCF]

FLUTICASONE, UMECLIDINIUM, AND VILANTEROL

Fluticasone, Umeclidinium, and Vilanterol

Outpatient Dosage Forms

Aerosol Powder Breath Activated, Inhalation:

Trelegy Ellipta: Fluticasone furoate 100 mcg, umeclidinium 62.5 mcg, and vilanterol 25 mcg (28 ea, 60 ea) [contains lactose monohydrate]

Folic Acid

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF]

Fondaparinux

Outpatient Dosage Forms

Injection, solution, as sodium [preservative free]:

Arixtra®: 2.5 mg/0.5 mL (0.5 mL); 7.5 mg/0.6 mL (0.6 mL); 10 mg/0.8 mL (0.8 mL)

Fosfomycin

Outpatient Dosage Forms

Packet, Oral:

Monurol: 3 g (1 ea) [orange flavor]

Fosinopril

Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg, 20 mg, 40 mg

Furosemide

Outpatient Dosage Forms

Solution, oral: 10 mg/mL (60 mL) [BCF]

Tablet, oral: 20 mg [BCF], 40 mg [BCF]

Gabapentin

Outpatient Dosage Forms

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Tablet, oral: 600 mg [BCF], 800 mg [BCF]

Ganciclovir (Ophthalmic)

Outpatient Dosage Forms

Gel, ophthalmic [drops]:

Zirgan®: 0.15% (5 g) [contains benzalkonium chloride]

Gefitinib

Outpatient Dosage Forms

Tablet, Oral:

Iressa: 250 mg

Gemfibrozil

Outpatient Dosage Forms

Tablet, oral: 600 mg [BCF]

Gentamicin (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic:

Gentak®: 0.3% (3.5 g) [BCF]

Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]

Glimepiride

Outpatient Dosage Forms

Tablet, Oral:

Generic: 1 mg, 2 mg, 4 mg

GlipiZIDE

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF]

Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg

Glucagon

Outpatient Dosage Forms

Injection, powder for reconstitution:

Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]

GlyBURIDE

Outpatient Dosage Forms

Tablet, oral: 1.25 mg [BCF], 5 mg [BCF]

Tablet, oral [micronized]: 3 mg [BCF], 6 mg [BCF]

Glyburide and Metformin

Outpatient Dosage Forms

Tablet, oral:

1.25 mg/250 mg: Glyburide 1.25 mg and metformin hydrochloride 250 mg

2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg

5/500: Glyburide 5 mg and metformin hydrochloride 500 mg

Glycopyrrolate (Systemic)

Outpatient Dosage Forms

Tablet, oral:

Robinul: 1 mg [scored]

Granisetron

Outpatient Dosage Forms

Tablet, oral: 1 mg

Griseofulvin

Outpatient Dosage Forms

Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF]

Tablet, oral [ultramicrosize]:

Gris-PEG®: 125 mg [BCF], 250 mg [BCF] [scored]

GuaiFENesin

Outpatient Dosage Forms

Syrup, oral: 100 mg/5 mL (118 mL)

Tablet, extended release, oral:

Mucinex®: 600 mg

Guaifenesin and Codeine

Outpatient Dosage Forms

Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (118 mL)

Guaifenesin and Dextromethorphan

Outpatient Dosage Forms

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL)

Guaifenesin and Pseudoephedrine

Outpatient Dosage Forms

Tablet, extended release, oral:

Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg

Guaifenesin, Pseudoephedrine, and Codeine

Outpatient Dosage Forms

Syrup, oral:

Mytussin® DAC: Guaifenesin 100 mg, pseudoephedrine hydrochloride 30 mg, and codeine phosphate 10 mg per 5 mL (118 mL) [sugar free; contains ethanol 1.7%; strawberry-raspberry flavor]

GuanFACINE

Outpatient Dosage Forms

Tablet, Oral:

Generic: 1 mg, 2 mg

Tablet, Extended Release 24 hour, Oral:

Intuniv: 1 mg, 2 mg, 3 mg, 4 mg

Haloperidol

Outpatient Dosage Forms

Tablet, oral: 1 mg, 2 mg, 5 mg

Hepatitis B Immune Globulin (Human)

Outpatient Dosage Forms

Injection, solution [preservative free]:

HyperHEP B™ S/D: Anti-HBs ≥220 units/mL (0.5 mL, 1 mL, 5 mL)

Hexachlorophene

Outpatient Dosage Forms

Liquid, topical:

pHisoHex®: 3% (150 mL) [contains sodium benzoate]

Homatropine

Outpatient Dosage Forms

Solution, ophthalmic, as hydrobromide [drops]:

Isopto® Homatropine: 5% (5 mL) [contains benzalkonium chloride]

HydrALAZINE

Outpatient Dosage Forms

Solution, Injection, as hydrochloride:

Generic: 20 mg/mL (1 mL)

Tablet, Oral, as hydrochloride:

Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg

HydroCHLORothiazide

Outpatient Dosage Forms

Capsule, oral: 12.5 mg [BCF]

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Hydrochlorothiazide and Spironolactone

Outpatient Dosage Forms

Tablet, oral: 25/25: Hydrochlorothiazide 25 mg and spironolactone 25 mg

Hydrochlorothiazide and Triamterene

Outpatient Dosage Forms

Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]; hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

Hydrocodone and Acetaminophen

Outpatient Dosage Forms

Elixir, oral: Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg per 15 mL (473 mL)

Tablet, oral:

Hydrocodone bitartrate 5 mg and acetaminophen 325 mg
Hydrocodone bitartrate 5 mg and acetaminophen 500 mg
Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg
Hydrocodone bitartrate 10 mg and acetaminophen 325 mg

Hydrocortisone (Systemic)

Outpatient Dosage Forms

Tablet, Oral, as base:
Cortef: 10 mg [scored]
Generic: 5 mg

Hydrocortisone (Topical)

Outpatient Dosage Forms

Cream, topical, as base: 1% (15 g, 30 g)
Proctozone-HC 2.5%™: 2.5% (30 g) [BCF]
Cream, topical, as valerate: 0.2% (15 g, 45 g)
Ointment, topical, as valerate: 0.2% (60 g)
Suppository, rectal, as acetate:
Anucort-HC™: 25 mg (12s) [BCF]
Suspension, rectal, as base: 100 mg/60 mL (60 mL)

HYDRomorphone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 2 mg, 4 mg

Hydroxychloroquine

Outpatient Dosage Forms

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]

Hydroxyurea

Outpatient Dosage Forms

Capsule, oral:
Hydrea®: 500 mg

HydrOXYzine

Outpatient Dosage Forms

Capsule, Oral, as pamoate:
Generic: 25 mg, 50 mg
Syrup, Oral, as hydrochloride:
Generic: 10 mg/5 mL (473 mL) [BCF]
Tablet, Oral, as hydrochloride:
Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Hyoscyamine

Outpatient Dosage Forms

Tablet, orally disintegrating, oral, as sulfate:
Anaspaz®: 0.125 mg [scored]

Hyoscyamine, Atropine, Scopolamine, and Phenobarbital

Outpatient Dosage Forms

Elixir, oral:
Donnatal®: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (118 mL) [contains ethanol <23.8%; grape flavor]
Tablet, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg

Ibandronate

Outpatient Dosage Forms

Tablet, Oral:
Generic: 150 mg

Ibrutinib

Outpatient Dosage Forms

Capsule, Oral:
Imbruvica: 140 mg

Ibuprofen

Outpatient Dosage Forms

Suspension, oral: 100 mg/5 mL (120 mL)
Motrin® Children's: 100 mg/5 mL (120 mL) [ethanol free; contains sodium 2 mg/5 mL, sodium benzoate; berry flavor]
Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

Imatinib

Outpatient Dosage Forms

Tablet, Oral:
Gleevec: 100 mg

Imipramine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Imliquimod

Outpatient Dosage Forms

Cream, topical: 5% (24s) [0.25 g/packet]

IncobotulinumtoxinA

Outpatient Dosage Forms

Solution Reconstituted, Intramuscular [preservative free]:
Xeomin: 50 units (1 ea); 100 units (1 ea) [contains albumin human]

Indomethacin

Outpatient Dosage Forms

Capsule, Oral:
Generic: 50 mg [BCF]
Capsule Extended Release, Oral:
Generic: 75 mg

Inhalation Devices

Outpatient Dosage Forms

Holding chamber:
AeroChamber® Plus
Holding chamber with mask:
AeroChamber®: Small, medium, large

Insulin Aspart

Outpatient Dosage Forms

Injection, solution:
NovoLOG®: 100 units/mL (10 mL) [vial] [BCF]
NovoLOG® FlexPen®: 100 units/mL (3 mL) [BCF]

Insulin Aspart Protamine and Insulin Aspart

Outpatient Dosage Forms

Injection, suspension:
NovoLOG® Mix 70/30 FlexPen®: 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (3 mL) [BCF]

Insulin Detemir

Outpatient Dosage Forms

Injection, solution:
Levemir®: 100 units/mL (10 mL)

Insulin Glargine

Outpatient Dosage Forms

Solution, Subcutaneous:
Lantus: 100 units/mL (10 mL) [contains metacresol] [BCF]
Solution Pen-injector, Subcutaneous:
Lantus SoloStar: 100 units/mL (3 mL) [contains metacresol] [BCF]

Insulin NPH

Outpatient Dosage Forms

Suspension, Subcutaneous:
NovoLIN N: 100 units/mL (10 mL) [vial] [BCF]

Insulin NPH and Insulin Regular

Outpatient Dosage Forms

Injection, suspension:
NovoLIN® 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]

Insulin Regular

Outpatient Dosage Forms

Injection, solution:
NovoLIN® R: 100 units/mL (10 mL) [BCF]

Interferon Alfa-2b

Outpatient Dosage Forms

Injection, powder for reconstitution [preservative free]:
Intron® A: 10 million units [contains albumin (human)]

Ipecac Syrup

Outpatient Dosage Forms

Syrup, oral: 30 mL

Ipratropium and Albuterol

Outpatient Dosage Forms

Aerosol, for oral Inhalation:
Combivent: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF]
Solution, for nebulization:
Generic: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL [BCF]

Ipratropium (Nasal)

Outpatient Dosage Forms

Solution, intranasal, as bromide [spray]: 0.03% (30 mL); 0.06% (15 mL)

Ipratropium (Oral Inhalation)

Outpatient Dosage Forms

Aerosol, for oral inhalation, as bromide:
Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]
Solution, for nebulization, as bromide [preservative free]: 0.02% [500 mcg/2.5 mL] (30s)

ISONIAZID

Isoniazid

Outpatient Dosage Forms

Solution, oral: 50 mg/5 mL (473 mL)
Tablet, oral: 100 mg [BCF], 300 mg [BCF]

Isosorbide Dinitrate

Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF]
Tablet, extended release, oral: 40 mg [BCF]

Isosorbide Mononitrate

Outpatient Dosage Forms

Tablet, extended release, oral: 60 mg [BCF]
Imdur®: 30 mg [scored] [BCF]

Isosulfan Blue

Outpatient Dosage Forms

Injection, solution [preservative free]:
Lymphazurin™: 1% (5 mL)

ISOTretinoin (Systemic)

Outpatient Dosage Forms

Capsule, oral:
Claravis™: 40 mg [contains soybean oil]
Capsule, softgel, oral:
Amnesteem®: 20 mg [contains soybean oil]

Ivermectin (Systemic)

Outpatient Dosage Forms

Tablet, Oral:
Stromectol: 3 mg

Ketoconazole (Systemic)

Outpatient Dosage Forms

Tablet, oral: 200 mg

Ketoconazole (Topical)

Outpatient Dosage Forms

Cream, External:
Generic: 2% (15 g) [BCF]
Shampoo, External:
Generic: 2% (120 mL) [BCF]

Ketorolac (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as tromethamine [drops]: 0.5% (5 mL)
Solution, ophthalmic, as tromethamine [drops, preservative free]:
Acuvail®: 0.45% (0.4 mL)

Ketorolac (Systemic)

Outpatient Dosage Forms

Tablet, oral, as tromethamine: 10 mg

Ketotifen (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Zaditor®: 0.025% (5 mL) [contains benzalkonium chloride]

Labetalol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg, 200 mg

Lactic Acid and Ammonium Hydroxide

Outpatient Dosage Forms

Cream, topical:
AmLactin®: Lactic acid 12% with ammonium hydroxide (140 g)
Lotion, topical:
AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)

Lactulose

Outpatient Dosage Forms

Solution, oral: 10 g/15 mL (473 mL) [BCF]

LamiVUDine

Outpatient Dosage Forms

Tablet, oral: 100 mg, 150 mg, 300 mg

LamoTRigine

Outpatient Dosage Forms

Tablet, oral: 100 mg, 200 mg
LaMICtal®: 25 mg, 150 mg [scored]

Lansoprazole

Outpatient Dosage Forms

Suspension, Oral:
First-Lansoprazole: 3 mg/mL (150 mL) [contains benzyl alcohol, fd&c red #40, saccharin sodium; strawberry flavor]

Latanoprost

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Xalatan®: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]

Letrozole

Outpatient Dosage Forms

Tablet, oral:
Femara®: 2.5 mg

Leucovorin Calcium

Outpatient Dosage Forms

Tablet, oral [strength expressed as base]: 5 mg

Levalbuterol

Outpatient Dosage Forms

Aerosol, Inhalation, as tartrate [strength expressed as base]:
Generic: 45 mcg/actuation (15 g)

LevETIRAcetam

Outpatient Dosage Forms

Solution, oral:
Keppra®: 100 mg/mL (480 mL) [dye free; grape flavor]
Tablet, oral:
Keppra®: 250 mg, 500 mg, 750 mg [scored; gluten free]
Tablet, extended release, oral:
Keppra XR®: 500 mg

LevoFLOXacin (Systemic)

Outpatient Dosage Forms

Solution, oral:
Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF]
Tablet, oral:
Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

Levonorgestrel (IUD)

Outpatient Dosage Forms

Intrauterine Device:
Kyleena: 19.5 mg

Levonorgestrel (Systemic)

Outpatient Dosage Forms

Tablet, Oral:
Plan B: 0.75 mg [BCF]

Levothyroxine

Outpatient Dosage Forms

Tablet, oral, as sodium:
Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF]

Lidocaine and Prilocaine

Outpatient Dosage Forms

Cream, External:
Generic: Lidocaine 2.5% and prilocaine 2.5% (30 g)

Lidocaine (Topical)

Outpatient Dosage Forms

Jelly, topical, as hydrochloride: 2% (30 mL)
Ointment, topical: 5% (35.4 g)
Patch, topical: 5% (1 ea, 30 ea)
Solution, viscous, oral topical, as hydrochloride: 2% [20 mg/mL] (100 mL)

LinaCLOtide

Outpatient Dosage Forms

Capsule, oral:
Linzess: 145 mcg, 290 mcg

Liothyronine

Outpatient Dosage Forms

Tablet, oral:
Cytomel®: 5 mcg
Cytomel®: 25 mcg [scored], 50 mcg [scored]

Lisinopril

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

Lisinopril and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:
10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]
20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]
20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

Lithium

Outpatient Dosage Forms

Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF]

Solution, oral, as citrate: 300 mg/5 mL (500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]

Loperamide**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 2 mg [BCF]

Loratadine**Outpatient Dosage Forms**

Syrup, oral: 5 mg/5 mL (120 mL)
Tablet, oral: 10 mg

LORazepam**Outpatient Dosage Forms**

Injection, solution: 2 mg/mL (1 mL, 10 mL)
Tablet, oral: 0.5 mg, 1 mg, 2 mg

Losartan**Outpatient Dosage Forms**

Tablet, oral, as potassium: 25 mg [BCF], 100 mg [BCF]
Cozaar®: 50 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]

Losartan and Hydrochlorothiazide**Outpatient Dosage Forms**

Tablet, oral: 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]
Hyzaar® 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]
Hyzaar® 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

Loteprednol**Outpatient Dosage Forms**

Ointment, Ophthalmic, as etabonate:
Lotemax: 0.5% (3.5 g)
Suspension, Ophthalmic, as etabonate [drops]:
Alrex: 0.2% (5 mL) [contains benzalkonium chloride]
Lotemax: 0.5% (5 mL) [contains benzalkonium chloride]

Lubiprostone**Outpatient Dosage Forms**

Capsule, oral:
Amitiza: 8 mcg, 24 mcg

Lurasidone**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:
Latuda: 20 mg, 40 mg, 60 mg
Latuda: 80 mg [contains fd&c blue #2 aluminum lake]

Magnesium Chloride**Outpatient Dosage Forms**

Tablet Delayed Release, Oral:
Slow-Mag: 71.5-119 MG [contains fd&c blue #2 aluminum lake]

Magnesium Citrate**Outpatient Dosage Forms**

Solution, oral: 290 mg/5 mL (296 mL)

Magnesium Oxide**Outpatient Dosage Forms**

Tablet, oral: 400 mg [equivalent to elemental magnesium 240 mg]

Magnesium Sulfate**Outpatient Dosage Forms**

Infusion, premixed in D₅W: 10 mg/mL (100 mL) [equivalent to elemental magnesium 0.99 mg (0.08 mEq)/mL]
Infusion, premixed in water for injection: 40 mg/mL (50 mL, 500 mL) [equivalent to elemental magnesium 3.94 mg (0.32 mEq)/mL]

m-Cresyl Acetate**Outpatient Dosage Forms**

Solution, otic [drops]:
Cresylate™: 25% (15 mL) [contains benzyl alcohol, castor oil, isopropyl alcohol 25%]

Meclizine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:
Antivert®: 25 mg
Tablet, chewable, oral, as hydrochloride: 25 mg

MedroxyPROGESTERone**Outpatient Dosage Forms**

Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Mefloquine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 250 mg [equivalent to mefloquine base 228 mg]

Megestrol**Outpatient Dosage Forms**

Suspension, oral, as acetate: 40 mg/mL (240 mL)
Tablet, oral, as acetate: 40 mg

Meloxicam**Outpatient Dosage Forms**

Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]

Memantine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:
Namenda®: 5 mg, 10 mg

Meperidine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg

Mepolizumab**Outpatient Dosage Forms**

Solution Reconstituted, Subcutaneous [preservative free]:
Nucala: 100 mg (1 ea) [contains mouse (murine) and/or hamster protein, polysorbate 80]

Mercaptopurine**Outpatient Dosage Forms**

Tablet, oral: 50 mg

Mesalamine**Outpatient Dosage Forms**

Capsule Delayed Release, Oral:
Delzicol: 400 mg
Capsule Extended Release 24 Hour, Oral:
Apriso: 0.375 g
Enema, Rectal:
SfRowasa: 4 g/60 mL (60 mL) [sulfite free; contains edetate disodium, sodium benzoate]
Suppository, Rectal:
Canasa: 1000 mg (30s)
Tablet Delayed Release, Oral:
Lialda: 1.2 g [BCF]

Metaxalone**Outpatient Dosage Forms**

Tablet, Oral:
Generic: 800 mg

MetFORMIN**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:
Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]
Tablet, Extended Release, Oral, as hydrochloride:
Generic: 500 mg [BCF], 750 mg [BCF]

Methadone**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg

MethazolAMIDE**Outpatient Dosage Forms**

Tablet, oral: 25 mg, 50 mg

MethIMAzole**Outpatient Dosage Forms**

Tablet, oral:
Tapazole®: 5 mg, 10 mg [scored]

Methocarbamol**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF]

Methotrexate**Outpatient Dosage Forms**

Tablet, Oral:
Generic: 2.5 mg [BCF]

Methylidopa**Outpatient Dosage Forms**

Tablet, oral: 250 mg

Methylergonovine**Outpatient Dosage Forms**

Tablet, oral, as maleate: 0.2 mg

Methylphenidate**Outpatient Dosage Forms**

Capsule Extended Release, Oral, as hydrochloride:
Metadate CD: 20 mg [contains sucrose; 6 mg immediate release, 14 mg extended release]

METHYLPHENIDATE

Capsule Extended Release 24 Hour, Oral, as hydrochloride:
Ritalin LA: 10 mg [5 mg immediate release, 5 mg extended release]
Ritalin LA: 20 mg [10 mg immediate release, 10 mg extended release]
Ritalin LA: 30 mg [15 mg immediate release, 15 mg extended release]
Ritalin LA: 40 mg [20 mg immediate release, 20 mg extended release]
Solution, Oral, as hydrochloride:
Generic: 5 mg/5 mL (500 mL)
Suspension Reconstituted, Oral, as hydrochloride:
Quillivant XR: 25 mg/5 mL (60 mL, 120 mL, 150 mL, 180 mL) [contains sodium benzoate; banana flavor]
Tablet, Oral, as hydrochloride:
Generic: 5 mg, 10 mg, 20 mg
Tablet Extended Release, Oral, as hydrochloride:
Concerta: 18 mg [4 mg immediate release, 14 mg extended release] [BCF]
Concerta: 27 mg [6 mg immediate release, 21 mg extended release] [BCF]
Concerta: 36 mg [8 mg immediate release, 28 mg extended release] [BCF]
Concerta: 54 mg [12 mg immediate release, 42 mg extended release] [BCF]

MethylPREDNISolone

Outpatient Dosage Forms

Tablet, oral: 4 mg
Tablet, oral [dose-pack]: 4 mg [21s]

Metoclopramide

Outpatient Dosage Forms

Solution, oral: 5 mg/5 mL (473 mL) [BCF]
Tablet, oral: 10 mg [BCF]

MetOLazone

Outpatient Dosage Forms

Tablet, oral:
Zaroxolyn®: 2.5 mg, 5 mg

Metoprolol

Outpatient Dosage Forms

Injection, solution, as tartrate: 1 mg/mL (5 mL)
Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]

MetroNIDAZOLE (Systemic)

Outpatient Dosage Forms

Tablet, oral: 250 mg [BCF], 500 mg [BCF]

MetroNIDAZOLE (Topical)

Outpatient Dosage Forms

Cream, topical:
MetroCream®: 0.75% (45 g) [contains benzyl alcohol]
Gel, topical:
MetroGel®: 1% (60 g)
Gel, vaginal:
Vandazole®: 0.75% (70 g) [BCF]

Miconazole (Topical)

Outpatient Dosage Forms

Cream, topical, as nitrate: 2% (30 g)
Cream, vaginal, as nitrate: 2% (45 g)

Midazolam

Outpatient Dosage Forms

Syrup, oral: 2 mg/mL (118 mL)

Midodrine

Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:
Generic: 5 mg, 10 mg

Mineral Oil

Outpatient Dosage Forms

Oil, rectal [enema]:
Fleet® Mineral Oil Enema: 100% per 118 mL delivered dose (133 mL)

Minoxidil (Systemic)

Outpatient Dosage Forms

Tablet, Oral:
Generic: 2.5 mg, 10 mg

Mirabegron

Outpatient Dosage Forms

Tablet Extended Release 24 Hour, Oral:
Myrbetriq: 25 mg, 50 mg

Mirtazapine

Outpatient Dosage Forms

Tablet, Oral:
Generic: 15 mg, 30 mg, 45 mg

MiSOPROStol

Outpatient Dosage Forms

Tablet, oral:
Cytotec®: 100 mcg
Cytotec®: 200 mcg [scored]

Montelukast

Outpatient Dosage Forms

Granules, oral:
Singulair®: 4 mg/packet (30s) [BCF]
Tablet, oral:
Singulair®: 10 mg [contains lactose 89.3 mg/tablet] [BCF]
Tablet, chewable, oral:
Singulair®: 4 mg [contains phenylalanine 0.67 mg/tablet; cherry flavor] [BCF]
Singulair®: 5 mg [contains phenylalanine 0.84 mg/tablet; cherry flavor] [BCF]

Morphine (Systemic)

Outpatient Dosage Forms

Solution, oral, as sulfate [concentrate]: 100 mg/5 mL (240 mL)
Tablet, oral, as sulfate: 30 mg
Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF]

Moxifloxacin (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
Vigamox®: 0.5% (3 mL)

Moxifloxacin (Systemic)

Outpatient Dosage Forms

Infusion, premixed in sodium chloride 0.8% [preservative free]:
Avelox® I.V.: 400 mg (250 mL) [contains sodium ~787 mg (34.2 mEq)/250 mL]
Tablet, oral:
Avelox®: 400 mg

Mupirocin

Outpatient Dosage Forms

Cream, topical, as calcium [strength expressed as base]:
Bactroban Cream®: 2% (15 g) [contains benzyl alcohol]
Ointment, topical: 2% (22 g) [BCF]
Bactroban®: 2% (22 g) [contains polyethylene glycol] [BCF]
Ointment, intranasal, as calcium [strength expressed as base]:
Bactroban Nasal®: 2% (1 g)

Mycophenolate

Outpatient Dosage Forms

Capsule, oral, as mofetil: 250 mg
Suspension Reconstituted, Oral, as mofetil: 200 mg/mL (160 mL)
Tablet, Oral, as mofetil: 500 mg

Nadolol

Outpatient Dosage Forms

Tablet, oral: 40 mg, 80 mg

Naftifine

Outpatient Dosage Forms

Cream, topical, as hydrochloride:
Naftin®: 1% (30 g) [contains benzyl alcohol]
Gel, topical, as hydrochloride:
Naftin®: 1% (40 g) [contains ethanol 52%]

Naloxone

Outpatient Dosage Forms

Liquid, Nasal:
Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate disodium]
Solution, Injection, as hydrochloride [preservative free]:
Generic: 0.4 mg/mL (1 mL)

Naproxen

Outpatient Dosage Forms

Suspension, oral:
Naprosyn®: 125 mg/5 mL (473 mL) [contains sodium 39 mg (1.5 mEq)/5 mL; orange-pineapple flavor] [BCF]
Tablet, oral: 500 mg [BCF]
Naprosyn®: 250 mg [BCF]

Nasal Wash

Neomycin

Outpatient Dosage Forms

Tablet, oral, as sulfate: 500 mg

Neomycin, Colistin, Hydrocortisone, and Thonzonium

Outpatient Dosage Forms

Suspension, otic [drops]:
Coly-Mycin® S: Neomycin 0.33%, colistin 0.3%, hydrocortisone acetate 1%, and thonzonium bromide 0.05% (5 mL) [contains thimerosal]

Neomycin, Polymyxin B, and Dexamethasone

Outpatient Dosage Forms

Ointment, Ophthalmic:
 Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)
 Suspension, Ophthalmic [drops]:
 Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)

Neomycin, Polymyxin B, and Gramicidin

Outpatient Dosage Forms

Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]

Neomycin, Polymyxin B, and Hydrocortisone (Otic)

Outpatient Dosage Forms

Solution, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL)
 Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]

Niacin

Outpatient Dosage Forms

Capsule, extended release, oral: 250 mg
 Tablet, oral: 500 mg
 Tablet, extended release, oral:
 Niaspan®: 500 mg [BCF], 1000 mg [BCF]

Nicotine

Outpatient Dosage Forms

Patch, transdermal:
 NicoDerm® CQ®: 7 mg/24 hours (14s) [contains metal; step 3; clear patch] [BCF]
 NicoDerm® CQ®: 14 mg/24 hours (14s) [contains metal; step 2; clear patch] [BCF]
 NicoDerm® CQ®: 21 mg/24 hours (14s) [contains metal; step 1; clear patch] [BCF]

NIFEdipine

Outpatient Dosage Forms

Capsule, softgel, oral:
 Procardia®: 10 mg
 Tablet, extended release, oral:
 Adalat® CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]

Nilotinib

Outpatient Dosage Forms

Capsule, Oral:
 Tasigna: 150 mg

Nitrofurantoin

Outpatient Dosage Forms

Capsule, Oral, as macrocrystals:
 Macrobid®: 25 mg
 Generic: 50 mg [BCF]
 Capsule, Oral, as monohydrate/macrocrystals:
 Macrobid®: 100 mg [nitrofurantoin macrocrystal 25% and nitrofurantoin monohydrate 75%] [BCF]
 Generic: 100 mg [BCF]

Nitroglycerin

Outpatient Dosage Forms

Injection, solution: 5 mg/mL (10 mL)
 Ointment, rectal:
 Rectiv: 0.4% (30 g) [contains propylene glycol]
 Patch, transdermal:
 Nitro-Dur®: 0.1 mg/hr (30s) [BCF]; 0.2 mg/hr (30s) [BCF]; 0.3 mg/hr (30s) [BCF]; 0.4 mg/hr (30s) [BCF]; 0.6 mg/hr (30s) [BCF]; 0.8 mg/hr (30s) [BCF]
 Solution, translingual [spray]:
 Nitrolingual®: 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF]
 Tablet, sublingual:
 Nitrostat®: 0.3 mg, 0.4 mg [BCF], 0.6 mg

Nonoxynol 9

Outpatient Dosage Forms

Gel, vaginal:
 Gynol II®: 2% (108 g)

Norethindrone

Outpatient Dosage Forms

Tablet, oral:
 Nor-QD®: 0.35 mg [BCF]
 Ortho Micronor®: 0.35 mg [BCF]
 Tablet, oral, as acetate:
 Aygestin®: 5 mg [scored]

Nortriptyline

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

Solution, oral: 10 mg/5 mL (473 mL) [BCF]

Nystatin and Triamcinolone

Outpatient Dosage Forms

Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)
 Ointment, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)

Nystatin (Oral)

Outpatient Dosage Forms

Suspension, oral: 100,000 units/mL (60 mL, 473 mL) [BCF]
 Tablet, oral: 500,000 units

Nystatin (Topical)

Outpatient Dosage Forms

Cream, topical: 100,000 units/g (15 g) [BCF]
 Ointment, topical: 100,000 units/g (15 g) [BCF]
 Powder, topical:
 Nystop®: 100,000 units/g (15 g) [contains talc]

Octreotide

Outpatient Dosage Forms

Kit, Intramuscular:
 SandoSTATIN LAR Depot: 30 mg
 Solution, Injection, [preservative free]:
 SandoSTATIN: 100 mcg/mL (1 mL); 500 mcg/mL (1 mL)

Ofloxacin (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic [drops]:
 Ocuflox®: 0.3% (5 mL) [contains benzalkonium chloride]

Ofloxacin (Otic)

Outpatient Dosage Forms

Solution, Otic [drops]:
 Generic: 0.3% (5 mL)

OLANzapine

Outpatient Dosage Forms

Tablet, oral:
 ZYPREXA®: 2.5 mg, 5 mg, 10 mg, 15 mg

Olopatadine (Ophthalmic)

Outpatient Dosage Forms

Solution, Ophthalmic [drops]:
 Patanol®: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]
 Pazeo®: 0.7% (2.5 mL) [contains benzalkonium chloride]

Omalizumab

Outpatient Dosage Forms

Injection, powder for reconstitution:
 Xolair®: 150 mg [contains sucrose 145.5 mg; derived from or manufactured using Chinese hamster ovary cells]

Omega-3 Fatty Acids

Outpatient Dosage Forms

Capsule, liquid gel, oral:
 Generic: 1000 mg [OTC only]

Omeprazole

Outpatient Dosage Forms

Capsule, delayed release, oral: 10 mg [BCF], 20 mg [BCF], 40 mg

OnabotulinumtoxinA

Outpatient Dosage Forms

Injection, powder for reconstitution [preservative free]:
 Botox®: *Clostridium botulinum* type A neurotoxin complex 100 units [contains albumin (human)]

Ondansetron

Outpatient Dosage Forms

Solution, Oral: 4 mg/5 mL (50 mL)
 Tablet, oral: 4 mg, 8 mg
 Tablet, orally disintegrating, oral: 4 mg, 8 mg

Oseltamivir

Outpatient Dosage Forms

Capsule, oral, as phosphate:
 Tamiflu®: 30 mg, 45 mg, 75 mg
 Powder for suspension, oral:
 Tamiflu®: 6 mg/mL (60 mL) [contains sodium benzoate; tutti frutti flavor]

Oxaliplatin

Outpatient Dosage Forms

Injection, solution [concentrate, preservative free]:
 Eloxatin®: 5 mg/mL (10 mL)

OXcarbazepine

Outpatient Dosage Forms

Tablet, oral: 300 mg
 Trileptal®: 150 mg, 600 mg [scored]

OXYBUTYNIN

Oxybutynin

Outpatient Dosage Forms

Tablet, oral, as chloride: 5 mg
Tablet, extended release, oral, as chloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

OxyCODONE

Outpatient Dosage Forms

Solution, oral, as hydrochloride: 5 mg/5 mL
Tablet, oral, as hydrochloride: 10 mg, 15 mg
Tablet ER 12 hour abuse-deterrent, oral, as hydrochloride:
OxyCONTIN: 10 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg

Oxycodone and Acetaminophen

Outpatient Dosage Forms

Solution, oral:
Roxicet™: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (5 mL, 500 mL) [contains ethanol <0.5%; mint flavor]
Tablet, oral:
5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]
10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg

Oxymetazoline (Nasal)

Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

Palbociclib

Outpatient Dosage Forms

Capsule, Oral:
Ibrance: 125 mg

Pancrelipase

Outpatient Dosage Forms

Capsule, delayed release, enteric coated microsphere, oral [porcine derived]:
Creon®: Lipase 6000 units, protease 19,000 units, and amylase 30,000 units [BCF]
Creon®: Lipase 12,000 units, protease 38,000 units, and amylase 60,000 units [BCF]
Creon®: Lipase 24,000 units, protease 76,000 units, and amylase 120,000 units [BCF]
Capsule, delayed release, enteric coated microtablets, oral [porcine derived]:
Pancreaze™: Lipase 16,800 units, protease 40,000 units, and amylase 70,000 units
Pancreaze™: Lipase 21,000 units, protease 37,000 units, and amylase 61,000 units

Pantoprazole

Outpatient Dosage Forms

Tablet, delayed release, oral: 20 mg, 40 mg

Paricalcitol

Outpatient Dosage Forms

Capsule, Oral:
Generic: 1 mcg, 2 mcg

PARoxetine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride [strength expressed as base]: 10 mg, 20 mg, 40 mg

Patiromer

Outpatient Dosage Forms

Packet, Oral:
Veltassa: 8.4 g, 16.8 g, 25.2 g

PAZOPanib

Outpatient Dosage Forms

Tablet, Oral:
Votrient: 200 mg

Pegfilgrastim

Outpatient Dosage Forms

Solution, Subcutaneous, Prefilled Syringe [preservative free]:
Neulasta: 6 mg/0.6 mL (0.6 mL)

PenicillAMINE

Outpatient Dosage Forms

Capsule, oral:
Cuprimine®: 250 mg

Penicillin V Potassium

Outpatient Dosage Forms

Powder for solution, oral: 125 mg/5 mL (200 mL) [BCF]; 250 mg/5 mL (200 mL) [BCF]
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

Pentamidine (Oral Inhalation)

Outpatient Dosage Forms

Solution Reconstituted, Inhalation, as isethionate:
Nebupent: 300 mg

Pentosan Polysulfate Sodium

Outpatient Dosage Forms

Capsule, oral:
Elmiron®: 100 mg

Pentostatin

Outpatient Dosage Forms

Injection, powder for reconstitution:
Nipent®: 10 mg [contains mannitol]

Pentoxifylline

Outpatient Dosage Forms

Tablet, extended release, oral: 400 mg

Permethrin

Outpatient Dosage Forms

Cream, topical: 5% (60 g) [BCF]

Phenazopyridine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF]
Pyridium®: 100 mg [BCF]

PHENobarbital

Outpatient Dosage Forms

Elixir, oral: 20 mg/5 mL (480 mL) [BCF]
Tablet, oral: 15 mg [BCF], 30 mg [BCF], 100 mg [BCF]

Phenylephrine (Nasal)

Outpatient Dosage Forms

Neo-Synephrine® Extra Strength: 1% (15 mL) [contains benzalkonium chloride]
Neo-Synephrine® Mild Formula: 0.25% (15 mL) [contains benzalkonium chloride]
Neo-Synephrine® Regular Strength: 0.5% (15 mL) [contains benzalkonium chloride]

Phenylephrine (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride [drops]: 2.5% (15 mL)

Phenytoin

Outpatient Dosage Forms

Capsule Extended Release, Oral, as sodium:
Generic: 100 mg [BCF]
Suspension, Oral:
Generic: 125 mg/5 mL (237 mL) [BCF]
Tablet Chewable, Oral:
Generic: 50 mg [BCF]

Phytonadione

Outpatient Dosage Forms

Tablet, oral:
Mephyton®: 5 mg [scored]

Pill Splitter

Pilocarpine (Ophthalmic)

Outpatient Dosage Forms

Gel, ophthalmic, as hydrochloride:
Pilopine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF]
Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF]

Pimecrolimus

Outpatient Dosage Forms

Cream, topical:
Elidel®: 1% (30 g, 100 g) [BCF] [contains benzyl alcohol]

Pioglitazone

Outpatient Dosage Forms

Tablet, oral:
Actos®: 15 mg, 30 mg, 45 mg

Piroxicam (Systemic)

Outpatient Dosage Forms

Capsule, oral: 20 mg

Podofilox

Outpatient Dosage Forms

Solution, topical:
Condylox®: 0.5% (3.5 mL) [contains ethanol 95%]

Polyethylene Glycol 3350

Outpatient Dosage Forms

Powder for solution, oral:
MiraLAX®: 17 g/dose (510 g)

Polyethylene Glycol-Electrolyte Solution

Outpatient Dosage Forms

Powder for solution, oral:
 GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [original flavor]
 MoviPrep: Pouch A: PEG 3350 100g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.02 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 131 mg/treatment; lemon flavor; packaged with 2 of Pouch A and 2 of Pouch B in carton and a disposable reconstitution container]

Potassium Chloride

Outpatient Dosage Forms

Powder for solution, oral:
 Klor-Con®: 20 mEq/packet (30s) [sugar free; fruit flavor] [BCF]
 Solution, oral: 20 mEq/15 mL (480 mL) [BCF]
 Tablet, extended release, microencapsulated, oral:
 Klor-Con® M20: 20 mEq [scored; 1500 mg] [BCF]
 Tablet, extended release, wax matrix, oral:
 Klor-Con® 8: 8 mEq [600 mg]
 Klor-Con® 10: 10 mEq [750 mg] [BCF]

Potassium Citrate

Outpatient Dosage Forms

Tablet, extended release, oral:
 Urocit®-K: 540 mg [5 mEq]

Potassium Phosphate and Sodium Phosphate

Outpatient Dosage Forms

Powder for solution, oral:
 Phos-NaK: Dibasic potassium phosphate, monobasic potassium phosphate, dibasic sodium phosphate, and monobasic sodium phosphate per packet (100s) [sugar free; fruit flavor; equivalent to elemental phosphorus 250 mg (8 mmol), sodium 160 mg (6.9 mEq), and potassium 280 mg (7.1 mEq) per packet]

Pramipexole

Outpatient Dosage Forms

Tablet, oral, as dihydrochloride monohydrate:
 Mirapex®: 0.125 mg
 Mirapex®: 0.25 mg, 0.5 mg, 1 mg, 1.5 mg [scored]

Pramoxine and Hydrocortisone

Outpatient Dosage Forms

Aerosol, foam, rectal:
 Proctofoam® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)

Pravastatin

Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Prazosin

Outpatient Dosage Forms

Capsule, oral: 1 mg, 2 mg, 5 mg

PrednisolONE (Ophthalmic)

Outpatient Dosage Forms

Suspension, ophthalmic, as acetate [drops]: 1% (5 mL) [BCF]
 Pred Forte®: 1% (5 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]
 Pred Mild®: 0.12% (5 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]

PrednisolONE (Systemic)

Outpatient Dosage Forms

Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL) [BCF]
 Pediapred®: 5 mg/5 mL (120 mL) [dye free; raspberry flavor]

PredniSONE

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg

Primaquine

Outpatient Dosage Forms

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

Primidone

Outpatient Dosage Forms

Tablet, oral: 250 mg
 Mysoline®: 50 mg [scored]

Probenecid

Outpatient Dosage Forms

Tablet, Oral:
 Generic: 500 mg [BCF]

Prochlorperazine

Outpatient Dosage Forms

Suppository, rectal:
 Compro®: 25 mg (12s) [contains coconut oil, palm oil]
 Tablet, oral, as maleate [strength expressed as base]: 10 mg

Progesterone

Outpatient Dosage Forms

Capsule, Oral:
 Prometrium: 200 mg [contains peanut oil]
 Insert, vaginal:
 Endometrin: 100 mg (21s)

Promethazine

Outpatient Dosage Forms

Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF]
 Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL) [BCF]
 Tablet, oral, as hydrochloride: 25 mg [BCF]

Propranolol

Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral, as hydrochloride:
 Generic: 60 mg, 80 mg, 120 mg
 Tablet, Oral, as hydrochloride:
 Generic: 10 mg, 20 mg, 40 mg

Propylthiouracil

Outpatient Dosage Forms

Tablet, oral: 50 mg [BCF]

Pseudoephedrine

Outpatient Dosage Forms

Syrup, oral, as hydrochloride: 30 mg/5 mL (118 mL)
 Tablet, oral, as hydrochloride: 30 mg
 SudoGest: 30 mg

Pyrantel Pamoate

Outpatient Dosage Forms

Suspension, oral, as pamoate:
 Reese's Pinworm Medicine: 144 mg/mL (30 mL) [equivalent to pyrantel base 50 mg/mL]

Pyrazinamide

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]

Pyrethrins and Piperonyl Butoxide

Outpatient Dosage Forms

Shampoo, topical:
 RID® Maximum Strength: Pyrethrins 0.33% and piperonyl butoxide 4% (120 mL) [packaged with nit removal comb; also available in a kit containing shampoo, gel, and furniture spray]

Pyridostigmine

Outpatient Dosage Forms

Tablet, oral, as bromide:
 Mestinon®: 60 mg [scored]

Pyridoxine

Outpatient Dosage Forms

Injection, solution, as hydrochloride: 100 mg/mL (1 mL)
 Tablet, oral, as hydrochloride: 50 mg

QUetiapine

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
 Tablet, extended release, oral:
 SEROquel XR®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Raloxifene

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:
 Evista®: 60 mg [BCF]

Ramipril

Outpatient Dosage Forms

Capsule, oral:
 Altace®: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

RaNIITidine

Outpatient Dosage Forms

Syrup, oral: 15 mg/mL (473 mL) [BCF]
 Tablet, oral: 150 mg [BCF]
 Zantac®: 150 mg [BCF]

RANOLAZINE

Ranolazine

Outpatient Dosage Forms

Tablet Extended Release 12 Hour, Oral:
Ranexa: 500 mg, 1000 mg

Rh₀(D) Immune Globulin

Outpatient Dosage Forms

Injection, solution [preservative free]:
RhoGAM® UF Plus: ~ 300 mcg/0.75 mL (0.75 mL) [contains polysorbate 80; 1500 units; for I.M. use only; volume is expressed as an approximate value]

Ribavirin (Systemic)

Outpatient Dosage Forms

Capsule, Oral:
Generic: 200 mg [ECF]

RifAMPin

Outpatient Dosage Forms

Capsule, oral: 300 mg [BCF]
Rifadin®: 300 mg [BCF]

RifAXIMin

Outpatient Dosage Forms

Tablet, oral:
Xifaxan®: 200 mg

RisperiDONE

Outpatient Dosage Forms

Solution, oral: 1 mg/mL (30 mL) [BCF]
Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]

Rivaroxaban

Outpatient Dosage Forms

Tablet, oral:
Xarelto®: 10 mg, 15 mg, 20 mg

Rivastigmine

Outpatient Dosage Forms

Patch 24 Hour, Transdermal:
Exelon: 4.6 mg/24 hr (30 ea); 9.5 mg/24 hr (30 ea); 13.3 mg/24 hr (30 ea)

Rizatriptan

Outpatient Dosage Forms

Tablet, oral:
Maxalt®: 5 mg [BCF], 10 mg [BCF]
Tablet, orally disintegrating:
Maxalt-MLT®: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF]
Maxalt-MLT®: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]

Roflumilast

Outpatient Dosage Forms

Tablet, Oral:
Daliresp: 250 mcg, 500 mcg [contains corn starch]
Tablet, Oral [starter pack]:
Daliresp: 250 mcg, 500 mcg [contains corn starch]

ROPINIRole

Outpatient Dosage Forms

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg
Tablet Extended Release 24 Hour, Oral: 2 mg, 4 mg, 8 mg

Rosuvastatin

Outpatient Dosage Forms

Tablet, Oral:
Crestor: 5 mg, 10 mg, 20 mg, 40 mg

Sacubitril and Valsartan

Outpatient Dosage Forms

Tablet, Oral:
Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg

Salicylic Acid

Outpatient Dosage Forms

Pad, External:
Mediplast: 40% (25 ea)

Salmeterol

Outpatient Dosage Forms

Powder, for oral inhalation:
Serevent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]

Salsalate

Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]

Scopolamine (Systemic)

Outpatient Dosage Forms

Patch 72 hour, transdermal:
Transderm-Scop: 1.5 mg (1 ea, 4 ea, 10 ea, 24 ea)

Selenium Sulfide

Outpatient Dosage Forms

Lotion, topical: 2.5% (120 mL) [BCF]

Sertraline

Outpatient Dosage Forms

Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF]
Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Sevelamer

Outpatient Dosage Forms

Tablet, oral, as carbonate:
Renvela: 800 mg

Sildenafil

Outpatient Dosage Forms

Tablet, oral:
Revatio: 20 mg [ECF]
Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Silver Nitrate

Outpatient Dosage Forms

Applicator sticks, topical: Silver nitrate 75% and potassium nitrate 25% (100s) [6"]

Silver Sulfadiazine

Outpatient Dosage Forms

Cream, topical: 1% (400 g) [BCF]
SSD®: 1% (85 g) [BCF]

Simethicone

Outpatient Dosage Forms

Suspension, oral [drops]: 40 mg/0.6 mL (30 mL)

Simvastatin

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg

SITagliptin

Outpatient Dosage Forms

Tablet, oral:
Januvia®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Sitagliptin and Metformin

Outpatient Dosage Forms

Tablet, oral:
Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]
Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]
Tablet, extended release, oral:
Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg
Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg

Sodium Bicarbonate

Outpatient Dosage Forms

Tablet, oral: 650 mg [7.6 mEq]

Sodium Chloride

Outpatient Dosage Forms

Ointment, ophthalmic: 5% (3.5 g)
Ointment, ophthalmic [preservative free]:
Muro 128®: 5% (3.5 g)
Solution, for inhalation [preservative free]: 0.9% (5 mL)
Solution, for irrigation: 0.9% (1000 mL)
Solution, intranasal [spray]:
Deep Sea: 0.65% (44 mL) [contains benzalkonium chloride, benzyl alcohol]
Solution, ophthalmic [drops]: 5% (15 mL)
Muro 128®: 5% (15 mL)
Tablet, oral: 1 g

Sodium Citrate and Citric Acid

Outpatient Dosage Forms

Solution, oral: Sodium citrate 500 mg and citric acid 334 mg per 5 mL (30 mL) [equivalent to bicarbonate 1 mEq/mL]

Sodium Phosphates

Outpatient Dosage Forms

Solution, rectal [enema]:
Fleet® Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL]

Sodium Polystyrene Sulfonate**Outpatient Dosage Forms**

Suspension, oral/rectal:

SPS®: 15 g/60 mL (473 mL) [contains ethanol 0.3%, propylene glycol, sodium 1500 mg (65 mEq)/60 mL, sorbitol; cherry flavor]

Sorbitol**Outpatient Dosage Forms**

Solution, oral: 70% (480 mL)

Sotalol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 80 mg

Spiroinolactone**Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF], 50 mg, 100 mg

Sucralfate**Outpatient Dosage Forms**

Suspension, oral:

Carafate: 1 g/10 mL (420 mL) [contains fd&c red #40, methylparaben; cherry flavor]

Tablet, oral: 1 g

Sulfacetamide and Prednisolone**Outpatient Dosage Forms**

Ointment, ophthalmic:

Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (3.5 g)

Suspension, ophthalmic [drops]:

Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (10 mL) [contains benzalkonium chloride]

Sulfacetamide (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

Sulfacetamide (Topical)**Outpatient Dosage Forms**

Lotion, topical, as sodium:

Klaron®: 10% (118 mL) [contains sodium metabisulfite]

Suspension, topical, as sodium: 10% (118 mL)

Sulfamethoxazole and Trimethoprim**Outpatient Dosage Forms**

Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF]

Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF]

Tablet, double strength, oral: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]

Septra® DS: Sulfamethoxazole 800 mg and trimethoprim 160 mg [scored] [BCF]

SulfaSALazine**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF]

Sulindac**Outpatient Dosage Forms**

Tablet, oral: 150 mg, 200 mg

SUMatriptan**Outpatient Dosage Forms**

Injection, solution, as succinate [strength expressed as base]: 6 mg/0.5 mL (0.5 mL) [BCF]

Imitrex®: 6 mg/0.5 mL (0.5 mL) [cartridge] [BCF]

Solution, intranasal [spray]:

Imitrex®: 5 mg/0.1 mL (6s); 20 mg/0.1 mL (6s)

Tablet, oral, as succinate [strength expressed as base]: 50 mg [BCF]

Imitrex®: 25 mg [BCF], 100 mg [BCF]

Tacrolimus (Systemic)**Outpatient Dosage Forms**

Capsule, oral: 0.5 mg, 1 mg, 5 mg

Tacrolimus (Topical)**Outpatient Dosage Forms**

Ointment, topical:

Protopic®: 0.03% (30 g, 60 g); 0.1% (30 g, 60 g)

Tamoxifen**Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF]

Tamsulosin**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 0.4 mg [BCF]

Telmisartan**Outpatient Dosage Forms**

Tablet, Oral:

Generic: 20 mg, 40 mg, 80 mg

Telmisartan and Hydrochlorothiazide**Outpatient Dosage Forms**

Tablet, oral:

Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg

Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg

Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg

Temazepam**Outpatient Dosage Forms**

Capsule, oral: 15 mg [BCF], 30 mg [BCF]

Terazosin**Outpatient Dosage Forms**

Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Terbinafine (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 250 mg

Terbinafine (Topical)**Outpatient Dosage Forms**

Cream, topical, as hydrochloride:

Lamisil AT®: 1% (24 g) [contains benzyl alcohol]

Terbutaline**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 5 mg

Terconazole**Outpatient Dosage Forms**

Cream, vaginal: 0.4% (45 g)

Testosterone**Outpatient Dosage Forms**

Gel, External:

Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF]

Injection, Oil, as cypionate:

Depo-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]

Patch, Transdermal:

Androderm: 2 mg/24 hours (60s); 4 mg/24 hours (30s) [contains ethanol, metal]

Tetracaine (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrochloride [drops]:

TetraVisc: 0.5% [5 mg/mL] (5 mL) [contains benzalkonium chloride]

Generic: 0.5% [5 mg/mL] (15 mL)

Tetracycline (Systemic)**Outpatient Dosage Forms**

Capsule, Oral, as hydrochloride:

Generic: 250 mg [BCF], 500 mg [BCF]

Theophylline**Outpatient Dosage Forms**

Capsule, extended release, oral:

Theo-24®: 300 mg [BCF], 400 mg [BCF] [24 hours]

Elixir, oral:

Elixophyllin® Elixir: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor]

Tablet, extended release, oral: 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Thiamine**Outpatient Dosage Forms**

Injection, solution, as hydrochloride: 100 mg/mL (2 mL)

Tablet, oral, as hydrochloride: 50 mg

Thioridazine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg, 25 mg, 100 mg

Ticagrelor**Outpatient Dosage Forms**

Tablet, Oral:

Brilinta: 90 mg

Timolol (Ophthalmic)**Outpatient Dosage Forms**

Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]:

Timolol GFS: 0.5% (5 mL) [BCF]

Timoptic-XE®: 0.5% (5 mL) [BCF]

TIMOLOL (OPHTHALMIC)

Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]

Tiotropium

Outpatient Dosage Forms

Aerosol Solution, Inhalation:

Spiriva Respimat: 1.25 mcg/actuation (4 g) [BCF]; 2.5 mcg/actuation (4 g) [BCF] [contains benzalkonium chloride, disodium edta]

Capsule, Inhalation:

Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]

Tiotropium and Olodaterol

Outpatient Dosage Forms

Aerosol Solution, Inhalation:

Stiolto Respimat: Tiotropium 2.5 mcg and olodaterol 2.5 mcg per actuation (4 g) [contains benzalkonium chloride, edetate disodium]

TiZANidine

Outpatient Dosage Forms

Tablet, oral: 2 mg

Zanaflex®: 4 mg [scored]

Tobramycin and Dexamethasone

Outpatient Dosage Forms

Ointment, ophthalmic:

TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]

Suspension, ophthalmic [drops]: Tobramycin 0.3% and dexamethasone 0.1% (5 mL)

TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride]

Tobramycin (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic:

Tobrex®: 0.3% (3.5 g) [contains chlorobutanol]

Solution, ophthalmic [drops]: 0.3% (5 mL)

Tobrex®: 0.3% (5 mL) [contains benzalkonium chloride]

Tolterodine

Outpatient Dosage Forms

Capsule, extended release, oral, as tartrate:

Detrol® LA: 2 mg [BCF], 4 mg [BCF]

Topiramate

Outpatient Dosage Forms

Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg

Torsemide

Outpatient Dosage Forms

Tablet, Oral:

Generic: 5 mg, 10 mg, 20 mg

TraMADol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg [BCF]

Ultram®: 50 mg [scored] [BCF]

Tranexamic Acid

Outpatient Dosage Forms

Tablet, Oral:

Lysteda: 650 mg

TraZODone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]

Tretinoin (Topical)

Outpatient Dosage Forms

Cream, External:

Avita: 0.025% (20 g) [BCF]

Generic: 0.1% (20 g); 0.025% (20 g) [BCF]; 0.05% (20 g) [BCF]

Gel, External:

Generic: 0.025% (15 g, 45 g)

Triamcinolone (Topical)

Outpatient Dosage Forms

Aerosol, spray, topical, as acetonide:

Kenalog®: 0.2 mg/2-second spray (63 g) [contains dehydrated ethanol 10.3%]

Cream, topical, as acetonide: 0.1% (15 g, 80 g) [BCF]

Ointment, topical, as acetonide: 0.1% (15 g, 80 g, 454 g)

Paste, oral topical, as acetonide: 0.1% (5 g)

Trifluoperazine

Outpatient Dosage Forms

Tablet, oral: 2 mg

Trihexyphenidyl

Outpatient Dosage Forms

Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]

Tablet, oral, as hydrochloride: 2 mg [BCF]

Trimethoprim

Outpatient Dosage Forms

Tablet, oral: 100 mg

Trimethoprim and Polymyxin B

Outpatient Dosage Forms

Solution, ophthalmic [drops]: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]

Polytrim®: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride] [BCF]

Tripolidine and Pseudoephedrine

Outpatient Dosage Forms

Tablet, oral:

Aprodine: Tripolidine hydrochloride 2.5 mg and pseudoephedrine hydrochloride 60 mg [scored]

Tropicamide

Outpatient Dosage Forms

Solution, ophthalmic [drops]: 0.5% (15 mL); 1% (15 mL)

Mydriacyl®: 1% (15 mL) [contains benzalkonium chloride]

Urea (Topical)

Outpatient Dosage Forms

Cream, topical:

X-Viate: 40% (29 g)

Ursodiol

Outpatient Dosage Forms

Capsule, oral:

Actigall®: 300 mg

ValACYclovir

Outpatient Dosage Forms

Tablet, oral: 500 mg, 1 g

Valtrex®: 500 mg, 1 g

Valproic Acid and Derivatives

Outpatient Dosage Forms

Capsule, sprinkle, oral:

Depakote® Sprinkle: 125 mg [BCF]

Tablet, delayed release, oral: 500 mg [BCF]

Depakote®: 125 mg [BCF], 250 mg [BCF]

Tablet, extended release, oral: 500 mg [BCF]

Depakote® ER: 250 mg [BCF]

Valsartan

Outpatient Dosage Forms

Tablet, oral:

Diovan®: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

Valsartan and Hydrochlorothiazide

Outpatient Dosage Forms

Tablet, oral:

Diovan HCT®: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT®: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT®: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]

Diovan HCT®: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT®: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

Vancomycin

Outpatient Dosage Forms

Capsule, oral: 250 mg

Varenicline

Outpatient Dosage Forms

Combination package, oral [dose-pack]:

Chantix®: Tablet: 0.5 mg (11s) [white tablets] and Tablet: 1 mg (42s) [light blue tablets]

Tablet, oral:

Chantix®: 0.5 mg, 1 mg

Venlafaxine

Outpatient Dosage Forms

Capsule, extended release, oral: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]

Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF]

Verapamil

Outpatient Dosage Forms

Capsule, extended release, oral, as hydrochloride: 240 mg

Tablet, extended release, oral, as hydrochloride: 180 mg [BCF], 240 mg [BCF]

Vitamins (Multiple/Pediatric)**Outpatient Dosage Forms**

Content varies depending on product used.
 Solution, oral [drops]: 10 mg/mL (50 mL); 35 mg/mL (50 mL)
 Solution, oral [with fluoride]: 0.25 mg/mL (50 mL)

Vitamins (Multiple/Prenatal)**Outpatient Dosage Forms**

Content varies depending on product used.
 Tablet, oral: 100s

Voriconazole**Outpatient Dosage Forms**

Tablet, oral:
 VFEND®: 50 mg [contains lactose]

Warfarin**Outpatient Dosage Forms**

Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 4 mg [BCF],
 5 mg [BCF], 6 mg [BCF], 10 mg [BCF]
 Coumadin®: 3 mg [BCF], 7.5 mg [BCF] [scored]

Zidovudine**Outpatient Dosage Forms**

Capsule, oral:
 Retrovir®: 100 mg [contains soya lecithin]

Ziprasidone**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride:
 Geodon®: 20 mg, 40 mg, 60 mg, 80 mg
 Injection, powder for reconstitution, as mesylate [strength expressed as base]:
 Geodon®: 20 mg [contains cyclodextrin]

ZOLMitriptan**Outpatient Dosage Forms**

Tablet, oral:
 Zomig®: 2.5 mg [scored]
 Zomig®: 5 mg
 Tablet, orally disintegrating, oral:
 Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor]
 Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]

Zolpidem**Outpatient Dosage Forms**

Tablet, Oral, as tartrate:
 Generic: 5 mg [BCF], 10 mg [BCF]
 Tablet Extended Release, Oral, as tartrate:
 Generic: 6.25 mg, 12.5 mg

Zonisamide**Outpatient Dosage Forms**

Capsule, oral:
 Zonegran®: 25 mg, 100 mg

Therapeutic Category Index

ACETYLCHOLINESTERASE INHIBITOR

Acetylcholinesterase Inhibitor		Acetaminophen, Isometheptene, and Dichloralphenazone	2
Pyridostigmine	17	Aspirin	3
Acetylcholinesterase Inhibitor (Central)		Butalbital, Acetaminophen, and Caffeine	4
Donepezil	7	Celecoxib	4
Rivastigmine	18	Diclofenac (Systemic)	6
Acne Products		Ibuprofen	11
Adapalene	2	Indomethacin	11
Benzoyl Peroxide	3	Ketorolac (Systemic)	12
Clindamycin and Benzoyl Peroxide	5	Meloxicam	13
Erythromycin (Topical)	7	Naproxen	14
ISOTretinoin (Systemic)	12	Piroxicam (Systemic)	16
Salicylic Acid	18	Sulindac	19
Sulfacetamide (Topical)	19	Analgesic, Opioid	
Tretinoin (Topical)	20	Acetaminophen and Codeine	2
Adrenergic Agonist Agent		Belladonna and Opium	3
Oxymetazoline (Nasal)	16	Codeine	5
Aldehyde Dehydrogenase Inhibitor		FentaNYL	9
Disulfiram	7	Hydrocodone and Acetaminophen	10
Alkalinizing Agent		HYDroMorphone	11
Sodium Bicarbonate	18	Meperidine	13
Alkalinizing Agent, Oral		Methadone	13
Potassium Citrate	17	Morphine (Systemic)	14
Sodium Citrate and Citric Acid	18	OxyCODONE	16
Alkylamine Derivative		Oxycodone and Acetaminophen	16
Chlorpheniramine	5	TraMADol	20
Triprolidine and Pseudoephedrine	20	Analgesic, Topical	
Alpha₁ Agonist		Lidocaine (Topical)	12
Midodrine	14	Analgesic, Urinary	
Alpha₁ Blocker		Pentosan Polysulfate Sodium	16
Alfuzosin	2	Phenazopyridine	16
Prazosin	17	Androgen	
Tamsulosin	19	Testosterone	19
Terazosin	19	Anesthetic/Corticosteroid	
Alpha₂-Adrenergic Agonist		Pramoxine and Hydrocortisone	17
CloNIDine	5	Angiotensin II Receptor Blocker	
GuanFACINE	10	Losartan	13
Methyldopa	13	Losartan and Hydrochlorothiazide	13
TiZANidine	20	Sacubitril and Valsartan	18
Alpha₂ Agonist, Ophthalmic		Telmisartan	19
Apraclonidine	3	Telmisartan and Hydrochlorothiazide	19
Brimonidine and Timolol	4	Valsartan	20
Brimonidine (Ophthalmic)	4	Valsartan and Hydrochlorothiazide	20
Alpha-Adrenergic Agonist		Angiotensin-Converting Enzyme (ACE) Inhibitor	
Phenylephrine (Nasal)	16	Amlodipine and Benazepril	2
Phenylephrine (Ophthalmic)	16	Benazepril	3
Alpha/Beta Agonist		Captopril	4
Cetirizine and Pseudoephedrine	4	Fosinopril	10
EPINEPHrine (Systemic)	7	Lisinopril	12
Fexofenadine and Pseudoephedrine	9	Lisinopril and Hydrochlorothiazide	12
Guaifenesin and Pseudoephedrine	10	Ramipril	17
Pseudoephedrine	17	Anilidopiperidine Opioid	
Triprolidine and Pseudoephedrine	20	FentaNYL	9
5 Alpha-Reductase Inhibitor		Antacid	
Finasteride	9	Sodium Bicarbonate	18
Amebicide		Anthelmintic	
MetroNIDAZOLE (Systemic)	14	Albendazole	2
Aminoquinoline (Antimalarial)		Ivermectin (Systemic)	12
Chloroquine	5	Pyrantel Pamoate	17
Hydroxychloroquine	11	Antiandrogen	
Primaquine	17	Abiraterone Acetate	2
5-Aminosalicylic Acid Derivative		Antianginal Agent	
Balsalazide	3	AmLODIPine	2
Mesalamine	13	Amlodipine and Benazepril	2
SulfaSALAzine	19	Atenolol	3
Ammonium Detoxicant		DiITIAZem	6
Lactulose	12	Isosorbide Dinitrate	12
Neomycin	14	Isosorbide Mononitrate	12
Analgesic Combination (Opioid)		Metoprolol	14
Acetaminophen and Codeine	2	Nadolol	14
Belladonna and Opium	3	NIFEdipine	15
Hydrocodone and Acetaminophen	10	Nitroglycerin	15
Oxycodone and Acetaminophen	16	Propranolol	17
Analgesic, Nonopioid		Ranolazine	18
Acetaminophen	2	Verapamil	20
		Antianxiety Agent, Miscellaneous	
		BusPIRone	4
		Antiarrhythmic Agent, Class Ic	
		Flecainide	9

Antiarrhythmic Agent, Class II		Antibiotic, Penicillin	
Propranolol	17	Amoxicillin	2
Sotalol	19	Amoxicillin and Clavulanate	2
Antiarrhythmic Agent, Class III		Dicloxacillin	6
Amiodarone	2	Penicillin V Potassium	16
Dofetilide	7	Antibiotic, Respiratory Fluoroquinolone	
Dronedarone	7	LevoFLOXacin (Systemic)	12
Sotalol	19	Moxifloxacin (Systemic)	14
Antiarrhythmic Agent, Class IV		Antibiotic, Sulfonamide Derivative	
Diltiazem	6	Sulfacetamide (Topical)	19
Verapamil	20	Sulfamethoxazole and Trimethoprim	19
Antiarrhythmic Agent, Miscellaneous		Antibiotic, Tetracycline Derivative	
Digoxin	6	Doxycycline	7
Antibiotic, Aminoglycoside		Tetracycline (Systemic)	19
Gentamicin (Ophthalmic)	10	Antibiotic, Topical	
Neomycin	14	Bacitracin (Topical)	3
Tobramycin (Ophthalmic)	20	Erythromycin (Topical)	7
Antibiotic, Cephalosporin (First Generation)		Hexachlorophene	10
Cefadroxil	4	MetroNIDAZOLE (Topical)	14
Cephalexin	4	Mupirocin	14
Antibiotic, Cephalosporin (Second Generation)		Silver Nitrate	18
Cefprozil	4	Silver Sulfadiazine	18
Cefuroxime	4	Anticholinergic Agent	
Antibiotic, Cephalosporin (Third Generation)		Benztropine	3
Cefdinir	4	Dicyclomine	6
Antibiotic/Corticosteroid, Ophthalmic		Fluticasone, Umeclidinium, and Vilanterol	10
Neomycin, Polymyxin B, and Dexamethasone	15	Glycopyrrolate (Systemic)	10
Sulfacetamide and Prednisolone	19	Hyoscyamine	11
Tobramycin and Dexamethasone	20	Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	11
Antibiotic/Corticosteroid, Otic		Ipratropium and Albuterol	11
Ciprofloxacin and Dexamethasone	5	Ipratropium (Nasal)	11
Neomycin, Colistin, Hydrocortisone, and Thonzonium	14	Ipratropium (Oral Inhalation)	11
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	15	Scopolamine (Systemic)	18
Antibiotic, Fluoroquinolone		Tiotropium	20
Ciprofloxacin (Systemic)	5	Tiotropium and Olodaterol	20
LevoFLOXacin (Systemic)	12	Tolterodine	20
Moxifloxacin (Ophthalmic)	14	Trihexyphenidyl	20
Moxifloxacin (Systemic)	14	Anticholinergic Agent, Long-Acting	
Ofloxacin (Ophthalmic)	15	Fluticasone, Umeclidinium, and Vilanterol	10
Ofloxacin (Otic)	15	Tiotropium	20
Antibiotic, Lincosamide		Tiotropium and Olodaterol	20
Clindamycin (Systemic)	5	Anticholinergic Agent, Ophthalmic	
Clindamycin (Topical)	5	Atropine (Ophthalmic)	3
Antibiotic, Macrolide		Cyclopentolate	6
Azithromycin (Ophthalmic)	3	Homatropine	10
Azithromycin (Systemic)	3	Anticoagulant	
Clarithromycin	5	Apixaban	3
Erythromycin (Ophthalmic)	7	Dabigatran Etexilate	6
Erythromycin (Systemic)	7	Enoxaparin	7
Erythromycin (Topical)	7	Fondaparinux	10
Fidaxomicin	9	Rivaroxaban	18
Antibiotic, Miscellaneous		Warfarin	21
Dapsone (Systemic)	6	Anticoagulant, Direct Thrombin Inhibitor	
Fosfomicin	10	Dabigatran Etexilate	6
MetroNIDAZOLE (Systemic)	14	Anticoagulant, Factor Xa Inhibitor	
Nitrofurantoin	15	Apixaban	3
Sulfamethoxazole and Trimethoprim	19	Fondaparinux	10
Trimethoprim	20	Rivaroxaban	18
Antibiotic, Ophthalmic		Anticoagulant, Low Molecular Weight Heparin	
Azithromycin (Ophthalmic)	3	Enoxaparin	7
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	3	Anticoagulant, Vitamin K Antagonist	
Bacitracin (Ophthalmic)	3	Warfarin	21
Erythromycin (Ophthalmic)	7	Anticonvulsant, Barbiturate	
Gentamicin (Ophthalmic)	10	PHENobarbital	16
Moxifloxacin (Ophthalmic)	14	Anticonvulsant, Benzodiazepine	
Neomycin, Polymyxin B, and Gramicidin	15	Clonazepam	5
Ofloxacin (Ophthalmic)	15	Diazepam	6
Sulfacetamide (Ophthalmic)	19	LORazepam	13
Tobramycin (Ophthalmic)	20	Midazolam	14
Trimethoprim and Polymyxin B	20	Anticonvulsant, Hydantoin	
Antibiotic, Otic		Phenytoin	16
Ciprofloxacin and Dexamethasone	5	Anticonvulsant, Miscellaneous	
Neomycin, Colistin, Hydrocortisone, and Thonzonium	14	AcetaZOLAMIDE	2
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	15	CarBAMazepine	4
Ofloxacin (Otic)	15	Eslicarbazepine	7
		Gabapentin	10

ANTICONVULSANT, MISCELLANEOUS

LamoTRIGine	12	Antidote, Extravasation	
LevETIRAcetam	12	Nitroglycerin	15
Magnesium Sulfate	13	Terbutaline	19
OXcarbazepine	15	Antidote, Hypoglycemia	
Primidone	17	Glucagon	10
Topiramate	20	Antiemetic	
Valproic Acid and Derivatives	20	DexAMETHasone (Systemic)	6
Zonisamide	21	Granisetron	10
Anticonvulsant, Succinimide		HydrOXYzine	11
Ethosuximide	8	Meclizine	13
Antidepressant, Alpha-2 Antagonist		Metoclopramide	14
Mirtazapine	14	Ondansetron	15
Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor		Prochlorperazine	17
BuPROPion	4	Promethazine	17
Antidepressant, Selective Serotonin Reuptake Inhibitor		Antifibrinolytic Agent	
Citalopram	5	Tranexamic Acid	20
Escitalopram	7	Antiflatulent	
FLUoxetine	9	Simethicone	18
PARoxetine	16	Antifungal Agent	
Sertraline	18	Pentamidine (Oral Inhalation)	16
Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor		Antifungal Agent, Azole Derivative	
DULOxetine	7	Terconazole	19
Venlafaxine	20	Antifungal Agent, Imidazole Derivative	
Antidepressant, Serotonin Reuptake Inhibitor/Antagonist		Clotrimazole (Topical)	5
TraZODone	20	Ketoconazole (Systemic)	12
Antidepressant, Tricyclic (Secondary Amine)		Ketoconazole (Topical)	12
Desipramine	6	Miconazole (Topical)	14
Nortriptyline	15	Antifungal Agent, Oral	
Antidepressant, Tricyclic (Tertiary Amine)		Fluconazole	9
Amitriptyline	2	Griseofulvin	10
Doxepin (Systemic)	7	Ketoconazole (Systemic)	12
Imipramine	11	Terbinafine (Systemic)	19
Antidiabetic Agent, Biguanide		Voriconazole	21
Glyburide and Metformin	10	Antifungal Agent, Oral Nonabsorbed/Partially Absorbed	
MetFORMIN	13	Clotrimazole (Topical)	5
Sitagliptin and Metformin	18	Miconazole (Topical)	14
Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor		Nystatin (Oral)	15
SITagliptin	18	Antifungal Agent, Parenteral	
Sitagliptin and Metformin	18	Fluconazole	9
Antidiabetic Agent, Dopamine Agonist		Voriconazole	21
Bromocriptine	4	Antifungal Agent, Topical	
Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist		Betamethasone and Clotrimazole	3
Dulaglutide	7	Ciclopirox	5
Exenatide	9	Clotrimazole (Topical)	5
Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor		Ketoconazole (Topical)	12
Empagliflozin	7	Miconazole (Topical)	14
Antidiabetic Agent, Sulfonylurea		Naftifine	14
Glimepiride	10	Nystatin and Triamcinolone	15
GlipiZIDE	10	Nystatin (Topical)	15
GlyBURIDE	10	Terbinafine (Topical)	19
Glyburide and Metformin	10	Antifungal Agent, Vaginal	
Antidiabetic Agent, Thiazolidinedione		Clotrimazole (Topical)	5
Pioglitazone	16	Miconazole (Topical)	14
Antidiarrheal		Terconazole	19
Bismuth Subsalicylate	4	Antigout Agent	
Diphenoxylate and Atropine	7	Allopurinol	2
Loperamide	13	Colchicine	5
Octreotide	15	Antihemophilic Agent	
Antidote		Desmopressin	6
Acetylcysteine	2	Tranexamic Acid	20
Alcohol (Ethyl)	2	Antihemorrhoidal Agent	
Calcitonin	4	Hydrocortisone (Topical)	11
Calcium Acetate	4	Antihepatocellular, Nucleoside (Anti-HCV)	
Dimercaprol	6	Ribavirin (Systemic)	18
Glucagon	10	Antihemorrhoidal, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HBV)	
Ipecac Syrup	11	LamiVUDine	12
Leucovorin Calcium	12	Antihypertensive	
Naloxone	14	AMiLoride	2
Octreotide	15	AmLODIPine	2
Patiromer	16	Amlodipine and Benazepril	2
Sodium Polystyrene Sulfonate	19	Atenolol	3
		Benazepril	3
		Bumetanide	4
		Captopril	4

Carvedilol	4	Antineoplastic Agent, Antiandrogen	
Chlorthalidone	5	Abiraterone Acetate	2
CloNIDine	5	Enzalutamide	7
Diltiazem	6	Antineoplastic Agent, Antimetabolite	
Felodipine	9	Capecitabine	4
Fosinopril	10	Fluorouracil (Topical)	9
Furosemide	10	Mercaptopurine	13
GuanFACINE	10	Pentostatin	16
HydrALAZINE	10	Antineoplastic Agent, Antimetabolite (Antifolate)	
HydroCHLORothiazide	10	Methotrexate	13
Hydrochlorothiazide and Spironolactone	10	Antineoplastic Agent, Antimetabolite (Purine Analog)	
Hydrochlorothiazide and Triamterene	10	Mercaptopurine	13
Labetalol	12	Pentostatin	16
Lisinopril	12	Antineoplastic Agent, Antimetabolite (Pyrimidine Analog)	
Lisinopril and Hydrochlorothiazide	12	Capecitabine	4
Losartan	13	Fluorouracil (Topical)	9
Losartan and Hydrochlorothiazide	13	Antineoplastic Agent, Aromatase Inhibitor	
Methyl dopa	13	Anastrozole	3
Metoprolol	14	Exemestane	9
Minoxidil (Systemic)	14	Letrozole	12
Nadolol	14	Antineoplastic Agent, BCR-ABL Tyrosine Kinase Inhibitor	
NIFEdipine	15	Dasatinib	6
Prazosin	17	Imatinib	11
Propranolol	17	Nilotinib	15
Ramipril	17	Antineoplastic Agent, Biological Response Modulator	
Spironolactone	19	Interferon Alfa-2b	11
Telmisartan	19	Antineoplastic Agent, Bruton Tyrosine Kinase Inhibitor	
Telmisartan and Hydrochlorothiazide	19	Ibrutinib	11
Terazosin	19	Antineoplastic Agent, Cyclin-Dependent Kinase Inhibitor	
Torsemide	20	Palbociclib	16
Valsartan	20	Antineoplastic Agent, Epidermal Growth Factor Receptor (EGFR) Inhibitor	
Valsartan and Hydrochlorothiazide	20	Erlotinib	7
Verapamil	20	Gefitinib	10
Anti-inflammatory Agent		Antineoplastic Agent, Estrogen Receptor Antagonist	
Balsalazide	3	Tamoxifen	19
DexAMETHasone (Systemic)	6	Antineoplastic Agent, Hormone	
Antilipemic Agent, 2-Azetidinone		Megestrol	13
Ezetimibe	9	Antineoplastic Agent, Miscellaneous	
Antilipemic Agent, Bile Acid Sequestrant		Hydroxyurea	11
Cholestyramine Resin	5	Antineoplastic Agent, mTOR Kinase Inhibitor	
Colestipol	5	Everolimus	8
Antilipemic Agent, Fibric Acid		Antineoplastic Agent, Platinum Analog	
Fenofibrate and Derivatives	9	Oxaliplatin	15
Gemfibrozil	10	Antineoplastic Agent, Podophyllotoxin Derivative	
Antilipemic Agent, HMG-CoA Reductase Inhibitor		Etoposide	8
AtorvaSTAtin	3	Antineoplastic Agent, Retinoic Acid Derivative	
Pravastatin	17	ISOTretinoin (Systemic)	12
Rosuvastatin	18	Antineoplastic Agent, Topoisomerase II Inhibitor	
Simvastatin	18	Etoposide	8
Antilipemic Agent, Miscellaneous		Antineoplastic Agent, Tyrosine Kinase Inhibitor	
Niacin	15	Dasatinib	6
Antilipemic Agent, Omega-3 Fatty Acids		Erlotinib	7
Omega-3 Fatty Acids	15	Gefitinib	10
Antimalarial Agent		Ibrutinib	11
Atovaquone and Proguanil	3	Imatinib	11
Chloroquine	5	Nilotinib	15
Hydroxychloroquine	11	PAZOPanib	16
Mefloquine	13	Antineoplastic Agent, Vascular Endothelial Growth Factor (VEGF) Inhibitor	
Primaquine	17	PAZOPanib	16
Antimanic Agent		Antiparasitic Agent, Topical	
Lithium	12	Permethrin	16
OLANZapine	15	Pyrethrins and Piperonyl Butoxide	17
RisperiDONE	18	Anti-Parkinson Agent, Anticholinergic	
Valproic Acid and Derivatives	20	Benzotropine	3
Antimigraine Agent		Trihexyphenidyl	20
Eletriptan	7	Anti-Parkinson Agent, Decarboxylase Inhibitor	
Rizatriptan	18	Carbidopa and Levodopa	4
SUMATriptan	19	Anti-Parkinson Agent, Dopamine Agonist	
ZOLMitriptan	21	Amantadine	2
Antineoplastic Agent			
Ibrutinib	11		
Antineoplastic Agent, Alkylating Agent			
Chlorambucil	5		
Cyclophosphamide	6		
Oxaliplatin	15		
Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard)			
Chlorambucil	5		
Cyclophosphamide	6		

ANTI-PARKINSON AGENT, DOPAMINE AGONIST

Bromocriptine	4	Benzodiazepine	
Pramipexole	17	ALPRAZolam	2
ROPINIrole	18	Clonazepam	5
Anti-Parkinson Agent, Dopamine Precursor		Diazepam	6
Carbidopa and Levodopa	4	LORazepam	13
Antiplatelet Agent		Midazolam	14
Aspirin	3	Temazepam	19
Aspirin and Dipyridamole	3	Beta₂-Adrenergic Agonist	
Clopidogrel	5	Fluticasone, Umeclidinium, and Vilanterol	10
Dipyridamole	7	Ipratropium and Albuterol	11
Ticagrelor	19	Beta₂-Adrenergic Agonist, Long-Acting	
Antiplatelet Agent, Non-thienopyridine		Fluticasone and Salmeterol	9
Ticagrelor	19	Salmeterol	18
Antiplatelet Agent, Thienopyridine		Beta₂ Agonist	
Clopidogrel	5	Albuterol	2
Antiprotozoal		Fluticasone and Salmeterol	9
Pentamidine (Oral Inhalation)	16	Fluticasone, Umeclidinium, and Vilanterol	10
Antiprotozoal, Nitroimidazole		Levalbuterol	12
MetroNIDAZOLE (Systemic)	14	Salmeterol	18
Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV)		Terbutaline	19
Emtricitabine and Tenofovir Alafenamide	7	Tiotropium and Olodaterol	20
LamivUDine	12	Beta₂ Agonist, Long-Acting	
Zidovudine	21	Tiotropium and Olodaterol	20
Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV)		Beta₃ Agonist	
Emtricitabine and Tenofovir Alafenamide	7	Mirabegron	14
Antirheumatic, Disease Modifying		Beta-Adrenergic Blocker, Nonselective	
Adalimumab	2	Dorzolamide and Timolol	7
Methotrexate	13	Propranolol	17
Antirheumatic Miscellaneous		Sotalol	19
Cyclophosphamide	6	Beta-Blocker, Beta-1 Selective	
Antiseborrheic Agent, Topical		Atenolol	3
Selenium Sulfide	18	Metoprolol	14
Antispasmodic Agent, Gastrointestinal		Beta-Blocker, Nonselective	
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	11	Brimonidine and Timolol	4
Antispasmodic Agent, Urinary		Nadolol	14
Belladonna and Opium	3	Timolol (Ophthalmic)	19
FlavoxATE	9	Beta-Blocker With Alpha-Blocking Activity	
Oxybutynin	16	Carvedilol	4
Antithyroid Agent		Labetalol	12
MethIMazole	13	Biological Response Modulator	
Propylthiouracil	17	Interferon Alfa-2b	11
Antitubercular Agent		Bisphosphonate Derivative	
Ethambutol	8	Alendronate	2
Isoniazid	12	Ibandronate	11
Pyrazinamide	17	Blood Product Derivative	
RifAMPin	18	Hepatitis B Immune Globulin (Human)	10
Antitussive		Rh ₀ (D) Immune Globulin	18
Benzonate	3	Blood Viscosity Reducer Agent	
Codeine	5	Pentoxifylline	16
Guaifenesin and Codeine	10	Calcineurin Inhibitor	
Guaifenesin and Dextromethorphan	10	CycloSPORINE (Ophthalmic)	6
Antitussive/Decongestant/Expectorant		CycloSPORINE (Systemic)	6
Guaifenesin, Pseudoephedrine, and Codeine	10	Pimecrolimus	16
Antiviral Agent		Tacrolimus (Systemic)	19
Acyclovir (Systemic)	2	Tacrolimus (Topical)	19
Amantadine	2	Calcium Channel Blocker	
Oseltamivir	15	AmLODIPine	2
ValACYclovir	20	Amlodipine and Benazepril	2
Antiviral Agent, Adamantane		DiITIAZem	6
Amantadine	2	Felodipine	9
Antiviral Agent, Ophthalmic		NIFEdipine	15
Ganciclovir (Ophthalmic)	10	Verapamil	20
Antiviral Agent, Oral		Calcium Channel Blocker, Dihydropyridine	
ValACYclovir	20	AmLODIPine	2
Appetite Stimulant		Amlodipine and Benazepril	2
Megestrol	13	Felodipine	9
Barbiturate		NIFEdipine	15
Butalbital, Acetaminophen, and Caffeine	4	Calcium Channel Blocker, Nondihydropyridine	
PHENobarbital	16	DiITIAZem	6
Primidone	17	Verapamil	20
		Calcium Salt	
		Calcium Acetate	4
		Calcium and Vitamin D	4

Carbonic Anhydrase Inhibitor		MethylPREDNISolone	14
AcetaZOLAMIDE	2	PrednisoLONE (Systemic)	17
MethazolAMIDE	13	PredniSONE	17
Carbonic Anhydrase Inhibitor (Ophthalmic)		Corticosteroid, Topical	
Dorzolamide	7	Betamethasone and Clotrimazole	3
Dorzolamide and Timolol	7	Betamethasone (Topical)	3
Cardiac Glycoside		Clobetasol	5
Digoxin	6	Desonide	6
Cardiovascular Agent, Miscellaneous		Desoximetasone	6
Ranolazine	18	Fluocinolone (Topical)	9
Cathartic		Fluocinonide	9
Sodium Phosphates	18	Flurandrenolide	9
Cauterizing Agent, Topical		Hydrocortisone (Topical)	11
Silver Nitrate	18	Nystatin and Triamcinolone	15
Central Nervous System Stimulant		Triamcinolone (Topical)	20
Dexamethylphenidate	6	Decongestant	
Dextroamphetamine	6	Cetirizine and Pseudoephedrine	4
Dextroamphetamine and Amphetamine	6	Fexofenadine and Pseudoephedrine	9
Methylphenidate	13	Oxymetazoline (Nasal)	16
Chelating Agent		Phenylephrine (Nasal)	16
PenicillAMINE	16	Pseudoephedrine	17
Chemotherapy Modulating Agent		Triprolidine and Pseudoephedrine	20
Leucovorin Calcium	12	Diagnostic Agent	
Chloride Channel Activator		Glucagon	10
Lubiprostone	13	Direct Oral Anticoagulant (DOAC)	
Cholinergic Agonist		Apixaban	3
Bethanechol	3	Dabigatran Etexilate	6
Cevimeline	5	Rivaroxaban	18
Colony Stimulating Factor		Diuretic, Carbonic Anhydrase Inhibitor	
Filgrastim	9	AcetaZOLAMIDE	2
Pegfilgrastim	16	MethazolAMIDE	13
Contraceptive		Diuretic, Loop	
Ethinyl Estradiol and Drospirenone	8	Bumetanide	4
Ethinyl Estradiol and Ethynodiol Diacetate	8	Furosemide	10
Ethinyl Estradiol and Etonogestrel	8	Torsemide	20
Ethinyl Estradiol and Levonorgestrel	8	Diuretic, Potassium-Sparing	
Ethinyl Estradiol and Norelgestromin	8	AMiLoride	2
Ethinyl Estradiol and Norethindrone	8	Hydrochlorothiazide and Triamterene	10
Ethinyl Estradiol and Norgestimate	8	Spironolactone	19
Ethinyl Estradiol and Norgestrel	8	Diuretic, Thiazide	
Levonorgestrel (IUD)	12	HydroCHLOROthiazide	10
Levonorgestrel (Systemic)	12	Hydrochlorothiazide and Spironolactone	10
MedroxyPROGESTERone	13	Hydrochlorothiazide and Triamterene	10
Nonoxynol 9	15	Lisinopril and Hydrochlorothiazide	12
Norethindrone	15	Losartan and Hydrochlorothiazide	13
Contraceptive, Barrier		Telmisartan and Hydrochlorothiazide	19
Contraceptive Devices	5	Valsartan and Hydrochlorothiazide	20
Contrast Agent		Diuretic, Thiazide-Related	
Isosulfan Blue	12	Chlorthalidone	5
Corticosteroid, Inhalant (Oral)		MetOLazone	14
Budesonide (Oral Inhalation)	4	Dopamine Antagonist	
Fluticasone and Salmeterol	9	Metoclopramide	14
Fluticasone (Oral Inhalation)	9	Electrolyte Supplement, Oral	
Fluticasone, Umeclidinium, and Vilanterol	10	Calcium and Vitamin D	4
Corticosteroid, Nasal		Magnesium Chloride	13
Flunisolide (Nasal)	9	Magnesium Oxide	13
Fluticasone (Nasal)	9	Potassium Chloride	17
Corticosteroid, Ophthalmic		Potassium Phosphate and Sodium Phosphate	17
Difluprednate	6	Sodium Bicarbonate	18
Fluorometholone	9	Electrolyte Supplement, Parenteral	
Loteprednol	13	Magnesium Chloride	13
PrednisoLONE (Ophthalmic)	17	Magnesium Sulfate	13
Corticosteroid, Otic		Potassium Chloride	17
Ciprofloxacin and Dexamethasone	5	Sodium Bicarbonate	18
Neomycin, Colistin, Hydrocortisone, and Thonzonium	14	Sodium Chloride	18
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	15	Sodium Phosphates	18
Corticosteroid, Rectal		Enzyme	
Hydrocortisone (Topical)	11	Pancrelipase	16
Corticosteroid, Systemic		Enzyme, Topical Debridement	
Budesonide (Systemic)	4	Collagenase (Topical)	5
Cortisone	5	Ergot Derivative	
DexAMETHasone (Systemic)	6	Bromocriptine	4
Fludrocortisone	9	Cabergoline	4
Hydrocortisone (Systemic)	11	Methylergonovine	13
		Estrogen and Androgen Combination	
		Estrogens (Esterified) and Methyltestosterone	8

ESTROGEN AND PROGESTIN COMBINATION

Estrogen and Progestin Combination			
Estradiol and Norethindrone	7		
Estrogens (Conjugated/Equine) and Medroxyprogesterone	8		
Ethinyl Estradiol and Drospirenone	8		
Ethinyl Estradiol and Ethynodiol Diacetate	8		
Ethinyl Estradiol and Etonogestrel	8		
Ethinyl Estradiol and Levonorgestrel	8		
Ethinyl Estradiol and Norelgestromin	8		
Ethinyl Estradiol and Norethindrone	8		
Ethinyl Estradiol and Norgestimate	8		
Ethinyl Estradiol and Norgestrel	8		
Estrogen Derivative			
Estradiol (Systemic)	8		
Estradiol (Topical)	8		
Estrogens (Conjugated/Equine, Systemic)	8		
Estrogens (Conjugated/Equine, Topical)	8		
Ethanolamine Derivative			
DiphenhydrAMINE (Systemic)	6		
Doxylamine	7		
Expectorant			
GuaifENesin	10		
Guaifenesin and Codeine	10		
Guaifenesin and Dextromethorphan	10		
Guaifenesin and Pseudoephedrine	10		
First Generation (Typical) Antipsychotic			
Haloperidol	10		
Prochlorperazine	17		
Thioridazine	19		
Trifluoperazine	20		
GABA Agonist/Glutamate Antagonist			
Acamprosate	2		
GABA Analog			
Gabapentin	10		
Gallstone Dissolution Agent			
Ursodiol	20		
Gastrointestinal Agent, Miscellaneous			
Adalimumab	2		
LinaCLotide	12		
Lubiprostone	13		
Sucralfate	19		
Gastrointestinal Agent, Prokinetic			
Metoclopramide	14		
General Anesthetic			
FentaNYL	9		
Genitourinary Irrigant			
Sodium Chloride	18		
Sorbitol	19		
Glycopeptide			
Vancomycin	20		
Guanylate Cyclase-C (GC-C) Agonist			
LinaCLotide	12		
Hematopoietic Agent			
Filgrastim	9		
Pegfilgrastim	16		
Hemostatic Agent			
Aluminum Chloride Hexahydrate	2		
Desmopressin	6		
Tranexamic Acid	20		
Histamine H₁ Antagonist			
Azelastine (Nasal)	3		
Cetirizine and Pseudoephedrine	4		
Chlorpheniramine	5		
Cyproheptadine	6		
DiphenhydrAMINE (Systemic)	6		
Doxylamine	7		
Fexofenadine	9		
Fexofenadine and Pseudoephedrine	9		
HydrOXYzine	11		
Ketotifen (Ophthalmic)	12		
Loratadine	13		
Meclizine	13		
Olopatadine (Ophthalmic)	15		
Promethazine	17		
Triprolidine and Pseudoephedrine	20		
Histamine H₁ Antagonist, First Generation			
Chlorpheniramine	5		
Cyproheptadine	6		
DiphenhydrAMINE (Systemic)	6		
Doxylamine	7		
HydrOXYzine	11		
Ketotifen (Ophthalmic)	12		
Loratadine	13		
Meclizine	13		
Olopatadine (Ophthalmic)	15		
Promethazine	17		
Triprolidine and Pseudoephedrine	20		
Histamine H₁ Antagonist, Second Generation			
Azelastine (Nasal)	3		
Cetirizine and Pseudoephedrine	4		
Fexofenadine	9		
Fexofenadine and Pseudoephedrine	9		
Ketotifen (Ophthalmic)	12		
Loratadine	13		
Olopatadine (Ophthalmic)	15		
Histamine H₂ Antagonist			
Famotidine	9		
RaNITidine	17		
Histone Deacetylase Inhibitor			
Valproic Acid and Derivatives	20		
Hormone			
Calcitonin	4		
Hormone, Posterior Pituitary			
Desmopressin	6		
Hypnotic, Miscellaneous			
Eszopiclone	8		
Zolpidem	21		
Imidazoline Derivative			
Oxymetazoline (Nasal)	16		
Immune Globulin			
Hepatitis B Immune Globulin (Human)	10		
Rh ₀ (D) Immune Globulin	18		
Immunosuppressant Agent			
AzaTHIOprine	3		
Cyclophosphamide	6		
CycloSPORINE (Ophthalmic)	6		
CycloSPORINE (Systemic)	6		
Everolimus	8		
Mercaptopurine	13		
Methotrexate	13		
Mycophenolate	14		
Pimecrolimus	16		
Tacrolimus (Systemic)	19		
Tacrolimus (Topical)	19		
Inhalation, Miscellaneous			
Inhalation Devices	11		
Insulin, Combination			
Insulin Aspart Protamine and Insulin Aspart	11		
Insulin NPH and Insulin Regular	11		
Insulin, Intermediate-Acting			
Insulin NPH	11		
Insulin, Long-Acting			
Insulin Detemir	11		
Insulin Glargine	11		
Insulin, Rapid-Acting			
Insulin Aspart	11		
Insulin, Short-Acting			
Insulin Regular	11		
Interferon			
Interferon Alfa-2b	11		
Interleukin-5 Antagonist			
Mepolizumab	13		
Iron Preparations			
Ferrous Gluconate	9		
Ferrous Sulfate	9		
Irrigant			
Sodium Chloride	18		
Keratolytic Agent			
Podofilox	16		
Salicylic Acid	18		
Urea (Topical)	20		
Laxative, Bowel Evacuant			
Sodium Phosphates	18		

Laxative, Lubricant		Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral	
Mineral Oil	14	Ibuprofen	11
Laxative, Osmotic		Indomethacin	11
Lactulose	12	Ketorolac (Systemic)	12
Polyethylene Glycol 3350	16	Nonsteroidal Anti-inflammatory Drug (NSAID), Topical	
Polyethylene Glycol-Electrolyte Solution	17	Diclofenac (Topical)	6
Sorbitol	19	Norepinephrine Reuptake Inhibitor, Selective	
Laxative, Saline		AtoMOXetine	3
Magnesium Citrate	13	Nutritional Supplement	
Laxative, Stimulant		Fluoride	9
Bisacodyl	4	Ophthalmic Agent, Antiglaucoma	
Leukotriene-Receptor Antagonist		AcetaZOLAMIDE	2
Montelukast	14	Betaxolol (Ophthalmic)	3
Local Anesthetic		Bimatoprost	3
Cocaine (Topical)	5	Brimonidine and Timolol	4
Lidocaine and Prilocaine	12	Brimonidine (Ophthalmic)	4
Lidocaine (Topical)	12	Dorzolamide	7
Tetracaine (Ophthalmic)	19	Dorzolamide and Timolol	7
Lubricant, Ocular		Latanoprost	12
Sodium Chloride	18	MethazolAMIDE	13
Lysine Analog		Pilocarpine (Ophthalmic)	16
Tranexamic Acid	20	Timolol (Ophthalmic)	19
Magnesium Salt		Ophthalmic Agent, Miotic	
Magnesium Chloride	13	Pilocarpine (Ophthalmic)	16
Magnesium Citrate	13	Ophthalmic Agent, Miscellaneous	
Magnesium Oxide	13	Artificial Tears	3
Magnesium Sulfate	13	Carboxymethylcellulose	4
Mast Cell Stabilizer		Ophthalmic Agent, Mydriatic	
Cromolyn (Nasal)	5	Atropine (Ophthalmic)	3
Cromolyn (Ophthalmic)	5	Homatropine	10
Ketotifen (Ophthalmic)	12	Phenylephrine (Ophthalmic)	16
Mineralocorticoid (Aldosterone) Receptor Antagonists		Tropicamide	20
Hydrochlorothiazide and Spironolactone	10	Ophthalmic Agent, Toxin	
Spironolactone	19	IncobotulinumtoxinA	11
Miscellaneous Product		OnabotulinumtoxinA	15
Diabetic Supplies	6	Opioid Antagonist	
Monoclonal Antibody		Naloxone	14
Adalimumab	2	Otic Agent, Anti-infective	
Monoclonal Antibody, Anti-Asthmatic		Acetic Acid, Propylene Glycol Diacetate, and Hydrocortisone	2
Mepolizumab	13	Aluminum Acetate and Acetic Acid	2
Omalizumab	15	m-Cresyl Acetate	13
mTOR Kinase Inhibitor		Ovulation Stimulator	
Everolimus	8	ClomiPHENE	5
Mucolytic Agent		P2Y₁₂ Antagonist	
Acetylcysteine	2	Clopidogrel	5
Neprilysin Inhibitor		Ticagrelor	19
Sacubitril and Valsartan	18	Partial Nicotine Agonist	
Neuraminidase Inhibitor		Varenicline	20
Oseltamivir	15	Pediculocide	
Neuromuscular Blocker Agent, Toxin		Permethrin	16
IncobotulinumtoxinA	11	Pyrethrins and Piperonyl Butoxide	17
OnabotulinumtoxinA	15	Pentasaccharide, Synthetic	
N-Methyl-D-Aspartate (NMDA) Receptor Antagonist		Fondaparinux	10
Memantine	13	Pharmaceutical Aid	
Nonsteroidal Anti-inflammatory Drug (NSAID)		Alcohol (Ethyl)	2
Diclofenac (Systemic)	6	Phenothiazine Derivative	
Diclofenac (Topical)	6	Prochlorperazine	17
Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective		Promethazine	17
Celecoxib	4	Thioridazine	19
Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic		Trifluoperazine	20
Flurbiprofen (Ophthalmic)	9	Phosphate Binder	
Ketorolac (Ophthalmic)	12	Calcium Acetate	4
Nonsteroidal Anti-inflammatory Drug (NSAID), Oral		Sevelamer	18
Aspirin	3	Phosphodiesterase-4 Enzyme Inhibitor	
Diclofenac (Systemic)	6	Roflumilast	18
Ibuprofen	11	Phosphodiesterase-5 Enzyme Inhibitor	
Indomethacin	11	Sildenafil	18
Ketorolac (Systemic)	12	Phosphodiesterase Enzyme Inhibitor, Nonselective	
Meloxicam	13	Theophylline	19
Naproxen	14	Piperazine Derivative	
Piroxicam (Systemic)	16	Cetirizine and Pseudoephedrine	4
Sulindac	19		

PIPERAZINE DERIVATIVE

HydrOXYzine	11
Meclizine	13
Piperidine Derivative	
Cyproheptadine	6
Fexofenadine	9
Fexofenadine and Pseudoephedrine	9
Ketotifen (Ophthalmic)	12
Loratadine	13
Olopatadine (Ophthalmic)	15
Potassium Binder	
Patromer	16
Sodium Polystyrene Sulfonate	19
Progestin	
Levonorgestrel (IUD)	12
Levonorgestrel (Systemic)	12
MedroxyPROGESTERone	13
Megestrol	13
Norethindrone	15
Progesterone	17
Prostaglandin	
MISOPROStol	14
Prostaglandin, Ophthalmic	
Bimatoprost	3
Latanoprost	12
Proton Pump Inhibitor	
Esomeprazole	7
Lansoprazole	12
Omeprazole	15
Pantoprazole	16
Renin Inhibitor	
Aliskiren	2
Rescue Agent (Chemotherapy)	
Leucovorin Calcium	12
Retinoic Acid Derivative	
Adapalene	2
ISOTretinoin (Systemic)	12
Tretinoin (Topical)	20
Retinoid-Like Compound	
Acitretin	2
Rifamycin	
RifAMPin	18
RifAXIMin	18
Salicylate	
Aspirin	3
Salsalate	18
Scabidical Agent	
Permethrin	16
Second Generation (Atypical) Antipsychotic	
ARIPiprazole	3
Lurasidone	13
OLANZapine	15
QUETiapine	17
RisperiDONE	18
Ziprasidone	21
Sedative	
Acetaminophen, Isometheptene, and Dichloralphenazone	2
Selective 5-HT₃ Receptor Antagonist	
Granisetron	10
Ondansetron	15
Selective Estrogen Receptor Modulator (SERM)	
ClomiPHENE	5
Raloxifene	17
Tamoxifen	19
Serotonin 5-HT_{1B}, _{1D} Receptor Agonist	
Eletriptan	7
Rizatriptan	18
SUMATriptan	19
ZOLMitriptan	21
Serotonin 5-HT₄ Receptor Agonist	
Metoclopramide	14
Shampoo, Pediculocide	
Pyrethrins and Piperonyl Butoxide	17

Skeletal Muscle Relaxant	
Baclofen	3
Cyclobenzaprine	5
Metaxalone	13
Methocarbamol	13
Skin and Mucous Membrane Agent	
Imiquimod	11
Skin and Mucous Membrane Agent, Miscellaneous	
Emollients	7
Smoking Cessation Aid	
BuPROPion	4
Nicotine	15
Varenicline	20
Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor	
Empagliflozin	7
Sodium Salt	
Sodium Chloride	18
Somatostatin Analog	
Octreotide	15
Spermicide	
Nonoxynol 9	15
Stool Softener	
Docusate	7
Substituted Benzimidazole	
Esomeprazole	7
Lansoprazole	12
Omeprazole	15
Pantoprazole	16
Sympathomimetic	
Acetaminophen, Isometheptene, and Dichloralphenazone	2
Thioamide	
MethIMAZole	13
Propylthiouracil	17
Thyroid Product	
Levothyroxine	12
Liothyronine	12
Topical Skin Product	
Aluminum Chloride Hexahydrate	2
Benzoyl Peroxide	3
Calcipotriene	4
Clindamycin and Benzoyl Peroxide	5
Emollients	7
Erythromycin (Topical)	7
Fluorouracil (Topical)	9
Imiquimod	11
Lactic Acid and Ammonium Hydroxide	12
Pimecrolimus	16
Podofilox	16
Selenium Sulfide	18
Tacrolimus (Topical)	19
Urea (Topical)	20
Topical Skin Product, Acne	
Adapalene	2
Azelaic Acid	3
Benzoyl Peroxide	3
Clindamycin and Benzoyl Peroxide	5
Clindamycin (Topical)	5
Erythromycin (Topical)	7
Salicylic Acid	18
Sulfacetamide (Topical)	19
Tretinoin (Topical)	20

Topical Skin Product, Antibacterial

Silver Nitrate18

Tumor Necrosis Factor (TNF) Blocking Agent

Adalimumab2

Uricosuric Agent

Probenecid17

Vasodilator

Dipyridamole7

HydrALAZINE10

Isosorbide Dinitrate12

Isosorbide Mononitrate12

Nitroglycerin15

Vasodilator, Direct-Acting

Minoxidil (Systemic)14

Vasopressin Analog, Synthetic

Desmopressin6

Vitamin

Vitamins (Multiple/Pediatric)21

Vitamins (Multiple/Prenatal)21

Vitamin D Analog

Calcipotriene4

Calcitriol (Systemic)4

Cholecalciferol5

Ergocalciferol7

Paricalcitol16

Vitamin, Fat Soluble

Calcium and Vitamin D4

Phytonadione16

Vitamin, Water Soluble

Ascorbic Acid3

Cyanocobalamin5

Folic Acid10

Leucovorin Calcium12

Niacin15

Pyridoxine17

Thiamine19

Xanthine Oxidase Inhibitor

Allopurinol2