

Luke Air Force Base Outpatient Formulary

Alphabetical Listing by Name

This document is current as of August 29, 2019.
The availability of formulary items is subject to change.

Luke AFB Outpatient Formulary

Alphabetical Drug Listing	Available Dosage Forms
Acetaminophen	Solution, Oral: Generic: 160 mg/5 mL (5 mL, 10 mL, 20 mL) Suppository, Rectal: Generic: 120 mg (12 ea) Tablet, Oral: Generic: 325 mg
Acetaminophen and Codeine	Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (5 mL, 10 mL, 12.5 mL, 15 mL, 118 mL, 473 mL) [BCF] Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]
AcetaZOLAMIDE	Capsule Extended Release 12 Hour, Oral: Generic: 500 mg
Acetic Acid, Propylene Glycol Diacetate, and Hydrocortisone	Solution, Otic [drops]: Acetasol HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL) [contains benzethonium chloride]
Acitretin	Capsule, Oral: Soriatane: 10 mg, 25 mg [contains edetate calcium disodium]
Acyclovir (Systemic)	Capsule, Oral: Generic: 200 mg [BCF] Suspension, Oral: Generic: 200 mg/5 mL (473 mL) [BCF] Tablet, Oral: Generic: 400 mg [BCF], 800 mg [BCF]
Acyclovir (Topical)	Ointment, external: 5% (15 g, 30 g)
Adalimumab	Pen-injector Kit, Subcutaneous [preservative free]: Humira Pen: 40 mg/0.8 mL (1 ea) [contains polysorbate 80] [BCF] Humira Pen-CD/UC/HS: 40 mg/0.8 mL (1 ea) [contains polysorbate 80] [BCF] Prefilled Syringe Kit, Subcutaneous [preservative free]: Humira: 10 mg/0.1 mL (1 ea) [BCF]; 20 mg/0.4 mL (1 ea) [BCF]; 40 mg/0.4 mL (1 ea) [BCF] [contains polysorbate 80] Humira Pediatric Crohns Start: 80 mg/0.8 mL (1 ea) [BCF] [contains polysorbate 80]
Adapalene	Gel, External: Generic: 0.1% (45 g)
Albuterol	Aerosol Solution, Inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Nebulization Solution, Inhalation: Generic: 0.083% [2.5 mg/3 mL] (25s, 30s, 60s) [BCF] ; 0.5% [2.5 mg/0.5 mL] (20 mL) Nebulization Solution, Inhalation [preservative free]: Generic: 0.083% [2.5 mg/3 mL] (25s, 30s, 60s) [BCF] Syrup: Oral Generic: 2 mg/5 mL (473 mL)
Alendronate	Solution, Oral: Generic: 70 mg/75 mL (75 mL) [BCF] Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]
Alfuzosin	Tablet, extended release, oral, as hydrochloride: 10 mg [BCF]
Aliskiren	Tablet, Oral: Tekturna: 150 mg, 300 mg
Allopurinol	Tablet, oral: 100 mg [BCF], 300 mg [BCF]
ALPRAZolam	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg
Aluminum Chloride Hexahydrate	Solution, External: Drysol: 20% (35 mL, 37.5 mL, 60 mL)

Luke AFB Outpatient Formulary

Amantadine	Capsule, Oral, as hydrochloride: Generic: 100 mg [BCF] Syrup, Oral, as hydrochloride: Generic: 50 mg/5 mL (10 mL) [BCF]
Amiodarone	Tablet, oral, as hydrochloride: 200 mg [BCF]
Amitriptyline	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]
AmLODIPine	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Amlodipine and Benazepril	Capsule, oral: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]
Amoxicillin	Capsule, Oral: Generic: 250 mg [BCF], 500 mg [BCF] Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (80 mL, 100 mL, 150 mL); 250 mg/5 mL (80 mL, 100 mL, 150 mL) [BCF] ; ; 400 mg/5 mL (100 mL) [BCF] Tablet, Oral: Generic: 875 mg
Amoxicillin and Clavulanate	Powder for suspension, oral: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL) [BCF] 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF] 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (100 mL) [BCF] 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF] 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF] Tablet, oral: 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF] 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF] 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]
Anastrozole	Tablet, Oral: Generic: 1 mg
Apixaban	Tablet, Oral: Eliquis: 2.5 mg, 5 mg
ARIPiprazole	Tablet, Oral: Generic: 2 mg [BCF], 5 mg [BCF], 10 mg [BCF], 15 mg [BCF], 20 mg [BCF], 30 mg [BCF]
Artificial Tears	Ointment, Ophthalmic: Refresh Lacri-Lube: (3.5 g) Solution, Ophthalmic: Tears Again: Polyvinyl alcohol 1.4% (30 mL) [contains benzalkonium chloride]
Aspirin	Tablet, enteric coated, oral: 81 mg, 325 mg
Aspirin and Dipyridamole	Capsule, variable release, oral: Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release] [contains lactose, sucrose]
Atenolol	Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
AtoMOXetine	Capsule, Oral: Strattera: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg Strattera: 80 mg, 100 mg [contains fd&c blue #2 (indigotine)]
AtorvaSTATin	Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Luke AFB Outpatient Formulary

Atropine (Ophthalmic)	Solution, Ophthalmic, as sulfate: Generic: 1% (5 mL, 15 mL)
Azelaic Acid	Cream, External: Azelex: 20% (30 g, 50 g)
Azelastine (Nasal)	Solution, Nasal, as hydrochloride: Generic: 137 mcg/spray (30 mL)
Azithromycin (Ophthalmic)	Solution, ophthalmic: AzaSite: 1% (2.5 mL) [contains benzalkonium chloride, disodium edta]
Azithromycin (Systemic)	Packet, Oral: Generic: 1 g (3 ea, 10 ea) [BCF] Suspension Reconstituted, Oral: Generic: 100 mg/5 mL (15 mL) [BCF] ; 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) Tablet, Oral: Zithromax TRI-PAK: 500 mg [BCF] Generic: 250 mg [BCF], 500 mg [BCF]
Bacitracin and Polymyxin B (Ophthalmic)	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Ointment, Ophthalmic: Generic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]
Bacitracin, Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per g (3.5 g)
Bacitracin (Ophthalmic)	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)
Bacitracin (Topical)	Ointment, External, as zinc [strength expressed as base]: Generic: 500 units/g (1 ea, 1 g, 14.2 g, 15 g, 28 g, 28.35 g, 28.4 g, 30 g, 120 g, 453.9 g, 454 g)
Baclofen	Tablet, Oral: Generic: 10 mg
Benazepril	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg, 40 mg
Benazepril and Hydrochlorothiazide	Tablet, oral: Generic: 5/6.25: Benazepril hydrochloride 5 mg and hydrochlorothiazide 6.25 mg Generic: 10/12.5: Benazepril hydrochloride 10 mg and hydrochlorothiazide 12.5 mg Generic: 20/12.5: Benazepril hydrochloride 20 mg and hydrochlorothiazide 12.5 mg Generic: 20/25: Benazepril hydrochloride 20 mg and hydrochlorothiazide 25 mg
Benzonatate	Capsule, Oral: Generic: 100 mg
Benzoyl Peroxide	Gel, External: Generic: 5% (42.5 g, 60 g, 90 g) Liquid, External: Benzoyl Peroxide Wash: 10% (142 g) [contains edetate disodium]
Benzotropine	Tablet, Oral, as mesylate: Generic: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]
Betamethasone and Clotrimazole	Cream, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g)
Betamethasone (Topical)	Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g, 50 g) Ointment, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g, 50 g)
Betaxolol (Ophthalmic)	Solution, ophthalmic: 0.5% (5 mL, 10 mL, 15 mL)
Bicalutamide	Tablet, Oral: Generic: 50 mg [BCF]

Luke AFB Outpatient Formulary

Bimatoprost	Solution, Ophthalmic: Lumigan: 0.01% (7.5 mL) [contains benzalkonium chloride]
Bisacodyl	Suppository, Rectal: Dulcolax: 10 mg (4 ea, 8 ea, 16 ea, 28 ea, 50 ea) Tablet Delayed Release, Oral: Dulcolax: 5 mg [contains fd&c yellow #10 (quinoline yellow), methylparaben, propylparaben, sodium benzoate]
Bismuth Subsalicylate	Suspension, Oral, as subsalicylate: Pepto-Bismol: 262 mg/15 mL (473 mL) [contains benzoic acid, d&c red #22 (eosine), saccharin sodium] Tablet Chewable, Oral, as subsalicylate: Generic: 262 mg
Brimonidine and Timolol	Solution, Ophthalmic [drops]: Combigan: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL) [contains benzalkonium chloride]
Brimonidine (Ophthalmic)	Solution, ophthalmic, as tartrate [drops]: Alphagan P: 0.1% (5 mL, 10 mL, 15 mL); 0.15% (5 mL, 10 mL, 15 mL) [BCF] [contains carboxymethylcellulose sodium] Generic: 0.15% (5 mL, 10 mL, 15 mL) [BCF]; 0.2% (5 mL, 10 mL, 15 mL) [BCF]
Budesonide (Oral Inhalation)	Suspension, Inhalation: Generic: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL)
BuPROPion	Tablet, oral, as hydrochloride: 75 mg [generic for Wellbutrin®] [BCF], 100 mg [generic for Wellbutrin®] [BCF] Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Wellbutrin XL®] [BCF], 150 mg [generic for Zyban®] [BCF], 300 mg [generic for Wellbutrin XL®] [BCF] Tablet, sustained release, oral, as hydrochloride: Wellbutrin SR®: 100 mg [BCF], 150 mg [BCF]
BusPIRone	Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
Butalbital, Acetaminophen, and Caffeine	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]
Butalbital, Aspirin, and Caffeine	Capsule: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg
Calcipotriene	Cream, External: Generic: 0.005% (60 g, 120 g) Ointment, External: Generic: 0.005% (60 g, 120 g) Solution, External: Generic: 0.005% (60 mL)
Calcitriol (Systemic)	Capsule, Oral: Generic: 0.25 mcg
Candesartan	Tablet, Oral, as cilexetil: Generic: 4 mg, 8 mg, 16 mg, 32 mg
Candesartan and Hydrochlorothiazide	Tablet, oral: 16/12.5: Candesartan cilexetil 16 mg and hydrochlorothiazide 12.5 mg; 32/12.5: Candesartan cilexetil 32 mg and hydrochlorothiazide 12.5 mg
Capsaicin	Cream, External: Trixaicin: 0.025% (60 g) [contains benzyl alcohol]
Captopril	Tablet, Oral: Generic: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Luke AFB Outpatient Formulary

CarBAMazepine	Suspension, Oral: Generic: 100 mg/5 mL (10 mL, 450 mL) [BCF] Tablet, Oral: Generic: 200 mg [BCF] Tablet, Chewable, Oral: Generic: 100 mg [BCF] Tablet Extended Release 12 Hour, Oral: Generic: 200 mg, 400 mg [BCF]
Carbamide Peroxide	Solution, Otic: Auraphene-B: 6.5% (15 mL) Debrox: 6.5% (15 mL) [contains propylene glycol] E-R-O Ear Drops: 6.5% (15 mL) [contains glycerin] E-R-O Ear Wax Removal System: 6.5% (15 mL) Ear Drops Earwax Aid: 6.5% (15 mL) Ear Wax Remover: 6.5% (15 mL) [contains propylene glycol] Earwax Treatment Drops: 6.5% (15 mL) Thera-Ear: 6.5% (15 mL)
Carbidopa and Levodopa	Tablet, oral: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF] 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF] 25/250: Carbidopa 25 mg and levodopa 250 mg [BCF]
Carboxymethylcellulose	Solution, Ophthalmic, as sodium: Refresh Optive Advanced: 0.5% (10 mL) Refresh Plus: 0.5% (30 ea, 50 ea, 70 ea) Solution, Ophthalmic, as sodium [preservative free]: Refresh Celluvisc: 1% (30 ea) Refresh Plus: 0.5% (30 ea, 50 ea)
Carvedilol	Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]
Cefdinir	Capsule, Oral: Generic: 300 mg Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (60 mL, 100 mL); 250 mg/5 mL (60 mL, 100 mL)
Cefprozil	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (50 mL, 75 mL, 100 mL); 250 mg/5 mL (50 mL, 75 mL, 100 mL) Tablet, Oral: Generic: 250 mg, 500 mg
Celecoxib	Capsule, Oral: CeleBREX: 100 mg, 200 mg, 400 mg
Cephalexin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 125 mg/5 mL (100 mL, 200 mL); 250 mg/5 mL (100 mL, 200 mL) [BCF]
Cetirizine (Systemic)	Syrup, Oral, as hydrochloride: Generic: 1 mg/mL (120 mL, 480 mL); 5 mg/5 mL (5 mL, 120 mL, 473 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg
Chlorhexidine Gluconate (Oral)	Solution, Mouth/Throat: Generic: 0.12% (473 mL) [BCF]
Chloroquine	Tablet, Oral, as phosphate: Generic: 500 mg [equivalent to chloroquine base 300 mg]
Chlorpheniramine	Tablet, Oral, as maleate: Generic: 4 mg
Chlorthalidone	Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Luke AFB Outpatient Formulary

Cholestyramine Resin	Packet, oral: Questran Light: 4 g (1 ea, 60 ea) [sugar free; contains aspartame; orange flavor] Powder, oral: Questran Light: 4 g/dose (210 g) [sugar free; contains aspartame]
Ciclopirox	Solution, External: Generic: 8% (6.6 mL)
Cilostazol	Tablet, Oral: Generic: 50 mg, 100 mg
Ciprofloxacin and Dexamethasone	Suspension, Otic: Ciprodex: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]
Ciprofloxacin and Hydrocortisone	Suspension, otic: Cipro HC: Ciprofloxacin hydrochloride 0.2% and hydrocortisone 1% (10 mL) [contains benzyl alcohol]
Ciprofloxacin (Systemic)	Suspension Reconstituted, Oral: Generic: 250 mg/5 mL (100 mL) [BCF] Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 100 mg [BCF], 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Citalopram	Solution, oral: 10 mg/5 mL (240 mL) [BCF] Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Clarithromycin	Suspension Reconstituted, Oral: Generic: 125 mg/5 mL (50 mL, 100 mL); 250 mg/5 mL (50 mL, 100 mL) Tablet, Oral: Generic: 250 mg, 500 mg Tablet Extended Release 24 Hour, Oral: Generic: 500 mg
Clindamycin and Benzoyl Peroxide	Gel, topical: Clindamycin phosphate 1% and benzoyl peroxide 5% (50 g); Clindamycin phosphate 1.2% and benzoyl peroxide 5% (45 g)
Clindamycin (Systemic)	Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF], 300 mg Solution reconstituted, oral, as palmitate hydrochloride [strength expressed as base]: 75 mg/5 mL (100 mL)
Clindamycin (Topical)	Cream, vaginal, as phosphate [strength expressed as base]: 2% (40 g) [BCF] Solution, topical, as phosphate [strength expressed as base]: 1% (30 mL, 60 mL) [BCF]
Clobetasol	Gel, External, as propionate: Generic: 0.05% (15 g, 30 g, 60 g) Ointment, External, as propionate: Generic: 0.05% (15 g, 30 g, 45 g, 60 g) Solution, External, as propionate: Generic: 0.05% (25 mL, 50 mL)
ClomiPHENE	Tablet, Oral, as citrate: Generic: 50 mg
Clonazepam	Tablet, oral: 0.5 mg [BCF], 1 mg
CloNIDine	Patch Weekly, Transdermal: 0.1 mg/24 hr (4 ea); 0.2 mg/24 hr (4 ea); 0.3 mg/24 hr (4 ea) Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]
Clopidogrel	Tablet, Oral: Generic: 75 mg [BCF], 300 mg [BCF]
Clotrimazole (Oral)	Troche, Mouth/Throat: Generic: 10 mg
Clotrimazole (Topical)	Cream, External: Generic: 1% (15 g, 30 g, 45 g) Cream, Vaginal: Generic: 1% (45 g) Solution, topical: 1% (10 mL, 30 mL) [BCF]

Luke AFB Outpatient Formulary

Codeine	Tablet, Oral, as sulfate: Generic: 30 mg
Colestipol	Tablet, Oral, as hydrochloride: Generic: 1 g
Compounded Topical Products	Gel, Topical [scar gel]: Generic: extemporaneously prepared Ointment, Topical [Magic Bottom]: Generic: extemporaneously prepared Solution, Topical [Pain compound]: Generic: extemporaneously prepared
Cromolyn (Ophthalmic)	Solution, Ophthalmic, as sodium: Generic: 4% (10 mL)
Cyanocobalamin	Solution, Injection: Generic: 1000 mcg/mL (1 mL, 10 mL, 30 mL) Tablet, Oral: Generic: 1000 mcg
Cyclobenzaprine	Tablet, oral, as hydrochloride: 5 mg, 10 mg [BCF]
CycloSPORINE (Ophthalmic)	Emulsion, Ophthalmic [preservative free]: Restasis: 0.05% (1 ea) [contains polysorbate 80]
Cyproheptadine	Syrup, Oral, as hydrochloride: Generic: 2 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 4 mg [BCF]
Dabigatran Etexilate	Capsule, Oral: Pradaxa: 75 mg [contains fd&c yellow #6 (sunset yellow)] Pradaxa: 150 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)]
Desmopressin	Solution, Nasal, as acetate: Generic: 0.01% (2.5 mL, 5 mL)
Dexamethasone (Systemic)	Tablet, Oral: Generic: 0.5 mg, 0.75 mg, 4 mg

Luke AFB Outpatient Formulary

<p>Dextroamphetamine and Amphetamine</p>	<p>Capsule, Extended Release, Oral: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] Generic: 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF] Tablet, Oral: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]</p>
<p>Diabetic Supplies</p>	<p>Glucose meter: Precision Xtra Blood Glucose Monitoring System Lancet: FreeStyle Lancets (100s) Syringe and needle: BD Syringe 0.3 mL [31 gauge] (100s) BD Syringe 1 mL [29 gauge x 1/2"] (100s) BD Syringe 0.5 mL [29 gauge x 1/2"] (100s) BD Syringe and Luer-Lok™ tip: 3 mL [23 gauge] BD Short Pen Needles (Ultra-Fine™ III) [31 gauge] (100s) BD Syringe 0.3 mL (Ultra-Fine™) [30 gauge] (100s) BD Ultra-Fine Pen Needles Nano [32 gauge x 4 mm] (100s) Test Strips/Kit: Keto-Diastix Reagent Strips [50/box] Precision Xtra Blood Glucose Test Strips (100s) [BCF]</p>
<p>DiazePAM</p>	<p>Tablet, oral: 2 mg, 5 mg [BCF]</p>
<p>Diclofenac (Ophthalmic)</p>	<p>Solution, Ophthalmic, as sodium: Generic: 0.1% (2.5 mL, 5 mL)</p>
<p>Diclofenac (Systemic)</p>	<p>Tablet, Oral, as potassium: Generic: 50 mg Tablet Delayed Release, Oral, as sodium: Generic: 25 mg, 50 mg, 75 mg</p>

Luke AFB Outpatient Formulary

Diclofenac (Topical)	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]
Dicloxacillin	Capsule, Oral: Generic: 250 mg, [BCF] 500 mg [BCF]
Dicyclomine	Capsule, oral, as hydrochloride: 10 mg [BCF] Syrup, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 20 mg [BCF]
Difluprednate	Emulsion, Ophthalmic: Durezol: 0.05% (5 mL) [contains edetate sodium (tetrasodium), polysorbate 80]
Digoxin	Solution, oral: 0.05 mg/mL (60 mL) Tablet, oral: 125 mcg [BCF], 250 mcg [BCF]
DilTIAZem	Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF] Tablet, oral, as hydrochloride: 60 mg
DiphenhydrAMINE (Systemic)	Capsule, Oral, as hydrochloride: Generic: 25 mg, 50 mg Elixir, Oral, as hydrochloride: Generic: 12.5 mg/5 mL (5 mL, 10 mL)
Diphenoxylate and Atropine	Tablet, oral: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Dipyridamole	Tablet, Oral: Generic: 25 mg, 75 mg
Disulfiram	Tablet, Oral: Generic: 250 mg
Docusate	Capsule, Oral, as sodium: Generic: 100 mg
Docusate and Senna	Tablet, Oral: Generic: Docusate sodium 50 mg and sennosides 8.6 mg
Donepezil	Tablet, oral, as hydrochloride: 5 mg, 10 mg
Dorzolamide	Solution, Ophthalmic: Generic: 2% (10 mL)
Dorzolamide and Timolol	Solution, ophthalmic [drops, preservative free]: Cosopt® PF: Dorzolamide 2% and timolol 0.5% (0.2 mL)
Doxazosin	Tablet, Oral: Generic: 1 mg, 2 mg, 4 mg, 8 mg
Doxepin (Systemic)	Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg Solution, oral [concentrate]: 10 mg/mL (118 mL, 120 mL) [BCF]
Doxycycline	Capsule, oral, as hyclate [strength expressed as base]: 100 mg [BCF] Tablet, oral, as hyclate [strength expressed as base]: 100 mg [BCF]
Doxylamine	Tablet, Oral, as succinate: Sleep Aid: 25 mg [scored] [BCF]
Dulaglutide	Solution Pen-injector, Subcutaneous [preservative free]: Trulicity: 0.75 mg/0.5 mL (0.5 mL); 1.5 mg/0.5 mL (0.5 mL) [contains polysorbate 80]
DULoxetine	Capsule Delayed Release Particles, Oral: Generic: 20 mg, 30 mg, 60 mg
Emollients	Cream, topical: Vanicream: (453 g) [dye free, fragrance free]
Empagliflozin	Tablet, Oral: Jardiance: 10 mg, 25 mg
Enalapril	Tablet, Oral, as maleate: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg

Luke AFB Outpatient Formulary

Enoxaparin	Solution, Injection, as sodium: Generic: 300 mg/3 mL (3 mL) [BCF] Solution, Subcutaneous, as sodium [preservative free]: Generic: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF]
EPINEPHrine (Systemic)	Device, Injection: EpiPen 2-Pak: 0.3 mg/0.3 mL (2 ea) [latex free; contains sodium metabisulfite] EpiPen Jr 2-Pak: 0.15 mg/0.3 mL (2 ea) [contains sodium metabisulfite] Generic: 0.15 mg/0.15 mL (2 ea); 0.3 mg/0.3 mL (2 ea)
Ergocalciferol	Capsule, Oral: Generic: 50,000 units
Erythromycin (Ophthalmic)	Ointment, Ophthalmic: Generic: 5 mg/g (1 g, 3.5 g) [BCF]
Erythromycin (Systemic)	Suspension Reconstituted, Oral, as ethylsuccinate: E.E.S. Granules: 200 mg/5 mL (100 mL, 200 mL) [cherry flavor] [BCF] Tablet, Oral, as stearate: Erythrocin Stearate: 250 mg [BCF] Tablet Delayed Release, Oral, as base: Ery-Tab: 250 mg [BCF]
Erythromycin (Topical)	Gel, topical: 2% (30 g, 60 g) [BCF] Solution, topical: 2% (60 mL) [BCF]
Escitalopram	Tablet, Oral: Generic: 10 mg, 20 mg
Estradiol (Systemic)	Patch Weekly, Transdermal: Generic: 0.025 mg/24 hours (4 ea) [BCF]; 0.0375 mg/24 hours (4 ea) [BCF]; 0.06 mg/24 hours (4 ea) [BCF]; 0.075 mg/24 hours (4 ea) [BCF]; 0.1 mg/24 hours (4 ea) [BCF] Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg
Estradiol (Topical)	Cream, Vaginal: Estrace: 0.1 mg/g (42.5 g)
Estrogens (Conjugated/Equine) and Medroxyprogesterone	Tablet, oral: Prempro®: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro®: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro®: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF] Prempro®: 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]
Estrogens (Conjugated/Equine, Systemic)	Tablet, oral: Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 1.25 mg [BCF]
Estrogens (Conjugated/Equine, Topical)	Cream, vaginal: Premarin®: 0.625 mg/g (30 g) [BCF]
Ethambutol	Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF]

Luke AFB Outpatient Formulary

Ethinyl Estradiol and Desogestrel	<p>Tablet, oral [low dose formulation]: Azurette: Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets] Day 22-23: 2 inactive green tablets Day 24-28: Ethinyl estradiol 0.01 mg [5 blue tablets] (28s) Tablet, oral [monophasic formulation]: Desogen, Reclipsen: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 white tablets and 7 green inactive tablets] (28s) Ortho-Cept 28: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 light orange tablets and 7 green inactive tablets] (28s)</p>
Ethinyl Estradiol and Drospirenone	<p>Tablet, oral: Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF] Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]</p>
Ethinyl Estradiol and Ethynodiol Diacetate	<p>Tablet, oral [monophasic formulation]: Kelnor™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light yellow tablets and 7 white inactive tablets] (28s)</p>
Ethinyl Estradiol and Etonogestrel	<p>Ring, vaginal: NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]</p>
Ethinyl Estradiol and Levonorgestrel	<p>Tablet, oral [extended cycle regimen]: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [84 tablets and 7 inactive tablets] (91s) Tablet, oral [low dose formulation]: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 tablets and 7 inactive tablets] (28s) Tablet, oral [monophasic formulation]: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 tablets and 7 inactive tablets] (28s) Tablet, oral [triphasic formulation]: Trivora®: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets] Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] Day 22-28: 7 peach inactive tablets (28s)</p>
Ethinyl Estradiol and Norelgestromin	<p>Patch, transdermal: Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day] (1s, 3s)</p>
Ethinyl Estradiol and Norethindrone	<p>Tablet, Oral [monophasic formulation]: Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Ortho-Novum 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF]</p>

Luke AFB Outpatient Formulary

Ethinyl Estradiol and Norgestimate	<p>Tablet, oral [monophasic formulation]: Ortho-Cyclen®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 dark green inactive tablets] (28s) [BCF] Tablet, oral [triphasic formulation]: Ortho Tri-Cyclen® [BCF]: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 22-28: 7 dark green inactive tablets (28s) Ortho Tri-Cyclen® Lo [BCF]: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets] Day 22-28: 7 dark green inactive tablets TriNessa® [BCF]: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 22-28: 7 green inactive tablets</p>
Exenatide	<p>Auto-injector, Subcutaneous: Bydureon BCise: 2 mg/0.85 mL (0.85 mL) Suspension Reconstituted, Subcutaneous: Bydureon: 2 mg (1 ea)</p>
Ezetimibe	<p>Tablet, Oral: Zetia: 10 mg</p>
Felodipine	<p>Tablet Extended Release 24 Hour, Oral: Generic: 2.5 mg, 5 mg, 10 mg</p>
Fenofibrate and Derivatives	<p>Capsule, oral: 67 mg, 134 mg Tablet, oral: TriCor®: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin], 160 mg</p>
FentaNYL	<p>Patch, Transdermal, as base: Generic: 12 [delivers 12.5 mcg/hr] (5s); 25 [delivers 25 mcg/hr] (5s); 50 [delivers 50 mcg/hr] (5s); 75 [delivers 75 mcg/hr] (5s)</p>
Ferrous Sulfate	<p>Elixir, Oral: Generic: 220 (44 Fe) mg/5 mL (5 mL, 473 mL) Solution, Oral: Generic: 15 mg/mL (5 mL) Tablet, Oral: Generic: 325 mg (65 Fe)</p>
Fexofenadine	<p>Tablet, Oral, as hydrochloride: Generic: 180 mg</p>
Finasteride	<p>Tablet, oral: 5 mg [BCF]</p>
Flecainide	<p>Tablet, Oral, as acetate: Generic: 50 mg</p>
Fluconazole	<p>Tablet, oral: 100 mg, 150 mg [BCF], 200 mg</p>
Fludrocortisone	<p>Tablet, Oral, as acetate: Generic: 0.1 mg</p>
Fluocinolone (Topical)	<p>Cream, External, as acetate: Generic: 0.025% (15 g, 60 g) Oil, External, as acetate: Derma-Smoothe/FS Body: 0.01% (118.28 mL) [contains isopropyl alcohol, peanut oil] Derma-Smoothe/FS Scalp: 0.01% (118.28 mL) [contains isopropyl alcohol, peanut oil] Solution, External, as acetate: Generic: 0.01% (60 mL)</p>

Luke AFB Outpatient Formulary

Fluocinonide	Cream, anhydrous, emollient, topical: 0.05% (15 g, 30 g, 60 g, 120 g) [BCF] Gel, external: 0.05% (15 g, 30 g, 60 g) Ointment, external: 0.05% (15 g, 30 g, 60 g)
Fluoride	Gel, Oral, as sodium [toothpaste]: PreviDent 5000 Booster Plus: 1.1% (100 mL)
Fluorometholone	Suspension, Ophthalmic, as base: Generic: 0.1% (5 mL, 10 mL, 15 mL)
Fluorouracil (Topical)	Cream, External: Generic: 5% (40 g)
FLUoxetine	Capsule, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF] Solution, oral: 20 mg/5 mL (5 mL, 120 mL) [BCF]
Fluticasone and Salmeterol	Aerosol, for oral inhalation: Advair HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (8 g, 12 g) [chlorofluorocarbon free] [BCF] 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (8 g, 12 g) [chlorofluorocarbon free] [BCF] 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (8 g, 12 g) [chlorofluorocarbon free] [BCF] Powder, for oral inhalation: Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF] 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF] 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]
Fluticasone (Nasal)	Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF] Flonase®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]
Fluticasone (Oral Inhalation)	Aerosol, for oral inhalation, as propionate: Flovent® HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent® HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent® HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Powder, for oral inhalation, as propionate: Flovent® Diskus®: 50 mcg (60s) [contains lactose] [BCF] Flovent® Diskus®: 100 mcg (60s) [contains lactose] [BCF] Flovent® Diskus®: 250 mcg (60s) [contains lactose] [BCF]
Folic Acid	Tablet, oral: 1 mg [BCF]
Fosinopril	Tablet, Oral, as sodium: Generic: 10 mg, 20 mg, 40 mg
Furosemide	Solution, oral: 10 mg/mL (60 mL, 120 mL) [BCF] Tablet, oral: 20 mg [BCF], 40 mg [BCF]
Gabapentin	Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, oral: 600 mg [BCF], 800 mg [BCF]
Ganciclovir (Ophthalmic)	Gel, Ophthalmic: Zirgan: 0.15% (5 g) [contains benzalkonium chloride]
Gatifloxacin	Solution, Ophthalmic: Zymaxid: 0.5% (2.5 mL) [contains benzalkonium chloride, edetate disodium]
Gemfibrozil	Tablet, oral: 600 mg [BCF]

Luke AFB Outpatient Formulary

Gentamicin (Ophthalmic)	Ointment, ophthalmic: Gentak®: 0.3% (3.5 g) [BCF] Ointment, ophthalmic [preservative free]: Garamycin™: 0.3% (3.5 g) [BCF] Solution, ophthalmic [drops]: 0.3% (5 mL, 15 mL) [BCF]
Glimepiride	Tablet, oral: 1 mg, 2 mg, 4 mg
GlipiZIDE	Tablet, oral: 5 mg [BCF], 10 mg [BCF] Tablet extended release 24 hour, oral: 5 mg, 10 mg
Glucagon	Kit, Injection: Glucagon Emergency: 1 mg
GlyBURIDE	Tablet, Oral: Generic: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF] Tablet, Micronized, Oral: Glynase: 1.5 mg [BCF], 3 mg [BCF], 6 mg [BCF] [scored]
Glyburide and Metformin	Tablet, oral: Generic: 1.25 mg/250 mg: Glyburide 1.25 mg and metformin hydrochloride 250 mg Generic: 2.5 mg/500 mg: Glyburide 2.5 mg and metformin hydrochloride 500 mg Generic: 5 mg/500 mg: Glyburide 5 mg and metformin hydrochloride 500 mg
Goserelin	Implant, Subcutaneous: Zoladex: 3.6 mg (1 ea); 10.8 mg (1 ea)
Griseofulvin	Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF] Tablet, oral [ultramicrosize]: 125 mg [BCF], 250 mg [BCF]
GuaiFENesin	Tablet extended release 12 hour, oral: 600 mg
Guaifenesin and Codeine	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (473 mL)
Guaifenesin and Dextromethorphan	Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (5 mL, 10 mL, 120 mL, 480 mL)
Guaifenesin and Pseudoephedrine	Tablet, extended release, oral: Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg
Homatropine	Solution, Ophthalmic, as hydrobromide: Generic: 5% (5 mL)
HydrALAZINE	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg
HydroCHLORothiazide	Capsule, Oral: Generic: 12.5 mg [BCF] Tablet, Oral: Generic: 12.5 mg, 25 mg [BCF], 50 mg [BCF]
Hydrochlorothiazide and Triamterene	Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]; hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]
Hydrocodone and Acetaminophen	Solution, oral: Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg per 15 mL Tablet, oral: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg

Luke AFB Outpatient Formulary

Hydrocortisone (Topical)	Cream, External, as valerate: Generic: 0.2% (15 g, 45 g, 60 g) Cream, External, as base: Anusol-HC: 2.5% (30 g) [contains benzyl alcohol] [BCF] ProctoCream-HC: 2.5% (30 g) [contains benzyl alcohol] [BCF] Proctosol-HC: 2.5% (28.35 g) [BCF] Generic: 1% (1 g, 1.5 g, 15 g, 20 g, 28 g, 28.35 g, 28.4 g, 30 g, 120 g, 453.6 g, 454 g); 2.5% (20 g, 28 g, 28.35 g, 30 g, 453.6 g) Ointment, External, as base: Generic: 2.5% (20 g) Ointment, External, as valerate: Generic: 0.2% (15 g, 45 g, 60 g) Suppository, Rectal, as acetate: Generic: 25 mg (12s) [BCF]
HYDROmorphone	Tablet, Oral, as hydrochloride: Generic: 2 mg, 4 mg
Hydroquinone	Cream, External: Generic: 4% (28.35 g)
Hydroxychloroquine	Tablet, Oral, as sulfate: Generic: 200 mg
HydrOXYzine	Syrup, oral, as hydrochloride: 10 mg/5 mL (118 mL, 473 mL) [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Hyoscyamine	Tablet, Sublingual, as sulfate: Generic: 0.125 mg
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	Elixir: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (473 mL) Tablet: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg
Ibandronate	Tablet, oral: 150 mg
Ibuprofen	Suspension, oral: 100 mg/5 mL (5 mL, 118 mL, 120 mL, 473 mL) Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Imipramine	Capsule, Oral, as pamoate: Generic: 75 mg Tablet, oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Imiquimod	Cream, External: Generic: 5% (1 ea, 12 ea, 24 ea)
Indomethacin	Capsule, oral: 25 mg [BCF], 50 mg [BCF]
Inhalation Devices	Spacer for use with oral inhalers
Insulin Aspart	Solution, Subcutaneous: NovoLOG: 100 units/mL (10 mL) [contains metacresol, phenol] [BCF] Solution Pen-injector, Subcutaneous: NovoLOG FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol] [BCF]
Insulin Aspart Protamine and Insulin Aspart	Suspension, Subcutaneous: NovoLOG Mix 70/30 FlexPen: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting]: 100 units/mL (3 mL) [contains metacresol, phenol] [BCF]
Insulin Detemir	Solution, Subcutaneous: Levemir: 100 units/mL (10 mL) [contains metacresol, phenol]
Insulin Glargine	Solution, Subcutaneous: Lantus: 100 units/mL (10 mL) [contains metacresol] [BCF] Solution Pen-injector, Subcutaneous: Lantus Solostar: 100 units/mL (3 mL) [BCF]
Insulin Lispro	Solution, Subcutaneous: HumaLOG: 100 units/mL (3 mL, 10 mL) [contains metacresol, phenol]

Luke AFB Outpatient Formulary

Insulin NPH	Suspension, Subcutaneous: NovoLIN N: 100 units/mL (10 mL) [contains metacresol, phenol] [BCF]
Insulin NPH and Insulin Regular	Suspension, Subcutaneous: NovoLIN 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [contains metacresol, phenol] [BCF]
Insulin Regular	Solution, Injection: NovoLIN R: 100 units/mL (10 mL) [contains metacresol] [BCF]
Interferon Beta-1b	Kit, Subcutaneous: Betaseron: 0.3 mg [contains albumin human] [BCF]
Ipratropium and Albuterol	Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF] Solution, for nebulization: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s, 60s)
Ipratropium (Nasal)	Solution, nasal, as bromide: 0.03% (30 mL)
Ipratropium (Oral Inhalation)	Aerosol, for oral inhalation, as bromide: Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s) Solution, for nebulization, as bromide [preservative free]: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s)
Isoniazid	Syrup, oral: 50 mg/5 mL (473 mL) Tablet, oral: 100 mg [BCF], 300 mg [BCF]
Isosorbide Dinitrate	Tablet, Oral: Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF] Tablet Extended Release, Oral: Generic: 40 mg [BCF]
Isosorbide Mononitrate	Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]
ISOTretinoin (Systemic)	Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil]
Ketoconazole (Systemic)	Tablet, oral: 200 mg
Ketoconazole (Topical)	Cream, external: 2% (15 g, 30 g, 60 g) Shampoo, external: 2% (120 mL)
Ketorolac (Ophthalmic)	Solution, ophthalmic, as tromethamine: 0.4% (5 mL); 0.5% (3 mL, 5 mL, 10 mL)
Ketorolac (Systemic)	Tablet, Oral, as tromethamine: Generic: 10 mg
Labetalol	Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg
Lactic Acid and Ammonium Hydroxide	Cream, topical: Lactic acid 12% with ammonium hydroxide (140 g, 280 g, 385 g) Lac-Hydrin®: Lactic acid 12% with ammonium hydroxide (280 g, 385 g)
Lactulose	Solution, oral: 10 g/15 mL (15 mL, 30 mL, 237 mL, 473 mL, 500 mL, 946 mL, 1892 mL) [BCF]
LamoTRigine	Tablet, Oral: Generic: 25 mg, 100 mg, 150 mg, 200 mg
Latanoprost	Solution, ophthalmic [drops]: 0.005% (2.5 mL) [BCF]
Levalbuterol	Nebulization Solution, Inhalation, as hydrochloride [strength expressed as base, preservative free]: Generic: 0.31 mg/3 mL (3 mL); 0.63 mg/3 mL (3 mL); 1.25 mg/3 mL (3 mL); 1.25 mg/0.5 mL (1 ea, 30 ea)
LevETIRAcetam	Solution, Oral: Generic: 100 mg/mL (5 mL, 473 mL, 500 mL) Tablet, Oral: Generic: 250 mg, 500 mg, 750 mg, 1000 mg
LevoFLOXacin (Systemic)	Solution, oral: 25 mg/mL (100 mL, 200 mL, 480 mL) [BCF] Tablet, oral: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

Luke AFB Outpatient Formulary

Levonorgestrel (Systemic)	Tablet, Oral: Plan B One-Step: 1.5 mg [BCF] Generic: 1.5 mg [BCF]
Levothyroxine	Tablet, oral, as sodium: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF] Levoxyl®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF] Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
Lidocaine (Topical)	Jelly, External, as hydrochloride: Generic: 2% (5 mL, 20 mL, 30 mL) Jelly, External, as hydrochloride [preservative free]: Generic: 2% (5 mL, 10 mL) Patch, External: Lidoderm: 5% (30 ea) [contains disodium edta, methylparaben, propylene glycol, propylparaben] Solution, Mouth/Throat, as hydrochloride: Generic: 2% (15 mL, 100 mL)
Liothyronine	Tablet, Oral: Generic: 5 mcg, 25 mcg
Lisinopril	Tablet, Oral: Generic: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]
Lisinopril and Hydrochlorothiazide	Tablet, oral: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]
Lithium	Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF] Solution, oral, as citrate: 300 mg/5 mL (5 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]
Loperamide	Capsule, oral, as hydrochloride: 2 mg [BCF]
Loratadine	Syrup, Oral: Claritin: 5 mg/5 mL (60 mL, 120 mL) [alcohol free, color free, dye free, sugar free; contains edetate disodium, propylene glycol, sodium benzoate; grape flavor] Tablet, Oral: Generic: 10 mg
LORazepam	Tablet, Oral: Generic: 0.5 mg, 1 mg, 2 mg
Losartan	Tablet, oral, as potassium: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Losartan and Hydrochlorothiazide	Tablet, oral: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF] 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [BCF] 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]
Loteprednol	Suspension, Ophthalmic, as etabonate: Lotemax: 0.5%
Lovastatin	Tablet, Oral: Generic: 10 mg, 20 mg, 40 mg
Lurasidone	Tablet, Oral, as hydrochloride: Latuda: 20 mg, 40 mg, 60 mg
Magnesium Oxide	Tablet, Oral: Generic: 400 mg

Luke AFB Outpatient Formulary

Meclizine	Tablet, Oral, as hydrochloride: Generic: 12.5 mg, 25 mg
MedroxyPROGESTERone	Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Mefloquine	Tablet, Oral, as hydrochloride: Generic: 250 mg
Megestrol	Suspension, Oral, as acetate: Generic: 400 mg/10 mL (10 mL) Tablet, Oral, as acetate: Generic: 20 mg
Melatonin	Tablet, oral: Generic: 3 mg Tablet, controlled release, oral: Generic: 3 mg
Meloxicam	Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]
Memantine	Tablet, Oral, as hydrochloride: Namenda: 5 mg [contains fd&c blue #2 (indigotine), fd&c yellow #6 (sunset yellow)] Namenda: 10 mg
Mesalamine	Capsule Delayed Release, Oral: Delzicol: 400 mg Tablet Delayed Release, Oral: Lialda: 1.2 g
Metaxalone	Tablet, Oral: Generic: 800 mg
MetFORMIN	Tablet, oral, as hydrochloride: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Tablet, extended release, oral, as hydrochloride: 500 mg [BCF], 750 mg [BCF]
Methadone	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg
MethazolAMIDE	Tablet, Oral: Generic: 50 mg
MethIMAzole	Tablet, Oral: Generic: 5 mg, 10 mg
Methocarbamol	Tablet, oral: 500 mg [BCF], 750 mg
Methotrexate	Tablet, oral: 2.5 mg [BCF]
Methyl dopa	Tablet, Oral: Generic: 250 mg, 500 mg
Methylphenidate	Capsule Extended Release, Oral, as hydrochloride: Generic: 20 mg, 30 mg, 40 mg Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg Tablet Extended Release, Oral, as hydrochloride: Generic: 20 mg Tablet Extended Release 24 Hour, Oral, as hydrochloride: Generic: 18 mg [BCF], 27 mg [BCF], 36 mg [BCF], 54 mg [BCF]
MethylPREDNISolone	Tablet, Oral: Medrol (Pak): 4 mg [scored] Generic: 4 mg
Metoclopramide	Solution, oral: 5 mg/5 mL (10 mL, 473 mL) [BCF] Tablet, oral: 5 mg, 10 mg [BCF]
MetOLazone	Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg
Metoprolol	Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]
MetroNIDAZOLE (Systemic)	Tablet, oral: 250 mg [BCF], 500 mg [BCF]

Luke AFB Outpatient Formulary

MetroNIDAZOLE (Topical)	Cream, External: Generic: 0.75% (45 g) Gel, External: Generic: 1% (60 g) [BCF] Gel, Vaginal: Generic: 0.75% (70 g) [BCF]
Midodrine	Tablet, Oral, as hydrochloride: Generic: 5 mg
Minocycline	Tablet, Oral: Generic: 50 mg, 100 mg
Mirtazapine	Tablet, Oral: Generic: 15 mg, 30 mg Tablet Dispersible, Oral: Generic: 15 mg, 30 mg
Modafinil	Tablet, Oral: Generic: 100 mg, 200 mg
Montelukast	Packet, Oral: Generic: 4 mg (1 ea, 30 ea) [BCF] Tablet, Oral: Generic: 10 mg [BCF] Tablet, Chewable, Oral: Generic: 4 mg [BCF], 5 mg [BCF]
Morphine (Systemic)	Tablet, Oral, as sulfate: Generic: 15 mg, 30 mg Tablet Extended Release, Oral, as sulfate: Generic: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]
Moxifloxacin (Ophthalmic)	Solution, Ophthalmic: Vigamox: 0.5% (3 mL)
Moxifloxacin (Systemic)	Tablet, Oral: Avelox: 400 mg
Mupirocin	Ointment, topical: 2% (22 g) [BCF]
Mycophenolate	Capsule, Oral: Generic: 250 mg Tablet, Oral: Generic: 500 mg
Naftifine	Cream, External, as hydrochloride: Naftin: 1% (60 g, 90 g) [contains benzyl alcohol, cetyl alcohol]
Naloxone	Liquid, Nasal [spray]: Narcan: 4 mg/0.1 mL (1 ea) [BCF]
Naphazoline and Pheniramine	Solution, ophthalmic: Opcon-A®: Naphazoline hydrochloride 0.027% and pheniramine maleate 0.3% (15 mL) [contains benzalkonium chloride]
Naproxen	Suspension, oral: 125 mg/5 mL (500 mL) [BCF] Tablet, oral: 375 mg, 500 mg [BCF]
Nateglinide	Tablet, oral: 60 mg, 120 mg
Neomycin	Tablet, Oral, as sulfate: Generic: 500 mg
Neomycin and Polymyxin B	Solution, Ophthalmic: Generic: Neomycin 40 mg and polymyxin B sulfate 200,000 units per 1 mL (1 mL, 20 mL)
Neomycin, Polymyxin B, and Dexamethasone	Ointment, ophthalmic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)
Neomycin, Polymyxin B, and Gramicidin	Solution, Ophthalmic [drops]: Generic: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]

Luke AFB Outpatient Formulary

Neomycin, Polymyxin B, and Hydrocortisone (Otic)	Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]
Nepafenac	Suspension, Ophthalmic: Nevanac: 0.1% (3 mL) [contains edentate disodium benzalkonium chloride]
Niacin	Tablet, Oral: Generic: 50 mg, 500 mg Tablet Extended Release, Oral: Niaspan: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]
Nicotine	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (110 ea) [BCF]; 4 mg (110 ea) [BCF] Patch 24 Hour, Transdermal: Generic: 7 mg/24 hr (7 ea, 14 ea) [BCF]; 14 mg/24 hr (7 ea, 14 ea) [BCF]; 21 mg/24 hr (7 ea, 14 ea, 28 ea) [BCF]
NIFEdipine	Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Nisoldipine	Tablet Extended Release 24 Hour, Oral: Generic: 20 mg, 30 mg, 40 mg
Nitrofurantoin	Capsule, oral [macrocrystal]: 50 mg [BCF] Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]
Nitroglycerin	Capsule extended release, oral: 2.5 mg, 6.5 mg Patch, transdermal: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF]; 0.6 mg/hour (30s) [BCF] Nitro-Dur: 0.3 mg/hour (30s) [BCF]; 0.8 mg/hour (30s) [BCF] Solution, translingual [spray]: 0.4 mg/spray (4.9 g, 12 g) [BCF] Tablet, sublingual: Nitrostat: 0.4 mg [BCF]
Norethindrone	Tablet, oral: 0.35 mg [BCF]
Nortriptyline	Capsule, oral: 10 mg [BCF], 25 mg [BCF] Solution, Oral: Generic: 10 mg/5 mL (473 mL) [BCF]
Nystatin and Triamcinolone	Cream: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g, 30 g, 60 g)
Nystatin (Oral)	Suspension, oral: 100,000 units/mL (5 mL, 60 mL, 473 mL) [BCF] Tablet, oral: 500,000 units
Nystatin (Topical)	Cream, topical: 100,000 units/g (15 g, 30 g) [BCF] Ointment, topical: 100,000 units/g (15 g, 30 g) [BCF] Powder, external: 100,000 units/g (15 g, 30 g, 60 g)
Ofloxacin (Ophthalmic)	Solution, ophthalmic: 0.3% (5 mL, 10 mL)
Ofloxacin (Otic)	Solution, otic: 0.3% (5 mL, 10 mL)
OLANZapine	Tablet, Oral: Generic: 2.5 mg, 5 mg, 7.5 mg, 10 mg
Olmesartan	Tablet, Oral, as medoxomil: Benicar: 5 mg, 20 mg, 40 mg
Olmesartan and Hydrochlorothiazide	Tablet, Oral: Benicar HCT: Olmesartan medoxomil 20 mg and hydrochlorothiazide 12.5 mg Benicar HCT: Olmesartan medoxomil 40 mg and hydrochlorothiazide 12.5 mg
Olopatadine (Ophthalmic)	Solution, Ophthalmic: Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF] Pazeo: 0.7% (2.5 mL) [contains benzalkonium chloride]
Omeprazole	Capsule, Delayed Release, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg
Ondansetron	Solution, Oral: Generic: 4 mg/5 mL (50 mL) Tablet, Oral: Generic: 4 mg, 8 mg Tablet Dispersible, Oral: Generic: 4 mg, 8 mg

Luke AFB Outpatient Formulary

Oseltamivir	Capsule, Oral, as phosphate: Tamiflu: 75 mg
Oxybutynin	Tablet, Oral, as chloride: 5 mg Tablet, extended release, oral, as chloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
OxyCODONE	Tablet, Oral, as hydrochloride: Generic: 5 mg, 30 mg Tablet Extended Release 12 Hour, Oral, as hydrochloride: OxyCONTIN: 10 mg, 20 mg, 40 mg, 60 mg Generic: 10 mg, 20 mg, 40 mg
Oxycodone and Acetaminophen	Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF] 7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg
Oxymetazoline (Nasal)	Solution, Nasal, as hydrochloride: 0.05% (30 mL)
Pancrelipase	Capsule, Delayed Release, Enteric Coated Microspheres, Oral [porcine derived]: Creon: Lipase 3000 USP units, protease 9500 USP units, and amylase 15,000 USP units [BCF] Creon: Lipase 6000 USP units, protease 19,000 USP units, and amylase 30,000 USP units [BCF] Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units [BCF] Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units [BCF] Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units [BCF]
Pantoprazole	Tablet, Delayed Release, Oral: Generic: 20 mg, 40 mg
PARoxetine	Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 10 mg, 20 mg, 30 mg
Penicillin V Potassium	Solution Reconstituted, Oral: Generic: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (100 mL, 200 mL) [BCF] Tablet, Oral: Generic: 250 mg [BCF], 500 mg [BCF]
Pentoxifylline	Tablet Extended Release, Oral: Generic: 400 mg
Permethrin	Cream, topical: 5% (60 g) [BCF]
Phenazopyridine	Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]
PHENobarbital	Elixir, Oral: Generic: 20 mg/5 mL (473 mL) [BCF] Tablet, Oral: Generic: 15 mg [BCF], 16.2 mg [BCF], 30 mg [BCF], 32.4 mg [BCF], 60 mg [BCF], 64.8 mg [BCF], 97.2 mg [BCF], 100 mg [BCF]
Phenylephrine (Ophthalmic)	Solution, ophthalmic, as hydrochloride: 2.5% (2 mL, 3 mL, 5 mL, 15 mL) Solution, ophthalmic, as hydrochloride [preservative free]: 2.5% (1 ea)
Phenytoin	Capsule, Oral, as sodium: Dilantin: 30 mg Capsule, Extended Release, Oral, as sodium: Generic: 100 mg [BCF] Suspension, Oral: General: 125 mg/5 mL (237 mL, 240 mL) [BCF] Tablet, Chewable, Oral: Generic: 50 mg [BCF]
Phytonadione	Tablet, oral: Mephyton®: 5 mg [scored]

Luke AFB Outpatient Formulary

Pilocarpine (Ophthalmic)	Solution, Ophthalmic, as hydrochloride [drops]: Generic: 1% (15 mL) [BCF]
Pilocarpine (Systemic)	Tablet, Oral, as hydrochloride: Generic: 5 mg, 7.5 mg
Pimecrolimus	Cream, topical: Elidel®: 1% (30 g, 60 g, 100 g) [BCF] [contains benzyl alcohol]
Pioglitazone	Tablet, oral: 15 mg, 30 mg, 45 mg
Piroxicam (Systemic)	Capsule, Oral: Generic: 20 mg
Podofilox	Gel, External: Condylox: 0.5% (3.5 g)
Polyethylene Glycol-Electrolyte Solution	Powder, for Solution, Oral: GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular and pineapple flavor] MoviPrep: Pouch A: PEG 3350 100 g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.02 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 131 mg/treatment; lemon flavor; packaged with 2 of Pouch A and 2 of Pouch B in carton and a disposable reconstitution container] NuLYTELY: PEG 3350 420 g, sodium bicarbonate 5.72 g, sodium chloride 11.2 g, and potassium chloride 1.48 g (4000 mL) [supplied with cherry, lemon-lime, orange, and pineapple flavor packs] Generic: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL)
Potassium Chloride	Capsule, extended release, microencapsulated, oral: 10 mEq [BCF] Powder for solution, oral: Klor-Con: 20 mEq/packet (30s, 100s) [sugar free; fruit flavor] [BCF] Solution, oral: 20 mEq/15 mL (15 mL, 30 mL, 473 mL) [BCF] Tablet, extended release, oral: 10 mEq [BCF] Tablet, extended release, microencapsulated, oral: 20 mEq [BCF] Tablet, extended release, wax matrix, oral: 10 mEq [BCF]
Pramipexole	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 1.5 mg
Pramoxine and Hydrocortisone	Aerosol, foam, rectal: ProctoFoam® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)
Pravastatin	Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Prazosin	Capsule, Oral: Generic: 1 mg, 2 mg, 5 mg
PrednisolONE (Ophthalmic)	Suspension, Ophthalmic, as acetate: Pred Mild: 0.12% (5 mL, 10 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF] Generic: 1% (5 mL, 10 mL, 15 mL) [BCF]
PrednisolONE (Systemic)	Solution, Oral, as base: Generic: 15 mg/5 mL (240 mL, 480 mL)
PredniSONE	Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg
Primaquine	Tablet, Oral, as phosphate: Generic: 26.3 mg
Primidone	Tablet, Oral: Generic: 50 mg
Probenecid	Tablet, Oral: Generic: 500 mg [BCF]
Prochlorperazine	Suppository, Rectal: Generic: 25 mg (12 ea, 1000 ea) Tablet, Oral, as maleate [strength expressed as base]: Generic: 5 mg, 10 mg

Luke AFB Outpatient Formulary

Progesterone	Capsule, Oral: Generic: 100 mg, 200 mg
Promethazine	Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF] Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL, 473 mL) [BCF] Tablet, oral, as hydrochloride: 25 mg [BCF]
Promethazine and Codeine	Syrup: Promethazine hydrochloride 6.25 mg and codeine phosphate 10 mg per 5 mL (5 mL, 118 mL, 473 mL)
Promethazine and Dextromethorphan	Syrup: Promethazine hydrochloride 6.25 mg and dextromethorphan hydrobromide 15 mg per 5 mL (120 mL, 240 mL, 480 mL)
Propafenone	Capsule Extended Release 12 Hour, Oral, as hydrochloride: Generic: 225 mg, 325 mg, 425 mg Tablet, Oral, as hydrochloride: Generic: 150 mg, 225 mg, 300 mg
Propranolol	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Generic: 60 mg, 80 mg, 120 mg Tablet, Oral, as hydrochloride: Generic: 10 mg, 20 mg, 40 mg
Propylthiouracil	Tablet, oral: 50 mg [BCF]
Pseudoephedrine	Syrup, Oral, as hydrochloride: Nasal Decongestant: 30 mg/5 mL (473 mL) [contains fd&c red #40, methylparaben, saccharin sodium, sodium benzoate; raspberry flavor] Tablet, Oral, as hydrochloride: 30 mg
Pyrazinamide	Tablet, Oral: Generic: 500 mg [BCF]
Pyridoxine	Tablet, Oral, as hydrochloride: Generic: 25 mg, 50 mg
QUetiapine	Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, extended release, oral: SEROquel XR®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
Raloxifene	Tablet, oral, as hydrochloride: Evista®: 60 mg [BCF]
Ramipril	Capsule, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
RaNITidine	Syrup, Oral: Generic: 15 mg/mL (5 mL, 10 mL, 473 mL, 474 mL, 480 mL) [BCF] Tablet, Oral: Generic: 150 mg [BCF], 300 mg
Ranolazine	Tablet Extended Release 12 Hour, Oral: Ranexa: 500 mg, 1000 mg
RifAMPin	Capsule, oral: Generic: 300 mg [BCF]
RisperiDONE	Solution, oral: 1 mg/mL (30 mL) [BCF] Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]
Rivaroxaban	Tablet, Oral: Xarelto: 10 mg, 15 mg, 20 mg
Rizatriptan	Tablet, oral: 5 mg [BCF], 10 mg [BCF] Tablet, orally disintegrating: 5 mg [BCF], 10 mg [BCF]
ROPINIRole	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg
Rosuvastatin	Tablet, oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg
Salmeterol	Powder, for oral inhalation: Serevent® Diskus®: 50 mcg (28s, 60s) [contains lactose] [BCF]

Luke AFB Outpatient Formulary

Salsalate	Tablet, oral: 500 mg [BCF], 750 mg [BCF]
Selenium Sulfide	Lotion, External: Generic: 2.5% (120 mL) [BCF]
Sertraline	Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF] Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sildenafil	Tablet, oral: Viagra®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Silver Sulfadiazine	Cream, topical: 1% (20 g, 25 g, 50 g, 85 g, 400 g) [BCF]
Simvastatin	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg
SITagliptin	Tablet, oral: Januvia®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sitagliptin and Metformin	Tablet, oral: Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, extended release, oral: Janumet® XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg [BCF]
Sodium Chloride	Solution, Nasal: Generic: 0.65% (44 mL, 45 mL) Solution, Ophthalmic: Muro 128: 2% (15 mL) Generic: 5% (15 mL)
Sodium Phosphates	Solution, Rectal [enema]: Fleet Pedia-Lax Enema: Monobasic sodium phosphate monohydrate 9.5 g and dibasic sodium phosphate heptahydrate 3.5 g per 59 mL delivered dose (66 mL) [contains sodium 2.2 g/59 mL] Generic: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL)
Solifenacin	Tablet, Oral, as succinate: VESicare: 5 mg, 10 mg
Sotalol	Tablet, Oral, as hydrochloride: Generic: 80 mg, 120 mg
Spirolactone	Tablet, oral: 25 mg [BCF]
Sucralfate	Tablet, Oral: Generic: 1 g
Sulfacetamide (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]
Sulfamethoxazole and Trimethoprim	Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (20 mL, 473 mL) [BCF] Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF] Tablet, double strength, oral: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]
SulfaSALazine	Tablet, oral: 500 mg [BCF] Tablet, delayed release, enteric coated, oral: 500 mg [BCF]
SUMatriptan	Solution, Nasal: Generic: 20 mg/actuation (1 ea) Solution, Subcutaneous, as succinate [strength expressed as base]: Generic: 6 mg/0.5 mL (0.5 mL) [BCF] Tablet, Oral, as succinate [strength expressed as base]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Tacrolimus (Topical)	Ointment, External: Protopic: 0.03% (30 g, 60 g, 100 g); 0.1% (30 g, 60 g, 100 g)
Tamoxifen	Tablet, oral: 10 mg [BCF], 20 mg [BCF]
Tamsulosin	Capsule, oral, as hydrochloride: 0.4 mg [BCF]

Luke AFB Outpatient Formulary

Telmisartan	Tablet, Oral: Generic: 20 mg, 40 mg, 80 mg
Telmisartan and Hydrochlorothiazide	Tablet, oral: Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg
Temazepam	Capsule, oral: 15 mg [BCF], 30 mg [BCF]
Terazosin	Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Terbinafine (Systemic)	Tablet, Oral: Generic: 250 mg
Terbutaline	Tablet, Oral, as sulfate: Generic: 5 mg
Terconazole	Cream, Vaginal: Generic: 0.4% (45 g) Suppository, Vaginal: Generic: 80 mg (3 ea)
Testosterone	Gel, Transdermal: Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF] Oil, Intramuscular, as cypionate: Generic: 200 mg/mL (1 mL, 10 mL)
Tetracycline (Systemic)	Capsule, Oral, as hydrochloride: Generic: 250 mg [BCF], 500 mg [BCF]
Theophylline	Solution, Oral: Generic: 80 mg/15 mL (15 mL, 473 mL) Tablet Extended Release 12 Hour, Oral: Generic: 200 mg [BCF], 300 mg [BCF] Tablet Extended Release 24 Hour, Oral: Generic: 400 mg [BCF]
Thyroid, Desiccated	Tablet, Oral: Armour Thyroid: 15 mg, 30 mg, 60 mg, 90 mg, 120 mg, 180 mg, 240 mg, 300 mg NP Thyroid: 15 mg, 30 mg, 60 mg, 90 mg, 120 mg
Timolol (Ophthalmic)	Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF] Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL, 10 mL, 15 mL) [BCF]; 0.5% (5 mL, 10 mL, 15 mL) [BCF]
Tiotropium	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g) [BCF]; 2.5 mcg/actuation (4 g) [BCF] [contains benzalkonium chloride, disodium edta] Capsule, Inhalation: Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]
TiZANidine	Tablet, Oral: Generic: 2 mg, 4 mg
Tobramycin and Dexamethasone	Ointment, ophthalmic: TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol] Suspension, ophthalmic: Tobramycin 0.3% and dexamethasone 0.1% (2.5 mL, 5 mL, 10 mL)
Tobramycin (Ophthalmic)	Solution, Ophthalmic: Generic: 0.3% (5 mL)
Tolterodine	Capsule, extended release, oral, as tartrate: Detrol® LA: 2 mg [BCF], 4 mg [BCF]
Topiramate	Tablet, Oral: Generic: 25 mg, 50 mg, 100 mg
TraMADol	Tablet, oral, as hydrochloride: 50 mg [BCF]

Luke AFB Outpatient Formulary

Trandolapril	Tablet, Oral: Generic: 1 mg, 2 mg, 4 mg
TraZODone	Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]
Tretinoin (Topical)	Cream, External: Generic: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF] Gel, External: Generic: 0.1% (20 g)
Triamcinolone (Topical)	Aerosol solution, external, as acetone: Kenalog: (63 g) Cream, topical, as acetone: 0.1% (15 g, 30 g, 80 g, 454 g) [BCF] Ointment, external, as acetone: 0.1% (15 g, 80 g, 453.6 g, 454 g) Paste, Mouth/Throat, as acetone: 0.1% (5 g)
Triazolam	Tablet, Oral: Generic: 0.125 mg, 0.25 mg
Trihexyphenidyl	Elixir, Oral, as hydrochloride: Generic: 0.4 mg/mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 2 mg [BCF]
Trimethoprim and Polymyxin B	Solution, Ophthalmic: Generic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]
Ulipristal	Tablet, Oral, as acetate: Ella: 30 mg [BCF]
ValACYclovir	Tablet, Oral: Generic: 500 mg, 1 g
Valproic Acid and Derivatives	Capsule, sprinkle, oral [strength expressed as valproic acid]: 125 mg [BCF] Solution, oral, as valproate sodium: 250 mg/5 mL (5 mL) [strength expressed as valproic acid] Tablet, delayed release, oral [strength expressed as valproic acid]: 250 mg [BCF], 500 mg [BCF] Tablet, extended release, oral [strength expressed as valproic acid]: 250 mg [BCF], 500 mg [BCF]
Valsartan	Tablet, oral: Diovan®: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]
Valsartan and Hydrochlorothiazide	Tablet, Oral: Generic: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Generic: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Generic: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Generic: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Generic: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]
Varenicline	Tablet, Oral: Chantix Continuing Month Pak: 1 mg Chantix Starting Month Pak: 0.5 MG X 11 & 1 MG X 42
Venlafaxine	Capsule Extended Release 24 Hour, Oral: Generic: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF] Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Tablet Extended Release 24 Hour, Oral: Generic: 225 mg [BCF]
Verapamil	Tablet, Oral, as hydrochloride: Generic: 80 mg Tablet Extended Release, Oral, as hydrochloride: Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]

Luke AFB Outpatient Formulary

Vitamins (Multiple/Pediatric)	Solution, Oral [drops]: Poly-Vi-Sol: 50 mL Solution, Oral [drops, with iron]: Generic: 50 mL Suspension, Oral: Poly-Vi-Flor: 0.25 mg/mL (50 mL)
Vitamins (Prenatal)	Tablet, Oral
Warfarin	Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]
Zaleplon	Capsule, Oral: Generic: 5 mg, 10 mg
Zidovudine	Capsule, Oral: Generic: 100 mg
ZOLMitriptan	Solution, nasal: Zomig: 2.5 mg (6 ea); 5 mg (6 ea) Tablet, oral: 2.5 mg, 5 mg Tablet dispersible, oral: 2.5 mg, 5 mg
Zolpidem	Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF] Tablet Extended Release, Oral, as tartrate: Ambien CR: 6.25 mg Ambien CR: 12.5 mg [contains fd&c blue #2 (indigotine)]
Zonisamide	Capsule, Oral: Generic: 100 mg