



MACDILL AFB FORMULARY

Alphabetical Listing by Name

This document is current as of March 31, 2021.
The availability of formulary items is subject to change

MacDill AFB Outpatient Formulary

Alphabetical Drug Listing	Available Dosage Forms
Acetaminophen	Elixir, oral: 160 mg/5 mL (120 mL) Liquid, oral: 160 mg/5 mL (120 mL) Solution, oral [drops]: 80 mg/0.8 mL (15 mL) Suppository, rectal: 120 mg (12s); 650 mg (12s) Feverall: 325 mg (50s)
Acetaminophen and Codeine	Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (120 mL) [contains alcohol 7%] [BCF] Tablet, oral [C-III] : Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]
Acetaminophen and Tramadol	Tablet, oral: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg
AcetaZOLAMIDE	Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Tablet, oral: 250 mg
Acetic Acid (Otic)	Solution, otic [drops]: 2% (15 mL)
Acetic Acid, Propylene Glycol Diacetate, and Hydrocortisone	Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL) [contains benzethonium chloride]
Acetylcysteine	Solution, for inhalation/oral: 20% [200 mg/mL] (10 mL)
Acitretin	Capsule, oral: 10 mg, 25 mg
Acyclovir (Systemic)	Capsule, oral: 200 mg [BCF] Suspension, oral: 200 mg/5 mL (473 mL) [BCF] Zovirax®: 200 mg/5 mL (473 mL) [banana flavor] [BCF] Tablet, oral: 400 mg [BCF], 800 mg [BCF]
Acyclovir (Topical)	Cream, External: Zovirax: 5% (5 g) Ointment, External: Zovirax: 5% (15 g)
Adalimumab	Pen-injector Kit, Subcutaneous [preservative free]: Humira Pen: 40 mg/0.4 mL (2 pen kit) [BCF]; 40 mg/0.8 mL (2 pen kit) [BCF] [contains polysorbate 80]
Adapalene	Cream, topical: Differin®: 0.1% (45 g) Gel, topical: Differin®: 0.1% (45 g); 0.3% (45 g) [ethanol free]
Adapalene and Benzoyl Peroxide	Gel, topical: Epiduo: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)
Albendazole	Tablet, Oral: Albenza: 200 mg
Albuterol	Aerosol Powder Breath Activated, Inhalation: ProAir RespiClick: 90 mcg/actuation (1 ea) [contains milk protein] Aerosol Solution, Inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Nebulization Solution, Inhalation [preservative free]: Generic: 0.083% [2.5 mg/3 mL] (30s) [BCF]; 0.5% [2.5 mg/0.5 mL] (30s); 1.25 mg/3 mL (3 mL) Syrup, Oral: Generic: 2 mg/5 mL (473 mL) Tablet, Oral: Generic: 4 mg
Alcohol (Isopropyl)	Pad, topical: 70% (200s)
Alendronate	Solution, oral: Fosamax®: 70 mg/75 mL (75 mL) [raspberry flavor] [BCF] Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF] Fosamax®: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

MacDill AFB Outpatient Formulary

Alfuzosin	Tablet, extended release, oral, as hydrochloride: Uroxatral®: 10 mg [BCF]
Aliskiren	Tablet, oral: Tekturna®: 150 mg, 300 mg
Aliskiren and Hydrochlorothiazide	Tablet, oral: Tekturna HCT®: 150/12.5: Aliskiren 150 mg and hydrochlorothiazide 12.5 mg 150/25: Aliskiren 150 mg and hydrochlorothiazide 25 mg 300/12.5: Aliskiren 300 mg and hydrochlorothiazide 12.5 mg 300/25: Aliskiren 300 mg and hydrochlorothiazide 25 mg
Allopurinol	Tablet, oral: 100 mg [BCF], 300 mg [BCF]
ALPRAZolam	Tablet, Oral: Generic: 0.25 mg, 0.5 mg, 1 mg, 2 mg
Aluminum Acetate	Packet, External: Domeboro: Aluminum sulfate 1191 mg and calcium acetate 839 mg per packet (12s)
Aluminum Chloride Hexahydrate	Solution, topical: Drysol®, 20% (37.5 mL) [contains ethanol 93%]
Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Liquid, oral: Maalox® Advanced Regular Strength: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg per 5 mL (360 mL, 780 mL) [contains magnesium 75 mg/5 mL, potassium 5 mg/5 mL, propylene glycol; mint flavor]
Amantadine	Capsule, oral, as hydrochloride: 100 mg [BCF]
Aminocaproic Acid	Tablet, oral: Amicar®: 500 mg [scored]
Amiodarone	Tablet, Oral, as hydrochloride: Pacerone: 200 mg [scored] [BCF] Generic: 100 mg, 200 mg [BCF]
Amitriptyline	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg
AmLODIPine	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Amlodipine and Benazepril	Capsule, oral: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] Lotrel®: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]
Amoxicillin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 125 mg/5 mL (150 mL); 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF] Tablet, oral: 875 mg Tablet, chewable, oral: 250 mg

MacDill AFB Outpatient Formulary

Amoxicillin and Clavulanate	<p>Powder for Suspension, Oral:</p> <p>Augmentin: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.16 mEq/5 mL; banana flavor] [BCF]</p> <p>Augmentin: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.32 mEq/5 mL; orange flavor] [BCF]</p> <p>Augmentin ES-600:600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [contains phenylalanine 7 mg/5 mL, potassium 0.23 mEq/5 mL; strawberry cream flavor] [BCF]</p> <p>Generic: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]</p> <p>Generic: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [BCF]</p> <p>Generic: 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]</p> <p>Generic: 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF]</p> <p>Tablet, Oral:</p> <p>Augmentin: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium 0.63 mEq/tablet] [BCF]</p> <p>Augmentin: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [scored; contains potassium 0.63 mEq/tablet] [BCF]</p> <p>Generic: 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF]</p> <p>Generic: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]</p> <p>Generic: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]</p>
Anastrozole	Tablet, oral: 1 mg
Apixaban	Tablet, oral: Eliquis: 2.5 mg, 5 mg
Apraclonidine	Solution, ophthalmic [drops]: Iopidine®: 1% (0.1 mL) [contains benzalkonium chloride]
ARIPiprazole	Tablet, oral: Abilify®: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg
Armodafinil	Tablet, Oral: Generic: 150 mg, 250 mg
Aspirin	Tablet, enteric coated, oral: 81 mg, 325 mg
Aspirin and Dipyridamole	Capsule, variable release, oral: Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]
Atenolol	Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Atenolol and Chlorthalidone	Tablet, oral: Tenoretic® 50: Atenolol 50 mg and chlorthalidone 25 mg [scored] Tenoretic® 100: Atenolol 100 mg and chlorthalidone 25 mg
AtoMOXetine	Capsule, Oral: Strattera: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 100 mg
AtorvaSTATin	Tablet, oral: Lipitor®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Atropine (Ophthalmic)	Ointment, ophthalmic, as sulfate: 1% (3.5 g) Solution, ophthalmic, as sulfate [drops]: 1% (15 mL)
Auranofin	Capsule, oral: Ridaura®: 3 mg [gold 29%]
AzaTHIOprine	Tablet, oral: 50 mg
Azelaic Acid	Gel, topical: Finacea®: 15% (50 g) [contains benzoic acid]
Azelastine (Nasal)	Solution, intranasal, as hydrochloride [spray]: 0.1% [137 mcg/spray] (30 mL) Astelin®: 0.1% [137 mcg/spray] (30 mL) [contains benzalkonium chloride; 200 metered sprays]

MacDill AFB Outpatient Formulary

Azithromycin (Ophthalmic)	Solution, ophthalmic [drops]: AzaSite®: 1% (2.5 mL) [contains benzalkonium chloride]
Azithromycin (Systemic)	Powder for suspension, oral, as dihydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF]; 1 g/packet (3s) [BCF] Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanille-banana flavor] [BCF] Zithromax®: 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanille-banana flavor] Zithromax®: 1 g/packet (10s) [contains sodium 37 mg/packet; banana-cherry flavor] [BCF] Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF] Tablet, oral, as monohydrate [strength expressed as base]: 250 mg, 500 mg
Bacitracin and Polymyxin B (Ophthalmic)	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]
Bacitracin, Neomycin, and Polymyxin B (Topical)	Ointment, topical: Triple Antibiotic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 5000 units per g (15 g)
Bacitracin, Neomycin, Polymyxin B, and Hydrocortisone (Topical)	Ointment, External: Cortisporin: Bacitracin 400 units, neomycin 3.5 mg, polymyxin B 5000 units, and hydrocortisone 10 mg per g (15 g)
Bacitracin (Ophthalmic)	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)
Bacitracin (Topical)	Ointment, External, as zinc [strength expressed as base]: Generic: 500 units/g (15 g, 30 g)
Baclofen	Tablet, oral: 10 mg, 20 mg
Benazepril	Tablet, oral, as hydrochloride: 5 mg, 10 mg, 20 mg, 40 mg
Benazepril and Hydrochlorothiazide	Tablet, oral: 20/12.5: Benazepril hydrochloride 20 mg and hydrochlorothiazide 12.5 mg 20/25: Benazepril hydrochloride 20 mg and hydrochlorothiazide 25 mg Lotensin HCT®: 5/6.25: Benazepril hydrochloride 5 mg and hydrochlorothiazide 6.25 mg [scored] 10/12.5: Benazepril hydrochloride 10 mg and hydrochlorothiazide 12.5 mg [scored]
Benzonatate	Capsule, softgel, oral: 100 mg, 200 mg
Benzoyl Peroxide	Gel, topical: 10% (45 g) Liquid, topical [wash]: Desquam-X® 5: 5% (140 mL) Desquam-X® 10: 10% (150 mL)
Benzotropine	Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]
Besifloxacin	Suspension, Ophthalmic: Besivance: 0.6% (5 mL) [contains benzalkonium chloride, edetate disodium dihydrate]
Betamethasone and Clotrimazole	Cream, External: Lotrisone: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g) [contains benzyl alcohol] Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g, 45 g) Lotion, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (30 mL)

MacDill AFB Outpatient Formulary

Betamethasone (Topical)	Cream, External, as valerate [strength expressed as base]: Generic: 0.1% (45 g) Lotion, External, as dipropionate [strength expressed as base]: Generic: 0.05% (60 mL) Lotion, External, as valerate [strength expressed as base]: Generic: 0.1% (60 mL) Ointment, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g)
Betaxolol (Ophthalmic)	Suspension, ophthalmic [drops]: Betoptic SA®: 0.25% (10 mL) [contains benzalkonium chloride]
Bethanechol	Tablet, oral, as chloride: 25 mg
Bicalutamide	Tablet, oral: Casodex®: 50 mg
Bimatoprost	Solution, ophthalmic [drops]: Lumigan®: 0.01% (2.5 mL); 0.03% (2.5 mL) [contains benzalkonium chloride]
Bisacodyl	Suppository, rectal: 10 mg (50s) Tablet, enteric coated, oral: Dacodyl®, φ: 5 mg
Bismuth Subsalicylate	Tablet, chewable, oral, as subsalicylate: 262 mg
Bisoprolol	Tablet, oral, as fumarate: 5 mg, 10 mg
Bisoprolol and Hydrochlorothiazide	Tablet, Oral: 5/6.25: Bisoprolol fumarate 5 mg and hydrochlorothiazide 6.25 mg; 10/6.25: Bisoprolol fumarate 10 mg and hydrochlorothiazide 6.25 mg
Brimonidine and Timolol	Solution, ophthalmic [drops]: Combigan®, φ: Brimonidine tartrate 0.2% and timolol maleate 0.5% (5 mL) [contains benzalkonium chloride]
Brimonidine (Ophthalmic)	Solution, ophthalmic, as tartrate [drops]: 0.15% (5 mL, 10 mL, 15 mL) [BCF]; 0.2% (5 mL, 10 mL, 15 mL) [BCF] Alphagan® P: 0.1% (5 mL, 10 mL, 15 mL); 0.15% (10 mL) [BCF] [contains Purite®]
Brinzolamide and Brimonidine	Suspension, Ophthalmic: Simbrinza: Brinzolamide 1% and brimonidine tartrate 0.2% (8 mL) [contains benzalkonium chloride]
Bromfenac	Solution, Ophthalmic [drops]: Bromday: 0.09% (1.7 mL) [contains benzalkonium chloride, sodium sulfite]
Bromocriptine	Tablet, oral: 2.5 mg
Brompheniramine, Pseudoephedrine, and Dextromethorphan	Syrup, oral: Bromfed DM: Brompheniramine maleate 2 mg, pseudoephedrine hydrochloride 30 mg, and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL, 473 mL) [contains ethanol 0.95%, propylene glycol, sodium benzoate; butterscotch flavor]
Budesonide (Oral Inhalation)	Suspension, for nebulization: Pulmicort Respules®: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s); 1 mg/2 mL (30s)
Budesonide (Systemic)	Capsule Delayed Release Particles, Oral: Generic: 3 mg Tablet Extended Release 24 Hour, Oral: Generic: 9 mg
Bumetanide	Tablet, oral: 0.5 mg, 1 mg, 2 mg
BuPROPion	Tablet, oral, as hydrochloride: 75 mg [generic for Wellbutrin®] [BCF], 100 mg [generic for Wellbutrin®] [BCF] Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Zyban®] [BCF] Wellbutrin XL®: 150 mg [BCF], 300 mg [BCF] Tablet, sustained release, oral, as hydrochloride: Wellbutrin SR®: 100 mg [BCF], 150 mg [BCF], 200 mg
BusPIRone	Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

MacDill AFB Outpatient Formulary

Busulfan	Tablet, oral: Myleran®: 2 mg [scored]
Butalbital, Acetaminophen, and Caffeine	Capsule, Oral: Generic: Butalbital 50 mg, acetaminophen 300 mg, and caffeine 40 mg Tablet, Oral: Fioricet: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [scored] [BCF] Generic: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]
Cabergoline	Tablet, Oral: Generic: 0.5 mg
Calcipotriene	Cream, External: Generic: 0.005% (60 g) [BCF]
Calcitriol (Systemic)	Capsule, softgel, oral: Rocaltrol: 0.25 mcg [contains coconut oil]
Calcitriol (Topical)	Ointment, topical: Vectical: 3 mcg/g (100 g)
Candesartan	Tablet, oral, as cilexetil: Atacand®: 4 mg, 8 mg, 16 mg, 32 mg [scored]
Candesartan and Hydrochlorothiazide	Tablet, oral: Atacand HCT®: 16/12.5: Candesartan cilexetil 16 mg and hydrochlorothiazide 12.5 mg [scored] 32/12.5: Candesartan cilexetil 32 mg and hydrochlorothiazide 12.5 mg [scored]
Captopril	Tablet, oral: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Captopril and Hydrochlorothiazide	Tablet, oral: 25/15: Captopril 25 mg and hydrochlorothiazide 15 mg 50/25: Captopril 50 mg and hydrochlorothiazide 25 mg
CarBAMazepine	Suspension, oral: 100 mg/5 mL (5 mL, 10 mL, 450 mL) [BCF] Tablet, oral: 200 mg [BCF], Tablet, chewable, oral: 100 mg [BCF] Tablet, extended release 12 hour, oral: 400 mg [BCF]
Carbamide Peroxide	Solution, otic [drops]: 6.5% (15 mL)
Carbidopa and Levodopa	Tablet, oral: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF] 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF] 25/250: Carbidopa 25 mg and levodopa 250 mg [BCF] Tablet, extended release, oral: 25/100: Carbidopa 25 mg and levodopa 100 mg 50/200: Carbidopa 50 mg and levodopa 200 mg
Carboxymethylcellulose	Solution, ophthalmic, as sodium [drops]: Refresh Celluvisc: 1% (0.4 mL) [preservative free] Refresh Plus: 0.5% Refresh Tears: 0.5% (15 mL)
Carisoprodol	Tablet, Oral: Generic: 250 mg, 350 mg
Carteolol (Ophthalmic)	Solution, ophthalmic, as hydrochloride [drops]: 1% (10 mL) [contains benzalkonium chloride]
Carvedilol	Capsule, extended release, oral, as phosphate: Coreg CR®: 10 mg, 20 mg, 40 mg, 80 mg Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]
Cefadroxil	Capsule, oral, as hemihydrate [strength expressed as base]: 500 mg Capsule, oral, as monohydrate [strength expressed as base]: 500 mg Powder for suspension, oral, as monohydrate [strength expressed as base]: 250 mg/5 mL (100 mL)

MacDill AFB Outpatient Formulary

Cefdinir	Capsule, oral: Omnicef®: 300 mg Powder for suspension, oral: 250 mg/5 mL (60 mL, 100 mL) Omnicef®: 125 mg/5 mL (100 mL) [contains sodium benzoate, sucrose 2.86 g/5 mL; strawberry flavor]
Cefprozil	Powder for suspension, oral: 250 mg/5 mL (50 mL, 100 mL) Tablet, oral: 250 mg, 500 mg
Celecoxib	Capsule, oral: CeleBREX®: 100 mg, 200 mg
Cephalexin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 250 mg/5 mL (200 mL) [BCF]
Cetirizine (Systemic)	Syrup, Oral, as hydrochloride: 5 mg/5 mL (120 mL) ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [contains propylene glycol] Tablet, Oral, as hydrochloride: 5 mg, 10 mg ZyrTEC Allergy: 10 mg
Cevimeline	Capsule, Oral, as hydrochloride: Generic: 30 mg
Chlorambucil	Tablet, oral: Leukeran®: 2 mg
Chlordiazepoxide	Capsule, oral, as hydrochloride: 5 mg, 10 mg
Chlorhexidine Gluconate (Oral)	Solution, Mouth/Throat: Generic: 0.12% (473 mL) [BCF]
Chlorhexidine Gluconate (Topical)	Liquid, topical [surgical scrub]: Hibiclens: 4% (118 mL) [contains isopropyl alcohol 4%]
Chloroquine	Tablet, oral, as phosphate: Aralen®: 500 mg [equivalent to chloroquine base 300 mg]
Chlorpheniramine	Tablet, oral, as maleate: 4 mg
Chlorthalidone	Tablet, oral: 25 mg [BCF], 50 mg [BCF]
Chlorzoxazone	Tablet, Oral: Generic: 500 mg
Cholecalciferol	Capsule, Oral: Generic: 5,000 units Liquid, Oral: Generic: 400 units/mL (50 mL) Tablet, Oral: Generic: 1000 units
Cholestyramine Resin	Powder for suspension, oral: Prevalite®: Cholestyramine resin 4 g/5.5 g of powder (231 g) [contains phenylalanine 14.1 mg/5.5 g; orange flavor]
Ciclopirox	Solution, topical [nail lacquer]: Penlac®: 8% (6.6 mL) [contains isopropyl alcohol]
Cilostazol	Tablet, Oral: Generic: 50 mg, 100 mg
Ciprofloxacin and Dexamethasone	Suspension, otic: Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]
Ciprofloxacin (Ophthalmic)	Ointment, ophthalmic, as hydrochloride: Ciloxan®: 3.33 mg/g (3.5 g) [equivalent to ciprofloxacin base 0.3%] Solution, ophthalmic, as hydrochloride [drops]: Ciloxan®: 3.5 mg/mL (5 mL) [contains benzalkonium chloride; equivalent to ciprofloxacin base 0.3%]

MacDill AFB Outpatient Formulary

Ciprofloxacin (Systemic)	Microcapsules for suspension, oral: CiproÂ®: 250 mg/5 mL (100 mL) [strawberry flavor] [BCF] Tablet, oral, as hydrochloride [strength expressed as base]: 250 mg [BCF], 500 mg [BCF], 750 mg CiproÂ®: 250 mg [BCF], 500 mg [BCF]
Citalopram	Solution, Oral: Generic: 10 mg/5 mL (240 mL) [BCF] Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Clarithromycin	Suspension reconstituted, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (50 mL, 100 mL) Tablet, oral: 250 mg, 500 mg Tablet extended release 24 hour, oral: 500 mg
Clidinium and Chlordiazepoxide	Capsule, oral: Clidinium bromide 2.5 mg and chlordiazepoxide hydrochloride 5 mg
Clindamycin and Benzoyl Peroxide	Gel, External: Acanya: Clindamycin phosphate 1.2% and benzoyl peroxide 2.5% (50 g) Duac CS: Clindamycin phosphate 1% and benzoyl peroxide 5% (45 g) Generic: Clindamycin 1% and benzoyl peroxide 5% (25 g, 35 g, 50 g)
Clindamycin (Systemic)	Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF], 300 mg
Clindamycin (Topical)	Cream, vaginal, as phosphate [strength expressed as base]: 2% (40 g) [BCF] CleocinÂ®: 2% (40 g) [contains benzyl alcohol, mineral oil] [BCF] Gel, topical, as phosphate [strength expressed as base]: Cleocin TÂ®: 1% (30 g, 60 g) Lotion, topical, as phosphate [strength expressed as base]: 1% (60 mL) Solution, topical, as phosphate [strength expressed as base]: 1% (60 mL) [BCF]
Clobetasol	Aerosol, topical, as propionate [foam]: Olux-Eâ„¸: 0.05% (50 g, 100 g) [ethanol free] OluxÂ®: 0.05% (50 g, 100 g) [contains ethanol 60%; for scalp application] Cream, topical, as propionate: 0.05% (30 g) Cream, topical, as propionate [emollient-based]: 0.05% (30 g) Gel, topical, as propionate: 0.05% (15 g, 60 g) Ointment, topical, as propionate: 0.05% (30 g) Shampoo, topical, as propionate: ClobexÂ®: 0.05% (118 mL) [contains ethanol] Solution, topical, as propionate [for scalp application]: 0.05% (50 mL) ClobexÂ®: 0.05% (59 mL, 125 mL) [contains ethanol]
ClomiPHENE	Tablet, oral, as citrate: 50 mg
Clonazepam	Tablet, oral: 0.5 mg [BCF], 1 mg
CloNIDine	Patch, transdermal [once-weekly patch]: Catapres-TTSÂ®-1: 0.1 mg/24 hours (4s) Catapres-TTSÂ®-2: 0.2 mg/24 hours (4s) Catapres-TTSÂ®-3: 0.3 mg/24 hours (4s) Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]
Clopidogrel	Tablet, oral: PlavixÂ®: 75 mg [BCF], 300 mg [BCF]
Clotrimazole (Oral)	Troche, oral: 10 mg
Clotrimazole (Topical)	Cream, topical: 1% (15 g) Solution, topical: 1% (10 mL) [BCF]
Codeine	Tablet, oral, as sulfate: 30 mg
Colchicine	Tablet, oral: 0.6 mg
Colestipol	Tablet, oral, as hydrochloride [micronized]: ColestidÂ®: 1 g
Collagenase (Topical)	Ointment, topical: SantylÂ®: 250 units/g (15 g)
Contraceptive Devices	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.

MacDill AFB Outpatient Formulary

Cortisone	Tablet, oral, as acetate: 25 mg
Cyanocobalamin	Injection, solution: 1000 mcg/mL (1 mL) Tablet, oral: 1000 mcg
Cyclobenzaprine	Capsule, extended release, oral, as hydrochloride: Generic: 15 mg, 30 mg Tablet, oral, as hydrochloride: 5 mg, 10 mg [BCF]
Cyclopentolate	Solution, ophthalmic, as hydrochloride [drops]: 1% (2 mL) Cyclogyl®: 1% (15 mL); 2% (15 mL) [contains benzalkonium chloride]
CycloSPORINE (Ophthalmic)	Emulsion, ophthalmic [drops, preservative free]: Restasis®: 0.05% (0.4 mL) [contains castor oil]
CycloSPORINE (Systemic)	Capsule, oral: 25 mg, 100 mg
Cyproheptadine	Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 4 mg [BCF]
Dabigatran Etexilate	Capsule, oral: Pradaxa®: 150 mg
Dapsone (Systemic)	Tablet, oral: 25 mg
Desmopressin	Solution, nasal, as acetate: 0.01% (5 mL) Tablet, oral, as acetate: 0.1 mg, 0.2 mg
Desonide	Cream, topical: 0.05% (15 g) Ointment, topical: 0.05% (15 g, 60 g)
Desoximetasone	Cream, External: Generic: 0.25% (15 g, 60 g, 100 g) Liquid, External: Topicort Spray: 0.25% (100 mL) [contains isopropyl alcohol, levomenthol]
DexAMETHasone (Systemic)	Elixir, Oral: Generic: 0.5 mg/5 mL (237 mL) Tablet, Oral: Generic: 0.75 mg, 1 mg, 2 mg, 4 mg
Dextroamphetamine	Capsule, extended release, oral, as sulfate: 10 mg Capsule, sustained release, oral, as sulfate: Dexedrine® Spansule®: 5 mg, 10 mg, 15 mg Tablet, oral, as sulfate: 5 mg

MacDill AFB Outpatient Formulary

<p>Dextroamphetamine and Amphetamine</p>	<p>Capsule, extended release, oral: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF] 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF] Tablet, oral: 5 mg [scored; dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)] 10 mg [scored; dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] 20 mg [scored; dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to</p>
<p>Dextrose</p>	<p>Gel, oral: Glucose 15%, 40% (37.5 g) [dye free; lemon flavor; provides dextrose 15 g/tube]</p>
<p>Diabetic Supplies</p>	<p>Lancet: 100s Monitoring system: FreeStyle Lite Precision Xtra Syringe and needle: BD syringe 3 mL (1") for IM BD syringe 0.3 mL (Ultra-Fine II, 30 gauge x 1/2" BD syringe 0.5 mL (Ultra-Fine II, 30 gauge x 1/2" BD syringe 1 mL (Ultra-Fine II, 30 gauge x 1/2" BD syringe 1 mL (Micro-Fine, 28 gauge x 1/2" Pen Needle 32Gx5/32 (4MM) Pen Needle 31G (5MM, 8MM) Droplet Test strips: FreeStyle Lite Test Strips Precision Xtra: 50s</p>
<p>DiazePAM</p>	<p>Tablet, oral: 2 mg, 5 mg [BCF], 10 mg</p>
<p>Diclofenac (Systemic)</p>	<p>Tablet, Oral, as potassium: Generic: 50 mg Tablet Delayed Release, Oral, as sodium: Generic: 50 mg, 75 mg</p>
<p>Dicloxacillin</p>	<p>Capsule, oral: 250 mg [BCF], 500 mg [BCF]</p>

MacDill AFB Outpatient Formulary

Dicyclomine	Capsule, oral, as hydrochloride: 10 mg [BCF] Tablet, oral, as hydrochloride: 20 mg [BCF]
Digoxin	Solution, Oral: Generic: 50 mcg/mL (60 mL) Tablet, Oral: Generic: 125 mcg [BCF], 250 mcg [BCF]
Diltiazem	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Tiazac: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF] Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF] Tablet, Oral, as hydrochloride: Generic: 30 mg, 60 mg, 120 mg
Diphenhydramine (Systemic)	Capsule, oral, as hydrochloride: 25 mg, 50 mg Benadryl® Allergy: 25 mg [contains calcium 35 mg/capsule] Elixir, oral, as hydrochloride: Banophen®, 12.5 mg/5 mL (120 mL)
Diphenoxylate and Atropine	Tablet, oral: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Dipyridamole	Tablet, oral: 25 mg, 75 mg
Disopyramide	Capsule, Oral: Generic: 100 mg, 150 mg
Disulfiram	Tablet, oral: Antabuse®: 250 mg [scored]
Docusate	Capsule, softgel, oral, as sodium: Dokal®, 100 mg
Docusate and Senna	Tablet, oral: Dokal®, Plus: Docusate sodium 50 mg and sennosides 8.6 mg
Dofetilide	Capsule, Oral: Generic: 250 mcg, 500 mcg
Donepezil	Tablet, oral, as hydrochloride: 5 mg, 10 mg, 23 mg
Dorzolamide	Solution, ophthalmic [drops]: Trusopt®: 2% (10 mL) [contains benzalkonium chloride]
Dorzolamide and Timolol	Solution, ophthalmic [drops]: Cosopt®: Dorzolamide hydrochloride 2% [strength expressed as base] and timolol maleate 0.5% mg [strength expressed as base] (10 mL) [contains benzalkonium chloride]
Doxazosin	Tablet, oral: 1 mg, 2 mg, 4 mg, 8 mg
Doxepin (Systemic)	Capsule, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF] Solution, oral, as hydrochloride [concentrate]: 10 mg/mL (120 mL) [BCF]
Doxycycline	Capsule, Oral, as hyclate [strength expressed as base]: Generic: 50 mg, 100 mg [BCF] Tablet, Oral, as hyclate [strength expressed as base]: Generic: 20 mg, 100 mg [BCF] Tablet Delayed Release, Oral, as hyclate [strength expressed as base]: Generic: 150 mg
Dronedarone	Tablet, oral: Multaq®: 400 mg
Dulaglutide	Solution Pen-injector, Subcutaneous [preservative free]: Trulicity: 0.75 mg/0.5 mL (0.5 mL); 1.5 mg/0.5 mL (0.5 mL); 3 mg/0.5 mL (0.5 mL); 4.5 mg/0.5 mL (0.5 mL) [contains polysorbate 80]
DULoxetine	Capsule delayed release particles, oral: 20 mg, 30 mg, 60 mg
Dutasteride	Capsule, Oral: Generic: 0.5 mg
Econazole	Cream, External, as nitrate: Generic: 1% (15 g, 30 g, 85 g)

MacDill AFB Outpatient Formulary

Eletriptan	Tablet, Oral: Relpax: 20 mg, 40 mg
Emollients	Cream, topical: Eucerin®: 120 g, 454 g Ointment, topical: Aquaphor®: 50 g, 396 g
Empagliflozin	Tablet, Oral: Jardiance: 10 mg, 25 mg
Emtricitabine and Tenofovir Alafenamide	Tablet, Oral: Descovy: Emtricitabine 200 mg and tenofovir alafenamide 25 mg
Enoxaparin	Solution, subcutaneous, as sodium: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 150 mg/mL (1 mL) [BCF]
Epinastine	Solution, ophthalmic, as hydrochloride [drops]: Elestatin®: 0.05% (5 mL) [contains benzalkonium chloride]
EPINEPHrine (Systemic)	Solution Auto-injector, Injection: 0.15 mg/0.15 mL (1.1 mL) [1:1000 solution; delivers 0.15 mg per injection] 0.3 mg/0.3 mL (1.1 mL) [1:1000 solution; delivers 0.3 mg per injection] EpiPen: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection] EpiPen Jr.: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]
Eplerenone	Tablet, oral: 25 mg, 50 mg
Ergocalciferol	Capsule, Oral: 50,000 units
Erythromycin (Ophthalmic)	Ointment, Ophthalmic: Generic: 5 mg/g (3.5 g) [BCF]
Erythromycin (Systemic)	Granules for suspension, oral, as ethylsuccinate [strength expressed as base]: E.E.S.®: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF] Tablet, oral, as ethylsuccinate: Erythromycin activity 400 mg Tablet, oral, as stearate [strength expressed as base]: Erythrocin®: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF] Tablet, delayed release, enteric coated, oral, as base: Ery-Tab®: 250 mg [BCF] Ery-Tab®: 333 mg Ery-Tab®: 500 mg
Erythromycin (Topical)	Gel, topical: 2% (30 g) [BCF] Solution, topical: 2% (60 mL) [BCF]
Estradiol and Levonorgestrel	Patch, transdermal: ClimaraPro: Estradiol 0.045 mg and levonorgestrel 0.015 mg per 24 hours (4s) [22 cm ² ; contains estradiol 4.4 mg and levonorgestrel 1.39 mg]
Estradiol and Norethindrone	Patch, transdermal: CombiPatch®: 0.05/0.14: Estradiol 0.05 mg and norethindrone acetate 0.14 mg per day (8s) [9 sq cm] 0.05/0.25: Estradiol 0.05 mg and norethindrone acetate 0.25 mg per day (8s) [16 sq cm] Tablet, oral: Activella®: 0.5/0.1: Estradiol 0.5 mg and norethindrone acetate 0.1 mg 1/0.5: Estradiol 1 mg and norethindrone acetate 0.5 mg

MacDill AFB Outpatient Formulary

Estradiol (Systemic)	Patch Twice Weekly, transdermal: Vivelle-Dot: 0.025 mg/24 hr (8 ea); 0.0375 mg/24 hr (1 ea, 8 ea); 0.05 mg/24 hr (1 ea, 8 ea); 0.075 mg/24 hr (1 ea, 8 ea); 0.1 mg/24 hr (1 ea, 8 ea) Patch Weekly, transdermal: Generic: 0.025 mg/24 hours (4 ea) [BCF]; 0.0375 mg/24 hours (4 ea) [BCF]; 0.05 mg/24 hours (4 ea) [BCF]; 0.06 mg/24 hours (4 ea) [BCF]; 0.075 mg/24 hours (4 ea) [BCF]; 0.1 mg/24 hours (4 ea) [BCF] Tablet, Oral: Generic: 1 mg, 2 mg
Estradiol (Topical)	Ring, vaginal, as base: EstringÂ®: 2 mg (1s) [total estradiol 2 mg; releases 7.5 mcg/day over 90 days] Tablet, vaginal, as base: VagifemÂ®: 10 mcg
Estrogens (Conjugated/Equine) and Medroxyprogesterone	Tablet, oral: PremproÂ®: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF] 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF] 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg (28s) [BCF] 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg (28s) [BCF]
Estrogens (Conjugated/Equine, Systemic)	Tablet, oral: PremarinÂ®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]
Estrogens (Conjugated/Equine, Topical)	Cream, vaginal: PremarinÂ®: 0.625 mg/g (42.5 g) [BCF]
Estrogens (Esterified) and Methyltestosterone	Tablet, oral: Esterified estrogens 1.25 mg and methyltestosterone 2.5 mg Esterified estrogen 0.625 mg and methyltestosterone 1.25 mg
Estropipate	Tablet, oral: 0.625 mg [estropipate 0.75 mg]; 1.25 mg [estropipate 1.5 mg]
Eszopiclone	Tablet, Oral: Generic: 1 mg, 2 mg, 3 mg
Ethambutol	Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF] MyambutolÂ®: 400 mg [scored]
Ethinyl Estradiol and Desogestrel	Tablet, oral [low dose formulation]: MircetteÂ®: Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets] Day 22-23: 2 inactive green tablets Day 24-28: Ethinyl estradiol 0.01 mg [5 yellow tablets] Tablet, oral [monophasic formulation]: Ortho-CeptÂ®: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 light orange tablets and 7 green inactive tablets] (28s)
Ethinyl Estradiol and Drospirenone	Tablet, oral: YasminÂ®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg (28s) [21 yellow active tablets and 7 white inactive tablets] [BCF] YazÂ®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg (28s) [24 light pink tablets and 4 white inactive tablets] [BCF]
Ethinyl Estradiol and Ethynodiol Diacetate	Tablet, oral: ZoviaÂ® 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] (28s)
Ethinyl Estradiol and Etonogestrel	Ring, vaginal: NuvaRingÂ®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (1s) [3-week duration]

MacDill AFB Outpatient Formulary

<p>Ethinyl Estradiol and Levonorgestrel</p>	<p>Tablet, oral [extended cycle regimen]: Jolessa: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF] Tablet, oral [low dose formulation]: Aviane 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 orange tablets and 7 light green inactive tablets] [BCF] Lessina 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF] Levlite 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF] Lutera: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 white tablets and 7 peach inactive tablets] (28s) [BCF] Tablet, oral [monophasic formulation]: Nordette 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 light orange tablets and 7 pink inactive tablets] [BCF] Tablet, oral [triphasic formulation]: Trivora: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets] Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] Day 22-28: 7 peach inactive tablets [7 peach inactive tablets]</p>
<p>Ethinyl Estradiol and Norelgestromin</p>	<p>Patch Weekly, Transdermal: Xulane: Ethinyl estradiol 35 mcg and norelgestromin 150 mcg per day (1 ea, 3 ea)</p>
<p>Ethinyl Estradiol and Norethindrone</p>	<p>Tablet, oral [monophasic formulation]: Brevicon®: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [21 blue tablets and 7 orange inactive tablets] (28s) Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Loestrin® Fe 21 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Norinyl® 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow green tablets and 7 orange inactive tablets] (28s) [BCF] Tablet, oral [triphasic formulation]: Ortho-Novum® 7/7/7: Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets] Day 22-28: 7 green inactive tablets</p>
<p>Ethinyl Estradiol and Norgestimate</p>	<p>Tablet, oral [monophasic formulation]: MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] (28s) [BCF] Ortho-Cyclen®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] (28s) Tablet, oral [triphasic formulation]: Ortho Tri-Cyclen®: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 22-28: 7 green inactive tablets (28s) Ortho Tri-Cyclen® Lo [BCF]: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets] Day 22-28: 7 dark green inactive tablets</p>

MacDill AFB Outpatient Formulary

Ethinyl Estradiol and Norgestrel	Tablet, oral [monophasic formulation]: Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 pink inactive tablets] (28s) Ogestrel®: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg [21 white tablets and 7 peach inactive tablets] (28s)
Ethosuximide	Capsule, softgel, oral: Zarontin®: 250 mg Solution, oral: Zarontin®: 250 mg/5 mL (480 mL) [contains sodium benzoate; raspberry flavor]
Exenatide	Auto-injector, Subcutaneous: Bydureon BCise: 2 mg/0.85 mL (0.85 mL) [BCF] Suspension Reconstituted ER, Subcutaneous: Bydureon: 2 mg (1 ea) [BCF]
Ezetimibe	Tablet, Oral: Generic: 10 mg
Famciclovir	Tablet, Oral: Generic: 125 mg, 250 mg, 500 mg
Famotidine	Powder for suspension, oral: Pepcid®: 40 mg/5 mL (50 mL) [contains sodium benzoate; cherry-banana-mint flavor] Tablet, oral: 20 mg, 40 mg
Felodipine	Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg
Fenofibrate and Derivatives	Tablet, oral: 54 mg, 160 mg TriCor®: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin]
Ferrous Sulfate	Elixir, oral: 220 mg/5 mL (473 mL) [elemental iron 44 mg/5 mL] Liquid, oral [drops]: 75 mg/0.6 mL (50 mL) [elemental iron 15 mg/0.6 mL] Tablet, oral: 325 mg [elemental iron 65 mg]
Fexofenadine	Tablet, oral, as hydrochloride: 60 mg, 180 mg
Finasteride	Tablet, oral: 5 mg [BCF] Proscar®: 5 mg [BCF]
Flecainide	Tablet, oral, as acetate: 100 mg
Fluconazole	Tablet, oral: 100 mg, 150 mg [BCF], 200 mg
Fludrocortisone	Tablet, oral, as acetate: 0.1 mg
Fluocinolone, Hydroquinone, and Tretinoin	Cream, External: Tri-Luma: Fluocinolone acetonide 0.01%, hydroquinone 4%, and tretinoin 0.05% (30 g) [contains sodium metabisulfite]
Fluocinolone (Otic)	Oil, otic, as acetonide [drops]: DermOtic®: 0.01% (20 mL) [contains peanut oil]
Fluocinolone (Topical)	Cream, topical, as acetonide: 0.025% (15 g) Oil, topical, as acetonide [scalp oil]: Derma-Smoother/FS®: 0.01% (120 mL) [contains peanut oil] Solution, topical, as acetonide: 0.01% (60 mL)
Fluocinonide	Cream, anhydrous, emollient, topical: 0.05% (15 g, 60 g) [BCF] Cream, aqueous, emollient, topical: 0.05% (15 g) Gel, topical: 0.05% (60 g) Ointment, topical: 0.05% (15 g, 60 g) Solution, topical: 0.05% (60 mL)

MacDill AFB Outpatient Formulary

Fluoride	<p>Cream, Oral, as sodium [toothpaste]: PreviDent 5000 Plus: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]</p> <p>Gel, Oral, as sodium [toothpaste]: PreviDent 5000 Booster: 1.1% (100 mL) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]</p> <p>Paste, Oral, as sodium [toothpaste]: Clinpro 5000: 1.1% (113 g)</p> <p>Tablet, Chewable, Oral, as sodium: Generic: 2.2 mg [equivalent to fluoride 1 mg]</p>
Fluorometholone	<p>Ointment, ophthalmic, as base: FMLA®: 0.1% (3.5 g)</p> <p>Suspension, ophthalmic, as base [drops]: FMLA®: 0.1% (5 mL) [contains benzalkonium chloride]</p>
Fluorouracil (Topical)	<p>Cream, topical: EfudexA®: 5% (40 g)</p>
FLUoxetine	<p>Capsule, Oral: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]</p> <p>Solution, Oral: Generic: 20 mg/5 mL (5 mL, 120 mL) [BCF]</p> <p>Tablet, Oral: Generic: 60 mg</p>
Flurandrenolide	<p>Tape, topical [roll]: CordranA®: 4 mcg/cm² (80 inch)</p>
Flurbiprofen (Ophthalmic)	<p>Solution, ophthalmic, as sodium [drops]: OcufenA®: 0.03% (2.5 mL)</p>
Fluticasone and Salmeterol	<p>Aerosol, for Oral Inhalation: Advair HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]</p> <p>Powder, for Oral Inhalation: Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg ((14s, 60s) [contains lactose] [BCF] 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]</p>
Fluticasone (Nasal)	<p>Suspension, intranasal, as propionate [spray]: FlonaseA®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]</p>
Fluticasone (Oral Inhalation)	<p>Aerosol, Inhalation, as propionate: Flovent HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]</p> <p>Aerosol Powder Breath Activated, Inhalation, as propionate: Flovent Diskus: 50 mcg (60s) [contains lactose] [BCF]; 100 mcg (60s) [contains lactose] [BCF]; 250 mcg (60s) [contains lactose] [BCF]</p>

MacDill AFB Outpatient Formulary

Fluticasone, Umeclidinium, and Vilanterol	Aerosol Powder Breath Activated, Inhalation: Trelegy Ellipta: Fluticasone furoate 100 mcg, umeclidinium 62.5 mcg, and vilanterol 25 mcg (28 ea, 60 ea) [contains lactose monohydrate]
Fluvoxamine	Tablet, oral, as maleate: 50 mg, 100 mg
Folic Acid	Tablet, oral: 1 mg [BCF]
Fosinopril	Tablet, oral, as sodium: 10 mg, 20 mg
Furosemide	Solution, oral: 10 mg/mL (120 mL) [BCF] Tablet, oral: 20 mg [BCF], 40 mg [BCF]
Gabapentin	Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, oral: 600 mg [BCF], 800 mg [BCF]
Ganciclovir (Ophthalmic)	Gel, ophthalmic [drops]: Zirgan®: 0.15% (5 g) [contains benzalkonium chloride]
Gemfibrozil	Tablet, oral: 600 mg [BCF]
Gentamicin (Ophthalmic)	Ointment, ophthalmic [preservative free]: Garamycin®, 0.3% (3.5 g) [BCF] Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]
Gentamicin (Topical)	Cream, topical: 0.1% (15 g) Ointment, topical: 0.1% (15 g)
Glimepiride	Tablet, oral: Amaryl®: 1 mg, 2 mg, 4 mg [scored]
Glipizide	Tablet, oral: 5 mg [BCF], 10 mg [BCF] Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg
Glucagon	Injection, powder for reconstitution: Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]
GlyBURIDE	Tablet, Oral: Generic: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF]
Glyburide and Metformin	Tablet, oral: 1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg 2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg
Glycopyrrolate (Systemic)	Tablet, oral: 1 mg
Goserelin	Implant, subcutaneous: Zoladex®: 3.6 mg (1s) [1 month implant] [BCF] 10.8 mg (1s) [3 month implant] [BCF]
Griseofulvin	Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF] Tablet, oral [ultramicrosize]: Gris-PEG®: 125 mg [BCF], 250 mg [BCF] [scored]
GuaiFENesin	Syrup, oral: 100 mg/5 mL (118 mL) Tablet, oral: Mucus Relief: 400 mg Tablet, extended release, oral: Mucinex®: 600 mg
Guaifenesin and Codeine	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (473 mL)
Guaifenesin and Dextromethorphan	Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) Robitussin Cough & Chest Congestion DM: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [ethanol free; contains propylene glycol, sodium 7 mg/5 mL, sodium benzoate]
GuanFACINE	Tablet, oral: Tenex®: 1 mg, 2 mg Tablet, extended release, oral: Intuniv®, 1 mg, 2 mg, 3 mg, 4 mg
Haloperidol	Tablet, oral: 1 mg

MacDill AFB Outpatient Formulary

Homatropine	Solution, ophthalmic, as hydrobromide [drops]: Isopto® Homatropine: 5% (5 mL) [contains benzalkonium chloride]
HydrALAZINE	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg
HydroCHLORothiazide	Capsule, Oral: Generic: 12.5 mg [BCF] Tablet, Oral: Generic: 12.5 mg, 25 mg [BCF], 50 mg [BCF]
Hydrochlorothiazide and Triamterene	Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF] Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]
Hydrocodone and Acetaminophen	Solution, oral: Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg per 15 mL Tablet, oral: Hydrocodone bitartrate 5 mg and acetaminophen 300 mg Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 300 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg
Hydrocodone and Ibuprofen	Tablet: Hydrocodone bitartrate 7.5 mg and ibuprofen 200 mg Vicoprofen®: 7.5/200: Hydrocodone bitartrate 7.5 mg and ibuprofen 200 mg
Hydrocortisone (Systemic)	Tablet, oral, as base: 20 mg
Hydrocortisone (Topical)	Cream, topical, as base: 1% (30 g); 2.5% (30 g) [BCF] Proctozone-HC 2.5%â„: 2.5% (30 g) [BCF] Cream, topical, as butyrate: 0.1% (15 g, 45 g) Cream, topical, as valerate: 0.2% (45 g) Lotion, topical, as base: 2.5% (59 mL) Ointment, topical, as base: 2.5% (20 g, 30 g, 45 g) Ointment, topical, as valerate: 0.2% (45 g) Suppository, rectal, as acetate: 25 mg (12s) [BCF] Suspension, rectal, as base: Colocort®: 100 mg/60 mL (60 mL)
HYDRomorphone	Tablet, oral, as hydrochloride: 2 mg, 4 mg
Hydroquinone	Cream, topical: 4% (28 g)
Hydroxychloroquine	Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]
Hydroxyurea	Capsule, oral: 500 mg
HydroXYzine	Capsule, oral, as pamoate: 25 mg, 50 mg Syrup, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Hyoscyamine	Tablet, sublingual, as sulfate: Levsin®/SL: 0.125 mg
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	Elixir, oral: Donnatal®: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (118 mL) [contains ethanol <23.8%; grape flavor] Tablet, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg
Ibandronate	Tablet, oral: Boniva®: 150 mg [once-monthly formulation]
Ibuprofen	Suspension, oral: 100 mg/5 mL (120 mL) Motrin® Children's: 100 mg/5 mL (120 mL) [ethanol free; contains sodium 2 mg/5 mL, sodium benzoate] Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Imipramine	Capsule, oral, as pamoate: 75 mg [BCF] Tofranil-PM®: 75 mg [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

MacDill AFB Outpatient Formulary

Imiquimod	Cream, topical: Aldara [®] : 5% (24s) [contains benzyl alcohol]
Indapamide	Tablet, oral: 1.25 mg, 2.5 mg
Indomethacin	Capsule, oral: 25 mg [BCF], 50 mg [BCF] Capsule, extended release, oral: 75 mg
Inhalation Devices	Drug delivery system: InspirEase [®] InspirEase [®] refill bags Mask: AeroChamber Plus [®] with mask (small, medium, large) Spacer: AeroChamber [®] Holding Chamber E-Z Spacer [®]
Insulin Aspart	Injection, solution: NovoLOG [®] : 100 units/mL (10 mL) [BCF] NovoLOG [®] FlexPen [®] : 100 units/mL (3 mL) [BCF]
Insulin Aspart Protamine and Insulin Aspart	Injection, suspension: NovoLOG [®] Mix 70/30: 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (10 mL) [BCF] NovoLOG [®] Mix 70/30 FlexPen [®] : 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (3 mL) [BCF]
Insulin Detemir	Solution, Subcutaneous: Levemir: 100 units/mL (10 mL)
Insulin Glargine	Solution, Subcutaneous: Lantus: 100 units/mL (10 mL) [contains metacresol] [BCF] Solution Pen-injector, Subcutaneous: Lantus Solostar: 100 units/mL (3 mL) [BCF] Toujeo SoloStar: 300 units/mL (1.5 mL) [contains metacresol] (Approved if patient use ≥ 100 units/dose)
Insulin Lispro	Solution, Subcutaneous: HumaLOG: 100 units/mL (3 mL, 10 mL) [contains metacresol, phenol] Solution Pen-injector, Subcutaneous: HumaLOG KwikPen: 100 units/mL (3 mL); 200 units/mL (3 mL) [contains metacresol, phenol]
Insulin NPH	Injection, suspension: NovoLIN [®] N: 100 units/mL (10 mL) [BCF]
Insulin NPH and Insulin Regular	Injection, suspension: NovoLIN [®] 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [BCF]
Insulin Regular	Injection, solution: NovoLIN [®] R: 100 units/mL (10 mL) [BCF]
Interferon Beta-1b	Kit, Subcutaneous: Betaseron: 0.3 mg [contains albumin human] [BCF]
Ipratropium and Albuterol	Solution for nebulization: DuoNeb [®] : Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s, 60s) [BCF] Solution, for oral inhalation [spray]: Combivent [®] Respimat [®] : Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations]
Ipratropium (Nasal)	Solution, intranasal, as bromide [spray]: Atrovent [®] : 0.03% (30 mL) [contains benzalkonium chloride; delivers 21 mcg/spray; 345 sprays] Atrovent [®] : 0.06% (15 mL) [contains benzalkonium chloride; delivers 42 mcg/spray; 165 sprays]

MacDill AFB Outpatient Formulary

Ipratropium (Oral Inhalation)	Aerosol, for oral inhalation, as bromide: Atrovent [®] HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for nebulization, as bromide [preservative free]: 0.02% [500 mcg/2.5 mL] (30s)
Irbesartan	Tablet, Oral: Generic: 75 mg, 150 mg, 300 mg
Irbesartan and Hydrochlorothiazide	Tablet, Oral: Generic: 150/12.5: Irbesartan 150 mg and hydrochlorothiazide 12.5 mg; 300/12.5: Irbesartan 300 mg and hydrochlorothiazide 12.5 mg
Isoniazid	Solution, oral: 50 mg/5 mL (473 mL) Tablet, oral: 100 mg [BCF], 300 mg [BCF]
Isosorbide Dinitrate	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF] Tablet, extended release, oral: 40 mg [BCF]
Isosorbide Mononitrate	Tablet, oral: 20 mg Monoket [®] : 10 mg [scored] Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]
ISOTretinoin (Systemic)	Capsule, Oral: Amnesteem: 10 mg, 20 mg, 40 mg [contains soybean oil] Generic: 10 mg, 20 mg, 30 mg, 40 mg
Ketoconazole (Systemic)	Tablet, oral: 200 mg
Ketoconazole (Topical)	Cream, External: Generic: 2% (15 g, 60 g) Shampoo, External: Generic: 2% (120 mL)
Ketoprofen	Capsule, oral: 75 mg
Ketorolac (Ophthalmic)	Solution, ophthalmic, as tromethamine [drops]: Acular [®] : 0.5% (5 mL) [contains benzalkonium chloride] Acular LS [®] : 0.4% (5 mL) [contains benzalkonium chloride]
Ketorolac (Systemic)	Tablet, oral, as tromethamine: 10 mg
Labetalol	Tablet, oral, as hydrochloride: 200 mg Trandate [®] : 100 mg [scored]
Lacosamide	Tablet, oral: Vimpat [®] : 50 mg, 100 mg, 150 mg, 200 mg
Lactic Acid and Ammonium Hydroxide	Cream, topical: Lactic acid 12% with ammonium hydroxide (140 g) Lotion, topical: Lactic acid 12% with ammonium hydroxide (225 g)
Lactulose	Solution, oral: 10 g/15 mL (15 mL, 30 mL, 237 mL, 473 mL, 500 mL, 946 mL, 1892 mL) [BCF] Solution, oral/rectal: 10 g/15 mL (473 mL) [BCF]
Lamivudine and Zidovudine	Tablet, oral: Lamivudine 150 mg and zidovudine 300 mg
LamoTRigine	Tablet, Oral: LaMICtal: 25 mg, 100 mg, 150 mg, 200 mg [scored] Tablet Dispersible, Oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg
Latanoprost	Solution, ophthalmic [drops]: Xalatan [®] : 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]
Leflunomide	Tablet, Oral: Generic: 10 mg, 20 mg
Letrozole	Tablet, oral: Femara [®] : 2.5 mg
Leucovorin Calcium	Tablet, oral [strength expressed as base]: 5 mg
Levalbuterol	Nebulization Solution, Inhalation, as hydrochloride [strength expressed as base, preservative free]: Generic: 0.31 mg/3 mL (3 mL); 0.63 mg/3 mL (3 mL); 1.25 mg/3 mL (3 mL)

MacDill AFB Outpatient Formulary

LevETIRAcetam	Solution, Oral: Keppra: 100 mg/mL (480 mL) [dye free; grape flavor] Tablet, Oral: Keppra: 250 mg, 500 mg, 750 mg [scored; gluten free] Tablet Extended Release 24 Hour, Oral: Generic: 500 mg, 750 mg
LevoFLOXacin (Systemic)	Solution, oral: Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF] Tablet, oral: Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Levonorgestrel (Systemic)	Tablet, Oral: Plan B: 0.75 mg [BCF]
Levothyroxine	Capsule, Oral: Tirosint: 13 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg Tablet, Oral, as sodium: Synthroid: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF] Generic: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
Lidocaine and Prilocaine	Cream, topical: Lidocaine 2.5% and prilocaine 2.5% (5 g, 30 g)
Lidocaine (Topical)	Ointment, topical: 5% (35.4 g) Patch, topical: Lidoderm®: 5% (30s) Solution, viscous, oral, as hydrochloride: 2% [20 mg/mL] (100 mL)
LinaCLOtide	Capsule, Oral: Linzess: 72 mcg, 145 mcg, 290 mcg
LinaGLIPTin	Tablet, Oral: Tradjenta: 5 mg [contains corn starch]
Liothyronine	Tablet, oral: Cytomel®: 5 mcg, 25 mg
Lisinopril	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]
Lisinopril and Hydrochlorothiazide	Tablet, oral: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]
Lithium	Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF] Solution, oral, as citrate: 8 mEq/5 mL (5 mL, 500 mL) [BCF] Tablet extended release, oral, as carbonate: 450 mg
Lodoxamide	Solution, ophthalmic [drops]: Alomide®: 0.1% (10 mL) [contains benzalkonium chloride]
Loperamide	Capsule, oral, as hydrochloride: 2 mg [BCF]
Loratadine	Syrup, oral: Claritin® Children's Allergy: 5 mg/5 mL (120 mL) [dye free, ethanol free; contains propylene glycol, sodium benzoate; fruit flavor] Tablet, oral: 10 mg Claritin® 24 Hour Allergy: 10 mg
LORazepam	Tablet, oral: 0.5 mg, 1 mg

MacDill AFB Outpatient Formulary

Losartan	Tablet, oral, as potassium: Cozaar®: 25 mg [contains potassium 2.12 mg (0.054 mEq)] 50 mg [contains potassium 4.24 mg (0.108 mEq)] 100 mg [contains potassium 8.48 mg (0.216 mEq)]
Losartan and Hydrochlorothiazide	Tablet, oral: Hyzaar®: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)]
Loteprednol	Gel, Ophthalmic, as etabonate: Lotemax: 0.5% (5 g) [contains benzalkonium chloride, edetate disodium dihydrate, propylene glycol] Ointment, ophthalmic, as etabonate: Lotemax: 0.5% (3.5 g) Suspension, Ophthalmic, as etabonate: Generic: 0.5% (5 mL, 10 mL, 15 mL)
Loteprednol and Tobramycin	Suspension, ophthalmic [drops]: Zylet®: Loteprednol etabonate 0.5% and tobramycin 0.3% (2.5 mL) [contains benzalkonium chloride]
Lubiprostone	Capsule, softgel, oral: Amitiza®: 8 mcg, 24 mcg
Lurasidone	Tablet, Oral, as hydrochloride: Latuda: 20 mg, 40 mg
Magnesium Citrate	Solution, oral: 290 mg/5 mL (296 mL)
Magnesium Oxide	Tablet, oral: Mag-Ox® 400: 400 mg [scored; equivalent to elemental magnesium 240 mg (20 mEq)]
Meclizine	Tablet, Oral, as hydrochloride: Generic: 12.5 mg, 25 mg
Meclofenamate	Capsule, oral, as sodium: 100 mg
MedroxyPROGESTERone	Injection, suspension, as acetate: Depo-Provera® Contraceptive: 150 mg/mL (1 mL) Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF] Provera®: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF] [scored]
Megestrol	Suspension, oral, as acetate: 40 mg/mL (10 mL, 20 mL, 237 mL, 240 mL, 473 mL, 480 mL) Tablet, oral, as acetate: 40 mg
Melatonin	Tablet, Oral: Generic: 1 mg, 3 mg, 5 mg
Meloxicam	Tablet, Oral: Generic: 7.5 mg [BCF], 15 mg [BCF]
Melphalan	Tablet, oral: Alkeran®: 2 mg
Memantine	Capsule Extended Release 24 hour, Oral, as hydrochloride: Namenda XR: 7 mg, 14 mg, 21 mg, 28 mg Tablet, Oral, as hydrochloride: Namenda: 5 mg, 10 mg
Meperidine	Tablet, oral, as hydrochloride: 50 mg
Mercaptopurine	Tablet, oral: 50 mg Purinethol®: 50 mg [scored]

MacDill AFB Outpatient Formulary

Mesalamine	Capsule Delayed Release, Oral: Delzicol: 400 mg Capsule Extended Release 24 hour, Oral: Apriso: 0.375 g [contains aspartame] Enema, Rectal: Generic: 4 g (60 mL) Suppository, Rectal: Canasa: 1000 mg (30 ea, 42 ea) Tablet Delayed Release, Oral: Lialda: 1.2 g [BCF]
Metaproterenol	Tablet, oral, as sulfate: 10 mg
Metaxalone	Tablet, Oral: Generic: 800 mg
MetFORMIN	Tablet, Oral, as hydrochloride: Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Tablet, Extended Release, Oral, as hydrochloride: Generic: 500 mg [BCF], 750 mg [BCF]
MethazolAMIDE	Tablet, oral: 50 mg
Methenamine	Tablet, Oral, as hippurate: Generic: 1 g
MethIMAzole	Tablet, oral: Tapazole®: 5 mg [scored]
Methocarbamol	Tablet, oral: 500 mg [BCF], 750 mg
Methotrexate	Solution, Injection: Generic: 50 mg/2 mL (2 mL) Tablet, Oral: Generic: 2.5 mg [BCF]
MethylDopa	Tablet, oral: 250 mg
Methylergonovine	Tablet, oral, as maleate: Methergine®: 0.2 mg
Methylphenidate	Capsule, Extended Release, Oral, as hydrochloride [bi-modal release]: Ritalin LA: 10 mg [5 mg immediate release, 5 mg extended release] Ritalin LA: 20 mg [10 mg immediate release, 10 mg extended release] Ritalin LA: 30 mg [15 mg immediate release, 15 mg extended release] Ritalin LA: 40 mg [20 mg immediate release, 20 mg extended release] Suspension Reconstituted, Oral, as hydrochloride: Quillivant XR: 25 mg/5 mL (60 mL, 120 mL, 180 mL) [contains sodium benzoate; banana flavor] Tablet, Oral, as hydrochloride: Methylin: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF] Ritalin: 5 mg [BCF], 10 mg [BCF] Tablet, Extended Release, Oral, as hydrochloride [bi-modal release]: Concerta: 18 mg [4 mg immediate release, 14 mg extended release] [BCF] 27 mg [6 mg immediate release, 21 mg extended release] [BCF] 36 mg [8 mg immediate release, 28 mg extended release] [BCF] 54 mg [12 mg immediate release, 42 mg extended release] [BCF] Tablet, Sustained Release, Oral, as hydrochloride: Ritalin-SR: 20 mg [dye free]
MethylPREDNISolone	Tablet, oral: 4 mg Tablet, oral [dose-pack]: 4 mg
Metipranolol	Solution, ophthalmic [drops]: OptiPranolol®: 0.3% (10 mL) [contains benzalkonium chloride]
Metoclopramide	Tablet, Oral: Generic: 5 mg, 10 mg [BCF]

MacDill AFB Outpatient Formulary

MetOLazone	Tablet, oral: 2.5 mg, 5 mg
Metoprolol	Tablet, Oral, as tartrate: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Tablet, Extended Release, Oral, as succinate [expressed as mg equivalent to tartrate]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]
MetroNIDAZOLE (Systemic)	Capsule, oral: 375 mg Tablet, oral: 250 mg [BCF], 500 mg [BCF]
MetroNIDAZOLE (Topical)	Cream, topical: 0.75% (45 g) Gel, topical: MetroGelÂ®: 1% (60 g) Gel, vaginal: 0.75% (70 g) [BCF] MetroGel-VaginalÂ®: 0.75% (70 g) [BCF]
Mexiletine	Capsule, oral, as hydrochloride: 150 mg
Miconazole (Topical)	Combination package, topical/vaginal, as nitrate: Cream, topical: 2% (9 g) and suppository, vaginal: 200 mg (3s) Monistat 3: Cream, topical: 2% (9 g) and Insert, vaginal: 200 mg (3s) Tincture, topical, as nitrate: Fungoid: 2% (30 mL) [contains isopropyl alcohol 30%]
Midodrine	Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg
Minocycline (Systemic)	Capsule, Oral: Generic: 50 mg, 100 mg
Minoxidil (Systemic)	Tablet, oral: 2.5 mg, 10 mg
Mirabegron	Tablet Extended Release 24 Hour, Oral: Myrbetriq: 25 mg, 50 mg
Mirtazapine	Tablet, oral: RemeronÂ®: 15 mg, 30 mg [scored], 45 mg
MiSOPROStol	Tablet, Oral: Generic: 100 mcg, 200 mcg
Modafinil	Tablet, oral: ProvigilÂ®: 100 mg, 200 mg
Mometasone (Topical)	Cream, External, as furoate: Generic: 0.1% (15 g, 45 g)
Montelukast	Granules, oral: SingulairÂ®: 4 mg/packet (30s) [BCF] Tablet, oral: SingulairÂ®: 10 mg [BCF] Tablet, chewable, oral: SingulairÂ®: 4 mg [contains phenylalanine 0.674 mg/tablet; cherry flavor] [BCF] 5 mg [contains phenylalanine 0.842 mg/tablet; cherry flavor] [BCF]
Morphine (Systemic)	Tablet, oral, as sulfate: 15 mg, 30 mg Tablet, controlled release, oral, as sulfate: MS ContinÂ®: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF] Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]
Moxifloxacin (Ophthalmic)	Solution, ophthalmic [drops]: VigamoxÂ®: 0.5% (3 mL)
Moxifloxacin (Systemic)	Tablet, oral: AveloxÂ®: 400 mg
Mupirocin	Ointment, topical: 2% (22 g) [BCF] Bactroban: 2% (22 g) [contains polyethylene glycol] [BCF]
Mycophenolate	Capsule, oral, as mofetil: CellCeptÂ®: 250 mg
Nabumetone	Tablet, oral: 500 mg, 750 mg

MacDill AFB Outpatient Formulary

Naftifine	Cream, topical, as hydrochloride: Naftin: 2% (45 g) [contains benzyl alcohol] Gel, topical, as hydrochloride: Naftin: 1% (60 g) [contains ethanol 52%]
Naloxegol	Tablet, Oral: Movantik: 12.5 mg, 25 mg
Naloxone	Liquid, Nasal: Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate disodium] [BCF]
Naltrexone	Tablet, Oral, as hydrochloride: Generic: 50 mg
Naproxen	Suspension, oral: 125 mg/5 mL (500 mL) [BCF] Tablet, oral: 250 mg [BCF], 500 mg [BCF] Tablet, oral, as sodium: 275 mg [equivalent to naproxen base 250 mg] [BCF], 550 mg [equivalent to naproxen base 500 mg] [BCF]
Naproxen and Esomeprazole	This medication is nonformulary. For formulary alternatives, refer to Therapeutic Category.
Naratriptan	Tablet, Oral: Generic: 1 mg, 2.5 mg
Nedocromil (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: AlocrilÂ®: 2% (5 mL) [contains benzalkonium chloride]
Neomycin	Tablet, oral, as sulfate: 500 mg
Neomycin, Colistin, Hydrocortisone, and Thonzonium	Suspension, otic [drops]: Coly-MycinÂ® S: Neomycin 0.33%, colistin 0.3%, hydrocortisone acetate 1%, and thonzonium bromide 0.05% (5 mL) [contains thimerosal]
Neomycin, Polymyxin B, and Gramicidin	Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]
Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)	Suspension, ophthalmic [drops]: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (7.5 mL)
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	Solution, otic: CortisporinÂ®: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [contains potassium metabisulfite] Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per mL (10 mL) [BCF]
Nepafenac	Suspension, Ophthalmic [drops]: Ilevro: 0.3% (1.7 mL, 3 mL) [contains benzalkonium chloride, edetate disodium, propylene glycol] Nevanac: 0.1% (3 mL) [contains benzalkonium chloride]
Niacin	Tablet, extended release, oral: NiaspanÂ®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]
Nicotine	Gum, Mouth/Throat, as polacrilex: Generic: 2 mg (20 ea, 40 ea, 100 ea, 110 ea); 4 mg (20 ea, 40 ea, 100 ea, 110 ea) [BCF] Lozenge, Mouth/Throat, as polacrilex: Generic: 2 mg (24 ea, 27 ea); 4 mg (24 ea, 27 ea) Patch 24 Hour, Transdermal: Nicoderm CQ: 7 mg/24 hr (14 ea) [BCF]; 14 mg/24 hr (7 ea, 14 ea, 21 ea) [BCF]; 21 mg/24 hr (7 ea, 14 ea, 21 ea) [BCF] Generic: 7 mg/24 hr (7 ea, 14 ea) [BCF]; 14 mg/24 hr (7 ea, 14 ea) [BCF]; 21 mg/24 hr (7 ea, 14 ea, 28 ea) [BCF]
NIFEdipine	Tablet, Extended Release, Oral: Adalat CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF] Nifediac CC: 30 mg [BCF], 60 mg [BCF] Generic: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]

MacDill AFB Outpatient Formulary

Nitrofurantoin	Capsule, oral [macrocrystal]: 50 mg [BCF] Macrobid®: 50 mg [BCF], 100 mg Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF] Macrobid®: 100 mg [nitrofurantoin macrocrystal 25% and nitrofurantoin monohydrate 75%] [BCF] Suspension, oral: Furadantin®: 25 mg/5 mL (230 mL)
Nitroglycerin	Capsule, extended release, oral: 6.5 mg; 9 mg Ointment, topical: Nitro-Bid®: 2% (60 g) [20 mg/g] Patch, transdermal [once-daily patch]: 0.2 mg/hour (30s) [BCF] 0.4 mg/hour (30s) [BCF] 0.6 mg/hour (30s) [BCF] Solution, translingual [spray]: Nitrolingual®: 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF] Tablet, sublingual: Nitrostat®: 0.4 mg [BCF]
Norethindrone	Tablet, oral: Nor-QD®: 0.35 mg [BCF] Tablet, oral, as acetate: Aygestin®: 5 mg [scored]
Norethindrone and Mestranol	Tablet, oral [monophasic formulation]: Norinyl® 1+50: Norethindrone 1 mg and mestranol 0.05 mg [21 white tablets and 7 orange inactive tablets] (28s)
Nortriptyline	Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF] Solution, oral: 10 mg/5 mL (473 mL, 480 mL) [BCF]
Nystatin and Triamcinolone	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)
Nystatin (Oral)	Suspension, oral: 100,000 units/mL (60 mL) [BCF] Tablet, oral: 500,000 units
Nystatin (Topical)	Cream, topical: 100,000 units/g (15 g) [BCF] Ointment, topical: 100,000 units/g (30 g) [BCF] Powder, topical: 100,000 units/g (15 g)
Ofloxacin (Ophthalmic)	Solution, ophthalmic [drops]: Ocuflox®: 0.3% (5 mL) [contains benzalkonium chloride]
OLANzapine	Tablet, oral: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg
Olopatadine (Ophthalmic)	Solution, ophthalmic: Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF] Pazeo: 0.7% (2.5 mL) [contains benzalkonium chloride]
Omeprazole	Capsule, delayed release, oral: 10 mg [BCF], 20 mg [BCF], 40 mg
Ondansetron	Tablet, oral: Zofran®: 4 mg, 8 mg Tablet, orally disintegrating: Zofran® ODT: 4 mg, 8 mg [contains phenylalanine <0.03 mg/tablet; strawberry flavor]
Orphenadrine	Tablet, extended release, oral, as citrate: 100 mg
Oseltamivir	Capsule, oral, as phosphate: Tamiflu®: 30 mg, 45 mg, 75 mg Powder for suspension, oral: Tamiflu®: 12 mg/mL (25 mL) [contains sodium benzoate; tutti frutti flavor]
Oxaprozin	Tablet, oral: 600 mg
Oxazepam	Capsule, oral: 15 mg
OXcarbazepine	Suspension, Oral: Generic: 300 mg/5 mL (250 mL) Tablet, Oral: Generic: 300 mg

MacDill AFB Outpatient Formulary

Oxybutynin	Syrup, oral, as chloride: 5 mg/5 mL (473 mL) Tablet, oral, as chloride: 5 mg Tablet, extended release, oral, as chloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
Oxycodone and Acetaminophen	Capsule, oral: 5/500: Oxycodone hydrochloride 5 mg and acetaminophen 500 mg Solution, oral: Roxicetâ„¢: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (500 mL) [contains ethanol <0.5%; mint flavor] Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF] Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF] PercocetÂ® 7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg PercocetÂ® 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg Roxicetâ„¢: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [scored] [BCF]
Oxymetazoline (Nasal)	Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)
Pancrelipase	Capsule, Delayed Release, Enteric Coated Microspheres, Oral [porcine derived]: Creon: Lipase 3000 USP units, protease 9500 USP units, and amylase 15,000 USP units [BCF] Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units [BCF] Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units [BCF] Capsule, Delayed Release, Enteric Coated Microtablets, Oral [porcine derived]: Pancreaze Lipase 4200 units, protease 10,000 units, and amylase 17,500 units Pancreaze: Lipase 10,500 units, protease 25,000 units, and amylase 43,750 units Pancreaze: Lipase 16,800 units, protease 40,000 units, and amylase 70,000 units Pancreaze: Lipase 21,000 units, protease 37,000 units, and amylase 61,000 units
Pantoprazole	Tablet Delayed Release, Oral: 20 mg, 40 mg
PARoxetine	Capsule, Oral, as mesylate [strength expressed as base]: Brisdelle: 7.5 mg Tablet, Oral, as hydrochloride [strength expressed as base]: Generic: 10 mg, 20 mg, 30 mg Tablet Extended Release 24 Hour, Oral, as hydrochloride [strength expressed as base]: Generic: 12.5 mg, 25 mg, 37.5 mg
Penicillin V Potassium	Powder for solution, oral: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (200 mL) [BCF] Tablet, oral: 250 mg [BCF], 500 mg [BCF]
Pentosan Polysulfate Sodium	Capsule, oral: ElmironÂ®: 100 mg
Pentoxifylline	Tablet, extended release, oral: 400 mg
Permethrin	Combination Kit: Nix Complete Lice Treatment: Permethrin cream rinse 1% and nit remover gel 0.25% and permethrin spray kit (324.86 mL) Cream, External: Generic: 5% (60 g) [BCF]
Phenazopyridine	Tablet, Oral, as hydrochloride: Generic: 100 mg [BCF], 200 mg [BCF]
PHENobarbital	Elixir, oral: 20 mg/5 mL (7.5 mL) [BCF] Tablet, oral: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF]

MacDill AFB Outpatient Formulary

Phenytoin	Capsule, extended release, oral, as sodium: 100 mg [BCF] DilantinÂ®: 30 mg; 100 mg [BCF] Suspension, oral: 125 mg/5 mL (240 mL) [BCF] Dilantin-125Â®: 125 mg/5 mL (240 mL) [contains ethanol 0.6%, sodium benzoate; orange-vanilla flavor] [BCF] Tablet, chewable, oral: DilantinÂ®: 50 mg [scored] [BCF]
Phytonadione	Tablet, oral: MephytonÂ®: 5 mg [scored]
Pilocarpine (Ophthalmic)	Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF] [may contain benzalkonium chloride]
Pimecrolimus	Cream, topical: ElidelÂ®: 1% (30 g, 100 g) [BCF]
Pindolol	Tablet, oral: 5 mg, 10 mg
Pioglitazone	Tablet, oral: ActosÂ®: 15 mg, 30 mg, 45 mg
Piroxicam (Systemic)	Capsule, oral: 20 mg
Podofilox	Solution, topical: CondyloxÂ®: 0.5% (3.5 mL) [contains ethanol 95%]
Polyethylene Glycol 3350	Powder for solution, oral: MiraLAX: 17 g/dose (238 g, 510 g)
Polyethylene Glycol-Electrolyte Solution	Powder, for solution, oral: PEG 3350 240 g, sodium sulfate 22.72 g, sodium bicarbonate 6.72 g, sodium chloride 5.84 g, and potassium chloride 2.98 g (4000 mL) Colyte: PEG 3350 240 g, sodium sulfate 22.72 g, sodium bicarbonate 6.72 g, sodium chloride 5.84 g, and potassium chloride 2.98 g (4000 mL) [available with lemon lime, cherry, and orange flavor packets] NuLYTELY: PEG 3350 420 g, sodium bicarbonate 5.72 g, sodium chloride 11.2 g, and potassium chloride 1.48 g (4000 mL) [supplied with cherry, lemon-lime, orange, and pineapple flavor packs]
Polysaccharide-Iron Complex	Capsule, oral: Ferrexâ„¢ 150 Plus: Elemental iron 150 mg (50 mg as ferrous asparto glycinate) [contains ascorbic acid 50 mg and succinic acid 50 mg]
Potassium Chloride	Capsule, extended release, microencapsulated, oral: 10 mEq [BCF] Powder for solution, oral: 20 mEq/packet [BCF] Solution, oral: 20 mEq/15 mL (15 mL, 30 mL, 480 mL) [BCF] Tablet, extended release, microencapsulated, oral: 20 mEq [BCF] Klor-ConÂ® M10: 10 mEq [750 mg] Klor-ConÂ® M20: 20 mEq [scored; 1500 mg] Tablet, extended release, wax matrix, oral: 10 mEq [BCF] Klor-ConÂ® 8: 8 mEq [600 mg]
Potassium Citrate	Tablet, Oral: Urocit-K: 1080 mg [10 mEq] Generic: 15 mEq (1620 mg)
Potassium Citrate and Citric Acid	Powder for solution, oral: Cytra-K: Potassium citrate monohydrate 3300 mg and citric acid 1002 mg per packet (100s) [equivalent to potassium 2 mEq/mL and bicarbonate 2 mEq/mL; sugar free; fruit-punch flavor]
Pramipexole	Tablet, oral, as dihydrochloride monohydrate: MirapexÂ®: 0.125 mg, 0.25 mg [scored], 0.5 mg [scored], 1 mg [scored], 1.5 mg [scored]
Pramoxine and Hydrocortisone	Cream, topical: Analpram HCÂ®: Pramoxine hydrochloride 1% and hydrocortisone acetate 2.5% (4 g, 30 g) Foam, rectal: ProctoFoamÂ® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)

MacDill AFB Outpatient Formulary

Prasugrel	Tablet, oral: Effient: 5 mg, 10 mg
Pravastatin	Tablet, Oral, as sodium: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Prazosin	Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg
PrednisolONE (Ophthalmic)	Suspension, ophthalmic, as acetate [drops]: 1% (5 mL) [BCF] Pred MildÂ®: 0.12% (10 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]
PrednisolONE (Systemic)	Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL, 473 mL) [BCF] Orapred: 15 mg/5 mL (20 mL, 237 mL) [dye free; contains ethanol 2%, sodium benzoate; grape flavor] [BCF]
PredniSONE	Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]
Pregabalin	Capsule, Oral: Generic: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg
Primaquine	Tablet, oral, as phosphate: 26.3 mg [15 mg base]
Primidone	Tablet, oral: 50 mg, 250 mg MysolineÂ®: 50 mg, 250 mg [scored]
Probenecid	Tablet, Oral: Generic: 500 mg [BCF]
Procarbazine	Capsule, oral, as hydrochloride: MatulaneÂ®: 50 mg
Prochlorperazine	Suppository, rectal: 25 mg (12s) Tablet, oral, as maleate [strength expressed as base]: 5 mg, 10 mg
Progesterone	Capsule, Oral: Generic: 100 mg, 200 mg [contains peanut oil]
Promethazine	Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF] Syrup, oral, as hydrochloride: 6.25 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 25 mg [BCF]
Promethazine and Codeine	Syrup, Oral: Promethazine hydrochloride 6.25 mg and codeine phosphate 10 mg per 5 mL (5 mL, 118 mL, 473 mL)
Propafenone	Capsule extended release 12 hour, oral, as hydrochloride: 225 mg Tablet, oral, as hydrochloride: 150 mg, 300 mg
Propranolol	Capsule, sustained release, oral, as hydrochloride: InderalÂ® LA: 60 mg, 80 mg, 120 mg, 160 mg Tablet, oral, as hydrochloride: 10 mg, 20 mg, 40 mg
Propylthiouracil	Tablet, oral: 50 mg [BCF]
Pseudoephedrine	Syrup, oral, as hydrochloride: 30 mg/5 mL (118 mL) Tablet, oral, as hydrochloride: SudoGest: 30 mg
Psyllium	Powder, oral: Konsyl-Dâ„¸: 3.4 g/teaspoon (397 g) [contains calcium 6 mg/teaspoon, dextrose 3.1 g/teaspoon, potassium 31 mg/teaspoon, sodium 3 mg/teaspoon; provides dietary fiber 3 g and soluble fiber 2 g per teaspoon]
Pyrazinamide	Tablet, oral: 500 mg [BCF]
Pyridostigmine	Tablet, oral, as bromide: MestinonÂ®: 60 mg [scored]
Pyridoxine	Tablet, oral, as hydrochloride: 50 mg
QUetiapine	Tablet, oral: SEROquelÂ®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, extended release, oral: SEROquel XRÂ®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

MacDill AFB Outpatient Formulary

RABEprazole	Tablet Delayed Release, Oral, as sodium: Generic: 20 mg
Raloxifene	Tablet, oral, as hydrochloride: Evista®: 60 mg [BCF]
Ramipril	Capsule, oral: Altace®: 1.25 mg, 2.5 mg, 5 mg, 10 mg
RaNITidine (Withdrawn From US Market)	Syrup, oral: 15 mg/mL (480 mL) [BCF] Zantac®: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF] Tablet, oral: 150 mg [BCF]
Ranolazine	Tablet Extended Release 12 Hour, Oral: Ranexa: 500 mg, 1000 mg
RifAMPin	Capsule, oral: 300 mg [BCF]
RifAXIMin	Tablet, Oral: Xifaxan: 200 mg, 550 mg [contains edetate disodium]
RisperiDONE	Solution, oral: 1 mg/mL (30 mL) [BCF] Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]
Ritonavir	Tablet, oral: Norvir: 100 mg
Rivaroxaban	Tablet, Oral: Xarelto: 2.5 mg, 10 mg, 15 mg, 20 mg
Rivastigmine	Patch 24 Hour, transdermal: Exelon®: 4.6 mg/24 hours (30s) Exelon®: 9.5 mg/24 hours (30s) Exelon®: 13.3 mg/24 hr (30s)
Rizatriptan	Tablet, oral: Maxalt®: 5 mg [BCF], 10 mg [BCF] Tablet, orally disintegrating: Maxalt-MLT®: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF] 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]
Roflumilast	Tablet, Oral: Daliresp: 500 mcg [contains corn starch]
ROPINIRole	Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg Requip®: 5 mg Tablet, extended release, oral: Requip® XL, 2 mg, 4 mg, 6 mg, 8 mg, 12 mg
Rosuvastatin	Tablet, oral: Crestor®: 5 mg, 10 mg, 20 mg, 40 mg
Salicylic Acid	Gel, topical: 17%
Salmeterol	Powder, for oral inhalation: Serevent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]
Salsalate	Tablet, oral: 500 mg [BCF], 750 mg [BCF]
Scopolamine (Systemic)	Patch, transdermal: Transderm Scōp®: 1.5 mg (10s) [releases ~1 mg over 72 hours]
Selegiline	Tablet, oral, as hydrochloride: 5 mg
Selenium Sulfide	Lotion, topical: 2.5% (120 mL) [BCF]
Sertraline	Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF] Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Zoloft®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] [scored]
Sildenafil	Tablet, Oral: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

MacDill AFB Outpatient Formulary

Silver Sulfadiazine	Cream, topical: 1% (20 g, 25 g, 50 g, 85 g, 400 g) [BCF] Silvadene®: 1% (50 g) [BCF] SSD®: 1% (25 g, 85 g) [BCF] Thermazene®: 1% (400 g) [BCF]
Simethicone	Suspension, oral [drops]: 40 mg/0.6 mL (30 mL)
Simvastatin	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
SITagliptin	Tablet, Oral: Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sitagliptin and Metformin	Tablet, oral: Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, extended release, oral: Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg
Sodium Chloride	Ointment, Ophthalmic: Generic: 5% (3.5 g) Ointment, Ophthalmic [preservative free]: Muro 128: 5% (3.5 g) Solution, Nasal: Ocean: 0.65% (45 mL) [contains benzalkonium chloride] Solution, ophthalmic [drops]: Muro 128: 5% (15 mL)
Sodium Phosphates	Solution, oral: Monobasic sodium phosphate monohydrate 2.4 g and dibasic sodium phosphate heptahydrate 0.9 g per 5 mL (45 mL) Solution, rectal [enema]: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) Fleet® Pedia-Lax®, Enema: Monobasic sodium phosphate monohydrate 9.5 g and dibasic sodium phosphate heptahydrate 3.5 g per 59 mL delivered dose (66 mL) [contains sodium 2.2 g/59 mL] Tablet, oral: OsmoPrep®, Sodium phosphate monobasic monohydrate 1.102 g and sodium phosphate dibasic anhydrous 0.398 g [scored; gluten free; sodium phosphate 1.5 g per tablet]
Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate	Solution, oral: Suprep® Bowel Prep Kit: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 180 mL (180 mL) [contains sodium benzoate]
Solifenacin	Tablet, oral, as succinate: VESicare®: 5 mg, 10 mg
Sotalol	Tablet, oral, as hydrochloride: 80 mg, 120 mg, 160 mg, 240 mg
Spironolactone	Tablet, Oral: Generic: 25 mg [BCF], 50 mg, 100 mg
Sucrafate	Suspension, oral: Carafate®: 1 g/10 mL (420 mL) Tablet, oral: 1 g
Sulfacetamide (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]
Sulfacetamide (Topical)	Cream, External, as sodium: Ovace Plus: 10% (57 g) [contains benzyl alcohol, butylparaben, cetyl alcohol, disodium edta, ethylparaben, methylparaben, propylparaben] Foam, External: Ovace Plus: 9.8% (100 g) [contains benzyl alcohol, cetyl alcohol, propylene glycol] Gel, External, as sodium: Ovace Plus Wash: 10% (355 mL) [contains benzyl alcohol, cetearyl alcohol, propylene glycol]

MacDill AFB Outpatient Formulary

Sulfamethoxazole and Trimethoprim	Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [BCF] Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF] Tablet, double strength, oral: Sulfamethoxazole 800 mg and trimethoprim 160 mg [BCF] Septra® DS: Sulfamethoxazole 800 mg and trimethoprim 160 mg [scored] [BCF]
SulfaSALazine	Tablet, oral: 500 mg [BCF] Tablet, delayed release, enteric coated, oral: 500 mg [BCF]
Sulfur and Sulfacetamide	Pad, topical [cleansing cloth]: Prascion® FC: Sulfur 5% and sulfacetamide sodium 10% (30s, 60s) Wash, topical: Sulfur 5% and sulfacetamide sodium 10% (170 mL)
Sulindac	Tablet, oral: 200 mg
SUMatriptan	Solution, Injection, as succinate [strength expressed as base]: Generic: 6 mg/0.5 mL (0.5 mL) [BCF] Imitrex: 6 mg/0.5 mL (0.5 mL) [BCF] Solution, Pen, as succinate [strength expressed as base, preservative free]: Generic: 6 mg/0.5 mL (0.5 mL) [BCF] Solution, Nasal [spray]: Imitrex: 5 mg/0.1 mL (6s); 20 mg/0.1 mL (6s) Tablet, Oral, as succinate [strength expressed as base]: Imitrex: 25 mg, 50 mg, 100 mg
Supplies, Miscellaneous	Container (weekly pill planner) Pill splitter
Tacrolimus (Systemic)	Capsule, oral: 0.5 mg, 1 mg
Tacrolimus (Topical)	Ointment, topical: Protopic®: 0.03% (30 g, 60 g); 0.1% (30 g, 60 g)
Tadalafil	Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg
Tamoxifen	Tablet, Oral: Generic: 10 mg [BCF], 20 mg [BCF]
Tamsulosin	Capsule, oral, as hydrochloride: 0.4 mg [BCF]
Telmisartan	Tablet, Oral: Generic: 20 mg, 40 mg, 80 mg
Telmisartan and Hydrochlorothiazide	Tablet, oral: Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg
Temazepam	Capsule, oral: 7.5 mg, 15 mg [BCF], 30 mg [BCF]
Terazosin	Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Terbinafine (Systemic)	Tablet, oral: 250 mg
Terbinafine (Topical)	Cream, topical, as hydrochloride: 1% (30 g)
Terbutaline	Tablet, oral, as sulfate: 5 mg
Terconazole	Cream, vaginal: 0.8% (20 g) Terazol® 7: 0.4% (45 g)
Testosterone	Gel, Transdermal: Fortesta: 10 mg/actuation (2%) (60 g) [BCF] Solution, Intramuscular, as cypionate: Depo-Testosterone: 200 mg/mL (1 mL, 10 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]
Theophylline	Capsule, extended release, oral: Theo-24®: 100 mg, 200 mg, 300 mg [24 hours] [BCF], 400 mg [24 hours] [BCF] Solution, oral: Elixophyllin® Elixir: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF] Tablet, extended release, oral: 100 mg, 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

MacDill AFB Outpatient Formulary

Thyroid, Desiccated	Tablet, oral: Armour® Thyroid: 15 mg, 30 mg, 60 mg
Ticagrelor	Tablet, Oral: Brilinta: 60 mg, 90 mg
Timolol (Ophthalmic)	Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]: Timoptic-XE®: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF] Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]
Tinidazole	Tablet, oral: Tindamax®: 500 mg [scored]
Tiotropium	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta] Capsule, Inhalation: Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]
Tiotropium and Olodaterol	Aerosol Solution, Inhalation: Stiolto Respimat: Tiotropium 2.5 mcg and olodaterol 2.5 mcg per actuation (4 g) [contains benzalkonium chloride, edetate disodium]
TiZANidine	Capsule, Oral: Generic: 2 mg, 4 mg Tablet, Oral: Generic: 2 mg, 4 mg
Tobramycin and Dexamethasone	Ointment, ophthalmic: TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol] Suspension, ophthalmic [drops]: TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride]
Tobramycin (Ophthalmic)	Solution, ophthalmic [drops]: 0.3% (5 mL) Tobrex®: 0.3% (5 mL) [contains benzalkonium chloride]
Tolterodine	Capsule, extended release, oral, as tartrate: Detrol® LA: 2 mg [BCF], 4 mg [BCF]
Topiramate	Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg
Torsemide	Tablet, Oral: Generic: 10 mg, 20 mg
TraMADol	Tablet, oral, as hydrochloride: 50 mg [BCF]
Tranexamic Acid	Tablet, Oral: Generic: 650 mg
TraZODone	Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]
Tretinoin (Topical)	Cream, External: Avita: 0.025% (45 g) [BCF] Retin-A: 0.05% (20 g) [BCF]; 0.1% (20 g, 45 g) Generic: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF] Gel, External: Retin-A: 0.025% (15 g) [contains ethanol 90% w/w]
Triamcinolone (Topical)	Aerosol, External, as acetonide: Kenalog: 0.2 mg/2-second spray (63 g) [contains dehydrated ethanol 10.3%] Cream, External, as acetonide: Generic: 0.025% (15 g, 80 g, 454 g); 0.1% (15 g, 80 g, 454 g) [BCF]; 0.5% (15 g) Lotion, External, as acetonide: Generic: 0.1% (60 mL) Ointment, External, as acetonide: Generic: 0.025% (15 g, 80 g, 454 g); 0.1% (15 g, 454 g) Paste, Oral, External, as acetonide: Generic: 0.1% (5 g)

MacDill AFB Outpatient Formulary

Trifluridine	Solution, ophthalmic [drops]: 1% (7.5 mL) Viroptic®: 1% (7.5 mL)
Trihexyphenidyl	Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 2 mg [BCF]
Trimethoprim	Tablet, oral: 100 mg
Trimethoprim and Polymyxin B	Solution, ophthalmic [drops]: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per mL (10 mL) [contains benzalkonium chloride] [BCF] Polytrim®: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride] [BCF]
Umeclidinium and Vilanterol	Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]
Urea (Topical)	Cream, External: Generic: 40% (85 g) Lotion, External: Carmol 10: 10% (180 mL) Generic: 40% (226.8 g)
Ursodiol	Capsule, Oral: Generic: 300 mg Tablet, Oral: Generic: 250 mg, 500 mg
ValACYclovir	Caplet, oral: Valtrex®: 500 mg, 1 g
Valproic Acid and Derivatives	Capsule, sprinkle, oral: 125 mg [strength expressed as valproic acid] [BCF] Syrup, oral, as valproate sodium: Depakene®: 250 mg/5 mL (473 mL) [strength expressed as valproic acid] Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid] [BCF], 250 mg [strength expressed as valproic acid] [BCF], 500 mg [strength expressed as valproic acid] [BCF] Depakote®: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid] Tablet, extended release, oral: 250 mg [strength expressed as valproic acid] [BCF], 500 mg [strength expressed as valproic acid] [BCF] Depakote® ER: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid]
Valsartan	Tablet, oral: Diovan®: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]
Valsartan and Hydrochlorothiazide	Tablet, oral: Diovan HCT® 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT® 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT® 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT® 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Diovan HCT® 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]
Varenicline	Tablet, Oral: Chantix: 0.5 mg, 1 mg Chantix Continuing Month Pak: 1 mg Chantix Starting Month Pak: 0.5 mg x 11 & 1 mg x 42
Venlafaxine	Capsule, extended release, oral: Effexor XR®: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF] Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF] Tablet, extended release, oral: 225 mg [BCF]
Verapamil	Tablet, oral, as hydrochloride: 80 mg Tablet, extended release, oral, as hydrochloride: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]

MacDill AFB Outpatient Formulary

Vitamin B Complex Combinations	Content varies depending on product used. Tablet, Oral: Metanx: 90s
Vitamins (Multiple/Pediatric)	Content varies depending on product used. Solution, oral: 50 mL Poly-Vi-Sol: 50 mL Poly-Vi-Sol with Iron: 750 mL, 10 mL
Vitamins (Multiple/Prenatal)	Content varies depending on product used. Tablet, oral: Prenatal Rx 1: 100s Tablet, oral [with DHA]
Warfarin	Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]
Zafirlukast	Tablet, oral: Accolate [®] : 20 mg
Zinc Oxide	Ointment, External: Generic: 40% (120 g)
Ziprasidone	Capsule, oral, as hydrochloride: Geodon [®] : 20 mg, 40 mg, 60 mg, 80 mg
ZOLMitriptan	Solution, intranasal [spray]: Zomig [®] : 5 mg/0.1 mL (0.1 mL) Tablet, oral: Zomig [®] : 2.5 mg [scored], 5 mg Tablet, orally disintegrating: Zomig-ZMT [®] : 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor] 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]
Zolpidem	Tablet, Oral, as tartrate: Ambien: 5 mg [BCF], 10 mg [BCF] Generic: 5 mg [BCF], 10 mg [BCF] Tablet Extended Release, Oral, as tartrate: Generic: 6.25 mg, 12.5 mg