

**PATRICK AIR FORCE BASE
OUTPATIENT FORMULARY
Alphabetical Listing by Name**



Refill line: (321) 494-8739

Lobby Hours:

Mon - Thurs: 0830-1630

Friday: 0930-1630

Drive thru open until 1700

This document is current as of July 21, 2021.
The availability of formulary items is subject to change.

Patrick AFB Outpatient Formulary

Alphabetical Drug Listing	Available Dosage Forms
Abacavir and Lamivudine	Tablet, Oral: Epzicom: Abacavir 600 mg and lamivudine 300 mg
Abacavir, Dolutegravir, and Lamivudine	Tablet, Oral: Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg
Abacavir, Lamivudine, and Zidovudine	Tablet, Oral: Generic: Abacavir sulfate 300 mg, lamivudine 150 mg, and zidovudine 300 mg
Acetaminophen	Liquid, Oral: Generic: 160 mg/5 mL (120 mL) Suppository, Rectal: Acephen: 325 mg (12s) Generic: 120 mg (12s); 650 mg (12s) Tablet, Oral: Non-Aspirin Pain Reliever: 325 mg Tablet, Chewable, Oral: Generic: 80 mg
Acetaminophen and Codeine	Solution, Oral [C-V]: Generic: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (120 mL) [BCF] Tablet, Oral [C-III]: Tylenol with Codeine No. 3: Acetaminophen 300 mg and codeine phosphate 30 mg [contains sodium metabisulfite] [BCF]
Acetaminophen and Tramadol	Tablet, Oral: Generic: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg
AcetaZOLAMIDE	Tablet, oral: 250 mg
Acetic Acid and Hydrocortisone	Solution, otic [drops]: Acetasol HC: Acetic acid 2% and hydrocortisone 1% (10 mL) [contains benzethonium chloride]
Acyclovir (Systemic)	Capsule, oral: 200 mg [BCF] Suspension, oral: 200 mg/5 mL (473 mL) [BCF] Tablet, oral: 400 mg [BCF], 800 mg [BCF]
Acyclovir (Topical)	Ointment, topical: Zovirax: 5% (30 g)
Adalimumab	Pen-injector Kit, Subcutaneous [preservative free]: Humira Pen: 40 mg/0.8 mL (1 ea) [contains polysorbate 80] Prefilled Syringe Kit, Subcutaneous [preservative free]: Humira: 40 mg/0.8 mL (1 ea) [contains polysorbate 80]
Adapalene	Cream, External: Differin: 0.1% (45 g) Gel, External: Differin: 0.1% (45 g) [ethanol free] Generic: 0.3% (45 g)
Albendazole	Tablet, Oral: Albenza: 200 mg [contains saccharin sodium]
Albuterol	Aerosol, for oral inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Solution, for nebulization: 0.5% [100 mg/20 mL] (1s); 0.083% [2.5 mg/3 mL] (25s, 30s, 60s) [BCF] Solution, for nebulization [preservative free]: 0.083% [2.5 mg/3 mL] (25s) [BCF]
Alcohol (Isopropyl)	Pad, topical: 70% (100s)
Alendronate	Solution, oral: Fosamax: 70 mg/75 mL (75 mL) [raspberry flavor] [BCF] Tablet, oral: 5 mg [BCF] Fosamax: 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]
Alfuzosin	Tablet, extended release, oral, as hydrochloride: Uroxatral: 10 mg [BCF]

Patrick AFB Outpatient Formulary

Allopurinol	Tablet, oral: 100 mg [BCF], 300 mg [BCF]
ALPRAZolam	Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg
Aluminum Acetate	Packet, External: Domeboro: Aluminum sulfate 1191 mg and calcium acetate 839 mg per packet (100s)
Aluminum Chloride Hexahydrate	Solution, topical: Drysol: 20% (37.5 mL) [contains ethanol 93%] Hypercare: 20% (37.5 mL) [contains ethanol 93%]
Amantadine	Capsule, oral, as hydrochloride: 100 mg [BCF] Syrup, oral, as hydrochloride: 50 mg/5 mL (10 mL, 473 mL) [BCF]
AMILoride	Tablet, Oral, as hydrochloride: Generic: 5 mg
Amiodarone	Tablet, Oral, as hydrochloride: Generic: 100 mg, 200 mg [BCF]
Amitriptyline	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]
Amitriptyline and Perphenazine	Tablet, oral: Amitriptyline hydrochloride 25 mg and perphenazine 2 mg
AmLODIPine	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Amlodipine and Benazepril	Capsule, oral: Lotrel: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] Lotrel: 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] Lotrel: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]
Amlodipine and Valsartan	Tablet, oral: Exforge: 5/160: Amlodipine 5 mg and valsartan 160 mg Exforge: 5/320: Amlodipine 5 mg and valsartan 320 mg Exforge: 10/160: Amlodipine 10 mg and valsartan 160 mg Exforge: 10/320: Amlodipine 10 mg and valsartan 320 mg
Amlodipine, Valsartan, and Hydrochlorothiazide	Tablet, oral: Exforge HCT: Amlodipine 5 mg, valsartan 160 mg, and hydrochlorothiazide 12.5 mg Exforge HCT: Amlodipine 5 mg, valsartan 160 mg, and hydrochlorothiazide 25 mg Exforge HCT: Amlodipine 10 mg, valsartan 160 mg, and hydrochlorothiazide 12.5 mg Exforge HCT: Amlodipine 10 mg, valsartan 160 mg, and hydrochlorothiazide 25 mg Exforge HCT: Amlodipine 10 mg, valsartan 320 mg, and hydrochlorothiazide 25 mg
Amoxicillin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 125 mg/5 mL (150 mL); 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (50 mL, 100 mL) [BCF] Tablet, oral: 875 mg Tablet Chewable, Oral: Generic: 125 mg, 250 mg
Amoxicillin and Clavulanate	Powder for suspension, oral: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL, 100 mL, 150 mL) [BCF] 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (100 mL) [BCF] 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (100 mL) [BCF] 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (100 mL) [BCF] 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (125 mL) [BCF] Tablet, oral: 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF] 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF] 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF] Tablet, extended release, oral: Amoxicillin 1000 mg and clavulanate acid 62.5 mg
Anastrozole	Tablet, Oral: Arimidex: 1 mg

Patrick AFB Outpatient Formulary

Apixaban	Tablet, Oral: Eliquis: 2.5 mg, 5 mg
ARIPiprazole	Tablet, oral: Abilify: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg
Artificial Tears	Ointment, Ophthalmic: Generic: Petrolatum 83% and mineral oil 15%; Petrolatum 80% and mineral oil 20%
Aspirin	Tablet, oral: 325 mg Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg
Aspirin and Dipyridamole	Capsule, variable release, oral: Aggrenox: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]
Atenolol	Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
AtoMOXetine	Capsule, oral: Strattera: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg
AtorvaSTATin	Tablet, oral: Lipitor: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Atovaquone and Proguanil	Tablet, Oral: Generic: Atovaquone 250 mg and proguanil hydrochloride 100 mg Tablet, Oral [pediatric]: Generic: Atovaquone 62.5 mg and proguanil hydrochloride 25 mg
AzaTHIOprine	Tablet, oral: 50 mg
Azelastine (Nasal)	Solution, intranasal, as hydrochloride [spray]: Astelin: 0.1% [137 mcg/spray] (30 mL) [contains benzalkonium chloride; 200 metered sprays]
Azithromycin (Ophthalmic)	Solution, Ophthalmic: AzaSite: 1% (2.5 mL) [contains benzalkonium chloride, disodium edta]
Azithromycin (Systemic)	Powder for suspension, oral, as dihydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF]; 1 g/packet (3s) [BCF] Zithromax: 200 mg/5 mL (15 mL, 30 mL) [contains sodium 7.4 mg/5 mL; cherry-crÃ“me de vanilla-banana flavor] Powder for suspension, oral, as monohydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF] Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [contains sodium 0.9 mg/tablet] [BCF], 500 mg [contains sodium 1.8 mg/tablet] [BCF] Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]
Bacitracin and Polymyxin B (Ophthalmic)	Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)
Bacitracin and Polymyxin B (Topical)	Ointment, topical: Bacitracin 500 units and polymyxin B 10,000 units per g (30 g)
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]
Bacitracin (Ophthalmic)	Ointment, Ophthalmic: Generic: 500 units/g (3.5 g)
Bacitracin (Topical)	Ointment, External, as zinc [strength expressed as base]: Generic: 500 units/g (30 g)
Baclofen	Tablet, oral: 10 mg, 20 mg
Benazepril	Tablet, oral, as hydrochloride: 5 mg, 10 mg, 20 mg, 40 mg
Benazepril and Hydrochlorothiazide	Tablet, oral: 5/6.25: Benazepril hydrochloride 5 mg and hydrochlorothiazide 6.25 mg 10/12.5: Benazepril hydrochloride 10 mg and hydrochlorothiazide 12.5 mg 20/12.5: Benazepril hydrochloride 20 mg and hydrochlorothiazide 12.5 mg 20/25: Benazepril hydrochloride 20 mg and hydrochlorothiazide 25 mg
Benzonatate	Capsule, softgel, oral: 100 mg, 200 mg
Benzoyl Peroxide	Gel, External: 10% (45 g) Wash, External: 5% (142 g)

Patrick AFB Outpatient Formulary

Benzotropine	Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]
Betamethasone and Clotrimazole	Cream, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (15 g, 45 g) Lotion, External: Generic: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (30 mL) [contains benzyl alcohol]
Betamethasone (Topical)	Cream, External, as dipropionate [strength expressed as base]: Generic: 0.05% (15 g, 45 g) Cream, External, as valerate [strength expressed as base]: Generic: 0.1% (15 g, 45 g)
Betaxolol (Ophthalmic)	Suspension, ophthalmic [drops]: Betoptic S: 0.25% (10 mL) [contains benzalkonium chloride]
Bethanechol	Tablet, oral, as chloride: 25 mg
Bicalutamide	Tablet, Oral: Generic: 50 mg [BCF]
Bictegravir, Emtricitabine, and Tenofovir Alafenamide	Tablet, Oral: Biktarvy: Bictegravir 50 mg, emtricitabine 200 mg, and tenofovir alafenamide 25 mg
Bimatoprost	Solution, ophthalmic [drops]: Lumigan: 0.01% (5 mL) [contains benzalkonium chloride]
Bisacodyl	Suppository, rectal: 10 mg (50s) Tablet, enteric coated, oral: 5 mg
Brimonidine and Timolol	Solution, ophthalmic [drops]: Combigan: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL) [contains benzalkonium chloride]
Brimonidine (Ophthalmic)	Solution, ophthalmic, as tartrate [drops]: Alphagan: 0.2% (5 mL) [BCF] Alphagan P: 0.1% (5 mL); 0.15% (5 mL) [contains Purite] [BCF]
Bromocriptine	Tablet, oral: 2.5 mg
Budesonide, Glycopyrrolate, and Formoterol	Aerosol, Inhalation: Breztri Aerosphere: Budesonide 160 mcg, glycopyrrolate 9 mcg, and formoterol fumarate 4.8 mcg per actuation (5.9 g, 10.7 g)
Bumetanide	Tablet, oral: 1 mg, 2 mg
BuPROPion	Tablet, oral, as hydrochloride: Generic: 75 mg [BCF], 100 mg [BCF] Tablet Extended Release 12 Hour, Oral, as hydrochloride: Generic: 100 mg [BCF], 150 mg [BCF], 200 mg Tablet Extended Release 24 Hour, Oral, as hydrochloride: Generic: 150 mg [BCF], 300 mg [BCF]
BusPIRone	Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
Butalbital, Acetaminophen, and Caffeine	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]
Calcipotriene and Betamethasone	Ointment, topical: Generic: Calcipotriene 0.005% and betamethasone dipropionate 0.064% (60 g, 100 g)
Calcitriol (Systemic)	Capsule, softgel, oral: Generic: 0.25 mcg
Calcium and Vitamin D	Tablet, oral: Calcium 600 mg and vitamin D 400 int. units
Calcium Phosphate and Casein Phosphopeptide	Paste: MI Paste Plus [®] : Calcium, phosphate, and fluoride
Candesartan	Tablet, oral, as cilexetil: Atacand: 4 mg, 8 mg, 16 mg, 32 mg [scored]
Candesartan and Hydrochlorothiazide	Tablet, oral: Atacand HCT: 16/12.5: Candesartan cilexetil 16 mg and hydrochlorothiazide 12.5 mg, 32/12.5: Candesartan cilexetil 32 mg and hydrochlorothiazide 12.5 mg [scored]

Patrick AFB Outpatient Formulary

Capecitabine	Tablet, Oral: Generic: 150 mg, 500 mg
Captopril	Tablet, oral: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
CarBAMazepine	Suspension, oral: 100 mg/5 mL (450 mL) Tablet, oral: 200 mg [BCF] Tablet, chewable, oral: 100 mg [BCF] Tablet, extended release, oral: 200 mg TEGretol-XR: 100 mg, 400 mg [BCF]
Carbamide Peroxide	Solution, Otic: Generic: 6.5% (15 mL)
Carbidopa and Levodopa	Tablet, oral: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF] 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF] 25/250: Carbidopa 25 mg and levodopa 250 mg [BCF] Tablet, extended release, oral: 50/200: Carbidopa 50 mg and levodopa 200 mg Tablet, sustained release, oral: Sinemet CR: 25/100: Carbidopa 25 mg and levodopa 100 mg
Carboxymethylcellulose	Liquid, ophthalmic, as sodium [drops]: Refresh Liquigel: 1% (15 mL) Solution, Ophthalmic, as sodium [preservative free]: Celluvisc: 1% (30 mL) Refresh Optive PF: 0.5% (1 ea) Refresh Plus: 0.5% (0.4 mL)
Carvedilol	Capsule, extended release, oral, as phosphate: Coreg CR: 10 mg, 20 mg, 40 mg, 80 mg Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]
Cefdinir	Capsule, oral: 300 mg Powder for suspension, oral: 125 mg/5 mL (60 mL, 100 mL)
Cefprozil	Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL)
Cefuroxime	Tablet, oral, as axetil [strength expressed as base]: 250 mg, 500 mg
Celecoxib	Capsule, oral: CeleBREX: 100 mg, 200 mg, 400 mg
Cephalexin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [BCF]
Cetirizine (Systemic)	Syrup, oral, as hydrochloride: 5 mg/5 mL (120 mL) Tablet, oral, as hydrochloride: 5 mg, 10 mg
Chlorambucil	Tablet, oral: Leukeran: 2 mg
Chlordiazepoxide	Capsule, oral, as hydrochloride: 10 mg
Chlorhexidine Gluconate (Oral)	Solution, Mouth/Throat: Generic: 0.12% (473 mL) [BCF]
Chloroquine	Tablet, oral, as phosphate: 500 mg [equivalent to chloroquine base 300 mg]
Chlorpheniramine	Syrup, oral, as maleate: Aller-chlor: 2 mg/5 mL (118 mL) [contains ethanol 5%, menthol, propylene glycol; cherry flavor] Tablet, oral, as maleate: 4 mg
ChlorproMAZINE	Tablet, oral, as hydrochloride: 25 mg, 100 mg
ChlorproPAMIDE	Tablet, oral: 250 mg
Chlorthalidone	Tablet, oral: 25 mg [BCF], 50 mg [BCF]
Cholestyramine Resin	Powder for suspension, oral: Prevalite: Cholestyramine resin 4 g/5.5 g of powder (231 g) [contains phenylalanine 14.1 mg/5.5 g; orange flavor]
Ciclopirox	Solution, External: Generic: 8% (6.6 mL)
Cilostazol	Tablet, oral: 50 mg, 100 mg

Patrick AFB Outpatient Formulary

Ciprofloxacin and Dexamethasone	Suspension, otic: Ciprodex: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]
Ciprofloxacin (Ophthalmic)	Ointment, ophthalmic, as hydrochloride: Ciloxan: 3.33 mg/g (3.5 g) [equivalent to ciprofloxacin base 0.3%] Solution, ophthalmic, as hydrochloride [drops]: Ciprofloxacin base 0.3% (5 mL)
Ciprofloxacin (Systemic)	Microcapsules for suspension, oral: Cipro: 250 mg/5 mL (100 mL) [strawberry flavor] [BCF] Tablet, oral, as hydrochloride [strength expressed as base]: 250 mg [BCF], 500 mg [BCF], 750 mg
Citalopram	Solution, oral: 10 mg/5 mL (240 mL) [BCF] Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Clarithromycin	Granules for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL) Tablet, oral: 250 mg, 500 mg Tablet, extended release, oral: 500 mg
Clindamycin and Benzoyl Peroxide	Gel, topical: BenzaClin: Clindamycin phosphate 1% and benzoyl peroxide 5% (50 g)
Clindamycin (Systemic)	Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF], 300 mg Granules for solution, oral, as palmitate hydrochloride [strength expressed as base]: Cleocin Pediatric: 75 mg/5 mL (100 mL) [cherry flavor]
Clindamycin (Topical)	Cream, Vaginal, as phosphate [strength expressed as base]: Generic: 2% (40 g) [BCF] Gel, External, as phosphate [strength expressed as base]: Generic: 1% (30 g, 60 g) Lotion, External, as phosphate [strength expressed as base]: Generic: 1% (30 mL, 60 mL) Solution, External, as phosphate [strength expressed as base]: Generic: 1% (60 mL) [BCF]
Clobetasol	Cream, External, as propionate: Generic: 0.05% (15 g, 30 g) Gel, External, as propionate: Generic: 0.05% (15 g, 30 g) Ointment, External, as propionate: Generic: 0.05% (15 g, 30 g)
ClomiPHENE	Tablet, oral, as citrate: 50 mg
Clonazepam	Tablet, oral: 0.5 mg [BCF], 1 mg
CloNIDine	Patch, transdermal: Catapres-TTS-1: 0.1 mg/24 hours (4s) [contains metal] Catapres-TTS-2: 0.2 mg/24 hours (4s) [contains metal] Catapres-TTS-3: 0.3 mg/24 hours (4s) [contains metal] Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]
Clopidogrel	Tablet, oral: Plavix: 75 mg [BCF], 300 [BCF]
Clotrimazole (Topical)	Cream, topical: 1% (15 g) Cream, vaginal: 1% (45 g)
Codeine	Tablet, oral, as sulfate: 30 mg
Colchicine	Tablet, oral: Colcrys: 0.6 mg [scored]
Colestipol	Tablet, oral, as hydrochloride [micronized]: 1 g
Cromolyn (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 4% (10 mL)
Cyanocobalamin	Injection, solution: 1000 mcg/mL (1 mL)
Cyclobenzaprine	Tablet, oral, as hydrochloride: 5 mg, 10 mg [BCF]
Cyclopentolate	Solution, ophthalmic, as hydrochloride [drops]: Cyclogyl: 1% (2 mL) [contains benzalkonium chloride]

Patrick AFB Outpatient Formulary

CycloSPORINE (Ophthalmic)	Emulsion, ophthalmic [drops, preservative free]: Restasis: 0.05% (0.4 mL) [contains castor oil]
Cyproheptadine	Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL, 480 mL) [BCF] Tablet, oral, as hydrochloride: 4 mg [BCF]
Dabigatran Etextilate	Capsule, Oral: Pradaxa: 75 mg, 110 mg, 150 mg
Dalfampridine	Tablet Extended Release 12 Hour, Oral: Generic: 10 mg
Desipramine	Tablet, oral, as hydrochloride: 25 mg
Desmopressin	Tablet, oral, as acetate: DDAVP: 0.1 mg, 0.2 mg [scored]
Desonide	Cream, topical: 0.05% (15 g, 60 g) Ointment, topical: 0.05% (15 g, 60 g)
DexAMETHasone (Systemic)	Suspension, Oral: 1 mg/mL (30 mL) Tablet, oral: 0.75 mg, 4 mg
Dexmethylphenidate	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg
Dextroamphetamine	Capsule, sustained release, oral, as sulfate: Dexedrine Spansule: 5 mg, 10 mg Tablet, oral, as sulfate: 5 mg, 10 mg
Dextroamphetamine and Amphetamine	Capsule, extended release, oral: 10 mg [BCF] Adderall XR: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF], 25 mg [BCF], 30 mg [BCF] Tablet, oral: 5 mg, 10 mg, 20 mg
Diabetic Supplies	Glucose meter: Accu-Chek Aviva Diabetes Monitoring Kit Precision Xtra Blood Glucose Monitoring System Lancet: Ultra Thin (100s) Solution: Accu-Chek Aviva Control Solution High & Low Syringe and needle: [BCF] 25 gauge 3 mL needle BD Micro-Fine Needle Insuline Syringe: 0.3 mL (30 gauge x 1/2") BD Ultra-Fine Needle Insulin Syringe: 1/2 mL (30 gauge x 1/2") BD Ultra-Fine Needle Insulin Syringe: 1 mL (30 gauge x 1/2") BD Ultra-Fine Mini Pen Needle: 31 gauge x 5 mm BD Ultra-Fine Original Pen Needle: 29 gauge x 1/2" BD Ultra-Fine Pen Needle: 31 gauge 5/16" NovoFine-30 Pen Needle: 30 gauge x 8 mm Test Strips/Kit: FreeStyle Lite Test Strips Precision Xtra Blood Glucose Test Strips [BCF]
DiazePAM	Tablet, oral: 5 mg [BCF], 10 mg
Dibucaine	Ointment, topical: 1% [10 mg/g] (30 g)
Diclofenac (Systemic)	Tablet Delayed Release, Oral, as sodium: Generic: 25 mg, 50 mg, 75 mg Tablet Extended Release 24 Hour, Oral, as sodium: Generic: 100 mg
Diclofenac (Topical)	Gel, topical, as sodium: Voltaren Gel: 1% (100 g) [contains isopropyl alcohol]
Dicloxacillin	Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Dicyclomine	Capsule, oral, as hydrochloride: 10 mg [BCF] Syrup, oral, as hydrochloride: 10 mg/5 mL (480 mL) [contains propylene glycol] [BCF] Tablet, oral, as hydrochloride: 20 mg [BCF]

Patrick AFB Outpatient Formulary

Difluprednate	Emulsion, Ophthalmic: Durezol: 0.05% (5 mL) [contains edetate sodium (tetrasodium), polysorbate 80]
Digoxin	Solution, oral: 50 mcg/mL (60 mL) Tablet, oral: 125 mcg [BCF], 250 mcg [BCF]
DiiTIAZem	Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF] Tablet, oral, as hydrochloride: 60 mg
Dimethyl Fumarate	Capsule Delayed Release, Oral: Tecfidera: 120 mg, 240 mg
DiphenhydrAMINE (Systemic)	Capsule, oral, as hydrochloride: 25 mg Elixir, oral, as hydrochloride: Banophen: 12.5 mg/5 mL (120 mL)
Diphenoxylate and Atropine	Tablet, oral: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Dipyridamole	Tablet, oral: 25 mg, 75 mg
Disopyramide	Capsule, oral: 100 mg, 150 mg Capsule, controlled release, oral: Norpace CR: 100 mg, 150 mg
Disulfiram	Tablet, oral: Antabuse: 250 mg [scored]
Docusate	Capsule, Oral, as sodium: Generic: 100 mg Liquid, Oral, as sodium: Generic: 50 mg/5 mL (25 mL, 473 mL)
Dofetilide	Capsule, Oral: Generic: 125 mcg, 250 mcg, 500 mcg
Donepezil	Tablet, Oral, as hydrochloride: Aricept: 5 mg, 10 mg
Dorzolamide	Solution, Ophthalmic [drops]: Generic: 2% (10 mL)
Dorzolamide and Timolol	Solution, Ophthalmic [drops]: Generic: Dorzolamide hydrochloride 2% [strength expressed as base] and timolol maleate 0.5% [strength expressed as base] (10 mL)
Doxazosin	Tablet, Oral: Generic: 2 mg, 4 mg, 8 mg
Doxepin (Systemic)	Capsule, Oral: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF] Solution, Oral [concentrate]: Generic: 10 mg/mL (118 mL, 120 mL) [BCF]
Doxycycline	Capsule, Oral, as hyclate [strength expressed as base]: Generic: 100 mg [BCF] Tablet, Oral, as hyclate [strength expressed as base]: Generic: 20 mg, 100 mg [BCF]
Dronedarone	Tablet, Oral: Multaq: 400 mg
Dulaglutide	Solution Pen-injector, Subcutaneous [preservative free]: Trulicity: 0.75 mg/0.5 mL (0.5 mL); 1.5 mg/0.5 mL (0.5 mL) [contains polysorbate 80]
DULOxetine	Capsule Delayed Release Particles, Oral: Generic: 20 mg, 30 mg, 60 mg
Dupilumab	Solution Prefilled Syringe, Subcutaneous [preservative free]: Dupixent: 300 mg/2 mL (2 mL); 200 mg/1.14 mL (1.14 mL) [contains polysorbate 80]
Dutasteride	Capsule, Oral: Generic: 0.5 mg
Efavirenz, Emtricitabine, and Tenofovir	Tablet, Oral: Atripla: Efavirenz 600 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

Patrick AFB Outpatient Formulary

Eletriptan	Tablet, Oral: Generic: 20 mg, 40 mg
Emollients	Cream, External: Vanicream: (120 g)
Empagliflozin	Tablet, Oral: Jardiance: 10 mg, 25 mg
Emtricitabine and Tenofovir Disoproxil Fumarate	Tablet, Oral: Truvada: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg
Enalapril	Tablet, Oral, as maleate: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg
Enoxaparin	Solution, Subcutaneous, as sodium [preservative free]: [BCF] = Basic Core Formulary Lovenox: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF] [prefilled syringe]
EPINEPHrine (Systemic)	Injection, solution: EpiPen 2-Pak: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection] EpiPen Jr 2-Pak: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection] Twinject: 0.15 mg/0.15 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.15 mg per injection] Twinject: 0.3 mg/0.3 mL (1.1 mL) [contains chlorobutanol, sodium bisulfite; 1:1000 solution; delivers 0.3 mg per injection]
Eplerenone	Tablet, Oral: Generic: 25 mg, 50 mg
Ergocalciferol	Capsule, softgel, oral: 50,000 int. units
Ergoloid Mesylates	Tablet, oral: 1 mg
Erythromycin (Ophthalmic)	Ointment, Ophthalmic: Generic: 5 mg/g (1 g, 3.5 g) [BCF]
Erythromycin (Systemic)	Granules for suspension, oral, as ethylsuccinate [strength expressed as base]: E.E.S.: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF] Powder for suspension, oral, as ethylsuccinate [strength expressed as base]: EryPed: 200 mg/5 mL (100 mL) [contains sodium 117.5 mg (5.1 mEq)/5 mL; fruit flavor] [BCF] Tablet, oral, as base: 250 mg Tablet, oral, as ethylsuccinate: E.E.S.: Erythromycin activity 400 mg [contains potassium 10 mg (0.3 mEq)/tablet, sodium 47 mg (2 mEq)/tablet] Tablet, oral, as stearate [strength expressed as base]: Erythrocin: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF] Tablet, delayed release, enteric coated, oral, as base: Ery-Tab: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF]
Erythromycin (Topical)	Gel, topical: 2% (30 g) [BCF] Solution, topical: 2% (60 mL) [BCF]
Escitalopram	Tablet, Oral: Lexapro: 5 mg, 10 mg, 20 mg
Estradiol and Norethindrone	Patch, Transdermal: CombiPatch: 0.05/0.14: Estradiol 0.05 mg and norethindrone acetate 0.14 mg per day (8s) [9 sq cm] 0.05/0.25: Estradiol 0.05 mg and norethindrone acetate 0.25 mg per day (8s) [16 sq cm]

Patrick AFB Outpatient Formulary

Estradiol (Systemic)	Patch, transdermal [once-weekly patch]: 0.025 mg/24 hours (4s) [BCF]; 0.0375 mg/24 hours (4s) [BCF]; 0.05 mg/24 hours (4s) [BCF]; 0.06 mg/24 hours (4s) [BCF]; 0.075 mg/24 hours (4s) [BCF]; 0.1 mg/24 hours (4s) [BCF] Patch, transdermal [twice-weekly patch]: Vivelle-Dot: 0.05 mg/24 hours (24s) [5 cm ² , total estradiol 0.78 mg] Vivelle-Dot: 0.1 mg/24 hours (24s) [10 cm ² , total estradiol 1.56 mg] Tablet, oral [micronized]: 0.5 mg, 1 mg, 2 mg
Estradiol (Topical)	Cream, vaginal: Estrace: 0.1 mg/g (42.5 g) Tablet, vaginal, as base: Vagifem: 10 mcg
Estrogens (Conjugated/Equine) and Medroxyprogesterone	Tablet, oral: Prempro: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF] Prempro: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF] Prempro: 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF] Tablet, oral [therapy pack contains two separate tablet formulations]: Premphase: Conjugated estrogens 0.625 mg [14 maroon tablets] and conjugated estrogen 0.625 mg/medroxyprogesterone acetate 5 mg [14 light blue tablets]
Estrogens (Conjugated/Equine, Systemic)	Tablet, oral: Premarin: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]
Estrogens (Conjugated/Equine, Topical)	Cream, vaginal: Premarin: 0.625 mg/g (42.5 g) [BCF]
Eszopiclone	Tablet, oral: Lunesta: 1 mg, 2 mg, 3 mg
Ethambutol	Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF]
Ethinyl Estradiol and Desogestrel	Tablet, oral [low dose formulation]: Azurette: Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets] Day 22-23: 2 inactive green tablets Day 24-28: Ethinyl estradiol 0.01 mg [5 blue tablets] (28s) (28s) Tablet, oral [monophasic formulation]: Reclipsen: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 white tablets and 7 green inactive tablets] (28s)
Ethinyl Estradiol and Drospirenone	Tablet, oral: Yasmin: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF] Yaz: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]
Ethinyl Estradiol and Ethynodiol Diacetate	Tablet, oral [monophasic formulation]: Zovia 1/35-28: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] (28s)
Ethinyl Estradiol and Etonogestrel	Ring, vaginal: NuvaRing: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]

Patrick AFB Outpatient Formulary

<p>Ethinyl Estradiol and Levonorgestrel</p>	<p>Tablet, oral [extended cycle regimen]: Jolessa: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF] Tablet, oral [low dose formulation]: Sronyx: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF] Tablet, oral [monophasic formulation]: Levora: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF] Tablet, oral [triphasic formulation]: Trivora: Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets] Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets] Day 22-28: 7 peach inactive tablets [7 peach inactive tablets] Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] (28s)</p>
<p>Ethinyl Estradiol and Norelgestromin</p>	<p>Patch, transdermal: Ortho Evra: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (3s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]</p>
<p>Ethinyl Estradiol and Norethindrone</p>	<p>Tablet, oral [monophasic formulation]: Microgestin Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 white tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Microgestin Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 green tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s) Ortho-Novum 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF] Tablet, oral [triphasic formulation]: Necon 7/7/7: Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablet] Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets] Day 22-28: 7 green inactive tablets Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets] (28s) Tri-Norinyl: Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 blue tablets] Day 17-21: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [5 blue tablets] Day 8-16: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [9 yellow-green tablets] Day 22-28: 7 orange inactive tablets (28s)</p>
<p>Ethinyl Estradiol and Norgestimate</p>	<p>Tablet, oral [monophasic formulation]: MonoNessa: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF] Tablet, oral [triphasic formulation]: TriNessa: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets] Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets] Day 22-28: 7 green inactive tablets (28s) Ortho Tri-Cyclen Lo [BCF]: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets] Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets] Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets] Day 22-28: 7 dark green inactive tablets</p>
<p>Ethinyl Estradiol and Norgestrel</p>	<p>Tablet, oral: Ogestrel: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg Tablet, oral [monophasic formulation]: Low-Ogestrel: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets]</p>

Patrick AFB Outpatient Formulary

Etidronate	Tablet, oral, as disodium: 200 mg
Evolocumab	Solution Auto-injector, Subcutaneous [preservative free]: Repatha SureClick: 140 mg/mL (1 mL) [contains mouse (murine) and/or hamster protein, polysorbate 80] Solution Cartridge, Subcutaneous [preservative free]: Repatha Pushtronex System: 420 mg/3.5 mL (3.5 mL) [contains polysorbate 80] Solution Prefilled Syringe, Subcutaneous [preservative free]: Repatha: 140 mg/mL (1 mL) [contains mouse (murine) and/or hamster protein, polysorbate 80]
Exemestane	Tablet, Oral: Generic: 25 mg
Exenatide	Auto-injector, Subcutaneous: Bydureon BCise: 2 mg/0.85 mL (0.85 mL) [BCF] Suspension Reconstituted ER, Subcutaneous: Bydureon: 2 mg (1 ea) [BCF]
Ezetimibe	Tablet, oral: Zetia: 10 mg
Famciclovir	Tablet, Oral: Generic: 125 mg, 250 mg, 500 mg
Famotidine	Tablet, Oral: Generic: 20 mg, 40 mg
Felodipine	Tablet, extended release, oral: 5 mg, 10 mg
Fenofibrate and Derivatives	Tablet, Oral: TriCor: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin] Generic: 54 mg, 160 mg
Ferrous Sulfate	Tablet, oral: 325 mg [elemental iron 65 mg]
Fexofenadine	Tablet, Oral, as hydrochloride: Generic: 60 mg, 180 mg
Filgrastim	Solution, Injection: Neupogen: filgrastim 300 mcg/mL (1 mL); filgrastim 480 mcg/1.6 mL (1.6 mL) [contains polysorbate 80] Solution Prefilled Syringe, Injection [preservative free]: Neupogen: filgrastim 300 mcg/0.5 mL (0.5 mL); filgrastim 480 mcg/0.8 mL (0.8 mL) [contains polysorbate 80] Solution Prefilled Syringe, Injection [preservative free]: Neupogen: filgrastim 300 mcg/0.5 mL (0.5 mL); filgrastim 480 mcg/0.8 mL (0.8 mL) [contains polysorbate 80]
Finasteride	Tablet, oral: 5 mg [BCF]
Fingolimod	Capsule, Oral: Gilenya: 0.5 mg
FlavoxATE	Tablet, oral, as hydrochloride: 100 mg
Flecainide	Tablet, oral, as acetate: 50 mg, 100 mg, 150 mg
Fluconazole	Powder for suspension, oral: 40 mg/mL (35 mL) Tablet, oral: 100 mg, 150 mg [BCF], 200 mg
Fludrocortisone	Tablet, oral, as acetate: 0.1 mg
Flunisolide (Nasal)	Solution, Nasal: Generic: 25 mcg/actuation (0.025%) (25 mL)
Fluocinolone (Otic)	Oil, Otic, as acetonide: Generic: 0.01% (20 mL)
Fluocinolone (Topical)	Solution, topical, as acetonide: 0.01% (60 mL)
Fluocinonide	Cream, anhydrous, emollient, topical: 0.05% (15 g, 60 g) [BCF] Ointment, topical: 0.05% (15 g, 60 g)
Fluorescein and Benoxinate	Solution, ophthalmic: Generic: Fluorescein sodium 0.25% and benoxinate hydrochloride 0.4% (5 mL)

Patrick AFB Outpatient Formulary

Fluoride	Paste, oral, as sodium [toothpaste]: Clinpro 5000: 1.1% (113 g) [vanilla-mint flavor]
Fluorometholone	Ointment, ophthalmic, as base: FML: 0.1% (3.5 g) Suspension, ophthalmic, as base [drops]: 0.1% (5 mL)
Fluorouracil (Topical)	Cream, topical: 5% (40 g)
FLUoxetine	Capsule, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF] Solution, oral: 20 mg/5 mL (120 mL) [BCF]
Flurandrenolide	Tape, topical [roll]: Cordran: 4 mcg/cm ² (80 inch)
Flurbiprofen (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 0.03% (2.5 mL)
Flutamide	Capsule, oral: 125 mg
Fluticasone and Salmeterol	Aerosol, for oral inhalation: Advair HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Powder, for oral inhalation: Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF] Advair Diskus: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF] Advair Diskus: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14s, 60s) [contains lactose] [BCF]
Fluticasone (Nasal)	Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g)
Fluticasone (Oral Inhalation)	Aerosol, for oral inhalation, as propionate: Flovent HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Aerosol Powder Breath Activated, Inhalation, as propionate: Flovent Diskus: 50 mcg (60s) [contains lactose] [BCF] Flovent Diskus: 100 mcg (60s) [contains lactose] [BCF] Flovent Diskus: 250 mcg (60s) [contains lactose] [BCF]
Fluticasone, Umeclidinium, and Vilanterol	Aerosol Powder Breath Activated, Inhalation: Trelegy Ellipta: Fluticasone furoate 100 mcg, umeclidinium 62.5 mcg, and vilanterol 25 mcg (28 ea, 60 ea) [contains lactose monohydrate]
Folic Acid	Tablet, oral: 1 mg [BCF]
Folic Acid, Cyanocobalamin, and Pyridoxine	Tablet, oral: Foltx: Folic acid 2.5 mg, cyanocobalamin 2000 mcg, and pyridoxine hydrochloride 25 mg [sugar free]
Formoterol	Powder, for oral inhalation, as fumarate: Foradil Aerolizer: 12 mcg/capsule (60s) [contains lactose 25 mg/capsule]
Fosfomycin	Packet, Oral: Generic: 3 g (1 ea)
Fosinopril	Tablet, oral, as sodium: 10 mg, 20 mg, 40 mg
Furosemide	Solution, oral: 10 mg/mL (60 mL) [BCF] Tablet, oral: 20 mg [BCF], 40 mg [BCF], 80 mg
Gabapentin	Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, oral: 600 mg [BCF], 800 mg [BCF]

Patrick AFB Outpatient Formulary

Galantamine	Capsule, extended release, oral, as hydrobromide [strength expressed as base]: 8 mg, 16 mg, 24 mg Tablet, oral, as hydrobromide [strength expressed as base]: 4 mg, 8 mg, 12 mg
Gemfibrozil	Tablet, oral: 600 mg [BCF]
Gentamicin (Ophthalmic)	Ointment, ophthalmic: Gentak: 0.3% (3.5 g) [BCF] Ointment, ophthalmic [preservative free]: Garamycin: 0.3% (3.5 g) [BCF] Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]
Glimepiride	Tablet, oral: 1 mg, 2 mg, 4 mg
GlipiZIDE	Tablet, oral: 5 mg [BCF], 10 mg [BCF] Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg
Glucagon	Injection, powder for reconstitution: Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]
GlyBURIDE	Tablet, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF] Tablet, oral [micronized]: 1.5 mg [BCF], 3 mg [BCF], 6 mg [BCF]
Glyburide and Metformin	Tablet, oral: 1.25 mg/250 mg: Glyburide 1.25 mg and metformin hydrochloride 250 mg 2.5 mg/500 mg: Glyburide 2.5 mg and metformin hydrochloride 500 mg 5 mg/500 mg: Glyburide 5 mg and metformin hydrochloride 500 mg
Glycerin	Suppository, rectal [pediatric]: 82.5% (12s)
Glycopyrrolate (Systemic)	Tablet, Oral: Generic: 1 mg, 1.5 mg, 2 mg
Goserelin	Implant, subcutaneous: Zoladex: 3.6 mg (1s) [1 month implant] [BCF] Zoladex: 10.8 mg (1s) [3 month implant] [BCF]
Griseofulvin	Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF] Tablet, oral [ultramicrosize]: 125 mg [BCF], 250 mg [BCF]
GuaiFENesin	Syrup, oral: Robafen: 100 mg/5 mL (120 mL) [ethanol free; contains sodium benzoate; cherry flavor] Tablet, extended release, oral: Mucinex: 600 mg
Guaifenesin and Codeine	Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (120 mL)
Guaifenesin and Pseudoephedrine	Tablet, extended release, oral: Mucinex D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg
GuanFACINE	Tablet, Oral: Generic: 1 mg, 2 mg Tablet Extended Release 24 Hour, Oral: Generic: 1 mg, 2 mg, 3 mg, 4 mg
Halobetasol	Ointment, External, as propionate: Generic: 0.05% (15 g, 50 g)
Haloperidol	Tablet, oral: 2 mg, 5 mg
HydrALAZINE	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
HydroCHLORothiazide	Capsule, oral: Microzide: 12.5 mg [BCF] Generic: 12.5 mg [BCF] Tablet, oral: 25 mg [BCF], 50 mg [BCF]
Hydrochlorothiazide and Spironolactone	Tablet, oral: 25/25: Hydrochlorothiazide 25 mg and spironolactone 25 mg
Hydrochlorothiazide and Triamterene	Tablet, oral: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]; hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

Patrick AFB Outpatient Formulary

Hydrocodone and Acetaminophen	Solution, oral: Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg per 15 mL (118 mL) Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg per 15 mL (118 mL) Tablet, oral: Hydrocodone bitartrate 2.5 mg and acetaminophen 500 mg Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg
Hydrocortisone (Systemic)	Tablet, oral, as base: 5 mg, 20 mg
Hydrocortisone (Topical)	Cream, External, as base: Anusol-HC: 2.5% (30 g) [contains benzyl alcohol] [BCF] Generic: 1% (30 g); 2.5% (30 g) Cream, External, as valerate: Generic: 0.2% (15 g, 45 g) Ointment, External, as valerate: Generic: 0.2% (45 g) Suppository, Rectal, as acetate: Anucort-HC: 25 mg (12s) [BCF]
HYDROmorphine	Tablet, oral, as hydrochloride: 2 mg, 4 mg
Hydroxychloroquine	Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]
Hydroxyurea	Capsule, oral: 500 mg
HydrOXYzine	Capsule, Oral, as pamoate: Generic: 25 mg, 50 mg, 100 mg Solution, Oral, as hydrochloride: Generic: 10 mg/5 mL (473 mL) [BCF] Syrup, Oral, as hydrochloride: Generic: 10 mg/5 mL (473 mL) [BCF] Tablet, Oral, as hydrochloride: Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Hyoscyamine	Tablet Sublingual, Sublingual, as sulfate: Generic: 0.125 mg
Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	Elixir: Donnatal: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (480 mL) [contains ethanol <23.8%; grape flavor] Tablet, oral: Donnatal: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg
Ibandronate	Tablet, oral: 150 mg Boniva: 150 mg [once-monthly formulation]
Ibuprofen	Suspension, oral: 100 mg/5 mL (120 mL) Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Imatinib	Tablet, Oral: Generic: 100 mg, 400 mg
Imipramine	Capsule, oral, as pamoate: 75 mg [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Imiquimod	Cream, topical: 5% (12s)
Indomethacin	Capsule, oral: 25 mg [BCF], 50 mg [BCF]
Inhalation Devices	Inhalation Spacer: [BCF] Holding chamber with mask: AeroChamber Plus: Small, medium, large
Insulin Aspart	Injection, solution: NovoLOG: 100 units/mL (10 mL) [vial] [BCF] NovoLOG FlexPen: 100 units/mL (3 mL) [BCF]

Patrick AFB Outpatient Formulary

Insulin Aspart Protamine and Insulin Aspart	Injection, suspension: NovoLOG Mix 70/30: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (10 mL) [BCF] NovoLOG Mix 70/30 FlexPen: 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (3 mL) [BCF]
Insulin Detemir	Injection, solution: Levemir: 100 units/mL (10 mL)
Insulin Glargine	Injection, solution: Lantus: 100 units/mL (10 mL) [vial] [BCF] Lantus Solostar: 100 units/mL (3 mL) [prefilled pen] [BCF]
Insulin Lispro	Solution, Subcutaneous: Admelog: 100 units/mL (3 mL, 10 mL) [contains metacresol] HumaLOG: 100 units/mL (3 mL, 10 mL) [contains metacresol, phenol] Generic: 100 units/mL (10 mL) Solution Pen-injector, Subcutaneous: Admelog SoloStar: 100 units/mL (3 mL) [contains metacresol] HumaLOG Junior KwikPen: 100 units/mL (3 mL) [contains metacresol, phenol] HumaLOG KwikPen: 100 units/mL (3 mL); 200 units/mL (3 mL) [contains metacresol, phenol] Generic: 100 units/mL (3 mL)
Insulin NPH	Injection, suspension: NovoLIN N: 100 units/mL (10 mL) [vial] [BCF]
Insulin NPH and Insulin Regular	Injection, suspension: NovoLIN 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]
Insulin Regular	Injection, solution: NovoLIN R: 100 units/mL (10 mL) [BCF]
Interferon Beta-1a	Injection, solution: Avonex: 30 mcg/0.5 mL (0.5 mL) [albumin free; derived from or manufactured using Chinese hamster ovary cells; prefilled syringe] Avonex Pen: 30 mcg/0.5 mL (0.5 mL) [albumin free; derived from or manufactured using Chinese hamster ovary cells] Injection, solution [preservative free]: Rebif: 22 mcg/0.5 mL (0.5 mL), 44 mcg/0.5 mL (0.5 mL) [contains albumin (human); derived from or manufactured using Chinese hamster ovary cells; prefilled syringe]
Ipratropium and Albuterol	Aerosol, for oral inhalation: Combivent: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF] Solution, for nebulization: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s) Solution, for oral inhalation [spray]: Combivent Respimat: 20 mcg/100 mcg (4 g) [120 metered actuations]
Ipratropium (Nasal)	Solution, intranasal, as bromide [spray]: 0.03% (30 mL); 0.06% (15 mL)
Ipratropium (Oral Inhalation)	Aerosol, for oral inhalation, as bromide: Atrovent HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (30s)
Irbesartan	Tablet, Oral: Generic: 75 mg, 150 mg, 300 mg
Irbesartan and Hydrochlorothiazide	Tablet, Oral: 150/12.5: Irbesartan 150 mg and hydrochlorothiazide 12.5 mg 300/12.5: Irbesartan 300 mg and hydrochlorothiazide 12.5 mg
Isoniazid	Solution, oral: 50 mg/5 mL (473 mL) Tablet, oral: 100 mg [BCF], 300 mg [BCF]

Patrick AFB Outpatient Formulary

Isosorbide Dinitrate	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF] Tablet, extended release, oral: 40 mg [BCF] Tablet, sublingual: 5 mg
Isosorbide Mononitrate	Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]
Ivermectin (Topical)	Lotion, External: Sklice: 0.5% (117 g) [contains methylparaben, propylparaben]
Ketoconazole (Systemic)	Tablet, oral: 200 mg
Ketoconazole (Topical)	Cream, topical: 2% (15 g) Shampoo, topical: Nizoral: 2% (120 mL)
Ketorolac (Ophthalmic)	Solution, ophthalmic, as tromethamine [drops]: 0.4% (5 mL); 0.5% (5 mL)
Ketorolac (Systemic)	Tablet, oral, as tromethamine: 10 mg
Labetalol	Tablet, oral, as hydrochloride: 100 mg, 200 mg
Lacosamide	Tablet, Oral: Vimpat: 50 mg [contains fd&c blue #2 aluminum lake] Vimpat: 100 mg, 150 mg
Lactic Acid and Ammonium Hydroxide	Lotion, External: Lactic acid 12% with ammonium hydroxide (225 g)
Lactulose	Solution, oral/rectal: 10 g/15 mL (473 mL) [BCF]
Lamotrigine	Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg Tablet Extended Release 24 Hour, Oral: Generic: 25 mg, 50 mg, 100 mg, 200 mg, 250 mg, 300 mg
Latanoprost	Solution, ophthalmic [drops]: 0.005% (2.5 mL) [BCF]
Letrozole	Tablet, Oral: Generic: 2.5 mg
Levalbuterol	Solution, for nebulization, as hydrochloride [strength expressed as base, preservative free]: Xopenex: 0.31 mg/3 mL (24s); 0.63 mg/3 mL (24s); 1.25 mg/3 mL (24s)
Levetiracetam	Tablet, oral: 250 mg, 500 mg, 750 mg, 1000 mg
LevoFLOXacin (Systemic)	Solution, oral: 25 mg/mL (100 mL, 200 mL, 480 mL) [BCF] Tablet, oral: Levaquin: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Levonorgestrel (Systemic)	Tablet, Oral: Plan B: 0.75 mg [BCF] Next Choice One Dose: 1.5 mg
Levothyroxine	Tablet, oral, as sodium: Synthroid: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
Lidocaine (Topical)	Ointment, topical: 5% (35.4 g) Solution, viscous, oral topical, as hydrochloride: 2% [20 mg/mL] (20 mL)
Lifitegrast	Solution, Ophthalmic [preservative free]: Xiidra: 5% (5 ea)
LinaCLotide	Capsule, Oral: Linzess: 145 mcg, 290 mcg
Liothyronine	Tablet, Oral: Generic: 5 mcg, 25 mcg, 50 mcg
Lisdexamfetamine	Capsule, Oral, as dimesylate: Vyvanse: 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg
Lisinopril	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]
Lisinopril and Hydrochlorothiazide	Tablet, oral: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

Patrick AFB Outpatient Formulary

Lithium	Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF] Solution, oral, as citrate: 300 mg/5 mL (5 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]
Lodoxamide	Solution, ophthalmic [drops]: Alomide: 0.1% (10 mL) [contains benzalkonium chloride]
Loperamide	Capsule, oral, as hydrochloride: 2 mg [BCF]
Loratadine	Syrup, oral: 5 mg/5 mL (120 mL) Tablet, oral: 10 mg
LORazepam	Tablet, oral: 0.5 mg, 1 mg, 2 mg
Losartan	Tablet, oral, as potassium: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Losartan and Hydrochlorothiazide	Tablet, oral: 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [BCF] 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [BCF] 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [BCF]
Lubiprostone	Capsule, softgel, oral: Amitiza: 8 mcg, 24 mcg
Lurasidone	Tablet, Oral, as hydrochloride: Latuda: 20 mg, 40 mg, 60 mg Latuda: 80 mg [contains fd&c blue #2 aluminum lake] Latuda: 120 mg
Magnesium Oxide	Tablet, Oral: Generic: 400 mg
Meclizine	Tablet, chewable, oral, as hydrochloride: 25 mg
MedroxyPROGESTERone	Tablet, oral, as acetate: Provera: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF] [scored]
Mefloquine	Tablet, oral, as hydrochloride: 250 mg [equivalent to mefloquine base 228 mg]
Megestrol	Suspension, oral, as acetate: 40 mg/mL (240 mL) Tablet, oral, as acetate: 40 mg
Meloxicam	Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]
Melphalan	Tablet, oral: Alkeran: 2 mg
Meperidine	Tablet, oral, as hydrochloride: 50 mg
Mercaptopurine	Tablet, oral: 50 mg
Mesalamine	Tablet, delayed release, enteric coated, oral: Lialda: 1.2 g [BCF]
Metaxalone	Tablet, oral: 800 mg
MetFORMIN	Tablet, oral, as hydrochloride: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Tablet, extended release, oral, as hydrochloride: 500 mg [BCF], 750 mg [BCF]
MethIMazole	Tablet, Oral: Generic: 5 mg
Methocarbamol	Tablet, oral: 500 mg [BCF], 750 mg
Methotrexate	Injection, solution [preservative free]: 25 mg/mL (2 mL) Tablet, oral: 2.5 mg [BCF]
Methyldopa	Tablet, oral: 250 mg

Patrick AFB Outpatient Formulary

Methylphenidate	<p>Capsule, Extended Release, Oral, as hydrochloride [bi-modal release]: Jornay PM: 20 mg, 40 mg, 60 mg, 80 mg, 100 mg Ritalin LA: 10 mg [5 mg immediate release, 5 mg extended release] Ritalin LA: 20 mg [10 mg immediate release, 10 mg extended release] Ritalin LA: 30 mg [15 mg immediate release, 15 mg extended release] Ritalin LA: 40 mg [20 mg immediate release, 20 mg extended release] Suspension Reconstituted ER, Oral: Quillivant XR: 25 mg/5 mL (60 mL, 120 mL, 150 mL, 180 mL) Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg, 20 mg Tablet, Extended release, Oral, as hydrochloride [bi-modal release]: Concerta: 18 mg [4 mg immediate release, 14 mg extended release] [BCF] Concerta: 27 mg [6 mg immediate release, 21 mg extended release] [BCF] Concerta: 36 mg [8 mg immediate release, 28 mg extended release] [BCF] Concerta: 54 mg [12 mg immediate release, 42 mg extended release] [BCF] Tablet, Sustained Release, Oral, as hydrochloride: 20 mg</p>
MethylPREDNISolone	<p>Tablet, oral: Medrol: 4 mg [scored] Tablet, oral [dose-pack]: 4 mg [21s]</p>
Metipranolol	<p>Solution, ophthalmic [drops]: 0.3% (5 mL)</p>
Metoclopramide	<p>Solution, oral: 5 mg/5 mL (473 mL) [BCF] Tablet, oral: 5 mg, 10 mg [BCF]</p>
Metoprolol	<p>Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]</p>
MetroNIDAZOLE (Systemic)	<p>Tablet, oral: 250 mg [BCF], 500 mg [BCF]</p>
MetroNIDAZOLE (Topical)	<p>Cream, External: MetroCream: 0.75% (45 g) [contains benzyl alcohol] Gel, External: MetroGel: 1% (60 g) Generic: 1% (55 g, 60 g) Gel, Vaginal: MetroGel-Vaginal: 0.75% (70 g) [BCF]</p>
Midodrine	<p>Tablet, Oral, as hydrochloride: Generic: 2.5 mg, 5 mg, 10 mg</p>
Minocycline (Systemic)	<p>Capsule, Oral: Generic: 50 mg, 100 mg</p>
Mirabegron	<p>Tablet Extended Release 24 Hour, Oral: Myrbetriq: 25 mg, 50 mg</p>
Mirtazapine	<p>Tablet, Oral: Generic: 15 mg, 30 mg, 45 mg</p>
Modafinil	<p>Tablet, Oral: Provigil: 100 mg Provigil: 200 mg [scored]</p>
Mometasone (Topical)	<p>Cream, External as furoate: Generic: 0.1% (15 g)</p>
Montelukast	<p>Granules, Oral: Singulair: 4 mg/packet (30s) [BCF] Tablet, Oral: Singulair: 10 mg [contains lactose 89.3 mg/tablet] [BCF] Tablet, Chewable, Oral: Singulair: 4 mg [contains phenylalanine 0.67 mg/tablet; cherry flavor] [BCF] Singulair: 5 mg [contains phenylalanine 0.84 mg/tablet; cherry flavor] [BCF]</p>
Morphine (Systemic)	<p>Tablet, Extended Release, Oral, as sulfate: Generic: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]</p>

Patrick AFB Outpatient Formulary

Moxifloxacin (Ophthalmic)	Solution, Ophthalmic: Vigamox: 0.5% (3 mL)
Moxifloxacin (Systemic)	Tablet, Oral: Avelox: 400 mg Avelox ABC Pack: 400 mg
Mupirocin	Cream, External, as calcium [strength expressed as base]: Bactroban Cream: 2% (30 g) [contains benzyl alcohol] Ointment, External: Generic: 2% (22 g) [BCF] Ointment, Nasal, as calcium [strength expressed as base]: Bactroban Nasal: 2% (1 g)
Mycophenolate	Capsule, Oral, as mofetil: CellCept: 250 mg Tablet, Oral, as mofetil: Generic: 500 mg Tablet Delayed Release, Oral, as mycophenolic acid: Generic: 180 mg, 360 mg
Nabumetone	Tablet, oral: 500 mg, 750 mg
Nadolol	Tablet, Oral: Generic: 20 mg, 40 mg, 80 mg
Naftifine	Cream, topical, as hydrochloride: Naftin: 1% (60 g) [contains benzyl alcohol]
Naloxone	Liquid, Nasal [spray]: Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate disodium] [BCF]
Naltrexone	Tablet, Oral, as hydrochloride: Generic: 50 mg
Naproxen	Suspension, oral: 125 mg/5 mL (500 mL) [BCF] Tablet, oral: 250 mg [BCF], 375 mg, 500 mg [BCF] Tablet, oral, as sodium: 275 mg [equivalent to naproxen base 250 mg], 550 mg [equivalent to naproxen base 500 mg]
Nateglinide	Tablet, oral: Starlix: 60 mg, 120 mg
Neomycin, Colistin, Hydrocortisone, and Thonzonium	Suspension, otic [drops]: Coly-Mycin S: Neomycin 0.33%, colistin 0.3%, hydrocortisone acetate 1%, and thonzonium bromide 0.05% (5 mL) [contains thimerosal]
Neomycin, Polymyxin B, and Dexamethasone	Ointment, ophthalmic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic [drops]: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)
Neomycin, Polymyxin B, and Gramicidin	Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]
Nepafenac	Suspension, Ophthalmic [drops]: Ilevro: 0.3% (1.7 mL, 3 mL) [contains benzalkonium chloride, edetate disodium, propylene glycol] Nevanac: 0.1% (3 mL) [contains benzalkonium chloride]
Niacin	Tablet, oral: 100 mg Tablet, extended release, oral: Niaspan: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]
Nicotine	Gum, Mouth/Throat, as polacrilex: Nicorelief: 2 mg (110 ea) [BCF] Patch 24 Hour, Transdermal: Nicoderm CQ: 7 mg/24 hr (14 ea) [BCF]; 14 mg/24 hr (14 ea) [BCF]; 21 mg/24 hr (14 ea) [BCF]

Patrick AFB Outpatient Formulary

NIFEdipine	Tablet, extended release, oral: Adalat CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Nitrofurantoin	Capsule, oral [macrocrystal]: 50 mg [BCF] Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF] Suspension, oral: Furadantin: 25 mg/5 mL (230 mL)
Nitroglycerin	Ointment, topical: Nitro-Bid: 2% (60 g) [~15 mg/inch] Patch, transdermal: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hour (30s) [BCF]; 0.3 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF]; 0.6 mg/hour (30s) [BCF]; 0.8 mg/hour (30s) [BCF] Solution, translingual [spray]: Nitrolingual: 0.4 mg/spray (4.9 g) [contains ethanol 20%; 60 metered sprays] [BCF] Nitrolingual: 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF] Tablet, sublingual: Nitrostat: 0.4 mg [BCF]
Norethindrone	Tablet, oral: Nor-QD: 0.35 mg [BCF] Tablet, oral, as acetate: 5 mg
Norethindrone and Mestranol	Tablet, oral [monophasic formulation]: Norinyl 1+50: Norethindrone 1 mg and mestranol 0.05 mg [21 white tablets and 7 orange inactive tablets]
Nortriptyline	Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg
Nystatin and Triamcinolone	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)
Nystatin (Oral)	Suspension, oral: 100,000 units/mL (60 mL, 473 mL) [BCF] Tablet, oral: 500,000 units
Nystatin (Topical)	Cream, topical: 100,000 units/g (15 g) [BCF] Ointment, topical: 100,000 units/g (15 g) [BCF] Powder, topical: Nyamyc: 100,000 units/g (15 g) [contains talc]
Ofloxacin (Ophthalmic)	Solution, Ophthalmic: Generic: 0.3% (5 mL, 10 mL)
Ofloxacin (Otic)	Solution, otic [drops]: 0.3% (5 mL)
OLANZapine	Tablet, oral: ZyPREXA: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg
Olopatadine (Ophthalmic)	Solution, ophthalmic [drops]: Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]
Omeprazole	Capsule, delayed release, oral: 10 mg [BCF], 20 mg [BCF], 40 mg
Ondansetron	Tablet, oral: 4 mg, 8 mg Tablet, orally disintegrating, oral: 4 mg, 8 mg
Oseltamivir	Capsule, oral, as phosphate: Tamiflu: 30 mg, 45 mg, 75 mg Powder for suspension, oral: Tamiflu: 6 mg/mL (60 mL) [contains sodium benzoate; tutti frutti flavor]
Oxazepam	Capsule, oral: 15 mg
OXcarbazepine	Tablet, oral: 150 mg, 300 mg, 600 mg
Oxybutynin	Tablet, oral, as chloride: 5 mg Tablet, extended release, oral, as chloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
OxyCODONE	Tablet, Oral, as hydrochloride: Generic: 5 mg, 10 mg Tablet ER 12 Hour Abuse-Deterrent, Oral, as hydrochloride: Generic: 10 mg, 15 mg, 20 mg, 40 mg, 80 mg

Patrick AFB Outpatient Formulary

Oxycodone and Acetaminophen	Capsule, oral: 5/500: Oxycodone hydrochloride 5 mg and acetaminophen 500 mg Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF] 7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg 7.5/500: Oxycodone hydrochloride 7.5 mg and acetaminophen 500 mg 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg 10/650: Oxycodone hydrochloride 10 mg and acetaminophen 650 mg
Oxymetazoline (Nasal)	Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)
Pancrelipase	Capsule, delayed release, enteric coated microspheres, oral [porcine derived]: Creon: Lipase 3000 USP units, protease 9500 USP units, and amylase 15,000 USP units [BCF] Creon: Lipase 6000 USP units, protease 19,000 USP units, and amylase 30,000 USP units [BCF] Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units [BCF] Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units [BCF] Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units [BCF]
Pantoprazole	Tablet Delayed Release, Oral: Protonix: 40 mg
PARoxetine	Tablet, oral, as hydrochloride [strength expressed as base]: 10 mg, 20 mg, 30 mg, 40 mg
Peginterferon Alfa-2a	Solution, Subcutaneous [preservative free]: Pegasys: 180 mcg/0.5 mL (0.5 mL) [contains benzyl alcohol, polysorbate 80] [ECF]
Penicillin V Potassium	Powder for solution, oral: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (200 mL) [BCF] Tablet, oral: 250 mg [BCF], 500 mg [BCF]
Pentoxifylline	Tablet, extended release, oral: 400 mg
Permethrin	Cream, topical: 5% (60 g) [BCF]
Phenazopyridine	Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]
PHENobarbital	Elixir, oral: 20 mg/5 mL (473 mL) [BCF] Tablet, oral: 15 mg [BCF], 16.2 mg, 30 mg [BCF], 32.4 mg, 60 mg [BCF], 100 mg [BCF]
Phenol	Solution, oral [spray]: 1.4% (177 mL)
Phenytoin	Capsule, extended release, oral, as sodium: 100 mg [BCF] Suspension, oral: 100 mg/4 mL (4 mL) [BCF] Dilantin-125: 125 mg/5 mL (240 mL) [contains ethanol 0.6%, sodium benzoate; orange-vanilla flavor] [BCF] Tablet, chewable, oral: Dilantin: 50 mg [scored] [BCF]
Phytonadione	Injection, aqueous colloidal: 10 mg/mL (1 mL) [contains benzyl alcohol] Tablet, oral: Mephyton: 5 mg [scored]
Pilocarpine (Ophthalmic)	Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF]
Pimecrolimus	Cream, topical: Elidel: 1% (30 g, 60 g, 100 g) [BCF] [contains benzyl alcohol]
Pioglitazone	Tablet, oral: Actos: 15 mg, 30 mg, 45 mg
Piroxicam	Capsule, oral: 10 mg, 20 mg
Polyethylene Glycol 3350	Powder for solution, oral: 17 g/dose (255 g, 527 g)
Polysaccharide-Iron Complex	Liquid, Oral: NovaFerrum Pediatric Drops: 15 mg/mL (120 mL)

Patrick AFB Outpatient Formulary

Potassium Chloride	Capsule Extended Release, Oral: Generic: 10 mEq [BCF] Packet, Oral: Klor-Con: 20 mEq/packet (30s, 100s) [sugar free; fruit flavor] [BCF] Solution, Oral: Generic: 20 mEq/15 mL (15 mL, 30 mL, 473 mL) [BCF] Tablet Extended Release, Oral: Klor-Con 8: 8 mEq [600 mg] Klor-Con M10: 10 mEq [750 mg] Klor-Con M20: 20 mEq [scored; 1500 mg] [BCF] Generic: 10 mEq [BCF]
Potassium Citrate	Tablet Extended Release, Oral: Generic: 540 mg, 1080 mg
Pramipexole	Tablet, Oral, as dihydrochloride monohydrate: Generic: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg
Pramoxine and Hydrocortisone	Aerosol, Foam, Rectal: Proctofoam HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)
Prasugrel	Tablet, Oral: Effient: 5 mg, 10 mg
Pravastatin	Tablet, Oral, as sodium: Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Prazosin	Capsule, Oral: Generic: 1 mg, 2 mg, 5 mg
PrednisolONE (Ophthalmic)	Suspension, Ophthalmic, as acetate: Pred Mild: 0.12% (5 mL, 10 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF] Generic: 1% (5 mL) [BCF]
PrednisolONE (Systemic)	Solution, Oral, as sodium phosphate [strength expressed as base]: Generic: 15 mg/5 mL (237 mL) [BCF]
PredniSONE	Solution, oral: 1 mg/mL (500 mL) Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]
Pregabalin	Capsule, Oral: Generic: 25 mg, 50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 225 mg, 300 mg
Primidone	Tablet, oral: 50 mg, 250 mg
Probenecid	Tablet, Oral: Generic: 500 mg [BCF]
Prochlorperazine	Tablet, oral, as maleate [strength expressed as base]: 5 mg
Progesterone	Capsule, Oral: Generic: 100 mg, 200 mg
Promethazine	Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF] Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL, 473 mL) [BCF] Tablet, oral, as hydrochloride: 25 mg [BCF]
Propantheline	Tablet, oral, as bromide: 15 mg
Proparacaine	Solution, ophthalmic, as hydrochloride [drops]: Alcaine: 0.5% (15 mL) [contains benzalkonium chloride]
Propranolol	Capsule, extended release, oral, as hydrochloride: 60 mg, 80 mg, 120 mg Tablet, oral, as hydrochloride: 10 mg, 20 mg, 40 mg
Propylthiouracil	Tablet, oral: 50 mg [BCF]
Pseudoephedrine	Tablet, oral, as hydrochloride: Sudo-Tab: 30 mg [contains sodium benzoate]
Pyrazinamide	Tablet, oral: 500 mg [BCF]
Pyrethrins and Piperonyl Butoxide	Shampoo, External: RID Maximum Strength: Pyrethrins 0.33% and piperonyl butoxide 4% (60 mL) [packaged with nit removal comb; also available in a kit containing shampoo, gel, and furniture spray]
Pyridostigmine	Tablet, oral, as bromide: 60 mg
Pyridoxine	Tablet, oral, as hydrochloride: 50 mg

Patrick AFB Outpatient Formulary

QUetiapine	Tablet, oral: SEROquel: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, extended release, oral: SEROquel XR: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
QuiNIDine	Tablet, extended release, oral, as gluconate: 324 mg [equivalent to quinidine base 202 mg]
RABEprazole	Tablet Delayed Release, Oral, as sodium: Generic: 20 mg
Raloxifene	Tablet, oral, as hydrochloride: Evista: 60 mg [BCF]
Raltegravir	Tablet, Oral: Isentress: 400 mg [contains polyethylene glycol] Tablet Chewable, Oral: Isentress: 25 mg [contains aspartame, saccharin sodium] Isentress: 100 mg [scored; contains aspartame, saccharin sodium]
Ramipril	Capsule, oral: Altace: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
RaNITidine (Withdrawn From US Market)	Syrup, oral: 15 mg/mL (480 mL) [BCF] Tablet, oral: 150 mg [BCF], 300 mg
Ribavirin (Systemic)	Capsule, Oral: Generic: 200 mg [ECF]
RifAMPin	Capsule, oral: 300 mg [BCF]
Rifapentine	Tablet, Oral: Priftin: 150 mg [contains disodium edta, fd&c blue #2 aluminum lake]
Rimegepant	Tablet Disintegrating, Oral, as sulfate: Nurtec: 75 mg [contains menthol]
Risedronate	Tablet, Oral, as sodium: Generic: 35 mg
RisperiDONE	Solution, oral: 1 mg/mL (30 mL) [BCF] Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF] Tablet, orally disintegrating, oral: 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg
Rivaroxaban	Tablet, Oral: Xarelto: 10 mg, 15 mg, 20 mg
Rivastigmine	Patch 24 Hour, Transdermal: Generic: 4.6 mg/24 hr (1 ea, 30 ea); 9.5 mg/24 hr (1 ea, 30 ea); 13.3 mg/24 hr (1 ea, 30 ea)
Rizatriptan	Tablet, oral: Maxalt: 5 mg [BCF], 10 mg [BCF] Tablet, orally disintegrating: Maxalt-MLT: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF] Maxalt-MLT: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]
ROPINIRole	Tablet, oral: Requip: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg
Rosuvastatin	Tablet, oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg
Sacubitril and Valsartan	Tablet, Oral: Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg
Salicylic Acid	Liquid, topical: 17% (14.8 mL)
Salmeterol	Powder, for oral inhalation: Serevent Diskus: 50 mcg (60s) [contains lactose] [BCF]
Salsalate	Tablet, oral: 500 mg [BCF], 750 mg [BCF]

Patrick AFB Outpatient Formulary

Saquinavir	Capsule, Oral: Invirase: 200 mg Tablet, Oral: Invirase: 500 mg
Scopolamine (Systemic)	Patch, transdermal: Transderm Scop: 1.5 mg (4s) [contains metal; releases ~1 mg over 72 hours]
Selenium Sulfide	Lotion, topical: 2.5% (120 mL) [BCF]
Sertraline	Solution, oral [concentrate]: Zoloft: 20 mg/mL (60 mL) [contains ethanol 12%, menthol, natural rubber/natural latex in packaging] [BCF] Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sildenafil	Tablet, oral: Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Silver Sulfadiazine	Cream, topical: 1% (85 g, 400 g) [BCF]
Simvastatin	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg
SITagliptin	Tablet, oral: Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Sitagliptin and Metformin	Tablet, oral: Janumet 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, Extended Release, Oral: Janumet XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Janumet XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 m [BCF]
Sodium Chloride	Ointment, ophthalmic [preservative free]: Muro 128: 5% (3.5 g) Powder for solution, intranasal [pediatric]: 60 packet kit [contains bottle] Solution, for inhalation [preservative free]: 0.9% (3 mL) Solution, for irrigation [preservative free]: 0.9% (1000 mL) Solution, intranasal [drops]: Ayr Saline: 0.65% (50 mL) [ethanol free; contains benzalkonium chloride] Solution, intranasal [spray]: 0.65% (45 mL) Solution, ophthalmic [drops]: Muro 128: 5% (15 mL)
Sodium Phosphates	Solution, rectal [enema]: Fleet Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL] Tablet, oral: OsmoPrep: Sodium phosphate monobasic monohydrate 1.102 g and sodium phosphate dibasic anhydrous 0.398 g [scored; gluten free; sodium phosphate 1.5 g per tablet]
Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate	Solution, Oral: Suprep Bowel Prep Kit: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 180 mL (2 x 180 mL) [contains sodium benzoate]
Solifenacin	Tablet, oral, as succinate: VESicare: 5 mg, 10 mg
Somatropin	[ECF] = Extended Core Formulary Solution, Subcutaneous: Norditropin NordiFlex Pen: Norditropin FlexPro: 5 mg/1.5 mL (1.5 mL) [ECF]; 10 mg/1.5 mL (1.5 mL) [ECF]
Sotalol	Tablet, oral, as hydrochloride: 80 mg, 120 mg, 160 mg, 240 mg
Spirolactone	Tablet, oral: 25 mg [BCF], 50 mg
Sucralfate	Tablet, oral: 1 g
Sulfacetamide (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

Patrick AFB Outpatient Formulary

Sulfacetamide (Topical)	Lotion, External, as sodium: Generic: 10% (118 mL)
Sulfamethoxazole and Trimethoprim	Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF] Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF] Tablet, double strength, oral: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF]
SulfaSALAzine	Tablet, oral: 500 mg [BCF] Tablet, delayed release, enteric coated, oral: 500 mg [BCF]
Sulfur and Sulfacetamide	Lotion, External: Generic: Sulfur 5% and sulfacetamide sodium 10% (25 g, 30 g, 60 g)
SUMATriptan	Solution, Nasal: Generic: 5 mg/actuation (1 ea); 20 mg/actuation (1 ea) Injection, solution, as succinate [strength expressed as base]: Imitrex: 6 mg/0.5 mL (0.5 mL) [cartridge] [BCF] Imitrex: 6 mg/0.5 mL (0.5 mL) [vial] Tablet, oral, as succinate [strength expressed as base]: Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Syringe	Syringe: (3 mL) [1' needle]
Tacrolimus (Systemic)	Capsule, Oral: Prograf: 0.5 mg, 1 mg, 5 mg
Tadalafil	Tablet, Oral: Generic: 2.5 mg, 5 mg, 10 mg, 20 mg
Tamoxifen	Tablet, oral: 10 mg [BCF], 20 mg [BCF]
Tamsulosin	Capsule, oral, as hydrochloride: 0.4 mg [BCF]
Telmisartan	Tablet, oral: Micardis: 20 mg, 40 mg [scored], 80 mg [scored]
Telmisartan and Hydrochlorothiazide	Tablet, oral: Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg
Temazepam	Capsule, oral: 15 mg [BCF], 30 mg [BCF]
Terazosin	Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Terbinafine (Systemic)	Tablet, oral: 250 mg
Terbutaline	Tablet, oral, as sulfate: 5 mg
Terconazole	Cream, vaginal: 0.4% (45 g)
Teriparatide	Solution, Subcutaneous: Forteo: 600 mcg/2.4 mL (2.4 mL) [contains metacresol]
Testosterone	Gel, topical: Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF] Injection, oil, as cypionate: Depo-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]
Tetracycline (Systemic)	Capsule, oral, as hydrochloride: 250 mg [BCF], 500 mg [BCF]
Theophylline	Capsule, extended release, oral: Theo-24: 300 mg [BCF], 400 mg [BCF] [24 hours] Solution, oral: Elixophyllin Elixir: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF] Tablet, extended release, oral: 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
Thioridazine	Tablet, oral, as hydrochloride: 10 mg, 25 mg, 100 mg
Thiothixene	Capsule, oral: 1 mg, 5 mg
Thyroid, Desiccated	Tablet, Oral: Armour Thyroid: 15 mg, 30 mg, 60 mg, 90 mg, 120 mg, 180 mg, 240 mg, 300 mg
TiaGABine	Tablet, oral, as hydrochloride: Gabitril: 2 mg, 4 mg, 12 mg

Patrick AFB Outpatient Formulary

Ticagrelor	Tablet, Oral: Brilinta: 60 mg, 90 mg
Timolol (Ophthalmic)	Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]: Timolol GFS: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF] Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]
Tiotropium	Aerosol Solution, Inhalation: Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta] Powder, for oral inhalation: Spiriva HandiHaler: 18 mcg/capsule (30s) [contains lactose] [BCF]
Tobramycin and Dexamethasone	Ointment, ophthalmic: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol] Suspension, ophthalmic [drops]: TobraDex: Tobramycin 0.3% and dexamethasone 0.1% (5 mL) [contains benzalkonium chloride]
Tobramycin (Ophthalmic)	Solution, ophthalmic [drops]: Tobrex: 0.3% (5 mL) [contains benzalkonium chloride]
TOLAZamide	Tablet, oral: 250 mg
Tolterodine	Capsule, extended release, oral, as tartrate: Detrol LA: 2 mg [BCF], 4 mg [BCF]
Topiramate	Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg
TraMADol	Tablet, oral, as hydrochloride: 50 mg [BCF]
TraZODone	Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]
Tretinoin (Topical)	Cream, External: Avita: 0.025% (20 g) [BCF] Retin-A: 0.025% (20 g) [BCF]; 0.05% (20 g) [BCF]; 0.1% (20 g) Generic: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF] Gel, External: Retin-A Micro: 0.04% (20 g); 0.1% (20 g) [contains benzyl alcohol] Generic: 0.01% (15 g, 45 g); 0.025% (15 g, 45 g)
Triamcinolone (Topical)	Aerosol, topical, as acetonide: Kenalog: 0.2 mg/2-second spray (63 g) [contains dehydrated ethanol 10.3%] Cream, topical, as acetonide: 0.1% (15 g, 80 g, 454 g) [BCF]; 0.5% (15 g) Lotion, topical, as acetonide: 0.1% (60 mL) Ointment, topical, as acetonide: 0.1% (15 g, 454 g) Paste, oral topical, as acetonide: 0.1% (5 g)
Trifluoperazine	Tablet, oral: 1 mg, 5 mg
Trifluridine	Solution, ophthalmic [drops]: 1% (7.5 mL)
Trihexyphenidyl	Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 2 mg [BCF]
Trimethoprim and Polymyxin B	Solution, ophthalmic [drops]: Polytrim: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride] [BCF]
Tripolidine and Pseudoephedrine	Tablet, oral: Aprodine: Tripolidine hydrochloride 2.5 mg and pseudoephedrine hydrochloride 60 mg [scored]
Ulipristal	Tablet, Oral, as acetate: Ella: 30 mg
Umeclidinium and Vilanterol	Aerosol Powder Breath Activated, Inhalation: Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]
Urea (Topical)	Cream, topical: 20% (90 g)

Patrick AFB Outpatient Formulary

Ursodiol	Capsule, Oral: Generic: 300 mg Tablet, Oral: Generic: 250 mg, 500 mg
Ustekinumab	Solution, Intravenous: Stelara: 130 mg/26 mL (26 mL) [contains edetate (edta) disodium dihydrate, polysorbate 80] Solution, Subcutaneous [preservative free]: Stelara: 45 mg/0.5 mL (0.5 mL) [contains polysorbate 80] Solution Prefilled Syringe, Subcutaneous [preservative free]: Stelara: 45 mg/0.5 mL (0.5 mL); 90 mg/mL (1 mL) [contains polysorbate 80]
Vaginal Lubricant	
ValACYclovir	Caplet, oral: 500 mg, 1 g
Valproic Acid and Derivatives	Capsule, sprinkle, oral [strength expressed as valproic acid]: 125 mg [BCF] Tablet, delayed release, oral [strength expressed as valproic acid]: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] Tablet, extended release, oral [strength expressed as valproic acid]: 250 mg [BCF], 500 mg [BCF]
Valsartan	Tablet, oral: Diovan: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]
Valsartan and Hydrochlorothiazide	Tablet, oral: Diovan HCT: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Diovan HCT: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]
Venlafaxine	Capsule, extended release, oral: Effexor XR: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF] Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF] Tablet, extended release, oral: 225 mg [BCF]
Verapamil	Caplet, sustained release, oral, as hydrochloride: Calan SR: 120 mg [BCF], 180 mg [scored] [BCF], 240 mg [scored] [BCF] Tablet, oral, as hydrochloride: 80 mg Tablet, extended release, oral, as hydrochloride: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]
Vitamins (Multiple/Oral)	Content varies depending on product used.
Vitamins (Multiple/Pediatric)	Content varies depending on product used. Liquid, oral: 50 mL Poly-Vi-Sol: 50 mL Poly-Vi-Sol With Iron: 50 mL
Vitamins (Multiple/Prenatal)	Content varies depending on product used. Tablet, Oral: Prenatal Plus
Warfarin	Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]
Ziprasidone	Capsule, oral, as hydrochloride: Geodon: 20 mg, 40 mg, 60 mg, 80 mg
ZOLMitriptan	Solution, Nasal [spray]: Zomig: 5 mg/0.1 mL (0.1 mL) Tablet, Oral: Generic: 2.5 mg, 5 mg Tablet Disintegrating, Oral: Generic: 2.5 mg, 5 mg

Patrick AFB Outpatient Formulary

Zolpidem	Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF] Tablet Extended Release, Oral, as tartrate: Ambien CR: 6.25 mg, 12.5 mg
Zonisamide	Capsule, Oral: Generic: 25 mg, 50 mg, 100 mg