

**NAVAL HOSPITAL PENSACOLA  
OUTPATIENT FORMULARY  
Alphabetical Listing by Name**

This document is current as of March 26, 2014.  
The availability of formulary items is subject to change.

Naval Hospital Pensacola Outpatient Formulary

Alphabetical Drug Listing	Available Dosage Forms
Acebutolol	Capsule, oral, as hydrochloride: 200 mg, 400 mg
Acetaminophen	Elixir, oral: Mapap® Children's: 160 mg/5 mL (118 mL) [ethanol free; contains benzoic acid, propylene glycol, sodium benzoate] Suppository, rectal: 650 mg (12s) Acephen™: 120 mg (12s); 325 mg (12s) Tablet, oral: 325 mg Tablet, chewable, oral: Mapap® Children's: 80 mg [fruit flavor]
Acetaminophen and Codeine	Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (5 mL, 15 mL, 473 mL) [BCF] Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]
AcetaZOLAMIDE	Capsule, sustained release, oral: Diamox® Sequels®: 500 mg Tablet, oral: 250 mg
Acetic Acid	Solution, otic [drops]: 2% (15 mL)
Acetic Acid, Propylene Glycol Diacetate, and Hydrocortisone	Solution, otic [drops]: Acetasol® HC: Acetic acid 2%, propylene glycol diacetate 3%, and hydrocortisone 1% (10 mL) [contains benzethonium chloride]
Acetylcysteine	Solution, for inhalation/oral: 20% [200 mg/mL] (30 mL)
Acyclovir (Systemic)	Capsule, oral: 200 mg [BCF] Zovirax®: 200 mg [BCF] Suspension, oral: 200 mg/5 mL (473 mL) [BCF] Tablet, oral: 400 mg [BCF], 800 mg [BCF] Zovirax®: 800 mg [BCF]
Acyclovir (Topical)	Cream, External: Zovirax: 5% (5 g) Ointment, External: Zovirax: 5% (30 g)
Adalimumab	Kit, Subcutaneous [preservative free]: Humira: 40 mg/0.8 mL [contains polysorbate 80] Humira Pen: 40 mg/0.8 mL [contains polysorbate 80]
Adapalene and Benzoyl Peroxide	Gel, topical: Epiduo®: Adapalene 0.1% and benzoyl peroxide 2.5% (45 g)
Albendazole	Tablet, oral: Albenza®: 200 mg
Albuterol	Aerosol, for oral inhalation: ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF] Solution, for nebulization: 0.5% [100 mg/20 mL] (1s) Solution, for nebulization [preservative free]: 0.083% [2.5 mg/3 mL] (30s, 60s) [BCF] Syrup, oral: 2 mg/5 mL (473 mL) Tablet, oral: 2 mg, 4 mg
Alendronate	Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]
Alendronate and Cholecalciferol	Tablet, oral: Fosamax Plus D™: 70/2800: Alendronate 70 mg and cholecalciferol 2800 units Fosamax Plus D®: 70/5600: Alendronate 70 mg and cholecalciferol 5600 int. units [BCF]
Alfuzosin	Tablet, extended release, oral, as hydrochloride: Uroxatral®: 10 mg [BCF]
Allopurinol	Tablet, oral: 100 mg [BCF], 300 mg [BCF]
Alosetron	Tablet, Oral: Lotronex: 0.5 mg
ALPRAZolam	Tablet, oral: 0.25 mg, 0.5 mg
Aluminum Hydroxide	Suspension, oral: 320 mg/5 mL (473 mL)

Naval Hospital Pensacola Outpatient Formulary

Aluminum Hydroxide, Magnesium Hydroxide, and Simethicone	Suspension, oral: Aluminum hydroxide 400 mg, magnesium hydroxide 400 mg, and simethicone 40 mg per 5 mL (355 mL) Tablet, chewable, oral: Almacone®: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 20 mg [dye free; contains magnesium 82 mg/tablet; peppermint flavor] Mintox™ Plus: Aluminum hydroxide 200 mg, magnesium hydroxide 200 mg, and simethicone 25 mg [scored; lemon crème flavor]
Aluminum Sulfate and Calcium Acetate	Powder, for solution, topical: Domeboro®: Aluminum sulfate tetradecahydrate 1347 mg and calcium acetate monohydrate 952 mg per packet (12s)
Amantadine	Capsule, oral, as hydrochloride: 100 mg [BCF] Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [BCF]
Amcinonide	Cream, topical: 0.1% (30 g, 60 mg)
Aminocaproic Acid	Tablet, oral: Amicar®: 500 mg [scored]
Amiodarone	Tablet, oral, as hydrochloride: 200 mg [BCF] Cordarone®: 200 mg [scored] [BCF]
Amitriptyline	Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF]
AmLODIPine	Tablet, oral: Norvasc®: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Amlodipine and Benazepril	Capsule, oral: Lotrel®: 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel®: 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF] Lotrel®: 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF] Lotrel®: 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF] Lotrel®: 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF] Lotrel®: 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]
Amoxicillin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF] Tablet, oral: 875 mg Tablet, chewable, oral: 125 mg, 250 mg
Amoxicillin and Clavulanate	Powder for suspension, oral: Powder for suspension, oral: Augmentin®: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (150 mL) [contains potassium 0.16 mEq/5 mL] [BCF] Augmentin®: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (150 mL) [contains potassium 0.32 mEq/5 mL] [BCF] Augmentin®: 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (100 mL) [contains phenylalanine 7 mg/5 mL, potassium 0.29 mEq/5 mL] Augmentin ES-600®: 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL) [contains phenylalanine 7 mg/5 mL, potassium 0.23 mEq/5 mL] Tablet, oral: 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF] 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF] 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF] Augmentin®: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [scored; contains potassium 0.63 mEq/tablet] [BCF]
Anastrozole	Tablet, oral: Arimidex®: 1 mg
Anthralin	Cream, topical: Zithranol®-RR: 1.2% (45 g)
Antipyrine and Benzocaine	Solution, otic [drops]: Aurodex™: Antipyrine 5.4% and benzocaine 1.4% (10 mL) [BCF]

Naval Hospital Pensacola Outpatient Formulary

ARIPiprazole	Tablet, Oral: Abilify: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg
Artificial Tears	Solution, ophthalmic: Refresh®: Polyvinyl alcohol 1.4% and povidone 0.6% (15 mL) [contains benzalkonium chloride]
Ascorbic Acid	Tablet, oral: 500 mg
Aspirin	Suppository, rectal: 300 mg (12s); 600 mg (12s) Tablet, oral: 325 mg Tablet, oral [buffered]: 325 mg [contains aluminum hydroxide, calcium carbonate, magnesium hydroxide] Tablet, chewable, oral: 81 mg Tablet, enteric coated, oral: 81 mg, 325 mg
Aspirin and Dipyridamole	Capsule, variable release, oral: Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]
Atenolol	Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
AtorvaSTATin	Tablet, oral: Lipitor®: 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Atropine	Ointment, ophthalmic, as sulfate: 1% (3.5 g) Solution, ophthalmic, as sulfate [drops]: 1% (5 mL)
AzaTHIOprine	Tablet, oral: 50 mg
Azelastine (Nasal)	Solution, intranasal, as hydrochloride [spray]: Asterin®: 0.1% [137 mcg/spray] (30 mL) [contains benzalkonium chloride; 200 metered sprays]
Azithromycin (Systemic)	Powder for suspension, oral, as dihydrate [strength expressed as base]: Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL] [BCF] Zithromax®: 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) [contains sodium 7.4 mg/5 mL] Zithromax®: 1 g/packet (3s, 10s) [contains sodium 37 mg/packet] [BCF] Tablet, oral, as dihydrate [strength expressed as base]: Zithromax®: 250 mg [contains sodium 0.9 mg/tablet] [BCF] Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF]
Bacitracin	Ointment, ophthalmic: 500 units/g (3.5 g) Ointment, topical, as zinc [strength expressed as base]: 500 units/g (0.9 g, 15 g, 30 g, 120 g)
Bacitracin, Neomycin, and Polymyxin B	Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF] Ointment, topical: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 5000 units per g (30 g)
Baclofen	Tablet, oral: 10 mg
Benzocaine	Aerosol, spray, oral: Hurricane®: 20% (60 mL)
Benzonatate	Capsule, softgel, oral: 100 mg
Benzoyl Peroxide	Gel, topical: 5%, 10%
Benztropine	Tablet, oral, as mesylate: 0.5 mg [BCF], 2 mg [BCF]
Betamethasone	Lotion, topical, as valerate [strength expressed as base]: 0.1% (60 mL)
Betaxolol (Ophthalmic)	Solution, ophthalmic [drops]: 0.5% (10 mL) [contains benzalkonium chloride] Suspension, ophthalmic [drops]: Betoptic S®: 0.25% (10 mL); 0.5% (10 mL)
Bethanechol	Tablet, oral, as chloride: 25 mg
Bimatoprost	Solution, ophthalmic [drops]: Lumigan®: 0.01% (5 mL)
Bisacodyl	Suppository, rectal: Biscolax™: 10 mg (100s) Tablet, enteric coated, oral: Dacodyl™: 5 mg

Naval Hospital Pensacola Outpatient Formulary

Bismuth	Liquid, oral, as subsalicylate: 262 mg/15 mL (240 mL) Tablet, chewable, oral, as subsalicylate: Peptic Relief: 262 mg
Brimonidine and Timolol	Solution, ophthalmic [drops]: Combigan®: Brimonidine tartrate 0.2% and timolol 0.5% (5 mL) [contains benzalkonium chloride]
Brimonidine (Ophthalmic)	Solution, ophthalmic, as tartrate [drops]: 0.2% (5 mL) [BCF] Alphagan® P: 0.15% (5 mL, 10 mL) [contains Purite®] [BCF]
Bromocriptine	Tablet, oral: Parlodel® SnapTabs®: 2.5 mg [scored]
Budesonide and Formoterol	Aerosol for oral inhalation: Symbicort® 80/4.5: Budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (6.9 g) [60 metered inhalations]; budesonide 80 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g) [120 metered inhalations] Symbicort® 160/4.5: Budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (6 g) [60 metered inhalations]; budesonide 160 mcg and formoterol fumarate dihydrate 4.5 mcg per actuation (10.2 g) [120 metered inhalations]
Budesonide (Systemic, Oral Inhalation)	Capsule Extended Release 24 Hour, Oral: Generic: 3 mg Suspension, for nebulization: 0.5 mg/2 mL (30s) Pulmicort Respules®: 0.5 mg/2 mL (30s)
Buprenorphine and Naloxone	Film, sublingual: Suboxone: Buprenorphine 8 mg and naloxone 2 mg (30s)
BuPROPion	Tablet, oral, as hydrochloride: 100 mg [generic for Wellbutrin®] [BCF] Wellbutrin®: 75 mg [BCF] Tablet, extended release, oral, as hydrochloride: 150 mg [generic for Wellbutrin XL®] [BCF] Wellbutrin XL®: 150 mg [BCF], 300 mg [BCF] Tablet, sustained release, oral, as hydrochloride: Wellbutrin SR®: 100 mg [BCF]
BusPIRone	Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF]
Busulfan	Tablet, oral: Myleran®: 2 mg [scored]
Butalbital, Acetaminophen, and Caffeine	Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]
Calamine	Suspension, topical: 8% (118 mL, 177 mL, 240 mL)
Calcipotriene and Betamethasone	Ointment, topical: Taclonex®: Calcipotriene 0.005% and betamethasone dipropionate 0.064% (60 g)
Calcium and Vitamin D	Tablet, oral: Oyst-Cal-D 500: Calcium 500 mg and vitamin D 200 units [sodium free, sugar free; contains tartrazine]
Calcium Glubionate	Syrup, oral: Calcionate: 1.8 g/5 mL (473 mL)
Candesartan	Tablet, oral, as cilexetil: Atacand®: 4 mg, 8 mg, 16 mg, 32 mg [scored]
Candesartan and Hydrochlorothiazide	Tablet, oral: Atacand HCT®: 16/12.5: Candesartan cilexetil 16 mg and hydrochlorothiazide 12.5 mg, 32/12.5: Candesartan cilexetil 32 mg and hydrochlorothiazide 12.5 mg [scored]
Captopril	Tablet, oral: 25 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

CarBAMazepine	Suspension, oral: 100 mg/5 mL (450 mL) [BCF] Tablet, oral: 200 mg [BCF] TEGretol®: 200 mg [scored] [BCF] Tablet, chewable, oral: 100 mg [BCF] TEGretol®: 100 mg [scored] [BCF] Tablet, extended release, oral: TEGretol®-XR: 100 mg, 200 mg
Carbamide Peroxide	Solution, otic [drops]: 6.5% (15 mL)
Carbidopa and Levodopa	Tablet, oral: 10/100: Carbidopa 10 mg and levodopa 100 mg [BCF] 25/100: Carbidopa 25 mg and levodopa 100 mg [BCF] 25/250: Carbidopa 25 mg and levodopa 250 mg [BCF] Sinemet®: 10/100: Carbidopa 10 mg and levodopa 100 mg [scored] [BCF] Sinemet®: 25/100: Carbidopa 25 mg and levodopa 100 mg [scored] [BCF] Sinemet®: 25/250: Carbidopa 25 mg and levodopa 250 mg [scored] [BCF]
Carboxymethylcellulose	Liquid, ophthalmic, as sodium [drops]: Refresh Celluvisc™: 1% (15 mL)
Carvedilol	Capsule, extended release, oral, as phosphate: Coreg CR®: 10 mg, 20 mg, 40 mg, 80 mg Tablet, oral: 6.25 mg [BCF], 25 mg [BCF] Coreg®: 3.125 mg [BCF], 12.5 mg [BCF]
Cefdinir	Capsule, oral: 300 mg Powder for suspension, oral: 125 mg/5 mL (100 mL)
Cefixime	Powder for suspension, oral, as trihydrate: Suprax®: 100 mg/5 mL (50 mL) [contains sodium benzoate; strawberry flavor]
Cefprozil	Powder for suspension, oral: 250 mg/5 mL (100 mL)
Cefuroxime	Tablet, oral, as axetil [strength expressed as base]: 250 mg
Celecoxib	Capsule, oral: CeleBREX®: 100 mg, 200 mg
Cephalexin	Capsule, oral: 250 mg [BCF], 500 mg [BCF] Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [BCF]
Cetirizine	Syrup, oral, as hydrochloride: 5 mg/5 mL (480 mL) Tablet, oral, as hydrochloride: 5 mg, 10 mg
Chlorambucil	Tablet, oral: Leukeran®: 2 mg
Chlordiazepoxide	Capsule, oral, as hydrochloride: 10 mg, 25 mg
Chlorhexidine Gluconate	Liquid, oral [rinse]: 0.12% (15 mL) [BCF]
Chloroquine	Tablet, oral, as phosphate: Aralen®: 500 mg [equivalent to chloroquine base 300 mg]
Chlorpheniramine	Syrup, oral, as maleate: Aller-chlor®: 2 mg/5 mL (118 mL) [contains ethanol 5%, menthol, propylene glycol; cherry flavor] Tablet, oral, as maleate: 4 mg
ChlorproMAZINE	Solution, oral [concentrate]: 30 mg/mL Tablet, oral, as hydrochloride: 25 mg, 100 mg
Chlorthalidone	Tablet, oral: 25 mg [BCF], 50 mg [BCF]
Cimetidine	Tablet, oral: 400 mg
Cinacalcet	Tablet, Oral: Sensipar: 30 mg
Ciprofloxacin and Dexamethasone	Suspension, otic: Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]
Ciprofloxacin and Hydrocortisone	Suspension, otic: Cipro® HC: Ciprofloxacin hydrochloride 0.2% and hydrocortisone 1% (10 mL) [contains benzyl alcohol]

Naval Hospital Pensacola Outpatient Formulary

Ciprofloxacin (Systemic)	Infusion, premixed in D5W: 200 mg (100 mL); 400 mg (200 mL) Microcapsules for suspension, oral: Cipro®: 250 mg/5 mL (100 mL) [BCF] Tablet, oral, as hydrochloride [strength expressed as base]: 250 mg [BCF], 500 mg [BCF], 750 mg Cipro®: 500 mg [BCF]
Citalopram	Solution, oral: 10 mg/5 mL (240 mL) [BCF] Tablet, oral: 20 mg [BCF], 40 mg [BCF] CeleXA®: 20 mg [scored] [BCF], 40 mg [scored] [BCF]
Citric Acid, Sodium Citrate, and Potassium Citrate	Syrup, oral: Tricitrates: Citric acid 334 mg, sodium citrate 500 mg, and potassium citrate 550 mg per 5 mL (480 mL) [equivalent to potassium 1 mEq, sodium 1 mEq, and bicarbonate 2 mEq per 1 mL; alcohol free; contains sodium benzoate; raspberry flavor]
Clarithromycin	Granules for suspension, oral: Biaxin®: 250 mg/5 mL (100 mL) Tablet, oral: 250 mg, 500 mg
Clemastine	Tablet, oral, as fumarate: 1.34 mg [equivalent to clemastine base 1 mg; OTC], 2.68 mg [equivalent to clemastine base 2 mg; prescription formulation]
Clindamycin (Systemic)	Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF]
Clindamycin (Topical)	Cream, vaginal, as phosphate [strength expressed as base]: Cleocin®: 2% (40 g) [contains benzyl alcohol, mineral oil] [BCF] Lotion, topical, as phosphate [strength expressed as base]: 1% (60 mL) Solution, topical, as phosphate [strength expressed as base]: 1% (30 mL, 60 mL) [BCF]
Clobetasol	Cream, External, as propionate: Generic: 0.05% (15 g, 30 g, 45 g, 60 g) [BCF] Ointment, External, as propionate: Generic: 0.05% (15 g, 30 g, 45 g, 60 g) [BCF]
ClomiPHENE	Tablet, oral, as citrate: 50 mg
Clonazepam	Tablet, oral: 0.5 mg [BCF], 2 mg
CloNIDine	Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF]
Clopidogrel	Tablet, oral: Plavix®: 75 mg [BCF]
Clotrimazole (Topical)	Cream, topical: 1% (30 g) Cream, vaginal: 1% (45 g) Solution, topical: 1% (10 mL) [BCF]
Coal Tar and Salicylic Acid	Gel, topical [shampoo]: Tarsum®: Coal tar solution 10% [equivalent to coal tar 2%] and salicylic acid (120 mL)
Codeine	Tablet, oral, as sulfate: 30 mg
Colchicine	Tablet, oral: Colcrys®: 0.6 mg [scored]
Colestipol	Tablet, oral, as hydrochloride [micronized]: Colestid®: 1 g
Cromolyn (Nasal)	Solution, intranasal, as sodium [spray]: 40 mg/mL (26 mL)
Cromolyn (Systemic, Oral Inhalation)	Solution, for nebulization, as sodium: 20 mg/2 mL (60s)
Crotamiton	Cream, topical: Eurax®: 10% (60 g)
Cyanocobalamin	Injection, solution: 1000 mcg/mL (1 mL, 30 mL) Solution, Nasal: Nascobal: 500 mcg/0.1 mL (1.3 mL) [contains benzalkonium chloride]
Cyclobenzaprine	Capsule Extended Release 24 Hour, Oral, as hydrochloride: Amrix: 15 mg Tablet, oral, as hydrochloride: 10 mg [BCF]
Cyclopentolate	Solution, ophthalmic, as hydrochloride [drops]: Cyclogyl®: 1% (15 mL)

Naval Hospital Pensacola Outpatient Formulary

Cyclophosphamide	Tablet, oral: 50 mg
CycloSPORINE (Ophthalmic)	Emulsion, ophthalmic [drops, preservative free]: Restasis®: 0.05% (0.4 mL) [contains castor oil]
CycloSPORINE (Systemic)	Capsule, oral [modified]: Gengraf®: 25 mg, 100 mg [contains ethanol 12.8%] Capsule, oral [non-modified]: 25 mg, 100 mg Capsule, softgel, oral [non-modified]: SandIMMUNE®: 25 mg [contains corn oil, dehydrated ethanol 12.7%] Solution, oral [non-modified]: SandIMMUNE®: 100 mg/mL (50 mL) [contains ethanol 12.5%]
Cyproheptadine	Syrup, oral, as hydrochloride: 2 mg/5 mL (480 mL) [BCF] Tablet, oral, as hydrochloride: 4 mg [BCF]
Dabigatran Etexilate	Capsule, Oral: Pradaxa: 75 mg, 150 mg
Dantrolene	Capsule, oral, as sodium: Dantrium®: 25 mg
Dapsone (Systemic)	Tablet, oral: 25 mg, 100 mg
Dapsone (Topical)	Gel, External: Aczone: 5% (30 g) [contains methylparaben]
Desipramine	Tablet, oral, as hydrochloride: 25 mg
Desmopressin	Solution, intranasal, as acetate [spray]: DDAVP®: 0.1 mg/mL (5 mL) [contains benzalkonium chloride; delivers 10 mcg/spray]
Dexamethasone (Systemic)	Tablet, oral: 0.5 mg, 0.75 mg, 1.5 mg, 4 mg
Dextroamphetamine	Tablet, oral, as sulfate: 5 mg
Dextroamphetamine and Amphetamine	Capsule, extended release, oral: 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF] 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] Adderall XR®: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF] Adderall XR®: 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF] Adderall XR: 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF] Adderall XR®: 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF] Adderall XR®: 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]
Dextromethorphan and Quinidine	Capsule, oral: Nuedexta™: Dextromethorphan hydrobromide 20 mg and quinidine sulfate 10 mg



Naval Hospital Pensacola Outpatient Formulary

Diabetic Supplies	Lancet: Accu-Chek® Softclix (200s) Pads: Alcohol: 100/box Syringe and needle: BD™ Syringe 0.3 mL (Ultra-Fine™) 31 gauge x 5/16" (100s) BD™ Syringe 0.5 mL (Ultra-Fine™) 29 gauge x 1/2" (100s) BD™ Syringe 1 mL (100s) Test Strips/Kit: Accu-Chek® Aviva Plus In Vitro Test Strip: 50/box Keto-Diastix® Reagent Strips [50/box] Precision Xtra® Blood Glucose Test Strips [BCF]
Diazepam	Tablet, oral: 2 mg, 5 mg [BCF]
Dibucaine	Ointment, topical: 1% [10 mg/g] (30 g)
Diclofenac (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 0.1% (2.5 mL, 5 mL)
Diclofenac (Topical)	Gel, Transdermal, as sodium: Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]
Dicloxacillin	Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Dicyclomine	Capsule, oral, as hydrochloride: 10 mg [BCF] Tablet, oral, as hydrochloride: 20 mg [BCF]
Digoxin	Solution, oral: 50 mcg/mL (60 mL) Tablet, oral: 125 mcg [BCF], 250 mcg [BCF] Lanoxin®: 125 mcg [BCF], 250 mcg [BCF]
Diltiazem	Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF] Tiazac®: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF] Capsule, extended release, oral, as hydrochloride [twice-daily dosing]: 90 mg, 120 mg Tablet, oral, as hydrochloride: 60 mg
DimenhydrINATE	Tablet, oral: 50 mg
DiphenhydrAMINE (Systemic)	Capsule, oral, as hydrochloride: 25 mg, 50 mg Solution, oral, as hydrochloride: Q-dryl: 12.5 mg/5 mL (120 mL) [ethanol free; contains sodium 5 mg/5 mL, sodium benzoate; cherry flavor]
Dipyridamole	Tablet, oral: 25 mg
Disopyramide	Capsule, oral: Norpace®: 150 mg
Disulfiram	Tablet, oral: Antabuse®: 250 mg [scored]
Docusate	Capsule, softgel, oral, as calcium: 240 mg Capsule, softgel, oral, as sodium: 100 mg Dok™: 100 mg Liquid, oral, as sodium: 50 mg/5 mL (473 mL); 150 mg/15 mL (480 mL)
Donepezil	Tablet, oral, as hydrochloride: Aricept®: 5 mg [ECF], 10 mg [ECF]
Dornase Alfa	Solution, Inhalation: Pulmozyme: 1 mg/mL (2.5 mL)
Dorzolamide	Solution, ophthalmic [drops]: Trusopt®: 2% (10 mL) [contains benzalkonium chloride]
Dorzolamide and Timolol	Solution, ophthalmic [drops]: Cosopt®: Dorzolamide 2% and timolol 0.5% (10 mL) [contains benzalkonium chloride]
Doxazosin	Tablet, oral: 1 mg, 2 mg, 4 mg, 8 mg
Doxepin (Systemic)	Capsule, oral: 25 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

Doxycycline	Capsule, oral [strength expressed as base]: Oracea®: 40 mg [30 mg (immediate release) and 10 mg (delayed release)] Capsule, oral, as hyclate [strength expressed as base]: 50 mg, 100 mg [BCF] Vibramycin®: 100 mg [BCF] Tablet, oral, as hyclate [strength expressed as base]: 100 mg [BCF]
Doxylamine	Tablet, chewable: 25 mg
Dronedarone	Tablet, Oral: Multaq: 400 mg
Efavirenz, Emtricitabine, and Tenofovir	Tablet, oral: Atripla®: Efavirenz 600 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg
Eletriptan	Tablet, Oral: Relpax: 40 mg
Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir	Tablet, oral: Stribild™: Elvitegravir 150 mg, cobicistat 150 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg
Emollients	Cream, topical: Eucerin®: 454 g Vanicream™: 453 g Lotion, topical: Eucerin®: 473 mL
Emtricitabine and Tenofovir	Tablet: Truvada: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg
Enoxaparin	Injection, solution, as sodium [preservative free]: Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF] [prefilled syringe]
EPINEPHrine (Systemic, Oral Inhalation)	Injection, solution: 0.1 mg/mL (10 mL) [1:10,000 solution] EpiPen 2-Pak®: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection] EpiPen Jr 2-Pak®: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]
Ergocalciferol	Capsule, oral: Drisdol®: 50,000 units [contains soybean oil, tartrazine; 1.25 mg]
Ergotamine and Caffeine	Tablet, oral: Ergotamine tartrate 1 mg and caffeine 100 mg
Erythromycin and Sulfisoxazole	Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (100 mL, 150 mL, 200 mL)
Erythromycin (Ophthalmic)	Ointment, ophthalmic: 0.5% (1 g, 3.5 g) [BCF]
Erythromycin (Systemic)	Powder for suspension, oral, as ethylsuccinate [strength expressed as base]: EryPed®: 200 mg/5 mL (100 mL) [contains sodium 117.5 mg (5.1 mEq)/5 mL; fruit flavor] [BCF] Tablet, delayed release, enteric coated, oral, as base: Ery-Tab®: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF] Ery-Tab®: 333 mg [contains sodium 11.2 mg (0.5 mEq)/tablet]
Erythromycin (Topical)	Solution, topical: 2% (60 mL) [BCF]
Esomeprazole	Capsule, delayed release, oral, as magnesium [strength expressed as base]: NexIUM®: 20 mg [BCF], 40 mg [BCF] Granules for suspension, delayed release, oral, as magnesium [strength expressed as base]: NexIUM®: 10 mg/packet (30s); 20 mg/packet (30s); 40 mg/packet (30s)

Naval Hospital Pensacola Outpatient Formulary

Estradiol (Systemic)	<p>Injection, oil, as valerate:                      Delestrogen®: 20 mg/mL (5 mL); 40 mg/mL (5 mL) [contains benzyl alcohol, benzyl benzoate, castor oil]                      Patch, transdermal [once-weekly patch]:                      Climara®: 0.025 mg/24 hours (4s) [6.5 cm<sup>2</sup>, total estradiol 2.04 mg] [BCF]                      Climara®: 0.0375 mg/24 hours (4s) [9.375 cm<sup>2</sup>, total estradiol 2.85 mg] [BCF]                      Climara®: 0.05 mg/24 hours (4s) [12.5 cm<sup>2</sup>, total estradiol 3.8 mg] [BCF]                      Climara®: 0.075 mg/24 hours (4s) [18.75 cm<sup>2</sup>, total estradiol 5.7 mg] [BCF]                      Climara®: 0.1 mg/24 hours (4s) [25 cm<sup>2</sup>, total estradiol 7.6 mg] [BCF]                      Tablet, oral [micronized]: 1 mg</p>
Estradiol (Topical)	<p>Cream, vaginal:                      Estrace®: 0.1 mg/g (42.5 g)</p>
Estrogens (Conjugated/Equine) and Medroxyprogesterone	<p>Tablet, oral:                      Prempro®: 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF]                      Prempro®: 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF]                      Prempro®: 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF]                      Prempro®: 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]                      Tablet, oral [therapy pack contains two separate tablet formulations]:                      Premphase®: Premphase® [therapy pack contains 2 separate tablet formulations]: Conjugated estrogens 0.625 mg [14 maroon tablets] and conjugated estrogen 0.625 mg/medroxyprogesterone acetate 5 mg [14 light blue tablets] (28s)</p>
Estrogens (Conjugated/Equine, Systemic)	<p>Tablet, oral:                      Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 1.25 mg [BCF]</p>
Estrogens (Conjugated/Equine, Topical)	<p>Cream, vaginal:                      Premarin®: 0.625 mg/g (30 g) [BCF]</p>
Eszopiclone	<p>Tablet, Oral:                      Lunesta: 2 mg, 3 mg</p>
Etanercept	<p>Solution, Subcutaneous [preservative free]:                      Enbrel: 50 mg/mL (0.98 mL)</p>
Ethambutol	<p>Tablet, oral, as hydrochloride: 400 mg [BCF]</p>
Ethinyl Estradiol and Desogestrel	<p>Tablet, oral [monophasic formulation]:                      Ortho-Cept®: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 light orange tablets and 7 green inactive tablets] (28s)</p>
Ethinyl Estradiol and Drospirenone	<p>Tablet, oral:                      Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF]                      Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink active tablets and 4 white inactive tablets] (28s) [BCF]</p>
Ethinyl Estradiol and Ethynodiol Diacetate	<p>Tablet, oral [monophasic formulation]:                      Zovia® 1/35-28: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets] (28s)</p>
Ethinyl Estradiol and Etonogestrel	<p>Ring, vaginal:                      NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]</p>

Naval Hospital Pensacola Outpatient Formulary

<p>Ethinyl Estradiol and Levonorgestrel</p>	<p>Tablet, oral [extended cycle regimen]:                      Jolessa™: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF]                      Tablet, oral [low dose formulation]:                      Aviane™: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 orange tablets and 7 light green inactive tablets] (28s) [BCF]                      Tablet, oral [monophasic formulation]:                      Portia® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF]                      Tablet, oral [triphasic formulation]:                      Trivora®:                      Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets]                      Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]                      Day 22-28: 7 peach inactive tablets [7 peach inactive tablets]                      Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] (28s)</p>
<p>Ethinyl Estradiol and Norelgestromin</p>	<p>Patch, transdermal:                      Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (3s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]</p>
<p>Ethinyl Estradiol and Norethindrone</p>	<p>Tablet, oral:                      femhrt®: 1/5: Ethinyl estradiol 0.005 mg and norethindrone acetate 1 mg [white tablets]                      Tablet, oral [monophasic formulation]:                      Brevicon®: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [21 blue tablets and 7 orange inactive tablets]                      Lo Loestrin™ Fe: Ethinyl estradiol 0.01 mg and norethindrone acetate 1 mg [24 blue tablets] and ethinyl estradiol 0.01 mg [2 white tablets] and ferrous fumarate 75 mg [2 brown tablets]                      Loestrin® 21 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [light yellow tablets]                      Loestrin® 21 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [pink tablets]                      Microgestin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 white tablets] and ferrous fumarate 75 mg [7 brown tablets]                      Ortho-Novum® 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF]                      Tablet, oral [triphasic formulation]:                      Tri-Norinyl®:                      Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 blue tablets]                      Day 17-21: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [5 blue tablets]                      Day 8-16: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [9 yellow-green tablets]                      Day 22-28: 7 orange inactive tablets</p>
<p>Ethinyl Estradiol and Norgestimate</p>	<p>Tablet, oral [monophasic formulation]:                      MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF]                      Tablet, oral [triphasic formulation]:                      Ortho Tri-Cyclen® Lo [BCF]:                      Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]                      Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]                      Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]                      Day 22-28: 7 dark green inactive tablets                      TriNessa® [BCF]:                      Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]                      Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]                      Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets]                      Day 22-28: 7 green inactive tablets</p>

Naval Hospital Pensacola Outpatient Formulary

Ethinyl Estradiol and Norgestrel	Tablet, oral [monophasic formulation]: Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [DSC]
Ethosuximide	Capsule, softgel, oral: Zarontin®: 250 mg
Exenatide	Solution, Subcutaneous: Byetta 10 MCG Pen: 10 mcg/0.04 mL (2.4 mL) [contains metacresol] Suspension Reconstituted, Subcutaneous: Bydureon: 2 mg (1 ea)
Ezetimibe	Tablet, oral: Zetia®: 10 mg
Felodipine	Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg
Fenofibrate and Derivatives	Capsule Delayed Release, Oral, as choline fenofibrate: Generic: 135 mg Tablet, oral: TriCor®: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin]
Ferrous Gluconate	Tablet, oral: 324 mg [elemental iron 38 mg]
Ferrous Sulfate	Liquid, oral [drops]: 75 mg/0.6 mL (50 mL) [elemental iron 15 mg/0.6 mL] Tablet, oral: 325 mg [elemental iron 65 mg]
Fexofenadine	Tablet, oral, as hydrochloride: 180 mg Allegra® Allergy 12 Hour: 60 mg
Fexofenadine and Pseudoephedrine	Tablet, extended release, oral: Allegra-D® 12 Hour: 60/120: Fexofenadine hydrochloride 60 mg [immediate release] and pseudoephedrine hydrochloride 120 mg [extended release]
Fidaxomicin	Tablet, Oral: Difucid: 200 mg [contains soybean lecithin]
Finasteride	Tablet, oral: Proscar®: 5 mg [BCF]
Fingolimod	Capsule, Oral: Gilenya: 0.5 mg
Fluconazole	Tablet, oral: 100 mg, 150 mg [BCF], 200 mg Diflucan®: 100 mg, 150 mg [BCF], 200 mg
Fludrocortisone	Tablet, oral, as acetate: 0.1 mg
Fluocinolone (Topical)	Cream, topical, as acetonide: 0.025% (15 g, 60 g) Ointment, External, as acetonide: Generic: 0.025% (60 g)
Fluocinonide	Cream, anhydrous, emollient, topical: 0.05% (15 g, 30 g) [BCF] Gel, topical: 0.05% (30 g, 60 g)
Fluoride	Cream, oral, as sodium [toothpaste]: PreviDent® 5000 Plus®: 1.1% (51 g) [contains sodium benzoate; equivalent to fluoride 2.5 mg/dose] Gel, oral, as sodium [toothpaste]: PreviDent® 5000 Sensitive: 1.1% (100 mL) [equivalent to fluoride 2.5 mg/dose]
Fluorometholone	Suspension, ophthalmic, as base [drops]: 0.1% (5 mL, 10 mL)
Fluorouracil (Topical)	Cream, topical: Efudex®: 5% (40 g)
FLUoxetine	Capsule, oral: 10 mg [BCF], 20 mg [BCF] Solution, oral: 20 mg/5 mL (20 mL) [BCF]
FluPHENAZine	Tablet, oral, as hydrochloride: 1 mg, 5 mg
Flurandrenolide	Tape, topical [roll]: Cordran®: 4 mcg/cm <sup>2</sup> (80 inch)
Flutamide	Capsule, oral: 125 mg

Naval Hospital Pensacola Outpatient Formulary

Fluticasone and Salmeterol	Aerosol, for oral inhalation: Advair® HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair® HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Advair® HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Powder, for oral inhalation: Advair Diskus®: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus®: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF] Advair Diskus®: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]
Fluticasone (Nasal)	Suspension, intranasal, as propionate [spray]: Flonase®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]
Fluticasone (Oral Inhalation)	Aerosol, for oral inhalation, as propionate: Flovent® HFA: 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent® HFA: 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF] Flovent® HFA: 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]
Folic Acid	Tablet, oral: 1 mg [BCF]
Fondaparinux	Solution, Subcutaneous, as sodium: Generic: 7.5 mg/0.6 mL (0.6 mL)
Furosemide	Tablet, oral: 20 mg [BCF], 40 mg [BCF] Lasix®: 20 mg [BCF]
Gabapentin	Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF] Tablet, oral: 600 mg [BCF], 800 mg [BCF]
Gemfibrozil	Tablet, oral: 600 mg [BCF]
Gentamicin (Ophthalmic)	Ointment, ophthalmic: Gentak®: 0.3% (3.5 g) [BCF] Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]
Gentamicin (Topical)	Cream, topical: 0.1% (15 g)
Glimepiride	Tablet, oral: Amaryl®: 1 mg, 2 mg, 4 mg [scored]
GlipiZIDE	Tablet, oral: 5 mg [BCF], 10 mg [BCF] Tablet, extended release, oral: Glucotrol XL®: 2.5 mg, 5 mg, 10 mg
Glucagon	Injection, powder for reconstitution: Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]
GlyBURIDE	Tablet, oral: 2.5 mg [BCF], 5 mg [BCF] Tablet, oral [micronized]: 1.5 mg [BCF], 3 mg [BCF] Glynase® PresTab®: 3 mg [BCF], 6 mg [BCF] [scored]
Glyburide and Metformin	Tablet, oral: 2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg 5/500: Glyburide 5 mg and metformin hydrochloride 500 mg Glucovance®: 1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg
Glycerin	Suppository, rectal [adult]: 82.5% (12s) Sani-Supp®: 82.5% (25s) Suppository, rectal [pediatric]: 82.5% (12s) Sani-Supp®: 82.5% (10s)

Naval Hospital Pensacola Outpatient Formulary

Glycopyrrolate	Tablet, oral: Robinul®: 1 mg [scored]
Goserelin	Implant, subcutaneous: Zoladex®: 3.6 mg (1s) [1 month implant] [BCF] Zoladex®: 10.8 mg (1s) [3 month implant] [BCF]
Griseofulvin	Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF] Tablet, oral [ultramicrosize]: Gris-PEG®: 250 mg [BCF] [scored]
GuaiFENesin	Syrup, oral: 100 mg/5 mL (10 mL, 118 mL) Tablet, extended release, oral: Mucinex®: 600 mg
Guaifenesin and Codeine	Solution, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (5 mL)
Guaifenesin and Pseudoephedrine	Tablet, extended release, oral: Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg Mucinex® D Maximum Strength: Guaifenesin 1200 mg and pseudoephedrine hydrochloride 120 mg
GuanFACINE	Tablet, oral: 1 mg Tablet Extended Release 24 Hour, Oral: Intuniv: 1 mg
Haloperidol	Solution, oral, as lactate [strength expressed as base, concentrate]: 2 mg/mL (15 mL) Tablet, oral: 0.5 mg, 2 mg, 5 mg, 10 mg
Homatropine	Solution, ophthalmic, as hydrobromide [drops]: Isopto® Homatropine: 2% (5 mL); 5% (5 mL) [contains benzalkonium chloride]
HydrALAZINE	Tablet, oral, as hydrochloride: 25 mg [BCF]
Hydrochlorothiazide	Tablet, oral: 25 mg [BCF], 50 mg [BCF]
Hydrochlorothiazide and Triamterene	Tablet, oral: Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]
Hydrocodone and Acetaminophen	Solution, oral: Hydrocodone 7.5 mg and acetaminophen 325 mg per 15 mL (118 mL) Tablet, oral: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg Hydrocodone bitartrate 10 mg and acetaminophen 325 mg Hydrocodone bitartrate 10 mg and acetaminophen 500 mg
Hydrocodone and Chlorpheniramine	Suspension, extended release, oral: Hydrocodone polistirex [equivalent to hydrocodone bitartrate 10 mg] and chlorpheniramine polistirex [equivalent to chlorpheniramine maleate 8 mg] per 5 mL (480 mL)
Hydrocortisone (Systemic)	Tablet, oral, as base: 20 mg
Hydrocortisone (Topical)	Cream, topical, as base: 0.5% (28.4 g, 30 g); 1% (1.5 g, 30 g, 454 g) Cream, topical, as valerate: 0.2% (15 g, 45 g, 60 g) Ointment, topical, as valerate: Westcort®: 0.2% (45 g) Suppository, rectal, as acetate: 25 mg (12s) [BCF] Suspension, rectal, as base: 100 mg/60 mL (60 mL)
HYDRomorphone	Tablet, oral, as hydrochloride: Dilaudid®: 2 mg [contains sodium metabisulfite (may have trace amounts)]
Hydroquinone	Cream, topical: Melquin HP®: 4% (28.4 g) [contains sodium metabisulfite] Solution, topical: 3% (30 mL)
Hydroxychloroquine	Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]
Hydroxyurea	Capsule, oral: 500 mg
HydrOXYzine	Capsule, oral, as pamoate: 25 mg Syrup, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

Hyoscyamine, Atropine, Scopolamine, and Phenobarbital	Elixir, oral: Donnatal®: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (473 mL) [contains ethanol <23.8%; grape flavor] Tablet, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg
Ibandronate	Tablet, oral: 150 mg Boniva®: 150 mg [once-monthly formulation] [BCF]
Ibuprofen	Suspension, oral: 100 mg/5 mL (120 mL) Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]
Imipramine	Capsule, oral, as pamoate: Tofranil-PM®: 75 mg [BCF] Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]
Indomethacin	Capsule, oral: 25 mg [BCF], 50 mg [BCF]
Ingenol Mebutate	Gel, External: Picato: 0.015% (3 ea) [contains benzyl alcohol, isopropyl alcohol]
Inhalation Devices	Holding chamber: AeroChamber™ Z-Stat Plus (small, medium) AeroChamber™w/FLOWSiGnal (medium) Holding chamber with mask: AeroChamber™ with mask (small)
Insulin Aspart	Injection, solution: NovoLOG®: 100 units/mL (10 mL) [vial] [BCF] NovoLOG® FlexPen®: 100 units/mL (3 mL) [BCF] NovoLOG® Penfill®: 100 units/mL (3 mL) [cartridge] [BCF]
Insulin Aspart Protamine and Insulin Aspart	Injection, suspension: NovoLOG® Mix 70/30: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (10 mL) [BCF] NovoLOG® Mix 70/30 FlexPen®: 100 units/mL: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting] (3 mL) [BCF]
Insulin Detemir	Solution, Subcutaneous: Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]
Insulin Glargine	Injection, solution: Lantus®: 100 units/mL (3 mL) [cartridge] [BCF] Lantus®: 100 units/mL (10 mL) [vial] [BCF]
Insulin Lispro	Solution, Subcutaneous: HumaLOG: 100 units/mL (3 mL, 10 mL) [contains metacresol, phenol]
Insulin NPH	Injection, suspension: NovoLIN® N: 100 units/mL (10 mL) [vial] [BCF]
Insulin NPH and Insulin Regular	Injection, suspension: NovoLIN® 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [vial] [BCF]
Insulin Regular	Injection, solution: NovoLIN® R: 100 units/mL (10 mL) [BCF]
Ipratropium and Albuterol	Aerosol, for oral inhalation: Combivent®: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF] Solution, for oral inhalation [spray]: Combivent® Respimat®: Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations]
Ipratropium (Oral Inhalation)	Aerosol, for oral inhalation, as bromide: Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF] Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (30s)
Isoniazid	Tablet, oral: 100 mg [BCF], 300 mg [BCF]



Naval Hospital Pensacola Outpatient Formulary

Isosorbide Dinitrate	Capsule, sustained release, oral: Dilatrate®-SR: 40 mg Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF] Isordil® Titradosc™: 5 mg [BCF] [scored] Tablet, sublingual: 5 mg Tablet, extended release, oral: 40 mg [BCF]
Isosorbide Mononitrate	Tablet, oral: 20 mg Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]
ISOTretinoin	Capsule, softgel, oral: Amnesteem®: 10 mg, 20 mg, 40 mg [contains soybean oil]
Isoxsuprine	Tablet, oral, as hydrochloride: 10 mg
Ketoconazole (Systemic)	Tablet, oral: 200 mg
Labetalol	Tablet, oral, as hydrochloride: 200 mg Trandate®: 300 mg [scored]
Lactase	Caplet, oral: 3000 FCC lactase units
Lactic Acid and Ammonium Hydroxide	Lotion, topical: Lactic acid 12% with ammonium hydroxide (225 g, 400 g)
Lactobacillus	Tablet: Kala®: L. acidophilus 200 million units [dairy free, yeast free; soy based]
Lactulose	Solution, oral: 10 g/15 mL (30 mL) [BCF] Solution, oral/rectal: 10 g/15 mL (473 mL) [BCF]
Latanoprost	Solution, ophthalmic [drops]: Xalatan®: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]
Leuprolide	Injection, powder for reconstitution, as acetate [depot formulation, preservative free]: Lupron Depot-Ped®: 11.25 mg (monthly) [contains polylactide-co-glycolide, polysorbate 80] Lupron Depot®: 3.75 mg (monthly), 7.5 mg (monthly), 22.5 mg (3 month), 30 mg (4 month) [contains polylactide-co-glycolide, polysorbate 80]
Levalbuterol	Nebulization Solution, Inhalation, as hydrochloride [strength expressed as base]: Xopenex: 1.25 mg/3 mL (3 mL)
LevETIRAcetam	Tablet, Oral: Generic: 1000 mg
Levofloxacin (Systemic)	Tablet, oral: Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]
Levothyroxine	Tablet, oral, as sodium: Levoxyl®: 75 mcg [BCF] Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
Lidocaine (Topical)	Jelly, topical, as hydrochloride: 2% (5 mL, 30 mL) Jelly, topical, as hydrochloride [preservative free]: 2% (5 mL) Ointment, topical: 5% (35.4 g) Patch, External: Generic: 5% (30 ea) Solution, topical, as hydrochloride: Xylocaine®: 4% [40 mg/mL] (50 mL) Solution, viscous, oral topical, as hydrochloride: 2% [20 mg/mL] (20 mL, 100 mL)
Linagliptin	Tablet, Oral: Tradjenta: 5 mg
Linezolid	Tablet, Oral: Zyvox: 600 mg
Liothyronine	Tablet, oral: Cytomel®: 5 mcg Cytomel®: 25 mcg [scored]

Naval Hospital Pensacola Outpatient Formulary

Liraglutide	Solution, Subcutaneous: Victoza: 18 mg/3 mL (3 mL) [contains phenol, propylene glycol]
Lisinopril	Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
Lisinopril and Hydrochlorothiazide	Tablet, oral: 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF] 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF] 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]
Lithium	Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF] Solution, oral, as citrate: 300 mg/5 mL (500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]
Loperamide	Caplet, oral, as hydrochloride: Anti-Diarrheal: 2 mg Capsule, oral, as hydrochloride: 2 mg [BCF]
Loratadine	Syrup, oral: 5 mg/5 mL (120 mL) Tablet, oral: 10 mg
LORazepam	Tablet, oral: 0.5 mg, 1 mg
Losartan	Tablet, oral, as potassium: Cozaar®: 25 mg [contains potassium 2.12 mg (0.054 mEq)] [BCF] Cozaar®: 50 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF] Cozaar®: 100 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]
Losartan and Hydrochlorothiazide	Tablet, oral: Hyzaar® 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF] Hyzaar® 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF] Hyzaar® 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]
Lubiprostone	Capsule, Oral: Amitiza: 8 mcg, 24 mcg
Magnesium Citrate	Solution, oral: 290 mg/5 mL (296 mL)
Magnesium Oxide	Tablet, oral: Mag-Ox® 400: 400 mg [scored; equivalent to elemental magnesium 240 mg]
Maprotiline	Tablet, oral, as hydrochloride: 25 mg, 75 mg
Meclizine	Tablet, chewable, oral, as hydrochloride: 25 mg
MedroxyPROGESTERone	Injection, suspension, as acetate: Depo-Provera® Contraceptive: 150 mg/mL (1 mL) [contains polysorbate 80] Tablet, oral, as acetate: 2.5 mg [BCF], 10 mg [BCF] Provera®: 5 mg [BCF], 10 mg [BCF] [scored]
Meloxicam	Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]
Memantine	Tablet, Oral, as hydrochloride: Namenda: 5 mg, 10 mg
Mercaptopurine	Tablet, oral: 50 mg
Mesalamine	Capsule, delayed and extended release, oral: Apriso™: 0.375 g [contains phenylalanine 0.56 mg/capsule] Suspension, rectal: Rowasa®: 4 g/60 mL (7s) [contains potassium metabisulfite, sodium benzoate; packaged with wipes] Tablet, delayed release, enteric coated, oral: Asacol®: 400 mg [DSC] Lialda: 1.2 g
Metaxalone	Tablet, Oral: Generic: 800 mg

Naval Hospital Pensacola Outpatient Formulary

MetFORMIN	Tablet, oral, as hydrochloride: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF] Glucophage®: 500 mg [BCF], 850 mg [BCF] Tablet, extended release, oral, as hydrochloride: 500 mg [BCF] Glucophage® XR: 500 mg [BCF]
Methadone	Tablet, oral, as hydrochloride: 10 mg
Methazolamide	Tablet, oral: 50 mg
Methenamine	Tablet, oral, as hippurate: 1 g Tablet, oral, as mandelate: 500 mg
Methimazole	Tablet, oral: 10 mg Tapazole®: 5 mg [scored]
Methocarbamol	Tablet, oral: 500 mg [BCF]
Methotrexate	Tablet, oral: 2.5 mg [BCF]
Methyldopa	Tablet, oral: 250 mg
Methylergonovine	Tablet, oral, as maleate: 0.2 mg
Methylphenidate	Capsule, extended release, oral, as hydrochloride [bi-modal release]: Ritalin LA®: 20 mg [10 mg immediate release, 10 mg extended release] [BCF] Ritalin LA®: 30 mg [15 mg immediate release, 15 mg extended release] [BCF] Tablet, oral, as hydrochloride: Ritalin®: 5 mg [BCF], 10 mg [BCF] Tablet, extended release, oral, as hydrochloride: 10 mg, 20 mg Metadate® ER: 20 mg [contains lactose] Tablet, extended release, oral, as hydrochloride [bi-modal release]: Concerta®: 18 mg [4 mg immediate release, 14 mg extended release] [BCF] Concerta®: 27 mg [6 mg immediate release, 21 mg extended release] [BCF] Concerta®: 36 mg [8 mg immediate release, 28 mg extended release] [BCF] Concerta®: 54 mg [12 mg immediate release, 42 mg extended release] [BCF]
MethylPREDNISolone	Tablet, oral: 4 mg Medrol®: 4 mg [scored] Tablet, oral [dose-pack]: 4 mg [21s]
MethylTESTOSTERone	Tablet, oral: Methitest™: 10 mg [scored]
Metoclopramide	Solution, oral: 5 mg/5 mL (10 mL, 473 mL) [BCF] Tablet, oral: 10 mg [BCF]
Metoprolol	Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Lopressor®: 50 mg [BCF] [scored] Tablet, extended release, oral, as succinate [expressed as mg equivalent to tartrate]: 25 mg [BCF], 50 mg [BCF] Toprol-XL®: 50 mg [BCF], 100 mg [BCF], 200 mg [BCF] [scored; expressed as mg equivalent to tartrate]
MetroNIDAZOLE (Systemic)	Tablet, oral: 250 mg [BCF]
MetroNIDAZOLE (Topical)	Gel, topical: 0.75% (45 g) Gel, vaginal: MetroGel-Vaginal®: 0.75% (70 g) [BCF]
Miconazole (Topical)	Cream, topical, as nitrate: 2% (30 g) Cream, vaginal, as nitrate: 2% (45 g)
Mineral Oil	Oil, oral: 100% (30 mL)
Minocycline	Tablet Extended Release 24 Hour, Oral: Solodyn: 65 mg, 115 mg
Mirabegron	Tablet Extended Release 24 Hour, Oral: Myrbetriq: 25 mg, 50 mg
Misoprostol	Tablet, oral: Cytotec®: 200 mcg [scored]
Modafinil	Tablet, Oral: Generic: 200 mg

Naval Hospital Pensacola Outpatient Formulary

Mometasone (Nasal)	Suspension, intranasal, as furoate [spray]: Nasonex®: 50 mcg/spray (17 g) [contains benzalkonium chloride; delivers 120 sprays]
Montelukast	Granules, oral: Singulair®: 4 mg/packet (30s) [BCF] Tablet, oral: Singulair®: 10 mg [contains lactose 89.3 mg/tablet] [BCF] Tablet, chewable, oral: Singulair®: 4 mg [contains phenylalanine 0.67 mg/tablet; cherry flavor] [BCF] Singulair®: 5 mg [contains phenylalanine 0.84 mg/tablet; cherry flavor] [BCF]
Morphine (Systemic)	Solution, oral, as sulfate: 20 mg/5 mL (500 mL) Tablet, oral, as sulfate: 15 mg, 30 mg Tablet, extended release, oral, as sulfate: 15 mg [BCF] MS Contin®: 30 mg [BCF]
Moxifloxacin (Ophthalmic)	Solution, ophthalmic [drops]: Vigamox®: 0.5% (3 mL)
Moxifloxacin (Systemic)	Tablet, oral: Avelox®: 400 mg
Mupirocin	Cream, topical, as calcium [strength expressed as base]: Bactroban Cream®: 2% (15 g, 30 g) [contains benzyl alcohol] Ointment, topical: 2% (22 g) [BCF] Bactroban®: 2% (22 g) [contains polyethylene glycol] [BCF]
Naphazoline and Pheniramine	Solution, ophthalmic [drops]: Naphcon® A: Naphazoline hydrochloride 0.025% and pheniramine maleate 0.3% (5 mL, 15 mL) [contains benzalkonium chloride]
Naproxen	Suspension, oral: Naprosyn®: 125 mg/5 mL (473 mL) [contains sodium 39 mg (1.5 mEq)/5 mL; orange-pineapple flavor] [BCF] Tablet, oral: 250 mg [BCF] Tablet, oral, as sodium: 550 mg [equivalent to naproxen base 500 mg]
Neomycin	Tablet, oral, as sulfate: 500 mg
Neomycin, Colistin, Hydrocortisone, and Thonzonium	Suspension, otic [drops]: Coly-Mycin® S: Neomycin 0.33%, colistin 0.3%, hydrocortisone acetate 1%, and thonzonium bromide 0.05% (5 mL) [contains thimerosal]
Neomycin, Polymyxin B, and Dexamethasone	Ointment, ophthalmic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g) Suspension, ophthalmic [drops]: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)
Neomycin, Polymyxin B, and Hydrocortisone	Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]
Nepafenac	Suspension, ophthalmic [drops]: Nevanac®: 0.1% (3 mL) [contains benzalkonium chloride]
Niacin	Capsule, timed release, oral: 500 mg Tablet, oral: 50 mg, 500 mg Tablet, extended release, oral: Niaspan®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]
NIFEdipine	Capsule, softgel, oral: Procardia®: 10 mg Tablet, extended release, oral: Adalat® CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]
Nisoldipine	Tablet, extended release, oral [original formula]: 20 mg, 30 mg, 40 mg
Nitrofurantoin	Capsule, oral [macrocrystal]: 50 mg [BCF], 100 mg Macrochantin®: 25 mg Suspension, oral: Furadantin®: 25 mg/5 mL (230 mL)

Naval Hospital Pensacola Outpatient Formulary

Nitroglycerin	Capsule, extended release, oral: 2.5 mg, 6.5 mg Ointment, topical: Nitro-Bid®: 2% (1 g, 60 g) [~15 mg/inch] Patch, transdermal: Nitro-Dur®: 0.2 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF] Solution, translingual [spray]: Nitrolingual®: 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF] Tablet, sublingual: Nitrostat®: 0.3 mg, 0.4 mg [BCF], 0.6 mg
Norethindrone	Tablet, oral: Nor-QD®: 0.35 mg [BCF]
Norethindrone and Mestranol	Tablet, oral [monophasic formulation]: Norinyl® 1+50: Norethindrone 1 mg and mestranol 0.05 mg [21 white tablets and 7 orange inactive tablets]
Nutritional Formula, Enteral/Oral	Tablet, oral: L-Methylfolate 3 mg, Vitamin B6 35 mg, and Vitamin B12 2 mg
Nystatin and Triamcinolone	Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g, 60 g)
Nystatin (Oral)	Suspension, oral: 100,000 units/mL (5 mL, 60 mL) [BCF] Tablet, oral: 500,000 units
Nystatin (Topical)	Cream, topical: 100,000 units/g (15 g, 30 g) [BCF] Ointment, topical: 100,000 units/g (15 g, 30 g) [BCF]
Ofloxacin (Ophthalmic)	Solution, ophthalmic [drops]: Ocuflox®: 0.3% (5 mL) [contains benzalkonium chloride]
Ofloxacin (Otic)	Solution, otic [drops]: 0.3% (5 mL)
Olopatadine (Ophthalmic)	Solution, ophthalmic [drops]: Pataday: 0.2% (2.5 mL) [contains benzalkonium chloride, edetate disodium] Patanol®: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]
Omega-3-Acid Ethyl Esters	Capsule, liquid gel, oral: Lovaza: 1 g [contains DHA ~375 mg/capsule, EPA ~465 mg/capsule, soybean oil]
Omeprazole	Capsule, delayed release, oral: 20 mg [BCF]
Oseltamivir	Capsule, Oral, as phosphate: Tamiflu: 75 mg
Oxaprozin	Caplet, oral: Daypro®: 600 mg [scored] Tablet, oral: 600 mg
Oxazepam	Capsule, oral: 15 mg
Oxybutynin	Syrup, oral, as chloride: 5 mg/5 mL (473 mL) Tablet, oral, as chloride: 5 mg Tablet, extended release, oral, as chloride: Ditropan XL®: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]
OxyCODONE	Tablet ER 12 Hour Abuse-Deterrent, Oral, as hydrochloride: OxyCONTIN: 20 mg, 40 mg, 80 mg
Oxycodone and Acetaminophen	Tablet, oral: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [scored] [BCF] 7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg
Oxymetazoline (Nasal)	Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)
Oxymorphone	Tablet Extended Release 12 Hour, Oral, as hydrochloride: Generic: 40 mg

Naval Hospital Pensacola Outpatient Formulary

Pancrelipase	Capsule, delayed release, enteric coated microspheres, oral [porcine derived]: Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units Capsule, delayed release, enteric coated microtablets [porcine derived]: Pancrease™: Lipase 4200 units, protease 10,000 units, and amylase 17,500 units [ECF] Pancrease™: Lipase 21,000 units, protease 37,000 units, and amylase 61,000 units [ECF]
PARoxetine	Suspension, oral, as hydrochloride [strength expressed as base]: Paxil®: 10 mg/5 mL (250 mL) [contains propylene glycol; orange flavor] Tablet, oral, as hydrochloride [strength expressed as base]: 10 mg, 20 mg, 40 mg
PenicillAMINE	Capsule, oral: Cuprimine®: 250 mg
Penicillin V Potassium	Powder for solution, oral: 250 mg/5 mL (200 mL) [BCF] Tablet, oral: 250 mg [BCF], 500 mg [BCF]
Permethrin	Cream, topical: 5% (60 g) [BCF]
Perphenazine	Tablet, oral: 2 mg, 4 mg, 8 mg
Petrolatum	Ointment: 30 g, 454 g
Phenazopyridine	Tablet, oral, as hydrochloride: 100 mg [BCF]
PHENobarbital	Elixir, oral: 20 mg/5 mL (5 mL, 7.5 mL, 15 mL, 473 mL) [BCF] Tablet, oral: 16.2 mg, 30 mg [BCF], 32.4 mg
Phenol	Solution, oral [spray]: 1.4% (177 mL)
Phenylephrine (Ophthalmic)	Solution, ophthalmic, as hydrochloride [drops]: 2.5% (3 mL, 15 mL)
Phenytoin	Capsule, extended release, oral, as sodium: 100 mg [BCF] Dilantin®: 100 mg [BCF] Suspension, oral: 125 mg/5 mL (237 mL) [BCF] Tablet, chewable, oral: Dilantin®: 50 mg [scored] [BCF]
Phytonadione	Tablet, oral: Mephyton®: 5 mg [scored]
Pilocarpine (Ophthalmic)	Gel, ophthalmic, as hydrochloride: Pilopine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF] Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF]
Pimecrolimus	Cream, topical: Elidel®: 1% (30 g) [BCF] [contains benzyl alcohol]
Pioglitazone	Tablet, oral: Actos®: 15 mg, 30 mg, 45 mg
Piroxicam	Capsule, oral: 10 mg, 20 mg
Polyethylene Glycol 3350	Powder for solution, oral: MiraLAX®: 17 g/dose (510 g)
Polyethylene Glycol-Electrolyte Solution	Powder for solution, oral: GoLYTELY®: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [original flavor]
Potassium Chloride	Powder for solution, oral: Klor-Con®: 20 mEq/packet (30s) [sugar free; fruit flavor] [BCF] Solution, oral: 20 mEq/15 mL (30 mL) [BCF]; 40 mEq/15 mL (480 mL) Tablet, extended release, microencapsulated, oral: 20 mEq [BCF] Klor-Con® M20: 20 mEq [scored; 1500 mg] [BCF] Tablet, extended release, wax matrix, oral: Klor-Con® 8: 8 mEq [600 mg] Klor-Con® 10: 10 mEq [750 mg] [BCF]
Potassium Citrate	Tablet, extended release, oral: Urocit®-K: 540 mg [5 mEq] Urocit®-K: 1080 mg [10 mEq]

Naval Hospital Pensacola Outpatient Formulary

Potassium Iodide	Solution, oral: SSKI®: 1 g/mL (237 mL)
Povidone-Iodine (Topical)	Solution, topical: Betadine®: 10% (120 mL, 237 mL)
Pramipexole	Tablet, oral, as dihydrochloride monohydrate: Mirapex®: 0.125 mg Mirapex®: 0.25 mg, 0.5 mg, 1 mg, 1.5 mg [scored]
Pramoxine and Hydrocortisone	Aerosol, foam, rectal: Proctofoam® HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)
Prasugrel	Tablet, Oral: Effient: 10 mg
Pravastatin	Tablet, oral, as sodium: 20 mg [BCF] Pravachol®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]
Prazosin	Capsule, oral: 1 mg, 2 mg, 5 mg
PrednisoLONE (Ophthalmic)	Suspension, ophthalmic, as acetate [drops]: 1% (10 mL) [BCF]
PrednisoLONE (Systemic)	Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL) [BCF]
PredniSONE	Solution, oral: 1 mg/mL (500 mL) Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]
Pregabalin	Capsule, Oral: Lyrica: 50 mg, 75 mg, 100 mg, 150 mg
Primaquine	Tablet, oral, as phosphate: 26.3 mg [15 mg base]
Primidone	Tablet, oral: 250 mg Mysoline®: 50 mg, 250 mg [scored]
Probenecid	Tablet, oral: 500 mg
Prochlorperazine	Suppository, rectal: Compro®: 25 mg (12s) [contains coconut oil, palm oil] Tablet, oral, as maleate [strength expressed as base]: 5 mg
Progesterone	Capsule, oral [micronized]: Prometrium®: 100 mg, 200 mg [contains peanut oil] Injection, oil: 50 mg/mL (10 mL) Suppository, vaginal [compounding kit]: First™-Progesterone VGS 25: 25 mg (30s) First™-Progesterone VGS 50: 50 mg (30s) First™-Progesterone VGS 100: 100 mg (30s) First™-Progesterone VGS 200: 200 mg (30s)
Promethazine	Suppository, rectal, as hydrochloride: 25 mg (12s) [BCF] Phenadoz®: 12.5 mg (12s) [BCF] Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL) [BCF] Tablet, oral, as hydrochloride: 25 mg [BCF]
Propafenone	Capsule Extended Release 12 Hour, Oral, as hydrochloride: Generic: 225 mg
Propantheline	Tablet, oral, as bromide: 15 mg
Proparacaine	Solution, ophthalmic, as hydrochloride [drops]: 0.5% (15 mL)
Propranolol	Capsule, extended release, oral, as hydrochloride: 60 mg Capsule, sustained release, oral, as hydrochloride: Inderal® LA: 60 mg, 80 mg, 120 mg, 160 mg Solution, oral, as hydrochloride: 4 mg/mL (500 mL) Tablet, oral, as hydrochloride: 10 mg, 20 mg, 40 mg, 80 mg
Propylthiouracil	Tablet, oral: 50 mg [BCF]
Pseudoephedrine	Syrup, oral, as hydrochloride: 30 mg/5 mL (118 mL) Tablet, oral, as hydrochloride: SudoGest: 30 mg

Naval Hospital Pensacola Outpatient Formulary

Psyllium	Powder, oral: Metamucil® Smooth Texture: (450 g) [sugar free; contains phenylalanine, potassium, sodium; orange flavor]
Pyrazinamide	Tablet, oral: 500 mg [BCF]
Pyridostigmine	Tablet, oral, as bromide: 60 mg Tablet, sustained release, oral, as bromide: Mestinon® Timespan®: 180 mg [scored]
Pyridoxine	Tablet, oral, as hydrochloride: 50 mg
QUetiapine	Tablet, oral: SEROquel®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF] Tablet, extended release, oral: SEROquel XR®: 50 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
QuiNIDine	Tablet, oral, as sulfate: 200 mg [equivalent to quinidine base 166 mg] Tablet, extended release, oral, as gluconate: 324 mg [equivalent to quinidine base 202 mg] Tablet, extended release, oral, as sulfate: 300 mg [equivalent to quinidine base 249 mg]
Raloxifene	Tablet, oral, as hydrochloride: Evista®: 60 mg [BCF]
Ramipril	Capsule, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF] Altace®: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Ranitidine	Syrup, oral: 15 mg/mL (10 mL) [BCF] Zantac®: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF] Tablet, oral: 150 mg [BCF] Zantac®: 150 mg [BCF]
Ranolazine	Tablet Extended Release 12 Hour, Oral: Ranexa: 500 mg, 1000 mg
Rifampin	Capsule, oral: 300 mg [BCF]
Rifaximin	Tablet, Oral: Xifaxan: 550 mg [contains edetate disodium]
Rimexolone	Suspension, ophthalmic [drops]: Vexol®: 1% (5 mL) [contains benzalkonium chloride]
RisperIDONE	Tablet, oral: RisperDAL®: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [scored] [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]
Rivaroxaban	Tablet, Oral: Xarelto: 15 mg, 20 mg
Rivastigmine	Patch 24 Hour, Transdermal: Exelon: 4.6 mg/24 hr (1 ea, 30 ea); 9.5 mg/24 hr (1 ea, 30 ea)
Rizatriptan	Tablet, oral: Maxalt®: 5 mg [BCF], 10 mg [BCF] Tablet, orally disintegrating: Maxalt-MLT®: 5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF] Maxalt-MLT®: 10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]
Rosuvastatin	Tablet, Oral: Crestor: 5 mg, 10 mg, 20 mg, 40 mg
Salicylic Acid	Liquid, topical: Compound W®: 17.6% (9 mL) [contains ethanol 21.2%]
Salmeterol	Powder, for oral inhalation: Serevent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]
Salsalate	Tablet, oral: 500 mg [BCF], 750 mg [BCF]
Scopolamine (Ophthalmic)	Solution, ophthalmic, as hydrobromide [drops]: Isopto® Hyoscine: 0.25% (5 mL) [contains benzalkonium chloride]
Selenium Sulfide	Lotion, topical: 2.5% (120 mL) [BCF]
Senna	Tablet, oral: Sennosides 8.6 mg



Naval Hospital Pensacola Outpatient Formulary

Sertraline	Solution, oral [concentrate]: Zoloft®: 20 mg/mL (60 mL) [contains ethanol 12%, menthol, natural rubber/natural latex in packaging] [BCF] Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF] Zoloft®: 50 mg [BCF], 100 mg [BCF] [scored]
Sevelamer	Tablet, Oral, as carbonate: Renvela: 800 mg
Sildenafil	Tablet, oral: Viagra®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
Silver Sulfadiazine	Cream, topical: 1% (25 g) [BCF]
Simethicone	Suspension, oral [drops]: 40 mg/0.6 mL (30 mL) Tablet, chewable, oral: 80 mg
Simvastatin	Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF] Zocor®: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]
SitaGLIPTin	Tablet, oral: Januvia®: 50 mg [BCF], 100 mg [BCF]
Sitagliptin and Metformin	Tablet, oral: Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Tablet, extended release, oral: Janumet® XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF] Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF] Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg [BCF]
Sodium Chloride	Ointment, ophthalmic: 5% (3.5 g) Solution, intranasal [spray]: Deep Sea: 0.65% (44 mL) [contains benzalkonium chloride, benzyl alcohol] Solution, ophthalmic [drops]: Muro 128®: 2% (15 mL); 5% (15 mL)
Sodium Citrate and Citric Acid	Solution, oral: Sodium citrate 500 mg and citric acid 334 mg per 5 mL (480 mL)
Sodium Polystyrene Sulfonate	Suspension, oral/rectal: SPS®: 15 g/60 mL (473 mL) [contains ethanol 0.3%, propylene glycol, sodium 1500 mg (65 mEq)/60 mL, sorbitol; cherry flavor]
Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate	Solution, oral: Suprep® Bowel Prep Kit: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 180 mL (180 mL) [contains sodium benzoate]
Solifenacin	Tablet, Oral, as succinate: VESicare: 5 mg, 10 mg
Sorbitol	Solution, oral: 70% (480 mL)
Spiroinolactone	Tablet, oral: 25 mg [BCF]
Sucrafate	Suspension, oral: 1 g/10 mL (10 mL) Carafate®: 1 g/10 mL (420 mL) Tablet, oral: 1 g Carafate®: 1 g [scored]
Sulfacetamide (Ophthalmic)	Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]
Sulfamethoxazole and Trimethoprim	Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF] Tablet, double strength, oral: Sulamethoxazole 800 mg and trimethoprim 160 mg [BCF] Septra® DS: Sulfamethoxazole 800 mg and trimethoprim 160 mg [scored] [BCF]
SulfaSALazine	Tablet, oral: 500 mg [BCF] Azulfidine®: 500 mg [scored] [BCF] Sulfazine: 500 mg [scored] Tablet, delayed release, enteric coated, oral: Azulfidine EN-tabs®: 500 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

SUMatriptan	Injection, solution, as succinate [strength expressed as base]: Imitrex®: 6 mg/0.5 mL (0.5 mL) [cartridge] [BCF] Imitrex®: 6 mg/0.5 mL (0.5 mL) [vial] Tablet, oral, as succinate [strength expressed as base]: Imitrex®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]
SUNitinib	Capsule, Oral: Sutent: 25 mg
Tamoxifen	Tablet, oral: 10 mg [BCF]
Tamsulosin	Capsule, oral, as hydrochloride: Flomax®: 0.4 mg [BCF]
Telmisartan	Tablet, oral: Micardis®: 20 mg [BCF], 40 mg [scored] [BCF], 80 mg [scored] [BCF]
Telmisartan and Hydrochlorothiazide	Tablet, oral: Micardis® HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg [BCF] Micardis® HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Micardis® HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg [BCF]
Temazepam	Capsule, oral: 15 mg [BCF], 30 mg [BCF]
Terazosin	Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]
Terbutaline	Tablet, oral, as sulfate: 5 mg
Terconazole	Cream, vaginal: Terazol® 7: 0.4% (45 g)
Teriparatide	Solution, Subcutaneous: Forteo: 600 mcg/2.4 mL (2.4 mL) [contains metacresol]
Testosterone	Gel, topical: Fortesta™: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF] Testim®: 1% [5 g gel/tube] (30s) [contains ethanol 74%; may be chemically synthesized from soy]
Tetracycline	Capsule, oral, as hydrochloride: 250 mg [BCF], 500 mg [BCF]
Theophylline	Capsule, extended release, oral: Theo-24®: 200 mg, 300 mg [BCF] [24 hours] Solution, oral: Elixophyllin® Elixir: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF] Tablet, extended release, oral: 100 mg, 200 mg [BCF], 300 mg [BCF]
Thiamine	Tablet, oral, as hydrochloride: 50 mg, 100 mg
Thioridazine	Tablet, oral, as hydrochloride: 10 mg, 25 mg, 50 mg, 100 mg
Thyroid, Desiccated	Tablet, oral: Armour® Thyroid: 30 mg, 60 mg
Timolol (Ophthalmic)	Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]: Timolol GFS: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF] Solution, ophthalmic, as hemihydrate [strength expressed as base, drops]: Betimol®: 0.25% (5 mL); 0.5% (10 mL) [contains benzalkonium chloride] Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (10 mL) [BCF]; 0.5% (10 mL) [BCF]
Tiotropium	Powder, for oral inhalation: Spiriva® HandiHaler®: 18 mcg/capsule (5s, 30s) [contains lactose] [BCF]
Tobramycin (Ophthalmic)	Solution, ophthalmic [drops]: 0.3% (5 mL) Tobrex®: 0.3% (5 mL) [contains benzalkonium chloride]
Tobramycin (Systemic, Oral Inhalation)	Nebulization Solution, Inhalation [preservative free]: Generic: 300 mg/5 mL (5 mL)
Tofacitinib	Tablet, Oral: Xeljanz: 5 mg
Tolterodine	Capsule, extended release, oral, as tartrate: Detrol® LA: 2 mg [BCF], 4 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

Tolvaptan	Tablet, Oral: Samsca: 30 mg
TraMADol	Tablet, oral, as hydrochloride: 50 mg [BCF]
TraZODone	Tablet, oral, as hydrochloride: 50 mg [BCF]
Tretinoin (Topical)	Cream, topical: Avita®: 0.025% (45 g) [BCF] Retin-A®: 0.025% (20 g) [BCF]; 0.05% (20 g, 45 g) [BCF]; 0.1% (20 g, 45 g) Gel, topical: Avita®: 0.025% (45 g) [contains ethanol 83%]
Triamcinolone (Topical)	Aerosol, topical, as acetonide: Kenalog®: 0.147 mg/g Cream, topical, as acetonide: 0.025% (15 g, 80 g); 0.1% (15 g, 30 g, 80 g, 454 g) [BCF]; 0.5% (15 g) Ointment, topical, as acetonide: 0.025% (80 g); 0.1% (80 g, 454 g); 0.5% (15 g) Paste, oral topical, as acetonide: 0.1% (5 g)
Triazolam	Tablet, oral: 0.25 mg Halcion®: 0.25 mg [scored]
Trifluoperazine	Tablet, oral: 2 mg, 5 mg
Trifluridine	Solution, ophthalmic [drops]: Viroptic®: 1% (7.5 mL)
Trihexyphenidyl	Tablet, oral, as hydrochloride: 2 mg [BCF], 5 mg
Trimethobenzamide	Capsule, oral, as hydrochloride: Tigan®: 300 mg
Trimethoprim	Tablet, oral: 100 mg
Trimethoprim and Polymyxin B	Solution, ophthalmic [drops]: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [BCF]
Tripolidine and Pseudoephedrine	Syrup, oral: Aprodine: Tripolidine hydrochloride 1.25 mg and pseudoephedrine hydrochloride 30 mg per 5 mL (120 mL) Tablet, oral: Aprodine: Tripolidine hydrochloride 2.5 mg and pseudoephedrine hydrochloride 60 mg [scored]
Tropicamide	Solution, ophthalmic [drops]: 0.5% (15 mL); 1% (15 mL)
Urea	Lotion, topical: Carmol® 10: 10% (180 mL)
ValACYclovir	Caplet, oral: Valtrex®: 1 g [scored]
Valproic Acid and Derivatives	Capsule, sprinkle, oral [strength expressed as valproic acid]: Depakote® Sprinkle: 125 mg [BCF] [strength expressed as valproic acid] Syrup, oral, as valproate sodium: 250 mg/5 mL (473 mL) [strength expressed as valproic acid] Tablet, delayed release, oral [strength expressed as valproic acid]: Depakote®: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid] Tablet, extended release, oral [strength expressed as valproic acid]: Depakote® ER: 250 mg [BCF], 500 mg [BCF] [strength expressed as valproic acid]
Valsartan	Tablet, oral: Diovan®: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

Naval Hospital Pensacola Outpatient Formulary

Valsartan and Hydrochlorothiazide	Tablet, oral: Diovan HCT®: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT®: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT®: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF] Diovan HCT®: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF] Diovan HCT®: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]
Vancomycin	Capsule, Oral: Generic: 125 mg, 250 mg
Varenicline	Tablet, oral: Chantix®: 0.5 mg, 1 mg
Venlafaxine	Capsule, extended release, oral: Effexor XR®: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF] Tablet, oral: 25 mg [BCF], 37.5 mg [BCF] Effexor®: 50 mg [scored] Tablet, extended release, oral: 225 mg [BCF]
Verapamil	Tablet, oral, as hydrochloride: 80 mg, 120 mg Tablet, extended release, oral, as hydrochloride: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]
Vitamin A	Capsule, softgel, oral: 10,000 units
Vitamin E	Capsule, softgel, oral: 400 units
Vitamins (Multiple/Oral)	Content varies depending on product used. Tablet
Vitamins (Multiple/Pediatric)	Content varies depending on product used. Solution, oral: Polyvitamin: 50 mL Tablet, chewable
Vitamins (Multiple/Prenatal)	Content varies depending on product used. Tablet: Prenatal Plus
Warfarin	Tablet, oral, as sodium: Coumadin®: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]
Zinc Oxide	Ointment, topical: 20% (30 g, 60 g, 454 g)
Zinc Sulfate	Capsule, oral: 220 mg [elemental zinc 50 mg]
ZOLMitriptan	Tablet, oral: Zomig®: 2.5 mg [scored] Zomig®: 5 mg Tablet, orally disintegrating, oral: Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor] Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]
Zolpidem	Tablet, oral, as tartrate: Ambien®: 5 mg [BCF], 10 mg [BCF] Tablet Extended Release, Oral, as tartrate: Generic: 12.5 mg