

**SEYMOUR JOHNSON AFB
OUTPATIENT FORMULARY**

Alphabetical Listing by Name

This document is current as of March 1, 2018.
The availability of formulary items is subject to change.

ACETAMINOPHEN

Acetaminophen

Outpatient Dosage Forms

Elixir, oral: 160 mg/5 mL (118 mL)
Solution, oral [drops]: 80 mg/0.8 mL (15 mL)
Tablet, oral: 325 mg

Acetaminophen and Codeine

Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (120 mL) [contains alcohol 7%] [BCF]
Tablet, oral [C-III] : Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

Acetaminophen and Tramadol

Outpatient Dosage Forms

Tablet, oral: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg

Acetaminophen, Isometheptene, and Dichloralphenazone

Outpatient Dosage Forms

Capsule, oral: Acetaminophen 325 mg, isometheptene mucate 65 mg, and dichloralphenazone 100 mg [DSC]

AcetaZOLAMIDE

Outpatient Dosage Forms

Tablet, oral: 250 mg

Acyclovir (Systemic)

Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]
Suspension, oral: 200 mg/5 mL (473 mL) [BCF]
Tablet, oral: 400 mg [BCF], 800 mg [BCF]

Acyclovir (Topical)

Outpatient Dosage Forms

Cream, External:
Zovirax: 5% (5 g) [contains cetostearyl alcohol, propylene glycol]
Ointment, topical: 5% (15 g)

Adalimumab

Outpatient Dosage Forms

Pen-injector Kit, Subcutaneous [preservative free]:
Humira Pen: 40 mg/0.8 mL (1 ea) [contains polysorbate 80] [BCF]

Albendazole

Outpatient Formulary Brands Available Albenza

Outpatient Dosage Forms

Tablet, Oral:
Albenza: 200 mg [contains saccharin sodium]

Albiglutide

Outpatient Formulary Brands Available Tanzeum

Outpatient Dosage Forms

Pen-injector, Subcutaneous [preservative free]:
Tanzeum: 30 mg (1 ea); 50 mg (1 ea) [contains polysorbate 80]

Albuterol

Outpatient Dosage Forms

Solution, for nebulization: 0.083% [2.5 mg/3 mL] (25s) [BCF]; 0.5% [100 mg/20 mL] (1s)
Syrup, oral: 2 mg/5 mL (473 mL)
Tablet, oral: 2 mg

Alendronate

Outpatient Formulary Brands Available Fosamax

Outpatient Dosage Forms

Solution, oral:
Fosamax: 70 mg/75 mL (75 mL) [raspberry flavor] [BCF]
Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]
Fosamax: 35 mg

Alfuzosin

Outpatient Formulary Brands Available Uroxatral®

Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride:
Uroxatral®: 10 mg [BCF]

Allopurinol

Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

ALPRAZolam

Outpatient Formulary Brands Available Xanax®

Outpatient Dosage Forms

Tablet, oral:
Xanax®: 0.25 mg, 0.5 mg, 1 mg [scored]
Generic: 2 mg

Aluminum Chloride Hexahydrate

Outpatient Formulary Brands Available Drysol™

Outpatient Dosage Forms

Solution, topical:
Drysol™: 20% (37.5 mL) [contains ethanol 93%]

Amantadine

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 100 mg [BCF]
Syrup, oral, as hydrochloride: 50 mg/5 mL (10 mL, 473 mL, 480 mL) [BCF]

Amiodarone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg [BCF]

Amitriptyline

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg

Amitriptyline and Perphenazine

Outpatient Dosage Forms

Tablet, oral: Amitriptyline hydrochloride 25 mg and perphenazine 2 mg

AmLODIPine

Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

Amlodipine and Benazepril

Outpatient Formulary Brands Available Lotrel®

Outpatient Dosage Forms

Capsule, oral:
2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]
5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]
5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]
10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]
Lotrel®:
2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]
5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]
5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]
5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]
10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]
10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]

Amoxicillin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Powder for suspension, oral: 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (100 mL) [BCF]
Tablet, oral: 875 mg
Tablet, chewable, oral: 250 mg

Amoxicillin and Clavulanate Potassium

Outpatient Formulary Brands Available Augmentin

Outpatient Dosage Forms

Powder for Suspension, Oral:
Augmentin: 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.16 mEq/5 mL; banana flavor] [BCF]
Generic: 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]
Generic: 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [BCF]
Generic: 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]
Generic: 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF]
Tablet, Oral:
Generic: 250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF]
Generic: 500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]
Generic: 875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]
Tablet Extended Release 12 Hour, Oral: Amoxicillin 1000 mg and clavulanate acid 62.5 mg

Anastrozole

Outpatient Dosage Forms

Tablet, oral: 1 mg

Apixaban

Outpatient Formulary Brands Available Eliquis

Outpatient Dosage Forms

Tablet, oral:
Eliquis: 2.5 mg, 5 mg

ARIPiprazole

Outpatient Dosage Forms

Tablet, oral:
Abilify: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg

Aspirin

Outpatient Dosage Forms

Tablet, enteric coated, oral: 81 mg, 325 mg

Aspirin and Dipyridamole

Outpatient Formulary Brands Available Aggrenox®

Outpatient Dosage Forms

Capsule, extended release, 12 hour, oral:

Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release] [contains lactose, sucrose]

Atenolol

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

AtoMOXetine

Outpatient Formulary Brands Available Strattera®

Outpatient Dosage Forms

Capsule, oral:

Strattera®: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg

AtorvaSTATin

Outpatient Formulary Brands Available Lipitor®

Outpatient Dosage Forms

Tablet, oral:

Lipitor®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Atovaquone and Proguanil

Outpatient Formulary Brands Available Malarone

Outpatient Dosage Forms

Tablet, Oral:

Malarone: Atovaquone 250 mg and proguanil hydrochloride 100 mg

Tablet, Oral [pediatric]:

Malarone: Atovaquone 62.5 mg and proguanil hydrochloride 25 mg

AzaTHIOprine

Outpatient Dosage Forms

Tablet, oral: 50 mg

Azelaic Acid

Outpatient Formulary Brands Available Finacea

Outpatient Dosage Forms

Gel, External:

Finacea: 15% (50 g) [contains benzoic acid, disodium edta, polysorbate 80, propylene glycol]

Azelastine (Nasal)

Outpatient Formulary Brands Available Astelin®

Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]: 0.1% [137 mcg/spray] (30 mL)

Azithromycin (Systemic)

Outpatient Formulary Brands Available Zithromax®; Zithromax® TRI-PAK™; Zithromax® Z-PAK®

Outpatient Dosage Forms

Powder for suspension, oral, as dihydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF]; 1 g/packet (3s) [BCF]

Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]

Zithromax®: 200 mg/5 mL (15 mL, 22.5 mL, 30 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]

Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Zithromax® TRI-PAK™: 500 mg [contains sodium 1.8 mg/tablet]

Zithromax® Z-PAK®: 250 mg [contains sodium 0.9 mg/tablet]

Bacitracin and Polymyxin B (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)

Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)

Outpatient Dosage Forms

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

Bacitracin (Topical)

Outpatient Dosage Forms

Ointment, topical, as zinc [strength expressed as base]: 500 units/g (15 g)

Baclofen

Outpatient Dosage Forms

Tablet, oral: 10 mg

Benazepril

Outpatient Dosage Forms

Tablet, oral: 10 mg, 20 mg, 40 mg

Benzonate

Outpatient Dosage Forms

Capsule, oral: 100 mg, 200 mg

Benzoyl Peroxide

Outpatient Dosage Forms

Gel, topical: 5% (45 g, 60 g); 10% (45 g, 60 g)

Wash, topical: 5% (113 g, 142 g, 227 g); 10% (142 g, 227 g)

Benztropine

Outpatient Dosage Forms

Tablet, oral, as mesylate: 0.5 mg [BCF], 2 mg [BCF]

Betamethasone and Clotrimazole

Outpatient Dosage Forms

Cream, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (45 g)

Lotion, topical: Betamethasone dipropionate 0.05% (base) and clotrimazole 1% (30 mL)

Betamethasone (Topical)

Outpatient Dosage Forms

Cream, topical, as valerate [strength expressed as base]: 0.1% (45 g)

Lotion, topical, as valerate [strength expressed as base]: 0.1% (60 mL)

Ointment, topical, as valerate [strength expressed as base]: 0.1% (45 g)

Betaxolol (Ophthalmic)

Outpatient Formulary Brands Available Betoptic S®

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:

Betoptic S®: 0.25% (15 mL) [contains benzalkonium chloride]

Bimatoprost

Outpatient Formulary Brands Available Lumigan

Outpatient Dosage Forms

Solution, ophthalmic:

Lumigan: 0.01% (5 mL) [contains benzalkonium chloride]

Bisacodyl

Outpatient Dosage Forms

Tablet, enteric coated, oral: 5 mg

Bisoprolol

Outpatient Dosage Forms

Tablet, oral, as fumarate: 5 mg, 10 mg

Brimonidine and Timolol

Outpatient Formulary Brands Available Combigan®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Combigan®: Brimonidine tartrate 0.2% and timolol 0.5% (10 mL) [contains benzalkonium chloride]

Brimonidine (Ophthalmic)

Outpatient Formulary Brands Available Alphagan® P

Outpatient Dosage Forms

Solution, ophthalmic, as tartrate [drops]: 0.15% (5 mL) [BCF]; 0.2% (5 mL) [BCF]

Alphagan® P: 0.15% (5 mL) [contains Purite®]

Bromocriptine

Outpatient Dosage Forms

Tablet, oral: 2.5 mg

Budesonide (Oral Inhalation)

Outpatient Formulary Brands Available Pulmicort Respules®

Outpatient Dosage Forms

Suspension, for nebulization:

Pulmicort Respules®: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s)

Bumetanide

Outpatient Dosage Forms

Tablet, oral: 1 mg, 2 mg

BuPROPion

Outpatient Formulary Brands Available Wellbutrin SR; Wellbutrin XL

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 75 mg [BCF], 100 mg [BCF]

Tablet extended release 12 hour, oral, as hydrochloride:

Wellbutrin SR: 100 mg [BCF]

Generic: 100 mg [BCF], 150 mg [BCF]

Tablet extended release 24 hour, oral, as hydrochloride:

Wellbutrin XL: 150 mg [BCF], 300 mg [BCF]

Generic: 150 mg [BCF], 300 mg [BCF]

BusPIRone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

Butalbital, Acetaminophen, and Caffeine

Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

CALCITRIOL (SYSTEMIC)

Calcitriol (Systemic)

Outpatient Dosage Forms

Capsule, oral:
Generic: 0.25 mcg, 0.5 mcg

Calcium Acetate

Outpatient Dosage Forms

Tablet, oral: 667 mg

Calcium and Vitamin D

Outpatient Dosage Forms

Tablet, oral: Calcium 600 mg and vitamin D 400 units

Captopril

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

CarBAMazepine

Outpatient Dosage Forms

Suspension, oral: 100 mg/5 mL (450 mL) [BCF]
Tablet, oral: 200 mg [BCF]
Tablet, chewable, oral: 100 mg [BCF]
Tablet, extended release, oral: 200 mg, 400 mg [BCF]

Carbamide Peroxide

Outpatient Formulary Brands Available Debrox

Outpatient Dosage Forms

Solution, Otic:
Debrox: 6.5% (15 mL) [contains propylene glycol]

Carbidopa and Levodopa

Outpatient Dosage Forms

Tablet, oral:
10/100: Carbidopa 10 mg and levodopa 100 mg [BCF]
25/100: Carbidopa 25 mg and levodopa 100 mg [BCF]
25/250: Carbidopa 25 mg and levodopa 250 mg [BCF]

Carboxymethylcellulose

Outpatient Formulary Brands Available Refresh Optive [OTC]

Outpatient Dosage Forms

Solution, Ophthalmic, as sodium:
Refresh Optive: 0.5% (15 mL)

Carvedilol

Outpatient Formulary Brands Available Coreg CR®

Outpatient Dosage Forms

Capsule, extended release, oral, as phosphate:
Coreg CR®: 10 mg, 20 mg, 40 mg, 80 mg
Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]

Cefadroxil

Outpatient Dosage Forms

Capsule, oral, as monohydrate [strength expressed as base]: 500 mg
Powder for suspension, oral, as monohydrate [strength expressed as base]:
250 mg/5 mL (100 mL)

Cefdinir

Outpatient Dosage Forms

Capsule, oral: 300 mg
Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL)

Cefprozil

Outpatient Dosage Forms

Powder for suspension, oral: 250 mg/5 mL (100 mL)

Cefuroxime

Outpatient Formulary Brands Available Cefitin®

Outpatient Dosage Forms

Powder for suspension, oral, as axetil [strength expressed as base]:
Cefitin®: 250 mg/5 mL (100 mL) [contains phenylalanine 25.2 mg/5 mL; tutti
frutti flavor]
Tablet, oral, as axetil [strength expressed as base]: 250 mg

Celecoxib

Outpatient Formulary Brands Available CeleBREX®

Outpatient Dosage Forms

Capsule, oral:
CeleBREX®: 100 mg, 200 mg

Cephalexin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]
Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [BCF]

Cetirizine (Systemic)

Outpatient Dosage Forms

Syrup, oral, as hydrochloride: 5 mg/5 mL (5 mL, 118 mL, 120 mL, 473 mL, 480
mL, 480s)
ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [contains propylene glycol;
grape flavor]

Chlordiazepoxide

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg

Chloroquine

Outpatient Dosage Forms

Tablet, oral, as phosphate: 500 mg [equivalent to chloroquine base 300 mg]

Chlorpheniramine

Outpatient Dosage Forms

Tablet, oral, as maleate: 4 mg

ChlorproMAZINE

Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:
Generic: 25 mg, 200 mg

Chlorthalidone

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF]

Chlorzoxazone

Outpatient Dosage Forms

Tablet, oral: 500 mg

Cholestyramine Resin

Outpatient Dosage Forms

Packet, Oral: 4 g (60 ea)

Ciprofloxacin and Dexamethasone

Outpatient Formulary Brands Available Ciprodex®

Outpatient Dosage Forms

Suspension, otic:
Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains
benzalkonium chloride]

Ciprofloxacin and Hydrocortisone

Outpatient Formulary Brands Available Cipro® HC

Outpatient Dosage Forms

Suspension, otic:
Cipro® HC: Ciprofloxacin hydrochloride 0.2% and hydrocortisone 1% (10 mL)
[contains benzyl alcohol]

Ciprofloxacin (Ophthalmic)

Outpatient Formulary Brands Available Ciloxan®

Outpatient Dosage Forms

Ointment, ophthalmic, as hydrochloride:
Ciloxan®: 3.33 mg/g (3.5 g) [equivalent to ciprofloxacin base 0.3%]
Solution, ophthalmic, as hydrochloride [drops]: 3.5 mg/mL (5 mL) [equivalent to
ciprofloxacin base 0.3%]

Ciprofloxacin (Systemic)

Outpatient Formulary Brands Available Cipro®

Outpatient Dosage Forms

Microcapsules for suspension, oral:
Cipro®: 250 mg/5 mL (100 mL) [strawberry flavor] [BCF]
Tablet, oral, as hydrochloride [strength expressed as base]: 100 mg, 250 mg
[BCF], 500 mg [BCF]

Citalopram

Outpatient Dosage Forms

Solution, oral: 10 mg/5 mL (240 mL) [BCF]
Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

Clarithromycin

Outpatient Dosage Forms

Tablet, oral: 500 mg

Clidinium and Chlordiazepoxide

Outpatient Dosage Forms

Capsule, oral: Clidinium bromide 2.5 mg and chlordiazepoxide hydrochloride
5 mg

Clindamycin and Benzoyl Peroxide

Outpatient Dosage Forms

Gel, External:
Generic: Clindamycin phosphate 1% and benzoyl peroxide 5% (50 g); clinda-
mycin phosphate 1.2% and benzoyl peroxide 5% (45 g)

Clindamycin (Systemic)

Outpatient Dosage Forms

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF],
300 mg
Solution reconstituted, oral, as palmitate hydrochloride [strength expressed as
base]: 75 mg/5 mL (100 mL)

Clindamycin (Topical)**Outpatient Dosage Forms**

Cream, vaginal, as phosphate [strength expressed as base]: 2% (40 g) [BCF]
 Solution, topical, as phosphate [strength expressed as base]: 1% (60 mL) [BCF]

Clobetasol**Outpatient Formulary Brands Available** Clobex; Temovate**Outpatient Dosage Forms**

Cream, topical, as propionate: 0.05% (30 g)
 Liquid, topical, as propionate:
 Clobex Spray: 0.05% (59 mL) [contains alcohol, usp]
 Ointment, topical, as propionate: 0.05% (30 g)
 Temovate®: 0.05% (30 g)
 Shampoo, topical, as propionate:
 Clobex: 0.05% (118 mL) [contains alcohol, usp]
 Solution, topical, as propionate: 0.05% (25 mL)

ClomiPHENE**Outpatient Dosage Forms**

Tablet, oral, as citrate: 50 mg

Clonazepam**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF], 1 mg

CloNIDine**Outpatient Formulary Brands Available** Catapres-TTS-1; Catapres-TTS-2;

Catapres-TTS-3; Kapvay

Outpatient Dosage Forms

Patch, transdermal [once-weekly patch]:
 Catapres-TTS-1: 0.1 mg/24 hours (4s) [contains metal]
 Catapres-TTS-2: 0.2 mg/24 hours (4s) [contains metal]
 Catapres-TTS-3: 0.3 mg/24 hours (4s) [contains metal]
 Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]
 Tablet, extended release 12 hour, oral, as hydrochloride:
 Kapvay: 0.1 mg

Clopidogrel**Outpatient Formulary Brands Available** Plavix®**Outpatient Dosage Forms**

Tablet, oral:
 Plavix®: 75 mg [BCF], 300 [BCF]

Clotrimazole (Topical)**Outpatient Dosage Forms**

Cream, External:
 Generic: 1% (28.35 g, 30 g)
 Cream, Vaginal:
 Generic: 1% (45 g)
 Solution, External:
 Generic: 1% (10 mL) [BCF]

Colchicine**Outpatient Formulary Brands Available** Colcrys®**Outpatient Dosage Forms**

Tablet, oral:
 Colcrys®: 0.6 mg [scored]

Colestipol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 1 g

Cyanocobalamin**Outpatient Dosage Forms**

Injection, solution: 1000 mcg/mL (1 mL)

Cyclobenzaprine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg, 10 mg [BCF]

Cyclopentolate**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL)

CycloSPORINE (Ophthalmic)**Outpatient Formulary Brands Available** Restasis®**Outpatient Dosage Forms**

Emulsion, ophthalmic [drops, preservative free]:
 Restasis®: 0.05% (0.4 mL) [contains castor oil]

Cyproheptadine**Outpatient Dosage Forms**

Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL, 480 mL) [BCF]
 Tablet, oral, as hydrochloride: 4 mg [BCF]

Dabigatran Etexilate**Outpatient Dosage Forms**

Capsule, oral:
 Pradaxa®: 75 mg, 150 mg

Desipramine**Outpatient Formulary Brands Available** Norpramin®**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:
 Norpramin®: 50 mg [contains soybean oil]

Desonide**Outpatient Dosage Forms**

Cream, topical: 0.05% (60 g)
 Lotion, topical: 0.05% (118 mL)
 Ointment, topical: 0.05% (60 g)

Dexamethasone (Systemic)**Outpatient Dosage Forms**

Tablet, oral: 1 mg, 4 mg

Dextroamphetamine**Outpatient Formulary Brands Available** Dexedrine® Spansule®**Outpatient Dosage Forms**

Capsule, extended release, oral, as sulfate: 10 mg
 Capsule, sustained release, oral, as sulfate:
 Dexedrine® Spansule®: 10 mg
 Tablet, oral, as sulfate: 5 mg, 10 mg

Dextroamphetamine and Amphetamine**Outpatient Dosage Forms**

Capsule, extended release, Oral:
 Generic: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]
 Generic: 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]
 Generic: 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]
 Generic: 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]
 Generic: 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]
 Generic: 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]
 Tablet, oral:
 Generic: 5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]
 Generic: 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]
 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)]
 Generic: 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]
 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)]

Diabetic Supplies**Outpatient Formulary Brands Available** Precision Xtra**Outpatient Dosage Forms**

Syringe and needle:
 BD Pen Needle Mini U/F: 31 gauge x 5 mm (100/box)
 BD Ultra Fine Original Pen Needle 29 gauge (100/box)
 BD Ultra Fine Short Pen Needle 31 gauge (100/box)
 BD Syringe 0.3 mL (Ultra-Fine II) 31 gauge x 5/16" (maximum: 30 units)
 BD Syringe 0.5 mL (Ultra-Fine II) 31 gauge x 5/16" (maximum: 50 units) [BCF]
 BD Syringe 1 mL (Ultra-Fine II) 31 gauge x 5/16" (maximum: 100 units) [BCF]
 Test Strips:
 Precision Xtra test strips: 50/box, 100/box

Diazepam**Outpatient Dosage Forms**

Tablet, oral: 2 mg, 5 mg [BCF]

Diclofenac (Ophthalmic)**Outpatient Formulary Brands Available** Voltaren Ophthalmic®

DICLOFENAC (OPHTHALMIC)

Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]: 0.1% (2.5 mL)
Voltaren Ophthalmic®: 0.1% (2.5 mL) [contains sorbic acid]

Diclofenac (Systemic)

Outpatient Dosage Forms

Tablet, delayed release, enteric coated, oral, as sodium: 50 mg, 75 mg

Diclofenac (Topical)

Outpatient Formulary Brands Available Voltaren

Outpatient Dosage Forms

Gel, transdermal, as sodium:
Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]

Dicloxacillin

Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF]

Dicyclomine

Outpatient Formulary Brands Available Bentyl®

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF]
Syrup, oral, as hydrochloride:
Bentyl®: 10 mg/5 mL (480 mL) [contains propylene glycol] [BCF]
Tablet, oral, as hydrochloride: 20 mg [BCF]

Digoxin

Outpatient Formulary Brands Available Lanoxin®

Outpatient Dosage Forms

Solution, oral: 50 mcg/mL (60 mL)
Tablet, oral: 125 mcg [BCF], 250 mcg [BCF]

Diltiazem

Outpatient Dosage Forms

Capsule, extended release, oral, as hydrochloride [once-daily dosing]: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]
Tablet, oral, as hydrochloride: 30 mg, 60 mg

Diphenhydramine (Systemic)

Outpatient Formulary Brands Available Banophen™ [OTC]; Benadryl® Allergy

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 25 mg
Elixir, oral, as hydrochloride:
Banophen™: 12.5 mg/5 mL (120 mL)

Diphenoxylate and Atropine

Outpatient Formulary Brands Available Lomotil®

Outpatient Dosage Forms

Tablet, oral: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg
Lomotil®: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg

Docusate

Outpatient Dosage Forms

Capsule, softgel, oral, as sodium: 100 mg

Donepezil

Outpatient Formulary Brands Available Aricept®

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:
Aricept®: 5 mg, 10 mg

Dorzolamide

Outpatient Dosage Forms

Solution, ophthalmic [drops]: 2% (10 mL)

Dorzolamide and Timolol

Outpatient Dosage Forms

Solution, ophthalmic [drops]: Dorzolamide hydrochloride 2% [strength expressed as base] and timolol maleate 0.5% [strength expressed as base] (10 mL)

Doxazosin

Outpatient Dosage Forms

Tablet, oral: 2 mg, 4 mg, 8 mg

Doxepin (Systemic)

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]
Solution, oral, as hydrochloride [concentrate]: 10 mg/mL (120 mL) [BCF]

Doxycycline

Outpatient Dosage Forms

Capsule, Oral, as hyclate [strength expressed as base]:
Generic: 50 mg, 100 mg [BCF]
Tablet, Oral, as hyclate [strength expressed as base]:
Generic: 100 mg [BCF]

Doxylamine

Outpatient Dosage Forms

Tablet, Oral, as succinate:
Sleep Aid: 25 mg [scored] [BCF]

Dronedaron

Outpatient Formulary Brands Available Multaq

Outpatient Dosage Forms

Tablet, Oral:
Multaq: 400 mg

DULoxetine

Outpatient Dosage Forms

Capsule Delayed Release Particles, Oral:
Generic: 20 mg, 30 mg, 60 mg

Eletriptan

Outpatient Formulary Brands Available Relpax

Outpatient Dosage Forms

Tablet, oral:
Relpax: 20 mg, 40 mg

Emollients

Outpatient Formulary Brands Available Vanicream

Outpatient Dosage Forms

Cream, topical:
Vanicream: (113 g, 453 g)

Empagliflozin

Outpatient Formulary Brands Available Jardiance

Outpatient Dosage Forms

Tablet, Oral:
Jardiance: 10 mg, 25 mg

Enoxaparin

Outpatient Formulary Brands Available Lovenox®

Outpatient Dosage Forms

Injection, solution, as sodium [preservative free]:
Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF]

EPINEPHrine (Systemic)

Outpatient Formulary Brands Available Auvi-Q; EpiPen; EpiPen Jr.

Outpatient Dosage Forms

Device, Injection:
Auvi-Q: 0.15 mg/0.15 mL (2 ea); 0.3 mg/0.3 mL (2 ea) [contains sodium bisulfite]
EpiPen 2-Pak: 0.3 mg/0.3 mL (2 ea) [latex free; contains sodium metabisulfite]
EpiPen Jr 2-Pak: 0.15 mg/0.3 mL (2 ea) [contains sodium metabisulfite]
Generic: 0.15 mg/0.15 mL (1.1 mL) [1:1000 solution; delivers 0.15 mg per injection]
Generic: 0.3 mg/0.3 mL (1.1 mL) [1:1000 solution; delivers 0.3 mg per injection]

Ergocalciferol

Outpatient Formulary Brands Available Drisdol®

Outpatient Dosage Forms

Capsule, oral:
Drisdol®: 50,000 int. units [contains soybean oil, tartrazine; 1.25 mg]

Erythromycin and Sulfisoxazole

Outpatient Dosage Forms

Powder for suspension, oral: Erythromycin ethylsuccinate 200 mg and sulfisoxazole acetyl 600 mg per 5 mL (200 mL)

Erythromycin (Ophthalmic)

Outpatient Dosage Forms

Ointment, Ophthalmic:
Generic: 5 mg/g (3.5 g) [BCF]

Erythromycin (Systemic)

Outpatient Formulary Brands Available E.E.S.®; Erythrocin®

Outpatient Dosage Forms

Granules for suspension, oral, as ethylsuccinate [strength expressed as base]:
E.E.S.®: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF]
Tablet, oral, as stearate [strength expressed as base]:
Erythrocin®: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF]

Erythromycin (Topical)

Outpatient Dosage Forms

Solution, topical: 2% (60 mL) [BCF]

Escitalopram

Outpatient Dosage Forms

Tablet, Oral:
Generic: 10 mg, 20 mg

Estradiol (Systemic)**Outpatient Dosage Forms**

Patch, transdermal [once-weekly patch]: 0.025 mg/24 hours (4s) [BCF]; 0.0375 mg/24 hours (4s) [BCF]; 0.05 mg/24 hours (4s) [BCF]; 0.06 mg/24 hours (4s) [BCF]; 0.075 mg/24 hours (4s) [BCF]; 0.1 mg/24 hours (4s) [BCF]
 Tablet, oral: 0.5 mg, 1 mg, 2 mg

Estradiol (Topical)**Outpatient Formulary Brands Available** Vagifem**Outpatient Dosage Forms**

Tablet, vaginal, as base:
 Vagifem: 10 mcg

Estrogens (Conjugated/Equine) and Medroxyprogesterone**Outpatient Formulary Brands Available** Premphase®; Prempro®**Outpatient Dosage Forms**

Tablet, oral:
 Prempro®:
 0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF]
 0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF]
 0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg (28s) [BCF]
 0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg (28s) [BCF]

Tablet, oral [therapy pack contains two separate tablet formulations]:
 Premphase®: Conjugated estrogens 0.625 mg [14 maroon tablets] and conjugated estrogen 0.625 mg/medroxyprogesterone acetate 5 mg [14 light blue tablets]

Estrogens (Conjugated/Equine, Systemic)**Outpatient Formulary Brands Available** Premarin®**Outpatient Dosage Forms**

Tablet, oral:
 Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]

Estrogens (Conjugated/Equine, Topical)**Outpatient Formulary Brands Available** Premarin®**Outpatient Dosage Forms**

Cream, vaginal:
 Premarin®: 0.625 mg/g (42.5 g) [BCF]

Eszopiclone**Outpatient Formulary Brands Available** Lunesta**Outpatient Dosage Forms**

Tablet, oral:
 Lunesta: 1 mg, 2 mg, 3 mg

Ethambutol**Outpatient Formulary Brands Available** Myambutol®**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF]
 Myambutol®: 100 mg
 Myambutol®: 400 mg [scored]

Ethinyl Estradiol and Desogestrel**Outpatient Formulary Brands Available** Azurette; Desogen; Mircette**Outpatient Dosage Forms**

Tablet, oral [low dose formulation]:
 Azurette:
 Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets]
 Day 22-23: 2 inactive green tablets
 Day 24-28: Ethinyl estradiol 0.01 mg [5 blue tablets] (28s)
 Mircette:
 Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets]
 Day 22-23: 2 inactive green tablets
 Day 24-28: Ethinyl estradiol 0.01 mg [5 yellow tablets] (28s)

Tablet, oral [monophasic formulation]:
 Desogen: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 white tablets and 7 green inactive tablets] (28s)

Ethinyl Estradiol and Drospirenone**Outpatient Formulary Brands Available** Yasmin®; Yaz®**Outpatient Dosage Forms**

Tablet, oral:
 Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg (28s) [21 yellow active tablets and 7 white inactive tablets] [BCF]
 Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg (28s) [24 light pink tablets and 4 white inactive tablets] [BCF]

Ethinyl Estradiol and Ethynodiol Diacetate**Outpatient Formulary Brands Available** Zovia® 1/35; Zovia® 1/50**Outpatient Dosage Forms**

Tablet, oral:
 Zovia® 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light pink tablets and 7 white inactive tablets]
 Zovia® 1/50: Ethinyl estradiol 0.05 mg and ethynodiol diacetate 1 mg [21 pink tablets and 7 white inactive tablets]

Ethinyl Estradiol and Etonogestrel**Outpatient Formulary Brands Available** NuvaRing®**Outpatient Dosage Forms**

Ring, vaginal:
 NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (3s) [3-week duration]

Ethinyl Estradiol and Levonorgestrel**Outpatient Formulary Brands Available** Aviane™; Jolessa™; Lessina®; Levora®; Nordette® 28; Sronyx®; Trivora®**Outpatient Dosage Forms**

Tablet, oral [extended cycle regimen]:
 Jolessa™: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF]

Tablet, oral [low dose formulation]:
 Aviane™ 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 orange tablets and 7 light green inactive tablets] [BCF]
 Lessina® 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF]
 Sronyx®: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF]

Tablet, oral [monophasic formulation]:
 Levora® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF]
 Nordette® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 light orange tablets and 7 pink inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:
 Trivora®:
 Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 blue tablets]
 Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]
 Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 pink tablets] (28s)
 Day 22-28: 7 peach inactive tablets [7 peach inactive tablets]

Ethinyl Estradiol and Norelgestromin**Outpatient Formulary Brands Available** Ortho Evra®**Outpatient Dosage Forms**

Patch, transdermal:
 Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (3s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]

Ethinyl Estradiol and Norethindrone**Outpatient Formulary Brands Available** Loestrin® 21 1/20; Loestrin® Fe 1.5/30; Loestrin® Fe 1/20; Necon® 7/7/7; Norinyl® 1+35; Ortho-Novum® 1/35**Outpatient Dosage Forms**

Tablet, oral [monophasic formulation]:
 Loestrin® 21 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [light yellow tablets] (21s)
 Loestrin® Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s)
 Loestrin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s)
 Norinyl® 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 yellow green tablets and 7 orange inactive tablets] [BCF]
 Ortho-Novum® 1/35-28: Ethinyl estradiol 0.035 mg and norethindrone 1 mg (28s) [21 peach tablets and 7 green inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:
 Necon® 7/7/7:
 Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets]
 Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets]
 Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets]
 Day 22-28: 7 green inactive tablets (28s)

Ethinyl Estradiol and Norgestimate**Outpatient Formulary Brands Available** MonoNessa®; Ortho Tri-Cyclen® Lo; Ortho-Cyclen®; TriNessa®**Outpatient Dosage Forms**

Tablet, oral [monophasic formulation]:
 MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF]
 Ortho-Cyclen®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg (28s) [21 blue tablets and 7 green inactive tablets] [BCF]

ETHINYL ESTRADIOL AND NORGESTIMATE

Tablet, oral [triphasic formulation]:

Ortho Tri-Cyclen® Lo:

Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]

Day 22-28: 7 dark green inactive tablets (28s)

TriNessa®:

Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets] (28s)

Day 22-28: 7 green inactive tablets

Ethinyl Estradiol and Norgestrel

Outpatient Formulary Brands Available Low-Ogestrel®; Ogestrel®

Outpatient Dosage Forms

Tablet, oral:

Ogestrel®: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg

Tablet, oral [monophasic formulation]:

Low-Ogestrel®: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets]

Exenatide

Outpatient Formulary Brands Available Bydureon

Outpatient Dosage Forms

Pen-injector, subcutaneous:

Bydureon: 2 mg

Ezetimibe

Outpatient Formulary Brands Available Zetia®

Outpatient Dosage Forms

Tablet, oral:

Zetia®: 10 mg

Felodipine

Outpatient Dosage Forms

Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg

Fenofibrate and Derivatives

Outpatient Formulary Brands Available TriCor®; Triglide®

Outpatient Dosage Forms

Tablet, oral:

TriCor®: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin]

Triglide®: 50 mg, 160 mg [contains egg lecithin]

Ferrous Sulfate

Outpatient Dosage Forms

Elixir, Oral:

Generic: 220 (44 Fe) mg/5 mL (5 mL, 473 mL)

Liquid, oral [drops]: 75 mg/0.6 mL (50 mL) [elemental iron 15 mg/0.6 mL]

Tablet, oral: 325 mg [elemental iron 65 mg]

Fexofenadine

Outpatient Formulary Brands Available Allegra Allergy Childrens [OTC]

Outpatient Dosage Forms

Suspension, oral, as hydrochloride:

Allegra Allergy Childrens: 30 mg/5 mL (120 mL) [alcohol free, dye free; contains butylparaben, edetate disodium, propylene glycol, propylparaben; raspberry creme flavor]

Tablet, oral, as hydrochloride: 30 mg, 60 mg, 180 mg

Finasteride

Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF]

Flecainide

Outpatient Dosage Forms

Tablet, oral, as acetate: 50 mg, 100 mg

Fluconazole

Outpatient Dosage Forms

Tablet, oral: 100 mg, 150 mg [BCF]

Fluocinolone (Topical)

Outpatient Dosage Forms

Solution, topical, as acetonide: 0.01% (60 mL)

Fluocinonide

Outpatient Dosage Forms

Cream, topical: 0.05% (30 g) [BCF]

Ointment, topical: 0.05% (30 g) [BCF]

Solution, External:

Generic: 0.05% (60 mL)

Fluoride

Outpatient Formulary Brands Available Clinpro 5000; PreviDent 5000 Booster Plus

Outpatient Dosage Forms

Paste, oral, as sodium [toothpaste]:

Clinpro 5000: 1.1% (113 g) [vanilla-mint flavor]

PreviDent 5000 Booster Plus: 1.1% (100 mL)

Fluorometholone

Outpatient Dosage Forms

Suspension, ophthalmic, as base [drops]: 0.1% (5 mL)

Fluorouracil (Topical)

Outpatient Formulary Brands Available Efudex®

Outpatient Dosage Forms

Cream, topical:

Efudex®: 5% (40 g)

FLUoxetine

Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

Solution, oral: 20 mg/5 mL (120 mL) [BCF]

Fluticasone and Salmeterol

Outpatient Formulary Brands Available Advair Diskus®; Advair® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation:

Advair® HFA:

45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

Powder, for oral inhalation:

Advair Diskus®:

100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg ((14s, 60s) [contains lactose] [BCF]

250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]

500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]

Fluticasone (Nasal)

Outpatient Dosage Forms

Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF]

Fluticasone (Oral Inhalation)

Outpatient Formulary Brands Available Flovent® Diskus®; Flovent® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation, as propionate:

Flovent® HFA:

44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]

Powder, for oral inhalation, as propionate:

Flovent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]; 100 mcg (60s) [contains lactose] [BCF]; 250 mcg (60s) [contains lactose] [BCF]

Folic Acid

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF]

Fondaparinux

Outpatient Dosage Forms

Solution, subcutaneous, as sodium: 5 mg/0.4 mL (0.4 mL); 7.5 mg/0.6 mL (0.6 mL); 10 mg/0.8 mL (0.8 mL)

Furosemide

Outpatient Dosage Forms

Solution, oral: 10 mg/mL (60 mL, 120 mL) [BCF]

Tablet, oral: 20 mg [BCF], 40 mg [BCF], 80 mg

Gabapentin

Outpatient Formulary Brands Available Neurontin®

Outpatient Dosage Forms

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Solution, oral:

Neurontin®: 250 mg/5 mL (470 mL)

Tablet, oral: 600 mg [BCF], 800 mg [BCF]

Gemfibrozil

Outpatient Dosage Forms

Tablet, oral: 600 mg [BCF]

Gentamicin (Ophthalmic)

Outpatient Formulary Brands Available Gentak®

Outpatient Dosage Forms

Ointment, ophthalmic:

Gentak®: 0.3% [3 mg/g] (3.5 g) [BCF]

Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]

Glimepiride**Outpatient Dosage Forms**

Tablet, oral: 2 mg, 4 mg

GlipiZIDE**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF]

Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg

Glucotrol XL: 2.5 mg

Glucagon**Outpatient Formulary Brands Available** Glucagon Emergency Kit**Outpatient Dosage Forms**

Injection, powder for reconstitution:

Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]

GlyBURIDE**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF]

Tablet, oral [micronized]: 3 mg [BCF]

Glyburide and Metformin**Outpatient Dosage Forms**

Tablet, oral:

1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg

2.5/500: Glyburide 2.5 and metformin hydrochloride 500 mg

5/500: Glyburide 5 mg and metformin hydrochloride 500 mg

Goserelin**Outpatient Formulary Brands Available** Zoladex®**Outpatient Dosage Forms**

Implant, subcutaneous:

Zoladex®:

3.6 mg (1s) [1 month implant] [BCF]

10.8 mg (1s) [3 month implant] [BCF]

Griseofulvin**Outpatient Formulary Brands Available** Gris-PEG®**Outpatient Dosage Forms**

Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF]

Tablet, oral [ultramicrosize]:

Gris-PEG®: 125 mg [BCF] [scored]

GuaiFENesin**Outpatient Formulary Brands Available** Mucinex® [OTC]**Outpatient Dosage Forms**

Tablet, extended release, oral:

Mucinex®: 600 mg

Guaifenesin and Codeine**Outpatient Dosage Forms**

Solution, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (118 mL)

Guaifenesin and Dextromethorphan**Outpatient Dosage Forms**

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (118 mL)

Guaifenesin and Pseudoephedrine**Outpatient Formulary Brands Available** Mucinex® D [OTC]**Outpatient Dosage Forms**

Tablet, extended release, oral:

Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg

GuanFACINE**Outpatient Dosage Forms**

Tablet, Oral:

Generic: 1 mg, 2 mg

Tablet, Extended Release 24 Hour, Oral:

Generic: 1 mg, 2 mg, 3 mg, 4 mg

Haloperidol**Outpatient Dosage Forms**

Tablet, oral: 2 mg, 5 mg

Homatropine**Outpatient Formulary Brands Available** Isopto® Homatropine**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrobromide [drops]:

Isopto® Homatropine: 5% (5 mL) [contains benzalkonium chloride]

HydrALAZINE**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:

Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg

HydroCHLORothiazide**Outpatient Dosage Forms**

Capsule, oral: 12.5 mg [BCF]

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

Hydrochlorothiazide and Triamterene**Outpatient Dosage Forms**

Tablet, oral:

Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]

Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

Hydrocodone and Acetaminophen**Outpatient Formulary Brands Available** Lortab**Outpatient Dosage Forms**

Elixir, oral:

Lortab: Hydrocodone bitartrate 10 mg and acetaminophen 300 mg per 15 mL (473 mL) [contains ethanol 7%, propylene glycol; tropical fruit punch flavor]

Tablet, oral:

Hydrocodone bitartrate 5 mg and acetaminophen 325 mg

Hydrocodone bitartrate 5 mg and acetaminophen 500 mg

Hydrocodone bitartrate 7.5 mg and acetaminophen 325 mg

Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg

Hydrocodone bitartrate 10 mg and acetaminophen 325 mg

Hydrocodone and Chlorpheniramine**Outpatient Dosage Forms**

Liquid, extended release, oral: Hydrocodone polistirex [equivalent to hydrocodone bitartrate 10 mg] and chlorpheniramine polistirex [equivalent to chlorpheniramine maleate 8 mg] per 5 mL (120 mL)

Hydrocortisone (Topical)**Outpatient Formulary Brands Available** Anucort-HC™; Proctozone-HC 2.5%™**Outpatient Dosage Forms**

Cream, topical, as acetate [strength expressed as base]: 1% (30 g)

Cream, topical, as base: 2.5% (20 g, 28 g, 28.35 g, 30 g, 454 g) [BCF]

Proctozone-HC 2.5%™: 2.5% (30 g)

Cream, topical, as valerate: 0.2% (15 g, 45 g, 60 g)

Ointment, External, as base

Generic: 2.5% (20 g)

Suppository, rectal, as acetate: 25 mg (12s, 24s) [BCF]

Anucort-HC™: 25 mg (12s)

Hydroxychloroquine**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]

Hydroxypropyl Methylcellulose**Outpatient Formulary Brands Available** GenTeal®; GenTeal® Mild**Outpatient Dosage Forms**

Solution, ophthalmic [drops, preservative free]:

GenTeal®: 0.3% (15 mL)

GenTeal® Mild: 0.2% (15 mL)

HydroXYzine**Outpatient Dosage Forms**

Capsule, oral, as pamoate: 25 mg

Syrup, oral, as hydrochloride: 10 mg/5 mL (118 mL, 473 mL) [BCF]

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF]

Hyoscyamine**Outpatient Dosage Forms**

Tablet extended release 12 hour, oral, as sulfate: 0.375 mg

Tablet, sublingual, as sulfate: 0.125 mg

Ibandronate**Outpatient Formulary Brands Available** Boniva®**Outpatient Dosage Forms**

Tablet, oral:

Boniva®: 150 mg [once-monthly formulation]

Ibuprofen**Outpatient Dosage Forms**

Suspension, oral: 100 mg/5 mL (120 mL)

Tablet, oral: 200 mg, 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

Imipramine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF]

Indomethacin**Outpatient Dosage Forms**

Capsule, oral: 25 mg [BCF]

INHALATION DEVICES

Inhalation Devices

Outpatient Formulary Brands Available AeroChamber

Outpatient Dosage Forms

Inhalation Spacer:

AeroChamber Plus Flo-Vu: 1 ea

Inhalation Spacer with Mask:

AeroChamber Plus Flo-Vu: 1 ea (small, medium, large)

Insulin Aspart

Outpatient Formulary Brands Available NovoLOG®; NovoLOG® FlexPen®

Outpatient Dosage Forms

Injection, solution:

NovoLOG®: 100 units/mL (3 mL) [FlexPen® prefilled syringe or PenFill® prefilled cartridge] [BCF]; (10 mL) [vial] [BCF]

NovoLOG® FlexPen®: 100 units/mL (3 mL)

Insulin Aspart Protamine and Insulin Aspart

Outpatient Formulary Brands Available NovoLOG® Mix 70/30 FlexPen®

Outpatient Dosage Forms

Injection, suspension:

NovoLog® Mix 70/30: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL) [FlexPen® prefilled syringe] [BCF]; (10 mL) [vial] [BCF]

Insulin Detemir

Outpatient Formulary Brands Available Levemir; Levemir FlexPen

Outpatient Dosage Forms

Solution, Subcutaneous:

Levemir: 100 units/mL (10 mL) [contains metacresol, phenol]

Solution Pen-injector, Subcutaneous:

Levemir FlexPen: 100 units/mL (3 mL) [contains metacresol, phenol]

Insulin Glargine

Outpatient Formulary Brands Available Lantus®; Lantus® Solostar®

Outpatient Dosage Forms

Injection, solution:

Lantus®: 100 units/mL (3 mL, 10 mL) [BCF]

Lantus® Solostar®: 100 units/mL (3 mL) [prefilled pen]

Insulin NPH

Outpatient Formulary Brands Available Novolin® N

Outpatient Dosage Forms

Injection, suspension:

Novolin® N: 100 units/mL (10 mL) [BCF]

Insulin NPH and Insulin Regular

Outpatient Formulary Brands Available NovoLIN® 70/30

Outpatient Dosage Forms

Injection, suspension:

NovoLIN® 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [BCF]

Insulin Regular

Outpatient Formulary Brands Available Novolin® R

Outpatient Dosage Forms

Injection, solution:

Novolin® R: 100 units/mL (10 mL) [BCF]

Interferon Beta-1a

Outpatient Dosage Forms

Intramuscular Auto-injector kit:

Avonex Pen: 30 mcg/0.5 mL (0.5 mL) [albumin free; contains mouse (murine) and/or hamster protein]

Ipratropium and Albuterol

Outpatient Formulary Brands Available Combivent®

Outpatient Dosage Forms

Aerosol, for oral inhalation:

Combivent®: Ipratropium bromide 18 mcg and albuterol (base) 90 mcg per inhalation (14.7 g) [contains chlorofluorocarbon, soya lecithin; 200 metered actuations] [BCF]

Solution, for nebulization: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s) [BCF]

Ipratropium (Nasal)

Outpatient Dosage Forms

Solution, intranasal, as bromide [spray]: 0.03% (30 mL); 0.06% (15 mL)

Ipratropium (Oral Inhalation)

Outpatient Formulary Brands Available Atrovent® HFA

Outpatient Dosage Forms

Aerosol, for oral inhalation, as bromide:

Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free] [BCF]

Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (30s)

Isoniazid

Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

Isosorbide Dinitrate

Outpatient Formulary Brands Available Dilatrate-SR

Outpatient Dosage Forms

Capsule, sustained release, oral:

Dilatrate-SR: 40 mg

Tablet, oral: 10 mg [BCF], 20 mg [BCF]

Isosorbide Mononitrate

Outpatient Dosage Forms

Tablet, oral: 20 mg

Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF]

ISotretinoin

Outpatient Formulary Brands Available Amnesteem®

Outpatient Dosage Forms

Capsule, softgel, oral:

Amnesteem®: 10 mg, 20 mg, 40 mg [contains soybean oil]

Ketoconazole (Systemic)

Outpatient Dosage Forms

Tablet, oral: 200 mg

Ketoconazole (Topical)

Outpatient Dosage Forms

Cream, topical: 2% (30 g)

Shampoo, topical: 2% (120 mL)

Ketorolac (Ophthalmic)

Outpatient Formulary Brands Available Acular®

Outpatient Dosage Forms

Solution, ophthalmic, as tromethamine [drops]: 0.5% (5 mL)

Acular®: 0.5% (5 mL) [contains benzalkonium chloride]

Ketorolac (Systemic)

Outpatient Dosage Forms

Tablet, oral, as tromethamine: 10 mg

Labelalol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg

Lactic Acid and Ammonium Hydroxide

Outpatient Dosage Forms

Cream, topical: Lactic acid 12% with ammonium hydroxide (140 g)

Lotion, topical: Lactic acid 12% with ammonium hydroxide (400 g)

Lactulose

Outpatient Dosage Forms

Solution, oral: 10 g/15 mL (237 mL, 240 mL, 473 mL, 480 mL, 500 mL, 946 mL, 960 mL) [BCF]

LamoTRigine

Outpatient Dosage Forms

Tablet, oral: 25 mg, 100 mg, 150 mg, 200 mg

Latanoprost

Outpatient Formulary Brands Available Xalatan®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Xalatan®: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]

Levalbuterol

Outpatient Dosage Forms

Nebulization solution, inhalation, as hydrochloride [strength expressed as base, preservative free]: 0.31 mg/3 mL (3 mL); 0.63 mg/3 mL (3 mL); 1.25 mg/3 mL (3 mL)

LevETIRAcetam

Outpatient Dosage Forms

Tablet, oral: 250 mg, 500 mg, 750 mg, 1000 mg

LevoFLOxacIn (Systemic)

Outpatient Formulary Brands Available Levaquin®

Outpatient Dosage Forms

Solution, oral:

Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF]

Tablet, oral:

Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

Levonorgestrel (Systemic)

Outpatient Dosage Forms

Tablet, Oral:

Plan B: 0.75 mg [BCF]

Levothyroxine

Outpatient Formulary Brands Available Synthroid®

Outpatient Dosage Forms

Tablet, oral, as sodium: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]
 Synthroid®: 25 mcg, 50 mcg, 75 mcg, 88 mcg, 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg [scored]

Lidocaine (Topical)**Outpatient Formulary Brands Available** Lidoderm®**Outpatient Dosage Forms**

Jelly, topical, as hydrochloride: 2% (30 mL)
 Patch, topical:
 Lidoderm®: 5% (30s)
 Solution, viscous, oral, as hydrochloride: 2% [20 mg/mL] (100 mL)

Linaclotide**Outpatient Dosage Forms**

Capsule, Oral:
 Linzess: 72 mcg, 145 mcg, 290 mcg

Liothyronine**Outpatient Dosage Forms**

Tablet, Oral:
 Generic: 5 mcg, 25 mcg, 50 mcg

Lisinopril**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]

Lisinopril and Hydrochlorothiazide**Outpatient Dosage Forms**

Tablet, oral:
 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]
 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]
 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

Lithium**Outpatient Dosage Forms**

Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF]
 Solution, oral, as citrate: 300 mg/5 mL (5 mL, 473 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]
 Tablet extended release, oral, as carbonate: 450 mg

Lodoxamide**Outpatient Formulary Brands Available** Alomide®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:
 Alomide®: 0.1% (10 mL) [contains benzalkonium chloride]

Loperamide**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 2 mg [BCF]

Loratadine**Outpatient Dosage Forms**

Syrup, oral: 5 mg/5 mL (120 mL)
 Tablet, oral: 10 mg

LORazepam**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg, 1 mg

Losartan**Outpatient Dosage Forms**

Tablet, oral, as potassium: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Losartan and Hydrochlorothiazide**Outpatient Formulary Brands Available** Hyzaar**Outpatient Dosage Forms**

Tablet, oral:
 Hyzaar 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]
 Hyzaar 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]
 Hyzaar 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

Loteprednol**Outpatient Formulary Brands Available** Alrex; Lotemax**Outpatient Dosage Forms**

Gel, Ophthalmic, as etabonate:
 Lotemax: 0.5% (5 g) [contains benzalkonium chloride, edetate disodium dihydrate, propylene glycol]
 Suspension, Ophthalmic, as etabonate:
 Alrex: 0.2% (10 mL)
 Lotemax: 0.5% (5 mL, 10 mL, 15 mL)

Lubiprostone**Outpatient Formulary Brands Available** Amitiza**Outpatient Dosage Forms**

Capsule, oral:
 Amitiza: 8 mcg, 24 mcg

Lurasidone**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:
 Latuda: 20 mg, 40 mg, 80 mg

Magnesium Oxide**Outpatient Dosage Forms**

Tablet, oral: 400 mg

Malathion**Outpatient Dosage Forms**

Lotion, topical: 0.5% (59 mL)

Mebendazole**Outpatient Dosage Forms**

Tablet, chewable, oral: 100 mg

Meclizine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg

MedroxyPROGESTERone**Outpatient Dosage Forms**

Injection, suspension, as acetate [for deployers only]:
 Depo-Provera® Contraceptive: 150 mg/mL (1 mL)
 Tablet, oral, as acetate: 2.5 mg [BCF], 10 mg [BCF]

Mefloquine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 250 mg [equivalent to mefloquine base 228 mg]

Megestrol**Outpatient Dosage Forms**

Suspension, Oral, as acetate:
 Generic: 40 mg/mL (240 mL)
 Tablet, Oral, as acetate:
 Generic: 40 mg

Meloxicam**Outpatient Dosage Forms**

Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]

Memantine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg, 10 mg

Mesalamine**Outpatient Formulary Brands Available** Apriso; Lialda; Pentasa**Outpatient Dosage Forms**

Capsule Extended Release, Oral:
 Pentasa: 500 mg
 Capsule Extended Release 24 hour, Oral:
 Apriso: 0.375 g [contains aspartame]
 Tablet, Delayed Release, Oral:
 Lialda: 1.2 g [BCF]

MetFORMIN**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]
 Tablet, extended release, oral, as hydrochloride: 500 mg [BCF], 750 mg [BCF]

MethIMAZole**Outpatient Dosage Forms**

Tablet, Oral:
 Generic: 5 mg, 10 mg

Methocarbamol**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF], 750 mg

Methotrexate**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg [BCF]

MethylDopa**Outpatient Dosage Forms**

Tablet, oral: 250 mg

Methylergonovine**Outpatient Formulary Brands Available** Methergine®**Outpatient Dosage Forms**

Tablet, oral, as maleate:
 Methergine®: 0.2 mg

Methylphenidate**Outpatient Formulary Brands Available** Concerta®; Ritalin®

METHYLPHENIDATE

Outpatient Dosage Forms

Tablet, oral, as hydrochloride:

Ritalin®: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]

Tablet, extended release, oral, as hydrochloride [bi-modal release]:

Concerta®:

18 mg [4 mg immediate release, 14 mg extended release] [BCF]

27 mg [6 mg immediate release, 21 mg extended release] [BCF]

36 mg [8 mg immediate release, 28 mg extended release] [BCF]

54 mg [12 mg immediate release, 42 mg extended release] [BCF]

Tablet, sustained release, oral, as hydrochloride: 20 mg

Ritalin-SR®: 20 mg [dye free]

MethylPREDNISolone

Outpatient Formulary Brands Available Medrol; Medrol Dosepak

Outpatient Dosage Forms

Tablet, oral: 4 mg

Medrol: 4 mg

Tablet, oral [dose-pack]: 4 mg

Medrol Dosepak: 4 mg [scored; 21s]

Metoclopramide

Outpatient Dosage Forms

Solution, oral: 5 mg/5 mL (10 mL, 473 mL) [BCF]

Tablet, oral: 10 mg [BCF]

MetOLazone

Outpatient Dosage Forms

Tablet, oral: 5 mg

Metoprolol

Outpatient Dosage Forms

Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Tablet, extended release, oral, as succinate: 25 mg [BCF], 50 mg [BCF],

100 mg [BCF], 200 mg [BCF] [expressed as mg equivalent to tartrate]

MetroNIDAZOLE (Systemic)

Outpatient Dosage Forms

Tablet, oral: 250 mg [BCF], 500 mg [BCF]

MetroNIDAZOLE (Topical)

Outpatient Formulary Brands Available MetroGel®; MetroLotion®; Vandazole®

Outpatient Dosage Forms

Gel, topical:

MetroGel®: 1% (60 g)

Gel, vaginal: 0.75% (70 g) [BCF]

Vandazole®: 0.75% (70 g)

Lotion, topical:

MetroLotion®: 0.75% (59 mL) [contains benzyl alcohol]

Minocycline

Outpatient Dosage Forms

Capsule, oral: 50 mg, 100 mg

Mirabegron

Outpatient Dosage Forms

Tablet Extended Release 24 Hour, Oral:

Myrbetriq: 25 mg, 50 mg

Mirtazapine

Outpatient Dosage Forms

Tablet, oral: 15 mg, 30 mg, 45 mg

Modafinil

Outpatient Dosage Forms

Tablet, oral: 100 mg, 200 mg

Mometasone (Oral Inhalation)

Outpatient Formulary Brands Available Asmanex® Twisthaler®

Outpatient Dosage Forms

Powder, for oral inhalation, as furoate:

Asmanex® Twisthaler®:

110 mcg (30 units) [contains lactose; delivers 100 mcg/actuation]

220 mcg (30 units, 60 units) [contains lactose; delivers 200 mcg/actuation]

Mometasone (Topical)

Outpatient Formulary Brands Available Elocon

Outpatient Dosage Forms

Cream, External, as furoate: 0.1% (15 g)

Lotion, External, as furoate:

Elocon: 0.1% (60 mL) [contains isopropyl alcohol, propylene glycol]

Montelukast

Outpatient Formulary Brands Available Singulair®

Outpatient Dosage Forms

Granules, oral:

Singulair®: 4 mg/packet (30s) [BCF]

Tablet, oral:

Singulair®: 10 mg [BCF]

Tablet, chewable, oral:

Singulair®:

4 mg [contains phenylalanine 0.674 mg/tablet; cherry flavor] [BCF]

5 mg [contains phenylalanine 0.842 mg/tablet; cherry flavor] [BCF]

Morphine (Systemic)

Outpatient Dosage Forms

Tablet, oral, as sulfate: 15 mg, 30 mg

Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg

[BCF], 100 mg [BCF], 200 mg [BCF]

Moxifloxacin (Ophthalmic)

Outpatient Formulary Brands Available Vigamox®

Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Vigamox®: 0.5% (3 mL)

Mupirocin

Outpatient Formulary Brands Available Bactroban Nasal®

Outpatient Dosage Forms

Cream, External, as calcium [strength expressed as base]:

Generic: 2%

Ointment, topical: 2% (22 g) [BCF]

Ointment, intranasal, as calcium [strength expressed as base]:

Bactroban Nasal®: 2% (1 g; 10 single-use tubes/box)

Mycophenolate

Outpatient Dosage Forms

Capsule, oral, as mofetil: 250 mg

Tablet, oral, as mofetil: 500 mg

Naftifine

Outpatient Formulary Brands Available Naftin®

Outpatient Dosage Forms

Cream, topical, as hydrochloride:

Naftin®: 1% (30 g) [contains benzyl alcohol]

Gel, topical, as hydrochloride:

Naftin®: 1% (20 g) [contains ethanol 52%]

Naloxone

Outpatient Formulary Brands Available Narcan

Outpatient Dosage Forms

Liquid, Nasal [spray]:

Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate disodium] [BCF]

Naltrexone

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg

Naproxen

Outpatient Dosage Forms

Suspension, oral: 125 mg/5 mL (500 mL) [BCF]

Tablet, oral: 250 mg [BCF], 500 mg [BCF]

Tablet, oral, as sodium: 275 mg, 550 mg

Neomycin, Polymyxin B, and Dexamethasone

Outpatient Dosage Forms

Ointment, ophthalmic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)

Suspension, ophthalmic [drops]: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)

Neomycin, Polymyxin B, and Gramicidin

Outpatient Dosage Forms

Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]

Neomycin, Polymyxin B, and Hydrocortisone (Otic)

Outpatient Dosage Forms

Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per mL (10 mL) [BCF]

Niacin

Outpatient Formulary Brands Available Niaspan®

Outpatient Dosage Forms

Tablet, extended release, oral:

Niaspan®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]

Nicotine

Outpatient Dosage Forms

Gum, chewing, oral, as polacrilex: 2 mg (20s, 40s, 50s, 100s, 110s) [BCF];

4 mg (20 ea, 40 ea, 50 ea, 100 ea, 110 ea) [BCF]

Patch, transdermal: 7 mg/24 hours (7s) [BCF]; 14 mg/24 hours (7s) [BCF];

21 mg/24 hours (7s) [BCF]

NIFEdipine

Outpatient Dosage Forms

Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]

Nitrofurantoin**Outpatient Dosage Forms**

Capsule, oral [macrocrystal]: 50 mg [BCF]
 Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]

Nitroglycerin

Outpatient Formulary Brands Available Nitro-Dur®; Nitrolingual®; Nitrostat®

Outpatient Dosage Forms

Patch, transdermal [once-daily patch]:
 0.1 mg/hour (30s) [BCF]
 0.2 mg/hour (30s) [BCF]
 0.4 mg/hour (30s) [BCF]
 0.6 mg/hour (30s) [BCF]
 Nitro-Dur®:
 0.3 mg/hour (30s) [BCF]
 0.8 mg/hour (30s) [BCF]
 Solution, translingual [spray]:
 Nitrolingual®:
 0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF]
 Tablet, sublingual:
 Nitrostat®: 0.3 mg, 0.4 mg [BCF], 0.6 mg

Norethindrone

Outpatient Formulary Brands Available Nor-QD®; Nora-BE®

Outpatient Dosage Forms

Tablet, oral:
 Nor-QD®: 0.35 mg [BCF]
 Nora-BE®: 0.35 mg [BCF]

Nortriptyline**Outpatient Dosage Forms**

Capsule, oral: 10 mg [BCF], 25 mg [BCF]
 Solution, oral: 10 mg/5 mL (473 mL, 480 mL) [BCF]

Nystatin and Triamcinolone**Outpatient Dosage Forms**

Cream, topical: Nystatin 100,000 units and triamcinolone acetonide 0.1% (15 g)

Nystatin (Oral)**Outpatient Dosage Forms**

Suspension, oral: 100,000 units/mL (60 mL, 473 mL, 480 mL) [BCF]
 Tablet, oral: 500,000 units

Nystatin (Topical)

Outpatient Formulary Brands Available Nystop®

Outpatient Dosage Forms

Cream, topical: 100,000 units/g (30 g) [BCF]
 Ointment, topical: 100,000 units/g (15 g) [BCF]
 Powder, topical:
 Nystop®: 100,000 units/g (15 g) [contains talc]

Ocular Lubricant

Outpatient Formulary Brands Available Refresh Lacri-Lube [OTC]

Outpatient Dosage Forms

Ointment, Ophthalmic:
 Refresh Lacri-Lube: 7 g

Ofloxacin (Ophthalmic)**Outpatient Dosage Forms**

Solution, ophthalmic: 0.3% (5 mL)

Ofloxacin (Otic)**Outpatient Dosage Forms**

Solution, otic [drops]: 0.3% (10 mL)

OLANzapine**Outpatient Dosage Forms**

Tablet, oral: 2.5 mg, 5 mg, 7.5 mg, 15 mg, 20 mg

Olopatadine (Ophthalmic)

Outpatient Formulary Brands Available Pataday; Patanol

Outpatient Dosage Forms

Solution, Ophthalmic:
 Pataday: 0.2% (2.5 mL) [contains benzalkonium chloride, edetate disodium]
 Patanol: 0.1% (5 mL) [contains benzalkonium chloride] [BCF]

Omega-3 Fatty Acids**Outpatient Dosage Forms**

Capsule, Oral:
 Generic: 1 g

Omeprazole

Outpatient Formulary Brands Available First-Omeprazole

Outpatient Dosage Forms

Capsule, delayed release, oral: 20 mg [BCF], 40 mg
 Suspension, oral:
 First-Omeprazole: 2 mg/mL (300 mL) [contains benzyl alcohol, fd&c red #40, saccharin sodium; strawberry flavor]

Ondansetron**Outpatient Dosage Forms**

Solution, Oral, as hydrochloride [strength expressed as base]:
 Generic: 4 mg/5 mL (50 mL)
 Tablet, Oral:
 Generic: 4 mg, 8 mg
 Tablet, Disintegrating, Oral:
 Generic: 4 mg, 8 mg

Oseltamivir

Outpatient Formulary Brands Available Tamiflu

Outpatient Dosage Forms

Capsule, oral, as phosphate:
 Tamiflu: 30 mg, 45 mg, 75 mg
 Suspension, reconstituted, oral, as base:
 Tamiflu: 6 mg/mL (60 mL) [contains saccharin sodium, sodium benzoate; tutti-frutti flavor]

OXcarbazepine**Outpatient Dosage Forms**

Suspension, Oral:
 Generic: 300 mg/5 mL (250 mL)
 Tablet, Oral:
 Generic: 150 mg, 300 mg, 600 mg

Oxybutynin**Outpatient Dosage Forms**

Syrup, Oral, as chloride:
 Generic: 5 mg/5 mL (473 mL)
 Tablet, Oral, as chloride:
 Generic: 5 mg
 Tablet, Extended Release, Oral, as chloride:
 Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

OxyCODONE**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg, 10 mg

Oxycodone and Acetaminophen**Outpatient Dosage Forms**

Tablet, oral:
 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]
 7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg
 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg

Oxymetazoline (Nasal)**Outpatient Dosage Forms**

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

Pancrelipase**Outpatient Dosage Forms**

Capsule, delayed release, enteric coated microspheres, oral [porcine derived]:
 Creon: Lipase 3000 USP units, protease 9500 USP units, and amylase 15,000 USP units [BCF]
 Creon: Lipase 6000 USP units, protease 19,000 USP units, and amylase 30,000 USP units [BCF]
 Creon: Lipase 12,000 USP units, protease 38,000 USP units, and amylase 60,000 USP units [BCF]
 Creon: Lipase 24,000 USP units, protease 76,000 USP units, and amylase 120,000 USP units
 Creon: Lipase 36,000 USP units, protease 114,000 USP units, and amylase 180,000 USP units [BCF]

Pantoprazole**Outpatient Dosage Forms**

Tablet, delayed release, oral: 20 mg, 40 mg

PARoxetine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride [strength expressed as base]: 10 mg, 20 mg, 40 mg

Penicillin V Potassium**Outpatient Dosage Forms**

Powder for solution, oral: 250 mg/5 mL (100 mL, 200 mL) [BCF]
 Tablet, oral: 250 mg [BCF], 500 mg [BCF]

Pentoxifylline**Outpatient Dosage Forms**

Tablet, extended release, oral: 400 mg

Permethrin**Outpatient Dosage Forms**

Cream, topical: 5% (60 g) [BCF]
 Lotion, topical: 1% (59 mL)

Perphenazine**Outpatient Dosage Forms**

Tablet, oral: 4 mg

PHENAZOPYRIDINE

Phenazopyridine

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]

PHENobarbital

Outpatient Dosage Forms

Elixir, Oral:

Generic: 20 mg/5 mL (7.5 mL, 15 mL) [BCF]

Tablet, Oral:

Generic: 16.2 mg, 30 mg [BCF], 32.4 mg, 64.8 mg, 97.2 mg, 100 mg [BCF]

Phenytoin

Outpatient Formulary Brands Available Dilantin®

Outpatient Dosage Forms

Capsule, extended release, oral, as sodium: 100 mg [BCF]

Suspension, oral: 125 mg/5 mL (4 mL, 120 mL, 237 mL, 240 mL) [BCF]

Tablet, chewable, oral:

Dilantin®: 50 mg [scored] [BCF]

Phytonadione

Outpatient Dosage Forms

Injection, Aqueous Colloidal:

Generic: 1 mg/0.5 mL (0.5 mL); 10 mg/mL (1 mL)

Tablet, Oral:

Mephyton: 5 mg [scored]

Pilocarpine (Ophthalmic)

Outpatient Formulary Brands Available Pilopine HS®

Outpatient Dosage Forms

Gel, ophthalmic, as hydrochloride:

Pilopine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF]

Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF] [may contain benzalkonium chloride]

Pimecrolimus

Outpatient Formulary Brands Available Elidel®

Outpatient Dosage Forms

Cream, topical:

Elidel®: 1% (30 g) [BCF]

Pioglitazone

Outpatient Formulary Brands Available Actos®

Outpatient Dosage Forms

Tablet, oral:

Actos®: 15 mg, 30 mg, 45 mg

Piroxicam (Systemic)

Outpatient Dosage Forms

Capsule, oral: 20 mg

Podofilox

Outpatient Dosage Forms

Solution, topical: 0.5% (3.5 mL)

Polyethylene Glycol 3350

Outpatient Dosage Forms

Powder for solution, oral: 17 g/dose (255 g, 527 g)

Polyethylene Glycol-Electrolyte Solution

Outpatient Formulary Brands Available MoviPrep; NuLYTELY

Outpatient Dosage Forms

Powder for solution, oral:

MoviPrep: Pouch A: PEG 3350 100g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.02 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 131 mg/treatment; lemon flavor; packaged with 2 of Pouch A and 2 of Pouch B in carton and a disposable reconstitution container]

NuLYTELY: PEG 3350 420 g, sodium bicarbonate 5.72 g, sodium chloride 11.2 g, and potassium chloride 1.48 g (4000 mL) [supplied with cherry, lemon-lime, orange, and pineapple flavor packs]

Polyethylene Glycol-Electrolyte Solution and Bisacodyl

Outpatient Formulary Brands Available Halflytely® and Bisacodyl

Outpatient Dosage Forms

Kit, oral [each kit contains]:

Halflytely® and Bisacodyl:

Powder for solution, oral (Halflytely®): PEG 3350 210 g, sodium bicarbonate 2.86 g, sodium chloride 5.6 g, potassium chloride 0.74 g (2000 mL) [sulfate-free]

Tablet, delayed release, oral (Bisacodyl): 5 mg (2s) (1s) [contains 3 flavor packs (each 1 g) cherry, lemon-lime and orange flavors]

Potassium Chloride

Outpatient Formulary Brands Available Klor-Con®; Klor-Con® 8; Klor-Con® M10; Klor-Con® M20

Outpatient Dosage Forms

Capsule, extended release, microencapsulated, oral: 10 mEq [BCF]

Powder for solution, oral: 20 mEq/packet [BCF]

Solution, oral: 20 mEq/15 mL (480 mL) [BCF]

Tablet, extended release, microencapsulated, oral: 10 mEq [BCF], 20 mEq [BCF]

Klor-Con® M10: 10 mEq [750 mg]

Klor-Con® M20: 20 mEq [scored; 1500 mg]

Tablet, extended release, wax matrix, oral:

Klor-Con® 8: 8 mEq [600 mg]

Potassium Citrate

Outpatient Dosage Forms

Tablet Extended Release, Oral:

Generic: 5 mEq (540 mg), 10 mEq (1080 mg)

Pramipexole

Outpatient Dosage Forms

Tablet, oral, as dihydrochloride monohydrate: 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg

Pramoxine and Hydrocortisone

Outpatient Formulary Brands Available Proctofoam HC

Outpatient Dosage Forms

Aerosol, rectal [foam]:

Proctofoam HC: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)

Cream, rectal:

Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (30 g)

Pramoxine hydrochloride 1% and hydrocortisone acetate 2.5% (30 g)

Pravastatin

Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

Prazosin

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg

PrednisOLONE (Ophthalmic)

Outpatient Formulary Brands Available Pred Forte®; Pred Mild®

Outpatient Dosage Forms

Suspension, ophthalmic, as acetate [drops]: 1% (5 mL, 10 mL, 15 mL) [BCF]

Pred Mild®: 0.12% (5 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]

Pred Forte®: 1% (5 mL) [contains benzalkonium chloride, sodium bisulfite]

PrednisOLONE (Systemic)

Outpatient Dosage Forms

Solution, oral, as base: 15 mg/5 mL (240 mL)

Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL) [BCF]

Tablet, oral, as base [dose-pack]:

5 mg [scored; 6-day pack/21s; 12-day pack/48s]

10 mg [scored; 6-day pack/21s; 12-day pack/48s]

PredniSONE

Outpatient Dosage Forms

Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg

Primaquine

Outpatient Dosage Forms

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

Primidone

Outpatient Dosage Forms

Tablet, oral: 50 mg, 250 mg

Probenecid

Outpatient Dosage Forms

Tablet, Oral:

Generic: 500 mg [BCF]

Prochlorperazine

Outpatient Dosage Forms

Suppository, rectal: 25 mg (12s)

Tablet, oral, as maleate [strength expressed as base]: 5 mg

Progesterone

Outpatient Formulary Brands Available Prometrium®

Outpatient Dosage Forms

Capsule, oral:

Prometrium®: 100 mg, 200 mg [contains peanut oil]

Promethazine

Outpatient Dosage Forms

Suppository, rectal, as hydrochloride: 25 mg (12s) [BCF]

Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL, 473 mL) [BCF]

Tablet, oral, as hydrochloride: 25 mg [BCF]

Propranolol**Outpatient Dosage Forms**

Capsule, extended release, 24 hour, oral, as hydrochloride: 60 mg, 80 mg, 120 mg, 160 mg
Tablet, oral, as hydrochloride: 10 mg, 20 mg, 40 mg

Propylthiouracil**Outpatient Dosage Forms**

Tablet, oral: 50 mg [BCF]

Pseudoephedrine**Outpatient Formulary Brands Available** SudoGest [OTC]**Outpatient Dosage Forms**

Syrup, oral, as hydrochloride: 30 mg/5 mL (118 mL)
Tablet, oral, as hydrochloride: 30 mg
Tablet extended release 12 hour, oral, as hydrochloride: 120 mg

Pyrazinamide**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF]

Pyridoxine**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg

QUETiapine**Outpatient Formulary Brands Available** SEROquel XR®; SEROquel®**Outpatient Dosage Forms**

Tablet, oral:
SEROquel®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]
Tablet, extended release, oral:
SEROquel XR®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

QuiNIDine**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 200 mg
Tablet, extended release, oral, as gluconate: 324 mg [equivalent to quinidine base 202 mg]

RABEprazole**Outpatient Dosage Forms**

Tablet Delayed Release, Oral, as sodium:
Generic: 20 mg

Raloxifene**Outpatient Formulary Brands Available** Evista®**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:
Evista®: 60 mg [BCF]

Ramipril**Outpatient Dosage Forms**

Capsule, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF]

RaNITidine**Outpatient Dosage Forms**

Syrup, oral: 15 mg/mL (473 mL, 480 mL) [BCF]
Tablet, oral: 150 mg [BCF], 300 mg

Ranolazine**Outpatient Formulary Brands Available** Ranexa**Outpatient Dosage Forms**

Tablet Extended Release 12 Hour, Oral:
Ranexa: 500 mg

RifAMPin**Outpatient Dosage Forms**

Capsule, oral: 300 mg [BCF]

Rifapentine**Outpatient Dosage Forms**

Tablet, Oral:
Priftin: 150 mg

RisperiDONE**Outpatient Dosage Forms**

Solution, Oral:
Generic: 1 mg/mL (30 mL) [BCF]
Tablet, Oral:
Generic: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]
Tablet Dispersible, Oral:
Generic: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg

Rivaroxaban**Outpatient Formulary Brands Available** Xarelto**Outpatient Dosage Forms**

Tablet, oral:
Xarelto: 10 mg, 15 mg, 20 mg

Rizatriptan**Outpatient Formulary Brands Available** Maxalt-MLT®; Maxalt®**Outpatient Dosage Forms**

Tablet, oral:
Maxalt®: 5 mg [BCF], 10 mg [BCF]
Tablet, orally disintegrating:
Maxalt-MLT®:
5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF]
10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]

ROPINIRole**Outpatient Dosage Forms**

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg

Rosuvastatin**Outpatient Dosage Forms**

Tablet, oral:
Crestor®: 5 mg, 10 mg, 20 mg, 40 mg

Salmeterol**Outpatient Formulary Brands Available** Serevent® Diskus®**Outpatient Dosage Forms**

Powder, for oral inhalation:
Serevent® Diskus®: 50 mcg (28s, 60s) [contains lactose] [BCF]

Salsalate**Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF]

Scopolamine (Systemic)**Outpatient Formulary Brands Available** Transderm Scop®**Outpatient Dosage Forms**

Patch, transdermal:
Transderm Scop®: 1.5 mg (4s) [contains metal; releases ~1 mg over 72 hours]

Selenium Sulfide**Outpatient Dosage Forms**

Lotion, topical: 2.5% (120 mL) [BCF]

Sertraline**Outpatient Dosage Forms**

Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF]
Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Sildenafil**Outpatient Formulary Brands Available** Revatio; Viagra**Outpatient Dosage Forms**

Tablet, Oral:
Revatio: 20 mg
Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Silver Sulfadiazine**Outpatient Dosage Forms**

Cream, topical: 1% (25 g) [BCF]

Simvastatin**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

SITagliptin**Outpatient Formulary Brands Available** Januvia**Outpatient Dosage Forms**

Tablet, oral:
Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Sitagliptin and Metformin**Outpatient Formulary Brands Available** Janumet**Outpatient Dosage Forms**

Tablet, oral:
Janumet 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]
Janumet 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]

Sodium Chloride**Outpatient Formulary Brands Available** Deep Sea [OTC]**Outpatient Dosage Forms**

Ointment, ophthalmic: 5% (3.5 g)
Solution, for inhalation [preservative free]: 0.9% (3 mL)
Solution, intranasal [spray]:
Deep Sea: 0.65% (45 mL) [contains benzalkonium chloride, benzyl alcohol]
Solution, ophthalmic [drops]: 5% (15 mL)

SODIUM PHOSPHATES

Sodium Phosphates

Outpatient Dosage Forms

Solution, oral: Monobasic sodium phosphate monohydrate 2.4 g and dibasic sodium phosphate heptahydrate 0.9 g per 5 mL (45 mL)
Solution, rectal [enema]: Monobasic sodium phosphate 19 g and dibasic sodium phosphate 7 g per 118 mL delivered dose (133 mL)

Sodium Polystyrene Sulfonate

Outpatient Dosage Forms

Suspension, Oral:
Generic: 15 g/60 mL (60 mL)

Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate

Outpatient Dosage Forms

Solution, oral:
Suprep® Bowel Prep Kit: Sodium sulfate 17.5 g, potassium sulfate 3.13 g, and magnesium sulfate 1.6 g per 180 mL (180 mL) [contains sodium benzoate]

Solifenacin

Outpatient Dosage Forms

Tablet, Oral, as succinate:
VESicare: 5 mg, 10 mg [contains corn starch]

Sotalol

Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 80 mg, 120 mg, 160 mg

Spirolactone

Outpatient Dosage Forms

Tablet, oral: 25 mg [BCF], 50 mg, 100 mg

Sucralfate

Outpatient Dosage Forms

Suspension, oral:
Carafate: 1 g/10 mL (420 mL) [contains fd&c red #40, methylparaben; cherry flavor]
Tablet, oral: 1 g

Sulfacetamide and Prednisolone

Outpatient Formulary Brands Available

 Blephamide®

Outpatient Dosage Forms

Suspension, ophthalmic [drops]:
Blephamide®: Sulfacetamide sodium 10% and prednisolone acetate 0.2% (5 mL) [contains benzalkonium chloride]

Sulfacetamide (Ophthalmic)

Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

Sulfamethoxazole and Trimethoprim

Outpatient Dosage Forms

Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [BCF]
Tablet, double strength, oral: Sulfamethoxazole 800 mg and trimethoprim 160 mg [BCF]

SulfaSALAZine

Outpatient Dosage Forms

Tablet, delayed release, enteric coated, oral: 500 mg [BCF]

Sulfur and Salicylic Acid

Outpatient Formulary Brands Available

 Sebex

Outpatient Dosage Forms

Shampoo, topical:
Sebex: Sulfur 2% and salicylic acid 2% (118 mL)

Sulfur and Sulfacetamide

Outpatient Formulary Brands Available

 Zencia

Outpatient Dosage Forms

Wash, topical:
Zencia: Sulfur 4% and sulfacetamide sodium 9% (480 mL) [contains aloe]

Sulindac

Outpatient Dosage Forms

Tablet, oral: 200 mg

SUMatriptan

Outpatient Formulary Brands Available

 Imitrex®

Outpatient Dosage Forms

Injection, solution, as succinate [strength expressed as base]: 6 mg/0.5 mL (0.5 mL) [BCF]
Imitrex®: 6 mg/0.5 mL (0.5 mL)
Solution, intranasal [spray]: 20 mg/0.1 mL (6s)
Tablet, oral, as succinate [strength expressed as base]: 25 mg [BCF], 50 mg [BCF]

Tacrolimus (Topical)

Outpatient Dosage Forms

Ointment, topical:
Protopic: 0.03% (30 g); 0.1% (30 g)

Tamoxifen

Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF]

Tamsulosin

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 0.4 mg [BCF]

Telmisartan

Outpatient Formulary Brands Available

 Micardis

Outpatient Dosage Forms

Tablet, oral:
Micardis: 20 mg, 40 mg, 80 mg

Telmisartan and Hydrochlorothiazide

Outpatient Formulary Brands Available

 Micardis HCT

Outpatient Dosage Forms

Tablet, oral:
Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg
Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg
Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg

Temazepam

Outpatient Dosage Forms

Capsule, oral: 15 mg [BCF], 30 mg [BCF]

Terazosin

Outpatient Dosage Forms

Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF]

Terbinafine (Systemic)

Outpatient Dosage Forms

Tablet, oral: 250 mg

Terconazole

Outpatient Dosage Forms

Cream, vaginal: 0.4% (45 g)

Testosterone

Outpatient Formulary Brands Available

 Depo-Testosterone; Fortesta

Outpatient Dosage Forms

Gel, topical:
Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF]
Injection, oil, as cypionate:
Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]

Tetracycline

Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 250 mg [BCF]

Theophylline

Outpatient Formulary Brands Available

 Elixophyllin® Elixir

Outpatient Dosage Forms

Elixir, oral:
Elixophyllin®: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF]
Tablet, extended release, oral: 100 mg, 200 mg [BCF], 300 mg [BCF]

Thyroid, Desiccated

Outpatient Formulary Brands Available

 Armour® Thyroid

Outpatient Dosage Forms

Tablet, oral:
Armour® Thyroid: 60 mg

Timolol (Ophthalmic)

Outpatient Formulary Brands Available

 Timolol GFS

Outpatient Dosage Forms

Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]:
Timolol GFS: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]
Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL) [BCF]; 0.5% (15 mL) [BCF]

Tiotropium

Outpatient Formulary Brands Available

 Spiriva HandiHaler; Spiriva Respimat

Outpatient Dosage Forms

Aerosol solution, inhalation:
Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]
Capsule, inhalation:
Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]

TiZANidine

Outpatient Dosage Forms

Tablet, oral: 4 mg
Zanaflex®: 4 mg [scored]

Tobramycin and Dexamethasone**Outpatient Formulary Brands Available** TobraDex®**Outpatient Dosage Forms**

Ointment, ophthalmic:

TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g) [contains chlorobutanol]

Suspension, ophthalmic [drops]: Tobramycin 0.3% and dexamethasone 0.1% (5 mL)

Tobramycin (Ophthalmic)**Outpatient Formulary Brands Available** Tobrex®**Outpatient Dosage Forms**

Ointment, ophthalmic:

Tobrex®: 0.3% (3.5 g)

Solution, ophthalmic [drops]: 0.3% (5 mL)

Tolterodine**Outpatient Formulary Brands Available** Detrol® LA**Outpatient Dosage Forms**

Capsule, extended release, oral, as tartrate:

Detrol® LA: 2 mg [BCF], 4 mg [BCF]

Topiramate**Outpatient Dosage Forms**

Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg

Torsemide**Outpatient Dosage Forms**

Tablet, oral: 20 mg

TraMADol**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF]

TraZODone**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF]

Tretinoin (Topical)**Outpatient Dosage Forms**

Cream, topical, as acetone: 0.025% (20 g) [BCF]; 0.05% (20 g) [BCF]; 0.1% (20 g)

Gel, topical:

Generic: 0.01% (15 g); 0.04% (20 g)

Triamcinolone (Topical)**Outpatient Dosage Forms**

Cream, topical, as acetone: 0.025% (15 g); 0.1% (15 g) [BCF], 0.5% (15 g)

Ointment, topical, as acetone: 0.025% (15 g); 0.1% (15 g, 454 g)

Paste, oral, topical, as acetone [dental use]: 0.1% (5 g)

Trifluoperazine**Outpatient Dosage Forms**

Tablet, oral: 2 mg, 10 mg

Trifluridine**Outpatient Dosage Forms**

Solution, ophthalmic [drops]: 1% (7.5 mL)

Trihexyphenidyl**Outpatient Dosage Forms**

Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]

Tablet, oral, as hydrochloride: 2 mg [BCF], 5 mg

Trimethoprim**Outpatient Dosage Forms**

Tablet, oral: 100 mg

Trimethoprim and Polymyxin B**Outpatient Dosage Forms**

Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per mL (10 mL) [contains benzalkonium chloride] [BCF]

Tropicamide**Outpatient Formulary Brands Available** Mydracyl®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

Mydracyl®: 1% (15 mL) [contains benzalkonium chloride]

Urea (Topical)**Outpatient Dosage Forms**

Cream, External:

Generic: 40%

ValACYclovir**Outpatient Dosage Forms**

Tablet, oral: 500 mg, 1 g

Valproic Acid and Derivatives**Outpatient Dosage Forms**

Capsule, sprinkle, oral [strength expressed as valproic acid]:

Depakote® Sprinkle: 125 mg [BCF] [strength expressed as valproic acid]

Tablet, delayed release, oral: 125 mg [strength expressed as valproic acid] [BCF], 250 mg [strength expressed as valproic acid] [BCF], 500 mg [strength expressed as valproic acid] [BCF]

Tablet, extended release, oral: 250 mg [strength expressed as valproic acid] [BCF], 500 mg [strength expressed as valproic acid] [BCF]

Valsartan**Outpatient Formulary Brands Available** Diovan®**Outpatient Dosage Forms**

Tablet, oral:

Diovan®: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

Valsartan and Hydrochlorothiazide**Outpatient Formulary Brands Available** Diovan HCT®**Outpatient Dosage Forms**

Tablet, oral:

Diovan HCT® 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]

Diovan HCT® 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

Varenicline**Outpatient Formulary Brands Available** Chantix®**Outpatient Dosage Forms**

Combination package, oral [dose-pack] [starter pack]:

Chantix®: Tablet: 0.5 mg (11s) [white tablets] and Tablet: 1 mg (42s) [light blue tablets]

Tablet, oral [continuation pack]:

Chantix®: 1 mg

Venlafaxine**Outpatient Formulary Brands Available** Effexor XR®**Outpatient Dosage Forms**

Capsule, extended release, oral:

Effexor XR®: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]

Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF]

Tablet, extended release, oral: 225 mg [BCF]

Verapamil**Outpatient Dosage Forms**

Capsule, extended release 24 hour, oral, as hydrochloride: 360 mg

Tablet, oral, as hydrochloride: 80 mg, 120 mg

Tablet, extended release, oral, as hydrochloride: 180 mg [BCF], 240 mg [BCF]

Vitamin D**Outpatient Dosage Forms**

Liquid, oral [drops]: 400 unit/mL (50 mL)

Vitamins (Multiple/Pediatric)**Outpatient Formulary Brands Available** Poly-Vi-Sol [OTC]**Outpatient Dosage Forms**

Content varies depending on product used. For more detailed information on ingredients in these and other multivitamins, please refer to Multivitamin Products.

Solution, Oral]:

Poly-Vi-Sol: 50 mL [bottle]

Warfarin**Outpatient Formulary Brands Available** Coumadin®**Outpatient Dosage Forms**

Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]

Coumadin®: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]

Zaleplon**Outpatient Formulary Brands Available** Sonata®**Outpatient Dosage Forms**

Capsule, oral:

Sonata®: 10 mg [contains tartrazine]

Zinc Oxide**Outpatient Dosage Forms**

Ointment, topical: 20% (454 g)

ZOLMitriptan**Outpatient Formulary Brands Available** Zomig-ZMT®; Zomig®

ZOLMITRIPTAN

Outpatient Dosage Forms

Tablet, oral:

Zomig®: 2.5 mg [scored]

Zomig®: 5 mg

Tablet, orally disintegrating, oral:

Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor]

Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]

Zolpidem

Outpatient Dosage Forms

Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF]

Tablet, extended release, oral, as tartrate: 6.25 mg, 12.5 mg

Zonisamide

Outpatient Dosage Forms

Capsule, Oral:

Generic: 25 mg, 50 mg, 100 mg

Therapeutic Category Index

ACETYLCHOLINESTERASE INHIBITOR (CENTRAL)

Acetylcholinesterase Inhibitor (Central)		
Donepezil	6	
Acne Products		
Benzoyl Peroxide	3	
Clindamycin and Benzoyl Peroxide	4	
Erythromycin (Topical)	6	
ISOTretinoin	10	
Sulfur and Sulfacetamide	16	
Tretinoin (Topical)	17	
Adrenergic Agonist Agent		
Oxymetazoline (Nasal)	13	
Alkalinizing Agent, Oral		
Potassium Citrate	14	
Alkylamine Derivative		
Chlorpheniramine	4	
Hydrocodone and Chlorpheniramine	9	
Alpha₁ Blocker		
Alfuzosin	2	
Doxazosin	6	
Prazosin	14	
Tamsulosin	16	
Terazosin	16	
Alpha₂-Adrenergic Agonist		
CloNIDine	5	
GuanFACINE	9	
Methyldopa	11	
TIZANidine	16	
Alpha₂ Agonist, Ophthalmic		
Brimonidine and Timolol	3	
Brimonidine (Ophthalmic)	3	
Alpha/Beta Agonist		
EPINEPHrine (Systemic)	6	
Guaifenesin and Pseudoephedrine	9	
Pseudoephedrine	15	
5 Alpha-Reductase Inhibitor		
Finasteride	8	
Amebicide		
MetroNIDAZOLE (Systemic)	12	
Aminoquinoline (Antimalarial)		
Chloroquine	4	
Hydroxychloroquine	9	
Primaquine	14	
5-Aminosalicylic Acid Derivative		
Mesalamine	11	
SulfaSALazine	16	
Ammonium Detoxicant		
Lactulose	10	
Analgesic Combination (Opioid)		
Acetaminophen and Codeine	2	
Acetaminophen and Tramadol	2	
Hydrocodone and Acetaminophen	9	
Oxycodone and Acetaminophen	13	
Analgesic, Nonopioid		
Acetaminophen	2	
Acetaminophen, Isometheptene, and Dichloralphenazone	2	
Aspirin	2	
Celecoxib	4	
Diclofenac (Systemic)	6	
Ibuprofen	9	
Indomethacin	9	
Ketorolac (Systemic)	10	
Meloxicam	11	
Naproxen	12	
Piroxicam (Systemic)	14	
Sulindac	16	
Analgesic, Opioid		
Acetaminophen and Codeine	2	
Acetaminophen and Tramadol	2	
Hydrocodone and Acetaminophen	9	
Hydrocodone and Chlorpheniramine	9	
Morphine (Systemic)	12	
OxyCODONE	13	
Oxycodone and Acetaminophen	13	
TraMADol	17	
Analgesic, Topical		
Lidocaine (Topical)	11	
Analgesic, Urinary		
Phenazopyridine	14	
Androgen		
Testosterone	16	
Anesthetic/Corticosteroid		
Pramoxine and Hydrocortisone	14	
Angiotensin II Receptor Blocker		
Losartan	11	
Losartan and Hydrochlorothiazide	11	
Telmisartan	16	
Telmisartan and Hydrochlorothiazide	16	
Valsartan	17	
Valsartan and Hydrochlorothiazide	17	
Angiotensin-Converting Enzyme (ACE) Inhibitor		
Amlodipine and Benazepril	2	
Benazepril	3	
Captopril	4	
Lisinopril	11	
Lisinopril and Hydrochlorothiazide	11	
Ramipril	15	
Anthelmintic		
Albendazole	2	
Mebendazole	11	
Antianginal Agent		
AmLODIPine	2	
Amlodipine and Benazepril	2	
Atenolol	3	
DiITIAZem	6	
Isosorbide Dinitrate	10	
Isosorbide Mononitrate	10	
Metoprolol	12	
NIFEdipine	12	
Nitroglycerin	13	
Propranolol	15	
Ranolazine	15	
Verapamil	17	
Anti-anxiety Agent, Miscellaneous		
BusPIRone	3	
Antiarrhythmic Agent, Class Ia		
QuiNIDine	15	
Antiarrhythmic Agent, Class Ic		
Flecainide	8	
Antiarrhythmic Agent, Class II		
Propranolol	15	
Sotalol	16	
Antiarrhythmic Agent, Class III		
Amiodarone	2	
Dronedarone	6	
Sotalol	16	
Antiarrhythmic Agent, Class IV		
DiITIAZem	6	
Verapamil	17	
Antiarrhythmic Agent, Miscellaneous		
Digoxin	6	
Antibiotic, Aminoglycoside		
Gentamicin (Ophthalmic)	8	
Tobramycin (Ophthalmic)	17	
Antibiotic, Cephalosporin (First Generation)		
Cefadroxil	4	
Cephalexin	4	
Antibiotic, Cephalosporin (Second Generation)		
Cefprozil	4	
Cefuroxime	4	
Antibiotic, Cephalosporin (Third Generation)		
Cefdinir	4	
Antibiotic/Corticosteroid, Ophthalmic		
Neomycin, Polymyxin B, and Dexamethasone	12	
Sulfacetamide and Prednisolone	16	
Tobramycin and Dexamethasone	17	
Antibiotic/Corticosteroid, Otic		
Ciprofloxacin and Dexamethasone	4	
Ciprofloxacin and Hydrocortisone	4	
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	12	

Antibiotic, Fluoroquinolone		Anticholinergic Agent, Ophthalmic	
Ciprofloxacin (Ophthalmic)	4	Cyclopentolate	5
Ciprofloxacin (Systemic)	4	Homatropine	9
LevoFLOXacin (Systemic)	10	Anticoagulant	
Moxifloxacin (Ophthalmic)	12	Apixaban	2
Ofloxacin (Ophthalmic)	13	Dabigatran Etexilate	5
Ofloxacin (Otic)	13	Enoxaparin	6
Antibiotic, Lincosamide		Fondaparinux	8
Clindamycin (Systemic)	4	Rivaroxaban	15
Clindamycin (Topical)	5	Warfarin	17
Antibiotic, Macrolide		Anticoagulant, Direct Thrombin Inhibitor	
Azithromycin (Systemic)	3	Dabigatran Etexilate	5
Clarithromycin	4	Anticoagulant, Factor Xa Inhibitor	
Erythromycin and Sulfisoxazole	6	Apixaban	2
Erythromycin (Ophthalmic)	6	Fondaparinux	8
Erythromycin (Systemic)	6	Rivaroxaban	15
Erythromycin (Topical)	6	Anticoagulant, Low Molecular Weight Heparin	
Antibiotic, Macrolide Combination		Enoxaparin	6
Erythromycin and Sulfisoxazole	6	Anticoagulant, Vitamin K Antagonist	
Antibiotic, Miscellaneous		Warfarin	17
MetroNIDAZOLE (Systemic)	12	Anticonvulsant, Barbiturate	
Nitrofurantoin	13	PHENobarbital	14
Sulfamethoxazole and Trimethoprim	16	Anticonvulsant, Benzodiazepine	
Trimethoprim	17	Clonazepam	5
Antibiotic, Ophthalmic		Diazepam	5
Bacitracin and Polymyxin B (Ophthalmic)	3	LORazepam	11
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)	3	Anticonvulsant, Hydantoin	
Ciprofloxacin (Ophthalmic)	4	Phenytoin	14
Erythromycin (Ophthalmic)	6	Anticonvulsant, Miscellaneous	
Gentamicin (Ophthalmic)	8	AcetaZOLAMIDE	2
Moxifloxacin (Ophthalmic)	12	CarBAMazepine	4
Neomycin, Polymyxin B, and Gramicidin	12	Gabapentin	8
Ofloxacin (Ophthalmic)	13	LamoTRigine	10
Sulfacetamide (Ophthalmic)	16	LevETIRAcetam	10
Tobramycin (Ophthalmic)	17	OXcarbazepine	13
Trimethoprim and Polymyxin B	17	Primidone	14
Antibiotic, Otic		Topiramate	17
Ciprofloxacin and Dexamethasone	4	Valproic Acid and Derivatives	17
Ciprofloxacin and Hydrocortisone	4	Zonisamide	18
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	12	Antidepressant, Alpha-2 Antagonist	
Ofloxacin (Otic)	13	Mirtazapine	12
Antibiotic, Penicillin		Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor	
Amoxicillin	2	BuPROPion	3
Amoxicillin and Clavulanate Potassium	2	Antidepressant, Selective Serotonin Reuptake Inhibitor	
Dicloxacillin	6	Citalopram	4
Penicillin V Potassium	13	Escitalopram	6
Antibiotic, Respiratory Fluoroquinolone		FLUoxetine	8
LevoFLOXacin (Systemic)	10	PARoxetine	13
Antibiotic, Sulfonamide Derivative		Sertraline	15
Erythromycin and Sulfisoxazole	6	Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor	
Sulfamethoxazole and Trimethoprim	16	DULoxetine	6
Sulfur and Sulfacetamide	16	Venlafaxine	17
Antibiotic, Tetracycline Derivative		Antidepressant, Serotonin Reuptake Inhibitor/Antagonist	
Doxycycline	6	TraZODone	17
Minocycline	12	Antidepressant, Tricyclic (Secondary Amine)	
Tetracycline	16	Desipramine	5
Antibiotic, Topical		Nortriptyline	13
Bacitracin (Topical)	3	Antidepressant, Tricyclic (Tertiary Amine)	
Erythromycin (Topical)	6	Amitriptyline	2
MetroNIDAZOLE (Topical)	12	Amitriptyline and Perphenazine	2
Mupirocin	12	Doxepin (Systemic)	6
Silver Sulfadiazine	15	Imipramine	9
Anticholinergic Agent		Antidiabetic Agent, Biguanide	
Benztropine	3	Glyburide and Metformin	9
Dicyclomine	6	MetFORMIN	11
Hyoscyamine	9	Sitagliptin and Metformin	15
Ipratropium and Albuterol	10	Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor	
Ipratropium (Nasal)	10	SITagliptin	15
Ipratropium (Oral Inhalation)	10	Sitagliptin and Metformin	15
Scopolamine (Systemic)	15	Antidiabetic Agent, Dopamine Agonist	
Solifenacin	16	Bromocriptine	3
Tiotropium	16		
Tolterodine	17		
Trihexyphenidyl	17		
Anticholinergic Agent, Long-Acting			
Tiotropium	16		

ANTIDIABETIC AGENT, GLUCAGON-LIKE PEPTIDE-1 (GLP-1) RECEPTOR AGONIST

Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist	
Albiglutide	2
Exenatide	8
Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor	
Empagliflozin	6
Antidiabetic Agent, Sulfonylurea	
Glimepiride	9
GlipiZIDE	9
GlyBURIDE	9
Glyburide and Metformin	9
Antidiabetic Agent, Thiazolidinedione	
Pioglitazone	14
Antidiarrheal	
Diphenoxylate and Atropine	6
Loperamide	11
Antidote	
Calcium Acetate	4
Glucagon	9
Naloxone	12
Naltrexone	12
Sodium Polystyrene Sulfonate	16
Antidote, Extravasation	
Nitroglycerin	13
Antidote, Hypoglycemia	
Glucagon	9
Antiemetic	
Dexamethasone (Systemic)	5
HydrOXYzine	9
Meclizine	11
Metoclopramide	12
Ondansetron	13
Perphenazine	13
Prochlorperazine	14
Promethazine	14
Antifungal Agent, Azole Derivative	
Terconazole	16
Antifungal Agent, Imidazole Derivative	
Clotrimazole (Topical)	5
Ketoconazole (Systemic)	10
Ketoconazole (Topical)	10
Antifungal Agent, Oral	
Fluconazole	8
Griseofulvin	9
Ketoconazole (Systemic)	10
Terbinafine (Systemic)	16
Antifungal Agent, Oral Nonabsorbed/Partially Absorbed	
Clotrimazole (Topical)	5
Nystatin (Oral)	13
Antifungal Agent, Parenteral	
Fluconazole	8
Antifungal Agent, Topical	
Betamethasone and Clotrimazole	3
Clotrimazole (Topical)	5
Ketoconazole (Topical)	10
Naftifine	12
Nystatin and Triamcinolone	13
Nystatin (Topical)	13
Antifungal Agent, Vaginal	
Clotrimazole (Topical)	5
Terconazole	16
Antigout Agent	
Allopurinol	2
Colchicine	5
Antihemorrhoidal Agent	
Hydrocortisone (Topical)	9
Antihypertensive	
AmLODIPine	2
Amlodipine and Benazepril	2
Atenolol	3
Benazepril	3
Bisoprolol	3
Bumetanide	3
Captopril	4
Carvedilol	4
Chlorthalidone	4
CloNIDine	5
DiITIAZem	6
Doxazosin	6
Felodipine	8
Furosemide	8
GuanFACINE	9
HydrALAZINE	9
HydroCHLOROthiazide	9
Hydrochlorothiazide and Triamterene	9
Labetalol	10
Lisinopril	11
Lisinopril and Hydrochlorothiazide	11
Losartan	11
Losartan and Hydrochlorothiazide	11
Methyldopa	11
Metoprolol	12
NIFEdipine	12
Prazosin	14
Propranolol	15
Ramipril	15
Spironolactone	16
Telmisartan	16
Telmisartan and Hydrochlorothiazide	16
Terazosin	16
Torsemide	17
Valsartan	17
Valsartan and Hydrochlorothiazide	17
Verapamil	17
Anti-inflammatory Agent	
Dexamethasone (Systemic)	5
Anti-inflammatory, Locally Applied	
Carbamide Peroxide	4
Antilipemic Agent, 2-Azetidinone	
Ezetimibe	8
Antilipemic Agent, Bile Acid Sequestrant	
Cholestyramine Resin	4
Colestipol	5
Antilipemic Agent, Fibric Acid	
Fenofibrate and Derivatives	8
Gemfibrozil	8
Antilipemic Agent, HMG-CoA Reductase Inhibitor	
AtorvaSTATin	3
Pravastatin	14
Rosuvastatin	15
Simvastatin	15
Antilipemic Agent, Miscellaneous	
Niacin	12
Antilipemic Agent, Omega-3 Fatty Acids	
Omega-3 Fatty Acids	13
Antimalarial Agent	
Atovaquone and Proguanil	3
Chloroquine	4
Hydroxychloroquine	9
Mefloquine	11
Primaquine	14
QuiNIDine	15
Antimanic Agent	
ChlorproMAZINE	4
Lithium	11
OLANZapine	13
RisperiDONE	15
Valproic Acid and Derivatives	17
Antimigraine Agent	
Eletriptan	6
Rizatriptan	15
SUMATriptan	16
ZOLMitriptan	17
Antineoplastic Agent, Antimetabolite	
Fluorouracil (Topical)	8
Antineoplastic Agent, Antimetabolite (Antifolate)	
Methotrexate	11
Antineoplastic Agent, Antimetabolite (Pyrimidine Analog)	
Fluorouracil (Topical)	8
Antineoplastic Agent, Aromatase Inhibitor	
Anastrozole	2

Antineoplastic Agent, Estrogen Receptor Antagonist	
Tamoxifen	16
Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist	
Goserelin	9
Antineoplastic Agent, Hormone	
Megestrol	11
Antineoplastic Agent, Retinoic Acid Derivative	
ISOTretinoin	10
Antiparasitic Agent, Topical	
Malathion	11
Permethrin	13
Anti-Parkinson Agent, Anticholinergic	
Benzotropine	3
Trihexyphenidyl	17
Anti-Parkinson Agent, Decarboxylase Inhibitor	
Carbidopa and Levodopa	4
Anti-Parkinson Agent, Dopamine Agonist	
Amantadine	2
Bromocriptine	3
Pramipexole	14
ROPINIrole	15
Anti-Parkinson Agent, Dopamine Precursor	
Carbidopa and Levodopa	4
Antiplatelet Agent	
Aspirin	2
Aspirin and Dipyridamole	3
Clopidogrel	5
Antiplatelet Agent, Thienopyridine	
Clopidogrel	5
Antiprotozoal, Nitroimidazole	
MetroNIDAZOLE (Systemic)	12
Antirheumatic, Disease Modifying	
Adalimumab	2
Methotrexate	11
Antiseborrheic Agent, Topical	
Selenium Sulfide	15
Sulfur and Salicylic Acid	16
Sulfur and Sulfacetamide	16
Antispasmodic Agent, Gastrointestinal	
Clidinium and Chlordiazepoxide	4
Antispasmodic Agent, Urinary	
Oxybutynin	13
Antithyroid Agent	
MethIMazole	11
Propylthiouracil	15
Antitubercular Agent	
Ethambutol	7
Isoniazid	10
Pyrazinamide	15
RifAMPin	15
Rifapentine	15
Antitussive	
Benzonatate	3
Guaifenesin and Codeine	9
Guaifenesin and Dextromethorphan	9
Hydrocodone and Chlorpheniramine	9
Antiviral Agent	
Acyclovir (Systemic)	2
Amantadine	2
Oseltamivir	13
ValACYclovir	17
Antiviral Agent, Adamantane	
Amantadine	2
Antiviral Agent, Ophthalmic	
Trifluridine	17
Antiviral Agent, Oral	
ValACYclovir	17
Antiviral Agent, Topical	
Acyclovir (Topical)	2
Appetite Stimulant	
Megestrol	11
Barbiturate	
Butalbital, Acetaminophen, and Caffeine	3
PHENobarbital	14
Primidone	14
Benzodiazepine	
ALPRAZolam	2
Chlordiazepoxide	4
Clidinium and Chlordiazepoxide	4
Clonazepam	5
Diazepam	5
LORazepam	11
Temazepam	16
Beta₂-Adrenergic Agonist	
Ipratropium and Albuterol	10
Beta₂-Adrenergic Agonist, Long-Acting	
Fluticasone and Salmeterol	8
Salmeterol	15
Beta₂ Agonist	
Albuterol	2
Fluticasone and Salmeterol	8
Levalbuterol	10
Salmeterol	15
Beta₃ Agonist	
Mirabegron	12
Beta-Adrenergic Blocker, Nonselective	
Dorzolamide and Timolol	6
Propranolol	15
Sotalol	16
Beta-Blocker, Beta-1 Selective	
Atenolol	3
Bisoprolol	3
Metoprolol	12
Beta-Blocker, Nonselective	
Brimonidine and Timolol	3
Timolol (Ophthalmic)	16
Beta-Blocker With Alpha-Blocking Activity	
Carvedilol	4
Labetalol	10
Bisphosphonate Derivative	
Alendronate	2
Ibandronate	9
Blood Viscosity Reducer Agent	
Pentoxifylline	13
Calcineurin Inhibitor	
CycloSPORINE (Ophthalmic)	5
Pimecrolimus	14
Tacrolimus (Topical)	16
Calcium Channel Blocker	
AmLODIPine	2
Amlodipine and Benazepril	2
DIITIAZem	6
Felodipine	8
NIFEdipine	12
Verapamil	17
Calcium Channel Blocker, Dihydropyridine	
AmLODIPine	2
Amlodipine and Benazepril	2
Felodipine	8
NIFEdipine	12
Calcium Channel Blocker, Nondihydropyridine	
DIITIAZem	6
Verapamil	17
Calcium Salt	
Calcium Acetate	4
Calcium and Vitamin D	4
Carbonic Anhydrase Inhibitor	
AcetaZOLAMIDE	2
Carbonic Anhydrase Inhibitor (Ophthalmic)	
Dorzolamide	6
Dorzolamide and Timolol	6
Cardiac Glycoside	
Digoxin	6
Cardiovascular Agent, Miscellaneous	
Ranolazine	15

CATHARTIC

Cathartic	
Sodium Phosphates	16
Central Nervous System Stimulant	
Dextroamphetamine	5
Dextroamphetamine and Amphetamine	5
Methylphenidate	11
Modafinil	12
Chloride Channel Activator	
Lubiprostone	11
Contraceptive	
Ethinyl Estradiol and Desogestrel	7
Ethinyl Estradiol and Drospirenone	7
Ethinyl Estradiol and Ethynodiol Diacetate	7
Ethinyl Estradiol and Etonogestrel	7
Ethinyl Estradiol and Levonorgestrel	7
Ethinyl Estradiol and Norelgestromin	7
Ethinyl Estradiol and Norethindrone	7
Ethinyl Estradiol and Norgestimate	7
Ethinyl Estradiol and Norgestrel	8
Levonorgestrel (Systemic)	10
MedroxyPROGESTERone	11
Norethindrone	13
Corticosteroid, Inhalant (Oral)	
Budesonide (Oral Inhalation)	3
Fluticasone and Salmeterol	8
Fluticasone (Oral Inhalation)	8
Mometasone (Oral Inhalation)	12
Corticosteroid, Nasal	
Fluticasone (Nasal)	8
Corticosteroid, Ophthalmic	
Fluorometholone	8
Loteprednol	11
PrednisolONE (Ophthalmic)	14
Corticosteroid, Otic	
Ciprofloxacin and Dexamethasone	4
Ciprofloxacin and Hydrocortisone	4
Neomycin, Polymyxin B, and Hydrocortisone (Otic)	12
Corticosteroid, Rectal	
Hydrocortisone (Topical)	9
Corticosteroid, Systemic	
Dexamethasone (Systemic)	5
MethylPREDNISolone	12
PrednisolONE (Systemic)	14
PredniSONE	14
Corticosteroid, Topical	
Betamethasone and Clotrimazole	3
Betamethasone (Topical)	3
Clobetasol	5
Desonide	5
Fluocinolone (Topical)	8
Fluocinonide	8
Hydrocortisone (Topical)	9
Mometasone (Topical)	12
Nystatin and Triamcinolone	13
Triamcinolone (Topical)	17
Decongestant	
Oxymetazoline (Nasal)	13
Pseudoephedrine	15
Diagnostic Agent	
Glucagon	9
Diagnostic Agent, Ophthalmic	
Hydroxypropyl Methylcellulose	9
Direct Oral Anticoagulant (DOAC)	
Apixaban	2
Dabigatran Etexilate	5
Rivaroxaban	15
Diuretic, Carbonic Anhydrase Inhibitor	
AcetaZOLAMIDE	2
Diuretic, Loop	
Bumetanide	3
Furosemide	8
Torsemide	17
Diuretic, Potassium-Sparing	
Hydrochlorothiazide and Triamterene	9
Spironolactone	16
Diuretic, Thiazide	
HydroCHLORothiazide	9
Hydrochlorothiazide and Triamterene	9
Lisinopril and Hydrochlorothiazide	11
Losartan and Hydrochlorothiazide	11
Telmisartan and Hydrochlorothiazide	16
Valsartan and Hydrochlorothiazide	17
Diuretic, Thiazide-Related	
Chlorthalidone	4
MetOLazone	12
Electrolyte Supplement, Oral	
Calcium and Vitamin D	4
Magnesium Oxide	11
Potassium Chloride	14
Electrolyte Supplement, Parenteral	
Potassium Chloride	14
Sodium Chloride	15
Sodium Phosphates	16
Enzyme	
Pancrelipase	13
Ergot Derivative	
Bromocriptine	3
Methylergonovine	11
Estrogen and Progestin Combination	
Estrogens (Conjugated/Equine) and Medroxyprogesterone	7
Ethinyl Estradiol and Desogestrel	7
Ethinyl Estradiol and Drospirenone	7
Ethinyl Estradiol and Ethynodiol Diacetate	7
Ethinyl Estradiol and Etonogestrel	7
Ethinyl Estradiol and Levonorgestrel	7
Ethinyl Estradiol and Norelgestromin	7
Ethinyl Estradiol and Norethindrone	7
Ethinyl Estradiol and Norgestimate	7
Ethinyl Estradiol and Norgestrel	8
Estrogen Derivative	
Estradiol (Systemic)	7
Estradiol (Topical)	7
Estrogens (Conjugated/Equine, Systemic)	7
Estrogens (Conjugated/Equine, Topical)	7
Ethanolamine Derivative	
DiphenhydrAMINE (Systemic)	6
Doxylamine	6
Expectorant	
GuaifENesin	9
Guaifenesin and Codeine	9
Guaifenesin and Dextromethorphan	9
Guaifenesin and Pseudoephedrine	9
First Generation (Typical) Antipsychotic	
Amitriptyline and Perphenazine	2
ChlorproMAZINE	4
Haloperidol	9
Perphenazine	13
Prochlorperazine	14
Trifluoperazine	17
GABA Analog	
Gabapentin	8
Gastrointestinal Agent, Miscellaneous	
Adalimumab	2
Linaclotide	11
Lubiprostone	11
SucraIfate	16
Gastrointestinal Agent, Prokinetic	
Metoclopramide	12
Genitourinary Irrigant	
Sodium Chloride	15
Gonadotropin Releasing Hormone Agonist	
Goserelin	9
Guanylate Cyclase-C (GC-C) Agonist	
Linaclotide	11
Hemostatic Agent	
Aluminum Chloride Hexahydrate	2
Histamine H₁ Antagonist	
Azelastine (Nasal)	3
Cetirizine (Systemic)	4
Chlorpheniramine	4

Cyproheptadine	5
DiphenhydrAMINE (Systemic)	6
Doxylamine	6
Fexofenadine	8
Hydrocodone and Chlorpheniramine	9
HydrOXYzine	9
Loratadine	11
Meclizine	11
Olopatadine (Ophthalmic)	13
Promethazine	14
Histamine H₁ Antagonist, First Generation	
Chlorpheniramine	4
Cyproheptadine	5
DiphenhydrAMINE (Systemic)	6
Doxylamine	6
Hydrocodone and Chlorpheniramine	9
HydrOXYzine	9
Meclizine	11
Promethazine	14
Histamine H₁ Antagonist, Second Generation	
Azelastine (Nasal)	3
Cetirizine (Systemic)	4
Fexofenadine	8
Loratadine	11
Olopatadine (Ophthalmic)	13
Histamine H₂ Antagonist	
RaNITidine	15
Histone Deacetylase Inhibitor	
Valproic Acid and Derivatives	17
Hypnotic, Miscellaneous	
Eszopiclone	7
Zaleplon	17
Zolpidem	18
Imidazoline Derivative	
Oxymetazoline (Nasal)	13
Immunosuppressant Agent	
AzaTHIOprine	3
CycloSPORINE (Ophthalmic)	5
Methotrexate	11
Mycophenolate	12
Pimecrolimus	14
Tacrolimus (Topical)	16
Inhalation, Miscellaneous	
Inhalation Devices	10
Insulin, Combination	
Insulin Aspart Protamine and Insulin Aspart	10
Insulin NPH and Insulin Regular	10
Insulin, Intermediate-Acting	
Insulin NPH	10
Insulin, Long-Acting	
Insulin Detemir	10
Insulin Glargine	10
Insulin, Rapid-Acting	
Insulin Aspart	10
Insulin, Short-Acting	
Insulin Regular	10
Interferon	
Interferon Beta-1a	10
Iron Salt	
Ferrous Sulfate	8
Irrigant	
Sodium Chloride	15
Keratolytic Agent	
Podofilox	14
Urea (Topical)	17
Laxative, Bowel Evacuant	
Polyethylene Glycol-Electrolyte Solution and Bisacodyl	14
Sodium Phosphates	16
Laxative, Osmotic	
Lactulose	10
Polyethylene Glycol 3350	14
Polyethylene Glycol-Electrolyte Solution	14
Sodium Sulfate, Potassium Sulfate, and Magnesium Sulfate	16
Laxative, Stimulant	
Bisacodyl	3
Polyethylene Glycol-Electrolyte Solution and Bisacodyl	14
Leukotriene-Receptor Antagonist	
Montelukast	12
Local Anesthetic	
Lidocaine (Topical)	11
Lubricant, Ocular	
Hydroxypropyl Methylcellulose	9
Ocular Lubricant	13
Sodium Chloride	15
Magnesium Salt	
Magnesium Oxide	11
Mast Cell Stabilizer	
Lodoxamide	11
Mineralocorticoid (Aldosterone) Receptor Antagonists	
Spirolonactone	16
Miscellaneous Product	
Diabetic Supplies	5
Monoclonal Antibody	
Adalimumab	2
Neuraminidase Inhibitor	
Oseltamivir	13
N-Methyl-D-Aspartate Receptor Antagonist	
Memantine	11
Nonsteroidal Anti-inflammatory Drug (NSAID)	
Diclofenac (Ophthalmic)	5
Diclofenac (Systemic)	6
Diclofenac (Topical)	6
Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective	
Celecoxib	4
Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic	
Diclofenac (Ophthalmic)	5
Ketorolac (Ophthalmic)	10
Nonsteroidal Anti-inflammatory Drug (NSAID), Oral	
Aspirin	2
Diclofenac (Systemic)	6
Ibuprofen	9
Indomethacin	9
Ketorolac (Systemic)	10
Meloxicam	11
Naproxen	12
Piroxicam (Systemic)	14
Sulindac	16
Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral	
Ibuprofen	9
Indomethacin	9
Ketorolac (Systemic)	10
Nonsteroidal Anti-inflammatory Drug (NSAID), Topical	
Diclofenac (Topical)	6
Norepinephrine Reuptake Inhibitor, Selective	
AtoMOXetine	3
Nutritional Supplement	
Fluoride	8
Ophthalmic Agent, Antiglaucoma	
AcetaZOLAMIDE	2
Betaxolol (Ophthalmic)	3
Bimatoprost	3
Brimonidine and Timolol	3
Brimonidine (Ophthalmic)	3
Dorzolamide	6
Dorzolamide and Timolol	6
Latanoprost	10
Pilocarpine (Ophthalmic)	14
Timolol (Ophthalmic)	16
Ophthalmic Agent, Miotic	
Pilocarpine (Ophthalmic)	14
Ophthalmic Agent, Miscellaneous	
Carboxymethylcellulose	4
Ocular Lubricant	13

OPHTHALMIC AGENT, MYDRIATIC

Ophthalmic Agent, Mydriatic	
Homatropine	9
Tropicamide	17
Opioid Antagonist	
Naloxone	12
Naltrexone	12
Otic Agent, Cerumenolytic	
Carbamide Peroxide	4
Ovulation Stimulator	
ClomiPHENE	5
Partial Nicotine Agonist	
Varenicline	17
Pediculocide	
Malathion	11
Permethrin	13
Pentasaccharide, Synthetic	
Fondaparinux	8
Phenothiazine Derivative	
Amitriptyline and Perphenazine	2
ChlorproMAZINE	4
Perphenazine	13
Prochlorperazine	14
Promethazine	14
Trifluoperazine	17
Phosphate Binder	
Calcium Acetate	4
Phosphodiesterase-5 Enzyme Inhibitor	
Sildenafil	15
Phosphodiesterase Enzyme Inhibitor, Nonselective	
Theophylline	16
Piperazine Derivative	
Cetirizine (Systemic)	4
HydrOXYzine	9
Meclizine	11
Piperidine Derivative	
Cyproheptadine	5
Fexofenadine	8
Loratadine	11
Olopatadine (Ophthalmic)	13
Potassium Binder	
Sodium Polystyrene Sulfonate	16
Progestin	
Levonorgestrel (Systemic)	10
MedroxyPROGESTERone	11
Megestrol	11
Norethindrone	13
Progesterone	14
Prostaglandin, Ophthalmic	
Bimatoprost	3
Latanoprost	10
Proton Pump Inhibitor	
Omeprazole	13
Pantoprazole	13
RABEprazole	15
Retinoic Acid Derivative	
ISOtretinoin	10
Tretinoin (Topical)	17
Rifamycin	
RifAMPin	15
Rifapentine	15
Salicylate	
Aspirin	2
Salsalate	15
Scabidical Agent	
Malathion	11
Permethrin	13
Second Generation (Atypical) Antipsychotic	
ARIPiprazole	2
Lurasidone	11
OLANZapine	13
QUETiapine	15
RisperiDONE	15
Sedative	
Acetaminophen, Isometheptene, and Dichloralphenazone	2
Selective 5-HT₃ Receptor Antagonist	
Ondansetron	13
Selective Estrogen Receptor Modulator (SERM)	
ClomiPHENE	5
Raloxifene	15
Tamoxifen	16
Serotonin 5-HT_{1B, 1D} Receptor Agonist	
Eletriptan	6
Rizatriptan	15
SUMAtriptan	16
ZOLMitriptan	17
Skeletal Muscle Relaxant	
Baclofen	3
Chlorzoxazone	4
Cyclobenzaprine	5
Methocarbamol	11
Skin and Mucous Membrane Agent, Miscellaneous	
Emollients	6
Smoking Cessation Aid	
BuPROPion	3
Nicotine	12
Varenicline	17
Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor	
Empagliflozin	6
Sodium Salt	
Sodium Chloride	15
Stool Softener	
Docusate	6
Substituted Benzimidazole	
Omeprazole	13
Pantoprazole	13
RABEprazole	15
Sympathomimetic	
Acetaminophen, Isometheptene, and Dichloralphenazone	2
Thioamide	
MethIMAZole	11
Propylthiouracil	15
Thyroid Product	
Levothyroxine	10
Liothyronine	11
Thyroid, Desiccated	16
Topical Skin Product	
Aluminum Chloride Hexahydrate	2
Benzoyl Peroxide	3
Clindamycin and Benzoyl Peroxide	4
Emollients	6
Erythromycin (Topical)	6
Fluorouracil (Topical)	8
Lactic Acid and Ammonium Hydroxide	10
Pimecrolimus	14
Podofilox	14
Selenium Sulfide	15
Tacrolimus (Topical)	16
Urea (Topical)	17
Zinc Oxide	17
Topical Skin Product, Acne	
Azelaic Acid	3
Benzoyl Peroxide	3
Clindamycin and Benzoyl Peroxide	4
Clindamycin (Topical)	5
Erythromycin (Topical)	6
Sulfur and Sulfacetamide	16
Tretinoin (Topical)	17
Tumor Necrosis Factor (TNF) Blocking Agent	
Adalimumab	2
Uricosuric Agent	
Probenecid	14
Vasodilator	
HydrALAZINE	9
Isosorbide Dinitrate	10
Isosorbide Mononitrate	10
Nitroglycerin	13

Vitamin

Vitamins (Multiple/Pediatric)	17
-------------------------------------	----

Vitamin D Analog

Calcitriol (Systemic)	4
-----------------------------	---

Ergocalciferol	6
----------------------	---

Vitamin D	17
-----------------	----

Vitamin, Fat Soluble

Calcium and Vitamin D	4
-----------------------------	---

Phytonadione	14
--------------------	----

Vitamin, Water Soluble

Cyanocobalamin	5
----------------------	---

Folic Acid	8
------------------	---

Niacin	12
--------------	----

Pyridoxine	15
------------------	----

Xanthine Oxidase Inhibitor

Allopurinol	2
-------------------	---