

**WOMACK ARMY MEDICAL CENTER  
OUTPATIENT FORMULARY  
Alphabetical Listing by Name**

This document is current as of December 19, 2017.  
The availability of formulary items is subject to change.

## ABACAVIR, DOLUTEGRAVIR, AND LAMIVUDINE

### Abacavir, Dolutegravir, and Lamivudine

**Outpatient Formulary Brands Available** Triumeq

#### Outpatient Dosage Forms

Tablet, Oral:

Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg

### Acamprosate

#### Outpatient Dosage Forms

Tablet Delayed Release, Oral, as calcium:

Generic: 333 mg

### Acetaminophen

**Outpatient Formulary Brands Available** Mapap®; Tylenol®

#### Outpatient Dosage Forms

Solution, oral: 160 mg/5 mL (5 mL)

Suppository, rectal: 120 mg (12s); 650 mg (12s)

Suspension, oral: 160 mg/5 mL (5 mL, 10.15 mL, 20.3 mL)

Tablet, oral: 325 mg

Mapap®: 325 mg

Tylenol®: 325 mg

### Acetaminophen and Codeine

#### Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (120 mL) [BCF]

Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

### Acetaminophen, Isometheptene, and Dichloralphenazone

**Outpatient Formulary Brands Available** Midrin® [DSC]

#### Outpatient Dosage Forms

Capsule, oral:

Midrin®: Acetaminophen 325 mg, isometheptene mucate 65 mg, and dichloralphenazone 100 mg [DSC]

### AcetaZOLAMIDE

**Outpatient Formulary Brands Available** Diamox® Sequels®

#### Outpatient Dosage Forms

Capsule, sustained release, oral:

Diamox® Sequels®: 500 mg

Tablet, oral: 250 mg

### Acetic Acid (Otic)

#### Outpatient Dosage Forms

Solution, otic [drops]: 2% (60 mL)

### Acetylcysteine

#### Outpatient Dosage Forms

Solution, for inhalation/oral: 20% [200 mg/mL] (10 mL)

### Acyclovir (Systemic)

**Outpatient Formulary Brands Available** Zovirax®

#### Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]

Zovirax®: 200 mg [BCF]

Suspension, oral:

Zovirax®: 200 mg/5 mL (473 mL) [banana flavor] [BCF]

Tablet, oral: 400 mg [BCF], 800 mg [BCF]

Zovirax®: 400 mg [BCF], 800 mg [BCF]

### Adalimumab

**Outpatient Formulary Brands Available** Humira®

#### Outpatient Dosage Forms

Injection, solution [preservative free]:

Humira®: 40 mg/0.8 mL (0.8 mL) [contains natural rubber/natural latex in packaging, polysorbate 80] [ECF]

### Adapalene

**Outpatient Formulary Brands Available** Differin

#### Outpatient Dosage Forms

Cream, topical:

Differin: 0.1% (45 g)

Generic: 0.1% (45 g)

Gel, External:

Generic: 0.1% (45 g); 0.3% (45 g)

Lotion, External:

Differin: 0.1% (59 mL)

Generic: 0.1% (59 mL)

### Albendazole

**Outpatient Formulary Brands Available** Albenza®

#### Outpatient Dosage Forms

Tablet, oral:

Albenza®: 200 mg

### Albuterol

**Outpatient Formulary Brands Available** ProAir HFA

#### Outpatient Dosage Forms

Aerosol Solution, Inhalation:

ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF]

Nebulization Solution, Inhalation:

Generic: 0.63 mg/3 mL (3 mL); 0.083% [2.5 mg/3 mL] (25s) [BCF]

Nebulization Solution, Inhalation [preservative free]:

Generic: 0.083% [2.5 mg/3 mL] (25s) [BCF] ; 1.25 mg/3 mL (3 mL)

### Alcohol (Isopropyl)

#### Outpatient Dosage Forms

Pad, topical: 70% (100s)

### Alendronate

#### Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

### Alfuzosin

**Outpatient Formulary Brands Available** Uroxatral®

#### Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride:

Uroxatral®: 10 mg [BCF]

### Allopurinol

#### Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

### ALPRAZolam

#### Outpatient Dosage Forms

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg

### Alprostadil

**Outpatient Formulary Brands Available** Edex®; Muse®

#### Outpatient Dosage Forms

Injection, powder for reconstitution:

Edex®: 10 mcg, 20 mcg [contains lactose 51.06 mg; cartridge; supplied with diluent]

Pellet, urethral:

Muse®: 250 mcg (6s), 500 mcg (6s); 1000 mcg (6s)

### Aluminum Chloride Hexahydrate

**Outpatient Formulary Brands Available** Drysol™

#### Outpatient Dosage Forms

Solution, topical:

Drysol™: 20% (35 mL) [contains ethanol 93%]

### Aluminum Sulfate and Calcium Acetate

**Outpatient Formulary Brands Available** Domeboro®

#### Outpatient Dosage Forms

Powder, for topical solution:

Domeboro®: Aluminum sulfate 1191 mg and calcium acetate 839 mg per packet (12s, 100s)

### Amantadine

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 100 mg [BCF]

Syrup, oral, as hydrochloride: 50 mg/5 mL (473 mL) [BCF]

### Amiodarone

**Outpatient Formulary Brands Available** Cordarone®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg [BCF]

Cordarone®: 200 mg [scored] [BCF]

### Amitriptyline

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]

### AmLODIPine

#### Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

### Amlodipine and Benazepril

**Outpatient Formulary Brands Available** Lotrel®

#### Outpatient Dosage Forms

Capsule, oral:

Lotrel®:

2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]

5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]

5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]

5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]

10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]

10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]

### Amoxicillin

#### Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]

Powder for suspension, oral: 250 mg/5 mL (150 mL) [BCF]; 400 mg/5 mL (50 mL, 100 mL) [BCF]

Tablet, oral: 875 mg

**Amoxicillin and Clavulanate****Outpatient Formulary Brands Available** Augmentin XR®; Augmentin®**Outpatient Dosage Forms**

Powder for suspension, oral:

200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]

400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [BCF]

600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF]

Augmentin®:

125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.16 mEq/5 mL; banana flavor] [BCF]

250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.32 mEq/5 mL; orange flavor] [BCF]

400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL) [contains phenylalanine 7 mg/5 mL, potassium 0.29 mEq/5 mL; orange flavor]

Tablet, oral:

250: Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF]

500: Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]

875: Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]

Augmentin®:

500: Amoxicillin 500 mg and clavulanate potassium 125 mg [contains potassium 0.63 mEq/tablet] [BCF]

875: Amoxicillin 875 mg and clavulanate potassium 125 mg [scored; contains potassium 0.63 mEq/tablet] [BCF]

Tablet, extended release, oral:

Augmentin XR®: 1000: Amoxicillin 1000 mg and clavulanate potassium 62.5 mg [scored; contains potassium 12.6 mg/tablet, sodium 29.3 mg/tablet]

**Anastrozole****Outpatient Dosage Forms**

Tablet, oral: 1 mg

**Apixaban****Outpatient Formulary Brands Available** Eliquis**Outpatient Dosage Forms**

Tablet, Oral:

Eliquis: 2.5 mg, 5 mg

**ARIPiprazole****Outpatient Formulary Brands Available** Abilify; Abilify Maintena**Outpatient Dosage Forms**

Solution, Oral:

Abilify: 1 mg/mL (150 mL) [contains fructose 200 mg/mL, propylene glycol, sucrose 400 mg/mL; orange cream flavor]

Suspension Reconstituted, Intramuscular:

Abilify Maintena: 300 mg (1 ea); 400 mg (1 ea)

Tablet, Oral:

Abilify: 2 mg, 5 mg, 10 mg, 15 mg, 30 mg

**Artemether and Lumefantrine****Outpatient Dosage Forms**

Tablet:

Coartem: Artemether 20 mg and lumefantrine 120 mg

**Artificial Tears****Outpatient Formulary Brands Available** Systane® [OTC]**Outpatient Dosage Forms**

Solution, ophthalmic:

Systane®: 30 mL

**Ascorbic Acid****Outpatient Dosage Forms**

Tablet: 500 mg

**Aspirin****Outpatient Formulary Brands Available** Ecotrin**Outpatient Dosage Forms**

Tablet, Enteric Coated, Oral:

Ecotrin: 325 mg

Generic: 81 mg, 325 mg

**Aspirin and Dipyridamole****Outpatient Formulary Brands Available** Aggrenox®**Outpatient Dosage Forms**

Capsule, variable release, oral:

Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]

**Atenolol****Outpatient Dosage Forms**Solution, oral: 2 mg/mL, **extemporaneously prepared by pharmacy for pediatric cardiology**

Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

**AtoMOXetine****Outpatient Formulary Brands Available** Strattera®**Outpatient Dosage Forms**

Capsule, oral:

Strattera®: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg

**AtorvaSTATin****Outpatient Dosage Forms**

Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

**Atovaquone and Proguanil****Outpatient Formulary Brands Available** Malarone**Outpatient Dosage Forms**

Tablet, oral:

Malarone: Atovaquone 250 mg and proguanil hydrochloride 100 mg

Tablet, oral [pediatric]:

Malarone: Atovaquone 62.5 mg and proguanil hydrochloride 25 mg

**Atropine (Ophthalmic)****Outpatient Dosage Forms**

Solution, ophthalmic, as sulfate: 1% (15 mL)

**AzaTHIOprine****Outpatient Formulary Brands Available** Imuran®**Outpatient Dosage Forms**

Tablet, oral: 50 mg

Imuran®: 50 mg

**Azelaic Acid****Outpatient Formulary Brands Available** Azelex; Finacea**Outpatient Dosage Forms**

Cream, External:

Azelex: 20% (30 g, 50 g)

Foam, External:

Finacea: 15% (50 g) [contains benzoic acid, cetostearyl alcohol, polysorbate 80, propylene glycol]

Gel, topical:

Finacea: 15% (50 g) [contains benzoic acid]

**Azelastine (Nasal)****Outpatient Dosage Forms**

Solution, intranasal, as hydrochloride [spray]: 0.1% [137 mcg/spray] (30 mL)

**Azithromycin (Ophthalmic)****Outpatient Formulary Brands Available** AzaSite®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

AzaSite®: 1% (2.5 mL) [contains benzalkonium chloride]

**Azithromycin (Systemic)****Outpatient Formulary Brands Available** Zithromax®**Outpatient Dosage Forms**

Powder for suspension, oral, as dihydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF]: 1 g/packet (3s) [BCF]

Zithromax®: 200 mg/5 mL (30 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]

Powder for suspension, oral, as monohydrate [strength expressed as base]: 100 mg/5 mL (15 mL) [BCF]

Tablet, oral, as anhydrous: 250 mg [BCF], 500 mg [BCF]

Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

Tablet, oral, as monohydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

**Bacitracin and Polymyxin B (Ophthalmic)****Outpatient Dosage Forms**

Ointment, ophthalmic: Bacitracin 500 units and polymyxin B 10,000 units per g (3.5 g)

**Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)****Outpatient Dosage Forms**

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

**Bacitracin, Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic)****Outpatient Dosage Forms**

Ointment, Ophthalmic:

Generic: Bacitracin 400 units, neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per g (3.5 g)

**Bacitracin (Ophthalmic)****Outpatient Dosage Forms**

Ointment, ophthalmic: 500 units/g (3.5 g)

**Bacitracin (Topical)****Outpatient Dosage Forms**

Ointment, topical, as zinc [strength expressed as base]: 500 units/g (15 g)

## BACLOFEN

### Baclofen

#### Outpatient Dosage Forms

Tablet, oral: 10 mg

### Balanced Salt Solution

**Outpatient Dosage Forms** Solution, ophthalmic [irrigation; preservative free]: Sodium chloride 0.64%, potassium chloride 0.075%, calcium chloride 0.048%, magnesium chloride 0.03%, sodium acetate 0.39%, sodium citrate 0.17% (18 mL)

### Balsalazide

#### Outpatient Formulary Brands Available Colazal®

#### Outpatient Dosage Forms

Capsule, oral, as disodium:

Colazal®: 750 mg [contains sodium ~86 mg/capsule]

### Benzocaine

#### Outpatient Formulary Brands Available Cepacol® Sore Throat Pain Relief [OTC]

#### Outpatient Dosage Forms

Lozenge, oral:

Cepacol® Sore Throat Pain Relief: 15 mg (18s) [contains cetylpyridinium, menthol]

### Benzonate

#### Outpatient Formulary Brands Available Tessalon®

#### Outpatient Dosage Forms

Capsule, softgel, oral:

Tessalon®: 100 mg

### Benzoyl Peroxide

#### Outpatient Dosage Forms

Gel, topical: 5% (45 g, 60 g)

Liquid, topical [wash]: 5% (237 g)

### Benztropine

#### Outpatient Dosage Forms

Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]

### Bepotastine

#### Outpatient Formulary Brands Available Bepreve®

#### Outpatient Dosage Forms

Solution, ophthalmic, as besilate [drops]:

Bepreve®: 1.5% (10 mL) [contains benzalkonium chloride]

### Betamethasone (Topical)

#### Outpatient Dosage Forms

Lotion, topical, as valerate [strength expressed as base]: 0.1% (60 mL)

Ointment, topical, as dipropionate [strength expressed as base]: 0.05% (45 g)

### Betaxolol (Ophthalmic)

#### Outpatient Formulary Brands Available Betoptic S®

#### Outpatient Dosage Forms

Suspension, ophthalmic [drops]:

Betoptic S®: 0.25% (10 mL) [contains benzalkonium chloride]

### Bicalutamide

#### Outpatient Formulary Brands Available Casodex®

#### Outpatient Dosage Forms

Tablet, oral:

Casodex®: 50 mg

### Bimatoprost

#### Outpatient Formulary Brands Available Lumigan®

#### Outpatient Dosage Forms

Solution, ophthalmic:

Lumigan®: 0.03% (5 mL) [contains benzalkonium chloride]

### Bisacodyl

#### Outpatient Formulary Brands Available Dulcolax®; LoSo Prep® Kit

#### Outpatient Dosage Forms

Kit:

LoSo Prep® Kit

Suppository, rectal: 10 mg (100s)

Dulcolax®: 10 mg

Tablet, enteric coated, oral: 5 mg

Dulcolax®: 5 mg

### Bismuth Subsalicylate

#### Outpatient Formulary Brands Available Peptic Relief [OTC]

#### Outpatient Dosage Forms

Tablet, chewable, oral, as subsalicylate:

Peptic Relief: 262 mg

### Brimonidine and Timolol

#### Outpatient Formulary Brands Available Combigan™

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:

Combigan™: Brimonidine tartrate 0.2% and timolol maleate 0.5% (5 mL) [contains benzalkonium chloride]

### Brimonidine (Ophthalmic)

#### Outpatient Formulary Brands Available Alphagan® P

#### Outpatient Dosage Forms

Solution, ophthalmic, as tartrate [drops]:

Alphagan® P: 0.15% (10 mL) [contains Purite®] [BCF]

### Brinzolamide and Brimonidine

#### Outpatient Dosage Forms

Suspension, ophthalmic:

Simbrinza: Brinzolamide 1% and brimonidine tartrate 0.2% (8 mL) [contains benzalkonium chloride]

### Bromocriptine

#### Outpatient Formulary Brands Available Parlodel® SnapTabs®

#### Outpatient Dosage Forms

Tablet, oral:

Parlodel® SnapTabs®: 2.5 mg [scored]

### Budesonide (Oral Inhalation)

#### Outpatient Formulary Brands Available Pulmicort Respules®

#### Outpatient Dosage Forms

Suspension, for nebulization:

Pulmicort Respules®: 0.25 mg/2 mL (30s); 0.5 mg/2 mL (30s)

### Budesonide (Systemic)

#### Outpatient Formulary Brands Available Entocort® EC

#### Outpatient Dosage Forms

Capsule, enteric coated, oral:

Entocort® EC: 3 mg

### BuPROPion

#### Outpatient Formulary Brands Available Wellbutrin SR®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 75 mg [generic for Wellbutrin®] [BCF], 100 mg [generic for Wellbutrin®] [BCF]

Tablet, extended release, oral, as hydrochloride: 100 mg [generic for Wellbutrin SR®] [BCF], 150 mg [generic for Zyban®] [BCF], 300 mg [generic for Wellbutrin XL®] [BCF]

Tablet, sustained release, as hydrochloride:

Wellbutrin SR®: 100 mg [BCF], 150 mg [BCF]

### BusPIRone

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

### Busulfan

#### Outpatient Formulary Brands Available Myleran®

#### Outpatient Dosage Forms

Tablet, oral:

Myleran®: 2 mg [scored]

### Butalbital, Acetaminophen, and Caffeine

#### Outpatient Formulary Brands Available Fioricet®

#### Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

Fioricet®: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

### Calcipotriene

#### Outpatient Formulary Brands Available Dovonex®

#### Outpatient Dosage Forms

Cream, topical:

Dovonex®: 0.005% (60 g)

Solution, topical:

Dovonex®: 0.005% (60 mL)

### Calcipotriene and Betamethasone

#### Outpatient Formulary Brands Available Taclonex®

#### Outpatient Dosage Forms

Ointment, topical:

Taclonex®: Calcipotriene 0.005% and betamethasone dipropionate 0.064% (60 g)

Suspension, topical:

Taclonex®: Calcipotriene 0.005% and betamethasone dipropionate 0.064% (60 mL) [contains castor oil]

### Calcitriol (Systemic)

#### Outpatient Dosage Forms

Capsule, softgel, oral:

Generic: 0.25 mcg

### Calcium Acetate

#### Outpatient Formulary Brands Available PhosLo®

#### Outpatient Dosage Forms

Gelcap, oral:

PhosLo®: 667 mg [equivalent to elemental calcium 169 mg (8.45 mEq)]

**Calcium and Vitamin D****Outpatient Formulary Brands Available** Citrus Calcium with Vitamin D**Outpatient Dosage Forms**

Tablet, oral: Calcium 600 mg and vitamin D 400 int. units (60s)  
 Citrus Calcium with Vitamin D: Calcium 200 mg and vitamin D 250 int. units [contains soy]

**Capsaicin****Outpatient Formulary Brands Available** Trixaicin [OTC]**Outpatient Dosage Forms**

Cream, topical: 0.025% (60 g)  
 Trixaicin: 0.025% (60 g) [contains benzyl alcohol]

**Captopril****Outpatient Dosage Forms**

Tablet, oral: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

**CarBAMazepine****Outpatient Formulary Brands Available** TEGretol®; TEGretol®-XR**Outpatient Dosage Forms**

Suspension, oral: 100 mg/5 mL (450 mL) [BCF]  
 TEGretol®: 100 mg/5 mL (450 mL) [contains propylene glycol; citrus-vanilla flavor]  
 Tablet, oral: 200 mg [BCF], 400 mg [BCF]  
 TEGretol®: 200 mg [scored] [BCF]  
 Tablet, chewable, oral: 100 mg [BCF]  
 TEGretol®: 100 mg  
 Tablet, extended release, oral: 400 mg [BCF]  
 TEGretol®-XR: 100 mg, 200 mg, 400 mg [BCF]

**Carbamide Peroxide****Outpatient Dosage Forms**

Solution, otic [drops]: 6.5% (15 mL)

**Carbidopa and Levodopa****Outpatient Formulary Brands Available** Sinemet®; Sinemet® CR**Outpatient Dosage Forms**

Tablet, oral:  
 Sinemet®:  
 10/100: Carbidopa 10 mg and levodopa 100 mg [scored] [BCF]  
 25/100: Carbidopa 25 mg and levodopa 100 mg [scored] [BCF]  
 25/250: Carbidopa 25 mg and levodopa 250 mg [scored] [BCF]  
 Tablet, extended release, oral:  
 Sinemet® CR: 50/200: Carbidopa 50 mg and levodopa 200 mg

**Carboxymethylcellulose****Outpatient Formulary Brands Available** Refresh® Celluvisc®**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops; preservative free]:  
 Refresh® Celluvisc®: 1% (0.4 mL) [available in packages of 30]

**Carvedilol****Outpatient Formulary Brands Available** Coreg CR**Outpatient Dosage Forms**

Capsule Extended Release 24 Hour, Oral, as phosphate:  
 Coreg CR: 10 mg, 20 mg, 40 mg, 80 mg  
 Tablet, Oral:  
 Generic: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]

**Cefdinir****Outpatient Formulary Brands Available** Omnicef®**Outpatient Dosage Forms**

Capsule, oral: 300 mg  
 Omnicef®: 300 mg  
 Powder for suspension, oral: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL)  
 Omnicef®: 125 mg/5 mL (100 mL) [contains sodium benzoate, sucrose 2.86 g/5 mL; strawberry flavor]; 250 mg/5 mL (100 mL) [contains sodium benzoate and sucrose 2.86 g/5 mL; strawberry flavor]

**Cefuroxime****Outpatient Dosage Forms**

Tablet, oral, as axetil [strength expressed as base]: 250 mg

**Celecoxib****Outpatient Formulary Brands Available** CeleBREX®**Outpatient Dosage Forms**

Capsule, oral:  
 CeleBREX®: 100 mg, 200 mg

**Cephalexin****Outpatient Formulary Brands Available** Keflex®**Outpatient Dosage Forms**

Capsule, oral: 250 mg [BCF], 500 mg [BCF]  
 Keflex®: 250 mg [BCF], 500 mg [BCF]  
 Powder for suspension, oral: 250 mg/5 mL (200 mL) [BCF]

**Cetirizine (Systemic)****Outpatient Dosage Forms**

Syrup, oral, as hydrochloride:  
 ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [contains propylene glycol; grape flavor]  
 ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [dye free, sugar free; contains propylene glycol, sodium benzoate; bubblegum flavor]  
 Tablet, oral, as hydrochloride: 10 mg  
 ZyrTEC Allergy: 10 mg

**Chlorambucil****Outpatient Formulary Brands Available** Leukeran®**Outpatient Dosage Forms**

Tablet, oral:  
 Leukeran®: 2 mg

**Chlorhexidine Gluconate (Oral)****Outpatient Dosage Forms**

Solution, Mouth/Throat:  
 Generic: 0.12% (473 mL) [BCF]

**Chloroquine****Outpatient Formulary Brands Available** Aralen®**Outpatient Dosage Forms**

Tablet, oral, as phosphate:  
 Aralen®: 500 mg [equivalent to chloroquine base 300 mg]

**Chlorothiazide****Outpatient Formulary Brands Available** Diuril**Outpatient Dosage Forms**

Suspension, oral:  
 Diuril: 250 mg/5 mL (237 mL) [contains alcohol, usp, benzoic acid, fd&c yellow #10 (quinoline yellow), methylparaben, propylparaben, saccharin sodium]

**Chlorpheniramine****Outpatient Formulary Brands Available** Aller-Chlor®**Outpatient Dosage Forms**

Syrup, oral, as maleate:  
 Aller-Chlor®: 2 mg/5 mL (118 mL) [contains ethanol 5%, propylene glycol]  
 Tablet, oral, as maleate: 4 mg

**ChlorproMAZINE****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg

**Chlorthalidone****Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

**Cholecalciferol****Outpatient Formulary Brands Available** D-Vi-Sol [OTC]**Outpatient Dosage Forms**

Capsule, Oral:  
 Generic: 50,000 units  
 Liquid, Oral:  
 D-Vi-Sol: 400 units/mL (50 mL) [gluten free, lactose free, sugar free; contains polysorbate 80]  
 Tablet, Oral:  
 Generic: 2000 units

**Cholera Vaccine****Outpatient Formulary Brands Available** Vaxchora**Outpatient Dosage Forms**

Suspension Reconstituted, Oral:  
 Vaxchora: *Vibrio cholerae* 4x10<sup>8</sup> to 2x10<sup>9</sup> CFU (100 mL)

**Cholestyramine Resin****Outpatient Formulary Brands Available** Prevalite®**Outpatient Dosage Forms**

Powder for suspension, oral:  
 Prevalite®: Cholestyramine resin 4 g/5.5 g packet (60s) [contains phenylalanine 14.1 mg/5.5 g; orange flavor]

**Ciclopirox****Outpatient Formulary Brands Available** Penlac**Outpatient Dosage Forms**

Solution, External:  
 Penlac: 8% (6.6 mL) [contains ethyl acetate, isopropyl alcohol]

**Cilostazol****Outpatient Formulary Brands Available** Pletal®**Outpatient Dosage Forms**

Tablet, oral: 100 mg  
 Pletal®: 100 mg

**Ciprofloxacin and Dexamethasone****Outpatient Formulary Brands Available** Ciprodex®

**Outpatient Dosage Forms**

Suspension, otic:  
Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

**Ciprofloxacin (Systemic)**

**Outpatient Formulary Brands Available** Cipro

**Outpatient Dosage Forms**

Suspension reconstituted, oral:  
Cipro: 250 mg/5 mL (100 mL) [BCF]  
Tablet, oral, as hydrochloride: 250 mg [BCF]  
Tablet, oral, as hydrochloride [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

**Citalopram**

**Outpatient Dosage Forms**

Solution, oral: 10 mg/5 mL (240 mL) [BCF]  
Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

**Citric Acid, Sodium Citrate, and Potassium Citrate**

**Outpatient Formulary Brands Available** Cytra-3; Tricitrates

**Outpatient Dosage Forms**

Solution, oral:  
Cytra-3: Citric acid 334 mg, sodium citrate 500 mg, and potassium citrate 550 mg per 5 mL (480 mL) [equivalent to potassium 1 mEq, sodium 1 mEq, and bicarbonate 2 mEq per 1 mL; alcohol free, sugar free; contains sodium benzoate and propylene glycol; raspberry flavor]  
Tricitrates: Citric acid 334 mg, sodium citrate 500 mg, and potassium citrate 550 mg per 5 mL (480 mL) [equivalent to potassium 1 mEq, sodium 1 mEq, and bicarbonate 2 mEq per 1 mL; alcohol free; contains sodium benzoate; raspberry flavor]

**Clarithromycin**

**Outpatient Formulary Brands Available** Biaxin® XL

**Outpatient Dosage Forms**

Tablet, oral: 500 mg  
Tablet, extended release, oral:  
Biaxin® XL: 500 mg

**Clindamycin and Benzoyl Peroxide**

**Outpatient Formulary Brands Available** Duac

**Outpatient Dosage Forms**

Gel, topical:  
Duac: Clindamycin phosphate 1% and benzoyl peroxide 5% (45 g)  
Generic: Clindamycin phosphate 1% and benzoyl peroxide 5% (25 g)  
Generic: Clindamycin phosphate 1.2% and benzoyl peroxide 5% (45 g)

**Clindamycin (Systemic)**

**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF]  
Cleocin HCl®: 150 mg [contains tartrazine] [BCF]  
Granules for solution, oral, as palmitate hydrochloride [strength expressed as base]:  
Cleocin Pediatric®: 75 mg/5 mL (100 mL) [cherry flavor]

**Clindamycin (Topical)**

**Outpatient Formulary Brands Available** Cleocin; Cleocin T

**Outpatient Dosage Forms**

Cream, vaginal, as phosphate [strength expressed as base]:  
Cleocin: 2% (40 g) [contains benzyl alcohol, mineral oil] [BCF]  
Foam, External, as phosphate [strength expressed as base]:  
Generic: 1% (100 g)  
Gel, External, as phosphate [strength expressed as base]:  
Generic: 1% (30 g, 60 g)  
Lotion, External, as phosphate [strength expressed as base]:  
Generic: 1% (60 mL)  
Solution, topical, as phosphate [strength expressed as base]:  
Cleocin T: 1% (60 mL) [contains isopropyl alcohol 50%] [BCF]  
Generic: 1% (30 mL, 60 mL) [BCF]  
Swab, External pad, as phosphate [strength expressed as base]:  
Generic: 1% (60 ea)

**Clobetasol**

**Outpatient Formulary Brands Available** Olux®; Temovate®

**Outpatient Dosage Forms**

Aerosol, topical, as propionate [foam]:  
Olux®: 0.05% (100 g) [contains ethanol 60%; for scalp application]  
Cream, topical, as propionate: 0.05% (30 g)  
Temovate®: 0.05% (30 g)  
Ointment, topical, as propionate: 0.05% (30 g)  
Temovate®: 0.05% (15 g, 30 g)  
Solution, topical, as propionate [for scalp application]: 0.05% (50 mL)  
Temovate®: 0.05% (50 mL) [contains isopropyl alcohol 39.3%]

**ClomIPHENE**

**Outpatient Formulary Brands Available** Clomid®

**Outpatient Dosage Forms**

Tablet, oral, as citrate:  
Clomid®: 50 mg [scored]

**Clonazepam**

**Outpatient Dosage Forms**

Tablet, oral: 0.5 mg [BCF]

**CloNIDine**

**Outpatient Formulary Brands Available** Catapres; Catapres-TTS-1; Catapres-TTS-2; Catapres-TTS-3

**Outpatient Dosage Forms**

Patch, Transdermal [once-weekly patch]:  
Catapres-TTS-1: 0.1 mg/24 hours (4s)  
Catapres-TTS-2: 0.2 mg/24 hours (4s)  
Catapres-TTS-3: 0.3 mg/24 hours (4s)  
Tablet, Oral, as hydrochloride:  
Catapres: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF] [scored]  
Generic: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]

**Clopidogrel**

**Outpatient Dosage Forms**

Tablet, oral: 75 mg [BCF], 300 mg [BCF]

**Clotrimazole (Oral)**

**Outpatient Dosage Forms**

Troche, oral: 10 mg

**Clotrimazole (Topical)**

**Outpatient Dosage Forms**

Cream, topical: 1% (30 g)  
Cream, vaginal: 1% (45 g)  
Solution, topical: 1% (10 mL) [BCF]

**Coal Tar**

**Outpatient Formulary Brands Available** MG 217®; Neutrogena® T/Gel

**Outpatient Dosage Forms**

Lotion, topical:  
MG 217®: Coal tar solution 5% (120 mL) [equivalent to coal tar 1%; contains jojoba]  
Ointment, topical:  
MG 217®: Coal tar solution 10% (107 g, 430 g) [equivalent to coal tar 2%]  
Shampoo, topical:  
Neutrogena® T/Gel: Coal tar 0.5% (132 mL, 255 mL, 480 mL)

**Codeine**

**Outpatient Dosage Forms**

Tablet, oral, as phosphate: 30 mg  
Tablet, oral, as sulfate: 30 mg

**Colchicine**

**Outpatient Dosage Forms**

Tablet, oral: 0.6 mg

**Colestipol**

**Outpatient Formulary Brands Available** Colestid®

**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride [micronized]:  
Colestid®: 1 g

**Collagenase (Topical)**

**Outpatient Formulary Brands Available** Santyl

**Outpatient Dosage Forms**

Ointment, External:  
Santyl: 250 units/g (90 g)

**Cyanocobalamin**

**Outpatient Dosage Forms**

Injection, solution: 1000 mcg/mL (1 mL)

**Cyclobenzaprine**

**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 10 mg [BCF]

**Cyclophosphamide**

**Outpatient Dosage Forms**

Tablet, oral: 50 mg

**CycloSPORINE (Ophthalmic)**

**Outpatient Formulary Brands Available** Restasis®

**Outpatient Dosage Forms**

Emulsion, ophthalmic [preservative free]:  
Restasis®: 0.05% (0.4 mL) [contains 30 single-use vials/box]

**Cyproheptadine**

**Outpatient Dosage Forms**

Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]  
Tablet, oral, as hydrochloride: 4 mg [BCF]

**Dabigatran EteXilate**

**Outpatient Formulary Brands Available** Pradaxa®

**Outpatient Dosage Forms**

Capsule, oral:  
Pradaxa®: 75 mg, 150 mg

**Darunavir****Outpatient Formulary Brands Available** Prezista**Outpatient Dosage Forms**Tablet, Oral:  
Prezista: 600 mg, 800 mg**Desmopressin****Outpatient Dosage Forms**

Tablet, oral, as acetate: 0.1 mg

**Desonide****Outpatient Dosage Forms**

Ointment, topical: 0.05% (60 g)

**Dexamethasone (Ophthalmic)****Outpatient Dosage Forms**Solution, Ophthalmic, as phosphate:  
Generic: 0.1% (5 mL)**Dexamethasone (Systemic)****Outpatient Dosage Forms**Elixir, oral: 0.5 mg/5 mL (237 mL)  
Tablet, oral: 0.5 mg, 4 mg**Dextroamphetamine****Outpatient Formulary Brands Available** Dexedrine® Spansule®**Outpatient Dosage Forms**Capsule, sustained release, as sulfate:  
Dexedrine® Spansule®: 5 mg, 10 mg**Dextroamphetamine and Amphetamine****Outpatient Formulary Brands Available** Adderall XR®; Adderall®**Outpatient Dosage Forms**Capsule, extended release, oral:  
Adderall XR®:

5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]  
 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]  
 15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]  
 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]  
 25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]  
 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]

Tablet, oral:

Adderall®:

5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]  
 10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]  
 20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]  
 30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)]

**Diabetic Supplies****Outpatient Formulary Brands Available** BD Syringe; BD Ultra-Fine; FreeStyle Lite; Ketostix; NovoFine; NovoPen Junior; Precision Xtra; VanishPoint**Outpatient Dosage Forms**

Glucose meter:

FreeStyle Lite

Precision Glucometer (Restricted to Pediatricians)

IV Catheter:

VanishPoint: 3 mL 25G 5/8 inch

Insulin delivery device:

NovoPen Junior

Lancet:

Accu-Chek FastClix (Restricted to Pediatricians)

Precision Xtra: 100/box

Syringe and needle:

BD Syringe 6 mm

BD Syringe 0.3 mL (Ultra-Fine II) 31 gauge x 1/2" (100s)

BD Syringe 0.5 mL (Ultra-Fine II) 31 gauge x 5/16" (100s) [BCF]

BD Syringe 1 mL (Ultra-Fine II) 31 gauge x 5/16" (100s) [BCF]

BD Ultra-Fine Original Pen Needles 29G

BD Ultra-Fine Short Pen Needle 31G

BD Ultra-Fine Mini Pen Needle 31G

NovoFine Pen Needle (30 gauge - 6 mm)

Pediatric patients/type I diabetics: Insulin syringes with 1/2 unit markings

U-500 syringe

Test Strips:

FreeStyle Lite: 50/box, 100/box

Ketostix Strips: 100/box

Precision Xtra Blood Glucose Test Strips: 100/box

**DiazePAM****Outpatient Formulary Brands Available** Diastat® AcuDial™; Valium®**Outpatient Dosage Forms**

Gel, rectal [adult rectal tip (6 cm)]:

Diastat® AcuDial™: 20 mg (4 mL) [contains benzoic acid, benzyl alcohol, ethanol 10%, propylene glycol, sodium benzoate; 5 mg/mL (delivers set doses of 12.5 mg, 15 mg, 17.5 mg, and 20 mg)]

Gel, rectal [pediatric/adult rectal tip (4.4 cm)]:

Diastat® AcuDial™: 10 mg (2 mL) [contains benzoic acid, benzyl alcohol, ethanol 10%, propylene glycol, sodium benzoate; 5 mg/mL (delivers set doses of 5 mg, 7.5 mg, and 10 mg)]

Injection, solution: 5 mg/mL (2 mL)

Tablet, oral: 5 mg [BCF]

Valium®: 5 mg [scored] [BCF]

**Dibucaine****Outpatient Dosage Forms**

Ointment, topical: 1% [10 mg/g] (30 g)

**Diclofenac (Ophthalmic)****Outpatient Formulary Brands Available** Voltaren Ophthalmic®**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 0.1% (2.5 mL, 5 mL)

Voltaren Ophthalmic®: 0.1% (2.5 mL, 5 mL) [contains sorbic acid]

**Diclofenac (Systemic)****Outpatient Dosage Forms**

Tablet extended release 24 hour, oral, as sodium: 100 mg

**Diclofenac (Topical)****Outpatient Formulary Brands Available** Voltaren® Gel**Outpatient Dosage Forms**

Gel, topical, as sodium:

Voltaren® Gel: 1% (100 g) [contains isopropyl alcohol]

**Dicloxacillin****Outpatient Dosage Forms**

Capsule, Oral:

Generic: 250 mg [BCF], 500 mg [BCF]

**Dicyclomine****Outpatient Formulary Brands Available** Bentyl®**Outpatient Dosage Forms**

Capsule, Oral, as hydrochloride:

Bentyl: 10 mg [BCF]

Generic: 10 mg [BCF]

Tablet, Oral, as hydrochloride:

Bentyl: 20 mg [BCF]

Generic: 20 mg [BCF]

**Difluprednate****Outpatient Formulary Brands Available** Durezol™**Outpatient Dosage Forms**

Emulsion, ophthalmic:

Durezol™: 0.05% (5 mL) [contains sorbic acid]

**Digoxin****Outpatient Formulary Brands Available** Lanoxin®**Outpatient Dosage Forms**

Elixir, oral [pediatric]:

Lanoxin®: 50 mcg/mL (60 mL) [contains ethanol 10%; lime flavor]

Tablet, oral:

Lanoxin®: 125 mcg [BCF], 250 mcg [BCF]

**Diltiazem****Outpatient Formulary Brands Available** Cardizem**Outpatient Dosage Forms**

Capsule, extended release, oral, as hydrochloride [once-daily dosing]:

Tiazac: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]

Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]

Ointment, External: 2%, compounded by pharmacy, 1 business day turnaround

Tablet, oral, as hydrochloride:

Cardizem: 30 mg, 60 mg

Generic: 30 mg, 60 mg

**DiphenhydrAMINE (Systemic)**

**Outpatient Dosage Forms**

Capsule, as hydrochloride: 25 mg, 50 mg  
Elixir, oral, as hydrochloride: 12.5 mg/5 mL (5 mL)

**Diphenoxylate and Atropine**

**Outpatient Formulary Brands Available** Lomotil®

**Outpatient Dosage Forms**

Tablet, oral:  
Lomotil®: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg

**Diphtheria and Tetanus Toxoids, and Acellular Pertussis Vaccine**

**Outpatient Formulary Brands Available** Adacel®

**Outpatient Dosage Forms**

Injection, suspension [Tdap, booster formulation]:  
Adacel®: Diphtheria 2 Lf units, tetanus 5 Lf units, and acellular pertussis antigens [detoxified pertussis toxin 2.5 mcg, filamentous hemagglutinin 5 mcg, pertactin 3 mcg, fimbriae (types 2 and 3) 5 mcg] per 0.5 mL (0.5 mL) [contains aluminum; may contain natural rubber/natural latex in prefilled syringe]

**Dipyridamole**

**Outpatient Formulary Brands Available** Persantine®

**Outpatient Dosage Forms**

Tablet, oral: 25 mg  
Persantine®: 25 mg

**Disulfiram**

**Outpatient Formulary Brands Available** Antabuse®

**Outpatient Dosage Forms**

Tablet, oral:  
Antabuse®: 250 mg [scored]

**Docusate**

**Outpatient Dosage Forms**

Capsule, oral, as sodium: 100 mg  
Colace®: 100 mg [contains sodium 5 mg/capsule]  
Capsule, softgel, oral, as sodium: 100 mg

**Dofetilide**

**Outpatient Dosage Forms**

Capsule, Oral:  
Generic: 125 mcg, 250 mcg, 500 mcg

**Dolutegravir**

**Outpatient Formulary Brands Available** Tivicay

**Outpatient Dosage Forms**

Tablet, Oral:  
Tivicay: 50 mg

**Donepezil**

**Outpatient Formulary Brands Available** Aricept®

**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:  
Aricept®: 5 mg, 10 mg

**Dorzolamide**

**Outpatient Dosage Forms**

Solution, ophthalmic: 2% (10 mL)

**Dorzolamide and Timolol**

**Outpatient Formulary Brands Available** Cosopt®

**Outpatient Dosage Forms**

Solution, ophthalmic:  
Cosopt®: Dorzolamide hydrochloride 2% (base) and timolol maleate 0.5% mg (base) (10 mL) [contains benzalkonium chloride]

**Doxazosin**

**Outpatient Formulary Brands Available** Cardura®

**Outpatient Dosage Forms**

Tablet, oral: 2 mg, 4 mg, 8 mg  
Cardura®: 2 mg, 4 mg, 8 mg

**Doxepin (Systemic)**

**Outpatient Dosage Forms**

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]  
Concentrate, oral: 10 mg/mL (120 mL) [BCF]

**Doxycycline**

**Outpatient Formulary Brands Available** Periostat®, Vibramycin®

**Outpatient Dosage Forms**

Capsule, oral, as hyclate [strength expressed as base]: 50 mg, 100 mg [BCF]  
Vibramycin®: 100 mg [BCF]  
Tablet, oral, as hyclate [strength expressed as base]: 20 mg, 100 mg [BCF]  
Periostat®: 20 mg

**Dronabinol**

**Outpatient Formulary Brands Available** Marinol

**Outpatient Dosage Forms**

Capsule, soft gelatin, oral:  
Generic: 2.5 mg, 5 mg

**Dronedarone**

**Outpatient Formulary Brands Available** Multaq

**Outpatient Dosage Forms**

Tablet, Oral:  
Multaq: 400 mg

**DULoxetine**

**Outpatient Formulary Brands Available** Cymbalta

**Outpatient Dosage Forms**

Capsule Delayed Release Particles, Oral:  
Cymbalta: 20 mg, 30 mg, 60 mg [contains fd&c blue #2 (indigotine)]

**Efavirenz, Emtricitabine, and Tenofovir Disoproxil Fumarate**

**Outpatient Formulary Brands Available** Atripla

**Outpatient Dosage Forms**

Tablet, Oral:  
Atripla: Efavirenz 600 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

**Eletriptan**

**Outpatient Dosage Forms**

Tablet, Oral:  
Relpax: 20 mg, 40 mg

**Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir**

**Alafenamide**

**Outpatient Dosage Forms**

Tablet, Oral:  
Genvoya: Elvitegravir 150 mg, cobicistat 150 mg, emtricitabine 200 mg, and tenofovir alafenamide 10 mg

**Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Disoproxil Fumarate**

**Outpatient Formulary Brands Available** Stribild

**Outpatient Dosage Forms**

Tablet, Oral:  
Stribild: Elvitegravir 150 mg, cobicistat 150 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

**Emollients**

**Outpatient Formulary Brands Available** Aquaphor [OTC]

**Outpatient Dosage Forms**

Cream, topical:  
Hydrocerin: 454 g  
Ointment, topical:  
Aquaphor: 420 g

**Empagliflozin**

**Outpatient Dosage Forms**

Tablet, Oral:  
Jardiance: 10 mg, 25 mg

**Empagliflozin and Linagliptin**

**Outpatient Dosage Forms**

Tablet, Oral:  
Glyxambi: Empagliflozin 10 mg and linagliptin 5 mg [contains corn starch]  
Glyxambi: Empagliflozin 25 mg and linagliptin 5 mg [contains corn starch]

**Empagliflozin and Metformin**

**Outpatient Dosage Forms**

Tablet, Oral:  
Synjardy: Empagliflozin 5 mg and metformin hydrochloride 500 mg  
Synjardy: Empagliflozin 5 mg and metformin hydrochloride 1000 mg  
Synjardy: Empagliflozin 12.5 mg and metformin hydrochloride 500 mg  
Synjardy: Empagliflozin 12.5 mg and metformin hydrochloride 1000 mg

**Enoxaparin**

**Outpatient Formulary Brands Available** Lovenox®

**Outpatient Dosage Forms**

Injection, solution, as sodium [preservative free]:  
Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF] [prefilled syringe]

**EPINEPHrine (Systemic)**

**Outpatient Formulary Brands Available** EpiPen 2-Pak; EpiPen Jr 2-Pak

**Outpatient Dosage Forms**

Solution, Injection:  
EpiPen: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection]  
EpiPen Jr: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]



Generic: 0.15 mg/0.15 mL (1.1 mL) [1:1000 solution; delivers 0.15 mg per injection]; 0.3 mg/0.3 mL (1.1 mL) [1:1000 solution; delivers 0.3 mg per injection]; 0.1 mg/mL (10 mL)  
Solution, Injection, as hydrochloride:  
Generic: 1 mg/mL (30 mL)

**Ergocalciferol****Outpatient Dosage Forms**

Capsule, softgel, oral: 50,000 int. units

**Erythromycin (Ophthalmic)****Outpatient Dosage Forms**

Ointment, Ophthalmic:  
Generic: 5 mg/g (3.5 g) [BCF]

**Erythromycin (Systemic)****Outpatient Formulary Brands Available** E.E.S.; Ery-Tab; EryPed; Erythrocin**Outpatient Dosage Forms**

Suspension Reconstituted, Oral, as ethylsuccinate:  
E.E.S.: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF]  
EryPed: 200 mg/5 mL (100 mL) [fruit flavor] [BCF]  
Tablet, oral, as base: 250 mg  
Tablet, oral, as stearate [strength expressed as base]:  
Erythrocin: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF]  
Tablet, delayed release, enteric coated, oral, as base:  
Ery-Tab: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF]

**Erythromycin (Topical)****Outpatient Dosage Forms**

Gel, External:  
Erygel: 2% (30 g, 60 g) [BCF]  
Generic: 2% (30 g, 60 g) [BCF]  
Solution, External:  
Generic: 2% (60 mL) [BCF]

**Escitalopram****Outpatient Formulary Brands Available** Lexapro®**Outpatient Dosage Forms**

Tablet, oral: 5 mg, 10 mg, 20 mg  
Lexapro®: 5 mg, 10 mg, 20 mg

**Estradiol (Systemic)****Outpatient Formulary Brands Available** Climara®**Outpatient Dosage Forms**

Patch, transdermal [once-weekly patch]: 0.025 mg/24 hours (4s) [BCF]; 0.0375 mg/24 hours (4s) [BCF]; 0.05 mg/24 hours (4s) [BCF]; 0.06 mg/24 hours (4s) [BCF]; 0.075 mg/24 hours (4s) [BCF]; 0.1 mg/24 hours (4s) [BCF]  
Climara®:  
0.025 mg/24 hours (4s) [6.5 cm<sup>2</sup>, total estradiol 2.04 mg] [BCF]  
0.0375 mg/24 hours (4s) [9.375 cm<sup>2</sup>, total estradiol 2.85 mg] [BCF]  
0.05 mg/24 hours (4s) [12.5 cm<sup>2</sup>, total estradiol 3.8 mg] [BCF]  
0.06 mg/24 hours (4s) [15 cm<sup>2</sup>, total estradiol 4.55 mg] [BCF]  
0.075 mg/24 hours (4s) [18.75 cm<sup>2</sup>, total estradiol 5.7 mg] [BCF]  
0.1 mg/24 hours (4s) [25 cm<sup>2</sup>, total estradiol 7.6 mg] [BCF]

**Estrogens (Conjugated/Equine) and Bazedoxifene****Outpatient Formulary Brands Available** Duavee**Outpatient Dosage Forms**

Tablet, oral:  
Duavee: Conjugated estrogens 0.45 mg and bazedoxifene 20 mg

**Estrogens (Conjugated/Equine) and Medroxyprogesterone****Outpatient Formulary Brands Available** Premphase®; Prempro®**Outpatient Dosage Forms**

Tablet, oral:  
Premphase® [therapy pack contains 2 separate tablet formulations]: Conjugated estrogens 0.625 mg [14 maroon tablets] and conjugated estrogen 0.625 mg/medroxyprogesterone acetate 5 mg [14 light blue tablets] (28s)  
Prempro®:  
0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg [BCF]  
0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg [BCF]  
0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg [BCF]  
0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg [BCF]

**Estrogens (Conjugated/Equine, Systemic)****Outpatient Formulary Brands Available** Premarin®**Outpatient Dosage Forms**

Tablet, oral:  
Premarkin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]

**Estrogens (Conjugated/Equine, Topical)****Outpatient Formulary Brands Available** Premarin®**Outpatient Dosage Forms**

Cream, Vaginal:  
Premarin: 0.625 mg/g (30 g) [BCF]

**Estrogens (Esterified) and Methyltestosterone****Outpatient Formulary Brands Available** Covaryx™ H.S.**Outpatient Dosage Forms**

Tablet, oral:  
Covaryx™ H.S.: Estrogens (Esterified) 0.625 mg and methyltestosterone 1.25 mg [contains tartrazine]

**Eszopiclone****Outpatient Formulary Brands Available** Lunesta®**Outpatient Dosage Forms**

Tablet, oral:  
Lunesta®: 1 mg, 2 mg, 3 mg

**Ethambutol****Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
Myambutol: 400 mg [scored] [BCF]  
Generic: 100 mg [BCF], 400 mg [BCF]

**Ethinyl Estradiol and Desogestrel****Outpatient Formulary Brands Available** Azurette™; Mircette®**Outpatient Dosage Forms**

Tablet, oral [low dose formulation]:  
Azurette™:  
Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets]  
Day 22-23: 2 inactive green tablets  
Day 24-28: Ethinyl estradiol 0.01 mg [5 blue tablets] (28s)  
Mircette®:  
Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets]  
Day 22-23: 2 inactive green tablets  
Day 24-28: Ethinyl estradiol 0.01 mg [5 yellow tablets] (28s)

**Ethinyl Estradiol and Drospirenone****Outpatient Formulary Brands Available** Yasmin®; Yaz®**Outpatient Dosage Forms**

Tablet, oral:  
Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg [21 yellow active tablets and 7 white inactive tablets] (28s) [BCF]  
Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg [24 light pink tablets and 4 white inactive tablets] (28s) [BCF]

**Ethinyl Estradiol and Ethynodiol Diacetate****Outpatient Formulary Brands Available** Kelnor™**Outpatient Dosage Forms**

Tablet, oral, monophasic formulations:  
Kelnor™ 1/35: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 light yellow tablets and 7 white inactive tablets] (28s)

**Ethinyl Estradiol and Etonogestrel****Outpatient Formulary Brands Available** NuvaRing®**Outpatient Dosage Forms**

Ring, vaginal:  
NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (1s, 3s) [3-week duration]

**Ethinyl Estradiol and Levonorgestrel****Outpatient Formulary Brands Available** Aviane™; Enpresse®; Leven® 28;**Outpatient Dosage Forms**

Tablet, oral [low dose formulation]:  
Aviane™: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 orange tablets and 7 light green inactive tablets] (28s) [BCF]  
Lutera®: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 white tablets and 7 peach inactive tablets] (28s) [BCF]  
Srnyx®: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 white tablets and 7 peach inactive tablets] (28s) [BCF]  
Tablet, oral [monophasic formulation]:  
Leven® 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg [21 light orange tablets and 7 pink inactive tablets] [BCF]  
Tablet, oral [triphasic formulation]:  
Enpresse® 28:  
Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 pink tablets]  
Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]  
Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 orange tablets]  
Day 22-28: 7 light green inactive tablets

## ETHINYL ESTRADIOL AND LEVONORGESTREL

Triphasil® 28:

Day 1-6: Ethinyl estradiol 0.03 mg and levonorgestrel 0.05 mg [6 brown tablets]

Day 7-11: Ethinyl estradiol 0.04 mg and levonorgestrel 0.075 mg [5 white tablets]

Day 12-21: Ethinyl estradiol 0.03 mg and levonorgestrel 0.125 mg [10 light yellow tablets]

Day 22-28: 7 light green inactive tablets (28s)

### Ethinyl Estradiol and Norelgestromin

**Outpatient Formulary Brands Available** Ortho Evra®

#### Outpatient Dosage Forms

Patch, transdermal:

Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (3s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]

### Ethinyl Estradiol and Norethindrone

**Outpatient Formulary Brands Available** femhrt®; Microgestin® 1/20; Microgestin® Fe 1.5/30; Ortho-Novum® 1/35; Ortho-Novum® 7/77

#### Outpatient Dosage Forms

Tablet, oral:

femhrt® 1/5: Ethinyl estradiol 5 mcg and norethindrone acetate 1 mg [white tablets]

Tablet, oral [monophasic formulation]:

Microgestin® 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg (21s) [white tablets]

Microgestin® Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 green tablets] and ferrous fumarate 75 mg [7 brown tablets] (28s)

Ortho-Novum® 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 peach tablets and 7 green inactive tablets] (28s) [BCF]

Tablet, oral [triphasic formulation]:

Ortho-Novum® 7/77-28:

Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets]

Day 8-16: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets]

Day 17-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets]

Day 22-28: 7 green inactive tablets

### Ethinyl Estradiol and Norgestimate

**Outpatient Formulary Brands Available** MonoNessa®; Ortho Tri-Cyclen®; Ortho Tri-Cyclen® Lo; Sprintec®

#### Outpatient Dosage Forms

Tablet, oral:

MonoNessa®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 green inactive tablets] [BCF]

Tablet, oral [monophasic formulation]:

Sprintec®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [21 blue tablets and 7 white inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:

Ortho Tri-Cyclen®:

Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets]

Day 22-28: 7 green inactive tablets (28s)

Ortho Tri-Cyclen® Lo [BCF]:

Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]

Day 22-28: 7 dark green inactive tablets

### Ethinyl Estradiol and Norgestrel

**Outpatient Formulary Brands Available** Lo/Ovral®-28; Low-Ogestrel®

#### Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:

Low-Ogestrel®: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 peach inactive tablets]

Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [21 white tablets and 7 pink inactive tablets] (28s)

### Etonogestrel

**Outpatient Formulary Brands Available** Nexplanon®

#### Outpatient Dosage Forms

Rod, subdermal [radiopaque]:

Nexplanon®: 68 mg [contains barium sulfate 15 mg]

### Exemestane

**Outpatient Formulary Brands Available** Aromasin®

#### Outpatient Dosage Forms

Tablet, oral: 25 mg

Aromasin®: 25 mg

### Exenatide

**Outpatient Formulary Brands Available** Bydureon

#### Outpatient Dosage Forms

Pen-injector, Subcutaneous:

Bydureon: 2 mg (4 pack) [BCF]

### Ezetimibe

**Outpatient Formulary Brands Available** Zetia®

#### Outpatient Dosage Forms

Tablet, oral:

Zetia®: 10 mg

### Famotidine

#### Outpatient Dosage Forms

Tablet, oral: 10 mg

### Fenofibrate and Derivatives

**Outpatient Formulary Brands Available** TriCor®

#### Outpatient Dosage Forms

Tablet, oral: 54 mg, 160 mg

TriCor®: 48 mg [BCF], 145 mg [BCF] [contains soybean lecithin]

### FentaNYL

#### Outpatient Dosage Forms

Patch, transdermal, as base: 12.5 mcg/hour (5s); 25 mcg/hour (5s); 50 mcg/hour (5s); 75 mcg/hour (5s); 100 mcg/hour (5s)

### Ferrous Sulfate

**Outpatient Formulary Brands Available** Fer-iron [OTC]

#### Outpatient Dosage Forms

Liquid, oral [drops]:

Fer-iron: 75 mg/0.6 mL (50 mL) [contains ethanol 0.2%; lemon flavor; elemental iron 15 mg/0.6 mL]

Tablet, oral: 325 mg [elemental iron 65 mg]

### Fexofenadine

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 30 mg, 60 mg

### Finasteride

**Outpatient Formulary Brands Available** Proscar®

#### Outpatient Dosage Forms

Tablet, Oral:

Proscar: 5 mg [BCF]

Generic: 5 mg [BCF]

### Flecainide

#### Outpatient Dosage Forms

Tablet, oral, as acetate: 50 mg, 100 mg, 150 mg

### Fluconazole

**Outpatient Formulary Brands Available** Diflucan®

#### Outpatient Dosage Forms

Powder for suspension, oral: 10 mg/mL (35 mL)

Tablet, oral: 100 mg, 150 mg [BCF], 200 mg

Diflucan®: 100 mg, 150 mg [BCF], 200 mg

### Fludrocortisone

#### Outpatient Dosage Forms

Tablet, oral, as acetate: 0.1 mg

### Fluocinolone (Otic)

**Outpatient Formulary Brands Available** DermOtic®

#### Outpatient Dosage Forms

Oil, otic, as acetonide [drops]:

DermOtic®: 0.01% (20 mL) [contains peanut oil]

### Fluocinolone (Topical)

**Outpatient Formulary Brands Available** Derma-Smoother/FS®

#### Outpatient Dosage Forms

Oil, topical, as acetonide [scalp oil]:

Derma-Smoother/FS®: 0.01% (120 mL) [contains peanut oil]

### Fluocinonide

#### Outpatient Dosage Forms

Cream, topical: 0.05% (15 g) [BCF]

Gel, topical: 0.05% (15 g)

Ointment, topical: 0.05% (60 g)

### Fluoride

**Outpatient Formulary Brands Available** EtheDent; PreviDent; PreviDent 5000 Plus

#### Outpatient Dosage Forms

Cream, Oral, as sodium [toothpaste]:

PreviDent 5000 Plus: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]

Gel, topical, as sodium:

PreviDent: 1.1% (60 g) [very berry flavor; equivalent to fluoride 2 mg/dose]

Solution, Oral, as sodium [drops]:

Generic: 1.1 mg/mL (50 mL) [equivalent to fluoride 0.5 mg/mL]

Tablet, Chewable, Oral, as sodium:  
EtheDent: 2.2 mg [sugar free; contains aspartame; cherry flavor; equivalent to fluoride 1 mg]

**Fluorometholone**

**Outpatient Formulary Brands Available** FML®

**Outpatient Dosage Forms**

Suspension, ophthalmic, as base:  
FML®: 0.1% (5 mL) [contains benzalkonium chloride]

**Fluorouracil (Topical)**

**Outpatient Formulary Brands Available** Efudex®

**Outpatient Dosage Forms**

Cream, topical:  
Efudex®: 5% (40 g)

**FLUoxetine****Outpatient Dosage Forms**

Capsule, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]  
Solution, oral: 20 mg/5 mL (5 mL, 120 mL) [BCF]

**Flurandrenolide**

**Outpatient Formulary Brands Available** Cordran®

**Outpatient Dosage Forms**

Tape, topical [roll]:  
Cordran®: 4 mcg/cm<sup>2</sup> (24 inch)

**Fluticasone and Salmeterol**

**Outpatient Formulary Brands Available** Advair Diskus; Advair HFA

**Outpatient Dosage Forms**

Aerosol, for Oral Inhalation:  
Advair HFA: 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
Advair HFA: 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
Advair HFA: 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
Powder, for Oral Inhalation:  
Advair Diskus: 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg (60 ea) [contains lactose] [BCF]  
Advair Diskus: 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (14 ea, 60 ea) [contains lactose] [BCF]  
Advair Diskus: 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (14 ea, 60 ea) [contains lactose] [BCF]

**Fluticasone (Nasal)****Outpatient Dosage Forms**

Suspension, intranasal, as propionate [spray]: 50 mcg/inhalation (16 g) [BCF]

**Fluticasone (Oral Inhalation)**

**Outpatient Formulary Brands Available** Flovent® Diskus®; Flovent® HFA

**Outpatient Dosage Forms**

Aerosol, Inhalation, as propionate:  
Flovent HFA: 44 mcg/actuation (10.6 g) [BCF]  
Flovent HFA: 110 mcg/actuation (12 g) [BCF]  
Flovent HFA: 220 mcg/actuation (12 g) [BCF]  
Aerosol Powder Breath Activated, Inhalation, as propionate:  
Flovent Diskus: 50 mcg/blister (60s) [contains lactose] [BCF]  
Flovent Diskus: 100 mcg/blister (60s) [contains lactose] [BCF]  
Flovent Diskus: 250 mcg/blister (60s) [contains lactose] [BCF]

**Fluticasone (Topical)****Outpatient Dosage Forms**

Ointment, topical, as propionate: 0.005% (30 g)

**Folic Acid****Outpatient Dosage Forms**

Tablet, Oral:  
Generic: 1 mg [BCF]

**Furosemide****Outpatient Dosage Forms**

Solution, oral: 10 mg/mL (60 mL, 120 mL) [BCF]  
Tablet, oral: 20 mg [BCF], 40 mg [BCF]

**Gabapentin**

**Outpatient Formulary Brands Available** Neurontin®

**Outpatient Dosage Forms**

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]  
Neurontin®: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]  
Solution, oral:  
Neurontin®: 250 mg/5 mL (470 mL) [cool strawberry-anise flavor]  
Tablet, oral: 600 mg [BCF], 800 mg [BCF]  
Neurontin®: 600 mg [BCF], 800 mg [BCF]

**Ganciclovir (Ophthalmic)**

**Outpatient Formulary Brands Available** Zirgan®

**Outpatient Dosage Forms**

Gel, ophthalmic [drops]:  
Zirgan®: 0.15% (5 g) [contains benzalkonium chloride]

**Gatifloxacin****Outpatient Dosage Forms**

Solution, Ophthalmic:  
Generic: 0.5% (2.5 mL)

**Gemfibrozil**

**Outpatient Formulary Brands Available** Lipid®

**Outpatient Dosage Forms**

Tablet, Oral:  
Lipid: 600 mg [scored] [BCF]  
Generic: 600 mg [BCF]

**Gentamicin (Ophthalmic)**

**Outpatient Formulary Brands Available** Garamycin™; Gentak®

**Outpatient Dosage Forms**

Ointment, ophthalmic: 0.3% [3 mg/g] (3.5 g)  
Gentak®: 0.3% (3.5 g) [BCF]  
Ointment, ophthalmic [preservative free]:  
Garamycin™: 0.3% (3.5 g) [BCF]  
Solution, ophthalmic [drops]: 0.3% (5 mL, 15 mL) [BCF]

**GlipiZIDE**

**Outpatient Formulary Brands Available** Glucotrol XL®

**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF]  
Tablet, extended release, oral: 2.5 mg, 5 mg, 10 mg  
Glucotrol XL®: 2.5 mg, 5 mg, 10 mg

**Glucagon**

**Outpatient Formulary Brands Available** Glucagon Emergency Kit

**Outpatient Dosage Forms**

Injection, powder for reconstitution:  
Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]

**GlyBURIDE**

**Outpatient Formulary Brands Available** Glynase® PresTab®

**Outpatient Dosage Forms**

Tablet, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF]  
Tablet, oral [micronized]: 1.5 mg [BCF], 3 mg [BCF], 5 mg [BCF], 6 mg [BCF]  
Glynase® PresTab®: 1.5 mg [BCF], 3 mg [BCF], 6 mg [BCF] [scored]

**Glyburide and Metformin**

**Outpatient Formulary Brands Available** Glucovance®

**Outpatient Dosage Forms**

Tablet:  
1.25 mg/250 mg: Glyburide 1.25 mg and metformin hydrochloride 250 mg  
2.5 mg/500 mg: Glyburide 2.5 mg and metformin hydrochloride 500 mg  
5 mg/500 mg: Glyburide 5 mg and metformin hydrochloride 500 mg  
Glucovance®:  
2.5 mg/500 mg: Glyburide 2.5 mg and metformin hydrochloride 500 mg  
5 mg/500 mg: Glyburide 5 mg and metformin hydrochloride 500 mg

**Glycopyrrolate (Systemic)**

**Outpatient Formulary Brands Available** Robinul

**Outpatient Dosage Forms**

Solution, Oral:  
Cuvposa: 1 mg/5 mL (473 mL) [contains methylparaben, propylene glycol, propylparaben, saccharin sodium; cherry flavor]  
Tablet, oral:  
Robinul: 1 mg [scored]

**Griseofulvin**

**Outpatient Formulary Brands Available** Gris-PEG®

**Outpatient Dosage Forms**

Suspension, Oral:  
Generic: 125 mg/5 mL (120 mL) [BCF]  
Tablet, Oral:  
Gris-PEG: 125 mg [BCF], 250 mg [BCF] [scored]  
Generic: 125 mg [BCF], 250 mg [BCF]

**GuaifENesin**

**Outpatient Formulary Brands Available** Mucinex®

**Outpatient Dosage Forms**

Tablet, extended release, oral:  
Mucinex®: 600 mg

**Guaifenesin and Codeine****Outpatient Dosage Forms**

Solution, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (5 mL)  
Syrup, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (473 mL)

**Guaifenesin and Dextromethorphan**

**Outpatient Formulary Brands Available** Robitussin® Cough & Chest Congestion DM

## GUAIFENESIN AND DEXTROMETHORPHAN

### Outpatient Dosage Forms

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (10 mL)  
Robitussin® Cough & Chest Congestion DM: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL) [ethanol free; contains sodium benzoate; cherry flavor]

### Guaifenesin and Pseudoephedrine

**Outpatient Formulary Brands Available** Mucinex® D Maximum Strength [OTC]; Mucinex® D [OTC]

### Outpatient Dosage Forms

Tablet, extended release, oral:  
Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg  
Mucinex® D Maximum Strength: 1200/120: Guaifenesin 1200 mg and pseudoephedrine hydrochloride 120 mg

### GuanFACINE

**Outpatient Formulary Brands Available** Intuniv™; Tenex®

### Outpatient Dosage Forms

Tablet, oral:  
Tenex®: 1 mg, 2 mg  
Tablet, extended release, oral:  
Intuniv™: 1 mg, 2 mg, 3 mg, 4 mg

### Haloperidol

### Outpatient Dosage Forms

Tablet, oral: 1 mg

### Heparin

### Outpatient Dosage Forms

Injection, solution, as sodium [porcine intestinal mucosa source]: 10,000 units/mL (1 mL)

### Homatropine

### Outpatient Dosage Forms

Solution, ophthalmic, as hydrobromide: 5% (5 mL)

### HydrALAZINE

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

### HydroCHLORothiazide

### Outpatient Dosage Forms

Capsule, oral: 12.5 mg [BCF]  
Tablet, oral: 25 mg [BCF], 50 mg [BCF]

### Hydrochlorothiazide and Spironolactone

### Outpatient Dosage Forms

Tablet, oral: Hydrochlorothiazide 25 mg and spironolactone 25 mg

### Hydrochlorothiazide and Triamterene

**Outpatient Formulary Brands Available** Maxzide®; Maxzide®-25

### Outpatient Dosage Forms

Tablet, Oral:  
Maxzide: Hydrochlorothiazide 50 mg and triamterene 75 [scored] [BCF]  
Maxzide-25: Hydrochlorothiazide 25 mg and triamterene 37.5 [scored] [BCF]  
Generic: Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]  
Generic: Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

### Hydrocodone and Acetaminophen

**Outpatient Formulary Brands Available** Norco®

### Outpatient Dosage Forms

Tablet, oral:  
Norco®: Hydrocodone bitartrate 5 mg and acetaminophen 325 mg  
Norco®: Hydrocodone bitartrate 10 mg and acetaminophen 325 mg [scored]

### Hydrocortisone (Systemic)

**Outpatient Formulary Brands Available** Cortef®

### Outpatient Dosage Forms

Tablet, oral, as base: 5 mg, 20 mg  
Cortef®: 5 mg, 20 mg

### Hydrocortisone (Topical)

**Outpatient Formulary Brands Available** Anusol-HC®; Cortenema®; Cortifoam®; Proctozone-HC™; Westcort®

### Outpatient Dosage Forms

Aerosol, rectal, as acetate:  
Cortifoam®: 10% (15 g) [90 mg/applicator]  
Cream, topical, as base: 1% (30 g)  
Proctozone-HC™: 2.5% (30 g) [BCF]  
Cream, topical, as valerate: 0.2% (45 g)  
Westcort®: 0.2% (15 g, 45 g, 60 g)  
Ointment, topical, as acetate: 1% (30 g, 454 g)  
Suppository, rectal, as acetate:  
Anusol-HC®: 25 mg (12s) [BCF]  
Suspension, rectal, as base: 100 mg/60 mL (60 mL)  
Cortenema®: 100 mg/60 mL

### HYDRomorphone

**Outpatient Formulary Brands Available** Dilaudid®

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 2 mg  
Dilaudid®: 2 mg

### Hydroquinone

**Outpatient Formulary Brands Available** Melquin

### Outpatient Dosage Forms

Cream, External:  
Generic: 4% (30 g) [may contain sodium metabisulfite]  
Solution, External:  
Melquin 3: 3% (29.57 mL)

### Hydroxychloroquine

### Outpatient Dosage Forms

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]

### HydroXYzine

### Outpatient Dosage Forms

Solution, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF]  
Syrup, oral, as hydrochloride: 10 mg/5 mL (473 mL) [BCF]  
Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

### Hyoscyamine

**Outpatient Formulary Brands Available** Symax® SL; Symax® SR

### Outpatient Dosage Forms

Tablet, sublingual, as sulfate: 0.125 mg  
Symax® SL: 0.125 mg  
Tablet, sustained release, oral, as sulfate:  
Symax® SR: 0.375 mg

### Ibandronate

**Outpatient Formulary Brands Available** Boniva®

### Outpatient Dosage Forms

Tablet, oral:  
Boniva®: 150 mg [once-monthly formulation]

### Ibuprofen

**Outpatient Formulary Brands Available** Motrin® Children's

### Outpatient Dosage Forms

Suspension, oral: 100 mg/5 mL (120 mL)  
Motrin® Children's: 100 mg/5 mL (60 mL, 120 mL) [contains sodium benzoate; berry, dye free berry, bubble gum, and grape flavors]  
Tablet, oral: 200 mg, 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

### Imipramine

### Outpatient Dosage Forms

Capsule, oral, as pamoate: 75 mg [BCF]  
Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

### Imiquimod

**Outpatient Formulary Brands Available** Aldara®

### Outpatient Dosage Forms

Cream, topical:  
Aldara®: 5% (24s) [contains benzyl alcohol]

### Indomethacin

### Outpatient Dosage Forms

Capsule, Oral:  
Generic: 25 mg [BCF], 50 mg [BCF]

### InFLIXimab

### Outpatient Dosage Forms

Solution Reconstituted, Intravenous:  
100 mg (1 ea) [contains polysorbate 80]

### Inhalation Devices

**Outpatient Formulary Brands Available** AeroChamber®

### Outpatient Dosage Forms

AeroChamber® with mask (small, medium, large)  
AeroChamber® spacer

### Insulin Aspart

**Outpatient Formulary Brands Available** NovoLOG®; NovoLOG® FlexPen®; NovoLOG® Penfill®

### Outpatient Dosage Forms

Injection, solution:  
NovoLOG®: 100 units/mL (3 mL, 10 mL) [BCF]  
NovoLOG® FlexPen®: 100 units/mL (3 mL) [BCF]  
NovoLOG® Penfill®: 100 units/mL (3 mL) [cartridge]

### Insulin Aspart Protamine and Insulin Aspart

**Outpatient Formulary Brands Available** NovoLOG® Mix 70/30 FlexPen®

### Outpatient Dosage Forms

Suspension, Subcutaneous:  
NovoLOG Mix 70/30 FlexPen: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid-acting]: 100 units/mL (3 mL) [contains metacresol, phenol] [BCF]

### Insulin Detemir

**Outpatient Formulary Brands Available** Levemir®

**Outpatient Dosage Forms**

Injection, solution:  
Levemir®: 100 units/mL (10 mL)

**Insulin Glargine**

**Outpatient Formulary Brands Available** Lantus®; Lantus® Solostar®

**Outpatient Dosage Forms**

Injection, solution:  
Lantus®: 100 units/mL (3 mL, 10 mL) [BCF]  
Lantus® Solostar®: 100 units/mL (3 mL) [prefilled pen]

**Insulin NPH**

**Outpatient Formulary Brands Available** NovoLIN® N

**Outpatient Dosage Forms**

Injection, suspension:  
NovoLIN® N: 100 units/mL (10 mL) [BCF]

**Insulin NPH and Insulin Regular**

**Outpatient Formulary Brands Available** NovoLIN® 70/30

**Outpatient Dosage Forms**

Injection, suspension:  
NovoLIN® 70/30: 100 units/mL: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short-acting] (10 mL) [BCF]

**Insulin Regular**

**Outpatient Formulary Brands Available** HumuLIN® R; NovoLIN® R

**Outpatient Dosage Forms**

Solution, Injection:  
NovoLIN R: 100 units/mL (10 mL) [contains metacresol] [BCF]  
Solution Pen-injector, Subcutaneous:  
HumuLIN R U-500 KwikPen: 500 units/mL (3 mL) [contains metacresol]

**Interferon Beta-1a**

**Outpatient Formulary Brands Available** Avonex®

**Outpatient Dosage Forms**

Injection, solution:  
Avonex®: 30 mcg/0.5 mL (0.5 mL) [albumin free; prefilled syringe]

**Interferon Beta-1b**

**Outpatient Formulary Brands Available** Betaseron®

**Outpatient Dosage Forms**

Injection, powder for reconstitution [preservative free]:  
Betaseron®: 0.3 mg [-9.6 million units] [contains albumin (human); supplied with diluent]

**Ipecac Syrup****Outpatient Dosage Forms**

Syrup, oral: USP: 7% (30 mL)

**Ipratropium and Albuterol**

**Outpatient Formulary Brands Available** Combivent® Respimat®

**Outpatient Dosage Forms**

Solution, for oral inhalation [spray]:  
Combivent® Respimat®: Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations]

**Ipratropium (Nasal)**

**Outpatient Formulary Brands Available** Atrovent®

**Outpatient Dosage Forms**

Solution, intranasal, as bromide [spray]:  
Atrovent®: 0.03% (30 mL) [contains benzalkonium chloride] [21 mcg/spray - 345 sprays per 30 mL bottle]  
Atrovent®: 0.06% (15 mL) [contains benzalkonium chloride; delivers 42 mcg/spray; 165 sprays]

**Ipratropium (Oral Inhalation)**

**Outpatient Formulary Brands Available** Atrovent® HFA

**Outpatient Dosage Forms**

Aerosol, for oral inhalation, as bromide:  
Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free; 200 metered actuations] [BCF]  
Solution, for nebulization, as bromide [preservative free]: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s)

**Isoniazid****Outpatient Dosage Forms**

Tablet, Oral:  
Generic: 100 mg [BCF], 300 mg [BCF]

**Isosorbide Dinitrate****Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF]  
Tablet, extended release, oral: 40 mg [BCF]

**Isosorbide Dinitrate and Hydralazine**

**Outpatient Formulary Brands Available** BiDiI

**Outpatient Dosage Forms**

Tablet, Oral:  
BiDiI: Isosorbide dinitrate 20 mg and hydralazine hydrochloride 37.5 mg

**Isosorbide Mononitrate****Outpatient Dosage Forms**

Tablet, oral: 20 mg  
Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]

**ISotretinoin**

**Outpatient Formulary Brands Available** Amnesteem®

**Outpatient Dosage Forms**

Capsule, softgel, oral:  
Amnesteem®: 10 mg, 20 mg, 40 mg [contains soybean oil]

**Ivabradine**

**Outpatient Formulary Brands Available** Corlanor

**Outpatient Dosage Forms**

Tablet, Oral:  
Corlanor: 5 mg [scored]  
Corlanor: 7.5 mg

**Ivermectin (Systemic)**

**Outpatient Formulary Brands Available** Stromectol®

**Outpatient Dosage Forms**

Tablet, oral:  
Stromectol®: 3 mg

**Ketoconazole (Topical)**

**Outpatient Formulary Brands Available** Nizoral

**Outpatient Dosage Forms**

Cream, External:  
Generic: 2% (30 g, 60 g)  
Shampoo, topical:  
Nizoral: 2% (120 mL)

**Ketotifen (Ophthalmic)**

**Outpatient Formulary Brands Available** Zaditor®

**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:  
Zaditor®: 0.025% (5 mL) [contains benzalkonium chloride]

**Labelalol****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 100 mg

**Lacosamide**

**Outpatient Formulary Brands Available** Vimpat

**Outpatient Dosage Forms**

Tablet, Oral:  
Vimpat: 50 mg, 100 mg, 150 mg, 200 mg

**Lactic Acid and Ammonium Hydroxide**

**Outpatient Formulary Brands Available** AmLactin®

**Outpatient Dosage Forms**

Cream, topical:  
AmLactin®: Lactic acid 12% with ammonium hydroxide (140 g)

**Lactobacillus**

**Outpatient Formulary Brands Available** BioGaia; VSL #3 [OTC]

**Outpatient Dosage Forms**

Powder:  
VSL #3: *L. acidophilus*, *L. plantarum*, *L. paracasei*, *L. bulgaricus* 450 billion live cells per sachet (60s) [gluten free; also contains *Bifidobacterium breve*, *B. longum*, *B. infantis*, and *Streptococcus thermophilus*; lemon cream flavor and unflavored]  
Tablet, Chewable, Oral:  
BioGaia

**Lactulose****Outpatient Dosage Forms**

Solution, oral: 10 g/15 mL (unit dose) [BCF]  
Solution, oral/rectal: 10 g/15 mL (237 mL, 473 mL, 946 mL) [BCF]

**LamiVUDine**

**Outpatient Formulary Brands Available** Epivir-HBV®

**Outpatient Dosage Forms**

Tablet, oral:  
Epivir-HBV®: 100 mg

**LamoTRigine**

**Outpatient Formulary Brands Available** LaMICtal®

**Outpatient Dosage Forms**

Tablet, oral:  
LaMICtal®: 25 mg, 100 mg [scored]

**Lanolin**

**Outpatient Formulary Brands Available** Lansinoh®

**Outpatient Dosage Forms**

Ointment, topical:  
Lansinoh®: 56 g

## LANSOPRAZOLE

### Lansoprazole

**Outpatient Formulary Brands Available** Prevacid® SoluTab™

#### Outpatient Dosage Forms

Tablet, delayed release, orally disintegrating:  
Prevacid® SoluTab™: 15 mg [contains phenylalanine 2.5 mg/tablet; strawberry flavor]  
Prevacid® SoluTab™: 30 mg [contains phenylalanine 5.1 mg/tablet; strawberry flavor]

### Lanthanum

**Outpatient Formulary Brands Available** Fosrenol

#### Outpatient Dosage Forms

Packet, Oral:  
Fosrenol: 750 mg (10 ea, 90 ea); 1000 mg (10 ea, 90 ea)  
Tablet Chewable, Oral:  
Fosrenol: 500 mg, 750 mg, 1000 mg

### Latanoprost

**Outpatient Formulary Brands Available** Xalatan®

#### Outpatient Dosage Forms

Solution, Ophthalmic:  
Xalatan: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]  
Generic: 0.005% (2.5 mL) [BCF]

### Letrozole

#### Outpatient Dosage Forms

Tablet, oral: 2.5 mg

### Leucovorin Calcium

#### Outpatient Dosage Forms

Tablet, oral [strength expressed as base]: 5 mg

### Levetiracetam

**Outpatient Formulary Brands Available** Keppra®

#### Outpatient Dosage Forms

Solution, oral:  
Keppra®: 100 mg/mL (480 mL) [dye free; grape flavor]  
Tablet, oral:  
Keppra®: 250 mg, 500 mg, 750 mg, 1000 mg [scored; gluten free]

### LevoFLOxacIn (Systemic)

**Outpatient Formulary Brands Available** Levaquin®

#### Outpatient Dosage Forms

Solution, oral: 25 mg/mL (100 mL, 200 mL, 480 mL) [BCF]  
Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF]  
Tablet, oral: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]  
Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

### Levonorgestrel (Systemic)

**Outpatient Formulary Brands Available** Plan B One-Step

#### Outpatient Dosage Forms

Tablet, Oral:  
Plan B One-Step: 1.5 mg

### Levothyroxine

**Outpatient Formulary Brands Available** Synthroid®

#### Outpatient Dosage Forms

Tablet, oral, as sodium:  
Synthroid®: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]

### Lidocaine and Prilocaine

**Outpatient Formulary Brands Available** EMLA®

#### Outpatient Dosage Forms

Cream, topical:  
EMLA®: Lidocaine 2.5% and prilocaine 2.5% (5 g)

### Lidocaine (Ophthalmic)

#### Outpatient Dosage Forms

Gel, Ophthalmic, as hydrochloride [preservative free]:  
Akten: 3.5% (1 mL)

### Lidocaine (Topical)

**Outpatient Formulary Brands Available** Lidoderm®; Xylocaine® Viscous

#### Outpatient Dosage Forms

Patch, transdermal:  
Lidoderm®: 5% (30s)  
Solution, viscous, oral, as hydrochloride: 2% [20 mg/mL] (100 mL)  
Xylocaine® Viscous: 2% [20 mg/mL] (100 mL)

### Linaclotide

#### Outpatient Dosage Forms

Capsule, Oral:  
Linzess: 145 mcg, 290 mcg

### Liothyronine

**Outpatient Formulary Brands Available** Cytomel®

### Outpatient Dosage Forms

Tablet, oral:  
Cytomel®: 5 mcg, 25 mcg

### Lisinopril

#### Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]

### Lisinopril and Hydrochlorothiazide

**Outpatient Formulary Brands Available** Zestoretic®

#### Outpatient Dosage Forms

Tablet, oral:  
10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]  
20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]  
20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]  
Zestoretic®:  
10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]  
20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]  
20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg

### Lithium

#### Outpatient Dosage Forms

Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF]  
Solution, oral, as citrate: 8 mEq/5 mL (5 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]  
Tablet, extended release, oral, as carbonate: 450 mg

### Loperamide

#### Outpatient Dosage Forms

Capsule, Oral, as hydrochloride:  
Generic: 2 mg [BCF]

### Loratadine

**Outpatient Formulary Brands Available** Claritin® Children's Allergy [OTC]

#### Outpatient Dosage Forms

Syrup, oral:  
Claritin® Children's Allergy: 5 mg/5 mL (120 mL) [dye free, ethanol free; contains propylene glycol, sodium benzoate; fruit flavor]  
Tablet, oral: 10 mg

### Loratadine and Pseudoephedrine

#### Outpatient Dosage Forms

Tablet, extended release: Loratadine 10 mg and pseudoephedrine sulfate 240 mg

### LORazepam

#### Outpatient Dosage Forms

Tablet, oral: 0.5 mg, 1 mg, 2 mg

### Losartan

**Outpatient Formulary Brands Available** Cozaar®

#### Outpatient Dosage Forms

Tablet, oral, as potassium:  
Cozaar®:  
25 mg [contains potassium 2.12 mg (0.054 mEq)]  
50 mg [contains potassium 4.24 mg (0.108 mEq)]  
100 mg [contains potassium 8.48 mg (0.216 mEq)]

### Losartan and Hydrochlorothiazide

**Outpatient Formulary Brands Available** Hyzaar®

#### Outpatient Dosage Forms

Tablet, oral:  
50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg  
100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg  
100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg  
Hyzaar®:  
50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)]  
100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)]  
100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)]

### Loteprednol

**Outpatient Formulary Brands Available** Lotemax

#### Outpatient Dosage Forms

Gel, ophthalmic, as etabonate:  
Lotemax: 0.5% (5 g) [contains benzalkonium chloride, edetate disodium dihydrate, propylene glycol]

### Loteprednol and Tobramycin

#### Outpatient Dosage Forms

Suspension, ophthalmic [drops]:  
Zylet: Loteprednol etabonate 0.5% and tobramycin 0.3% (5 mL) [contains benzalkonium chloride]

### Lubiprostone

**Outpatient Formulary Brands Available** Amitiza®

**Outpatient Dosage Forms**

Capsule, softgel, oral:  
Amitiza®: 8 mcg, 24 mcg

**Lurasidone****Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
Latuda: 20 mg, 40 mg, 60 mg

**Magnesium Citrate****Outpatient Dosage Forms**

Solution, oral: 290 mg/5 mL (296 mL) [cherry and lemon flavors]

**Magnesium Hydroxide****Outpatient Dosage Forms**

Suspension, oral: 400 mg/5 mL (30 mL)

**Magnesium Oxide****Outpatient Formulary Brands Available** Mag-Ox® 400**Outpatient Dosage Forms**

Tablet, oral: 400 mg  
Mag-Ox® 400: 400 mg [scored; equivalent to elemental magnesium 240 mg (20 mEq)]

**Mebendazole****Outpatient Dosage Forms**

Tablet, chewable, oral: 100 mg

**Meclizine****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg

**MedroxyPROGESTERone****Outpatient Formulary Brands Available** Depo-Provera® Contraceptive; Provera®**Outpatient Dosage Forms**

Injection, suspension, as acetate:  
Depo-Provera® Contraceptive: 150 mg/mL (1 mL)  
Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]  
Provera®: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF] [scored]

**Mefloquine****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 250 mg [equivalent to 228 mg base]

**Megestrol****Outpatient Formulary Brands Available** Megace®**Outpatient Dosage Forms**

Suspension, oral, as acetate:  
Megace®: 40 mg/mL (240 mL) [contains ethanol 0.06%, sodium benzoate; lemon-lime flavor]  
Tablet, oral, as acetate: 40 mg

**Meloxicam****Outpatient Dosage Forms**

Tablet, oral: 7.5 mg [BCF], 15 mg [BCF]

**Melphalan****Outpatient Formulary Brands Available** Alkeran®**Outpatient Dosage Forms**

Tablet, oral:  
Alkeran®: 2 mg

**Memantine****Outpatient Formulary Brands Available** Namenda®**Outpatient Dosage Forms**

Combination package, oral, as hydrochloride [titration pack contains two separate tablet formulations]:  
Namenda®: Tablet: memantine hydrochloride 10 mg (21s) and Tablet: memantine hydrochloride 5 mg (28s)  
Tablet, oral, as hydrochloride:  
Namenda®: 5 mg, 10 mg

**Mercaptopurine****Outpatient Dosage Forms**

Tablet, oral: 50 mg

**Mesalamine****Outpatient Formulary Brands Available** Apriso™; Asacol®; Asacol® HD; Canasa®; Lialda®; Pentasa®; Rowasa®**Outpatient Dosage Forms**

Capsule, controlled release, oral:  
Pentasa®: 250 mg, 500 mg  
Capsule, delayed and extended release, oral:  
Apriso™: 0.375 g [contains phenylalanine 0.56 mg/capsule]  
Suppository, rectal:  
Canasa®: 1000 mg (30s) [contains saturated vegetable fatty esters]  
Suspension, rectal:  
Rowasa®: 4 g/60 mL (7s) [contains potassium metabisulfite, sodium benzoate]

Tablet, delayed release, enteric coated, oral:

Asacol®: 400 mg  
Asacol® HD: 800 mg  
Lialda®: 1.2 g [BCF]

**Metaxalone****Outpatient Dosage Forms**

Tablet, oral: 800 mg

**MetFORMIN****Outpatient Formulary Brands Available** Glucophage XR**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]  
Tablet, Extended Release, oral, as hydrochloride:  
Glucophage XR: 500 mg [BCF], 750 mg [BCF]  
Generic: 500 mg [BCF], 750 mg [BCF], 1000 mg

**Methadone****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg

**MethazolAMIDE****Outpatient Dosage Forms**

Tablet: 50 mg

**MethIMAzole****Outpatient Formulary Brands Available** Tapazole**Outpatient Dosage Forms**

Tablet, oral:  
Generic: 5 mg, 10 mg

**Methocarbamol****Outpatient Formulary Brands Available** Robaxin®**Outpatient Dosage Forms**

Tablet, Oral:  
Robaxin: 500 mg [scored] [BCF]  
Generic: 500 mg [BCF]

**Methotrexate****Outpatient Dosage Forms**

Injection, solution: 25 mg/mL (2 mL, 10 mL)  
Tablet, oral: 2.5 mg [BCF]

**MethylDopa****Outpatient Dosage Forms**

Tablet, oral: 250 mg

**Methylergonovine****Outpatient Formulary Brands Available** Methergine®**Outpatient Dosage Forms**

Tablet, oral, as maleate:  
Methergine®: 0.2 mg

**Methylfolate****Outpatient Formulary Brands Available** Deplin [DSC]**Outpatient Dosage Forms**

Tablet, Oral:  
Deplin: 15 mg [DSC] [gluten free, lactose free, sugar free, yeast free; contains fd&c blue #2 (indigotine), fd&c red #40, fd&c yellow #6 (sunset yellow), tartrazine (fd&c yellow #5)]  
Generic: 15 mg

**Methylphenidate****Outpatient Formulary Brands Available** Quillivant XR; Ritalin LA**Outpatient Dosage Forms**

Capsule Extended Release 24 Hour, Oral, as hydrochloride:  
Ritalin LA: 10 mg [5 mg immediate release, 5 mg extended release] [BCF]  
Generic: 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]  
Suspension Reconstituted, Oral, as hydrochloride:  
Quillivant XR: 25 mg/5 mL (60 mL, 120 mL, 150 mL, 180 mL) [contains sodium benzoate; banana flavor]  
Tablet, Oral, as hydrochloride:  
Generic: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]  
Tablet Extended Release, Oral, as hydrochloride:  
Generic: 18 mg [BCF], 20 mg [BCF], 27 mg [BCF], 36 mg [BCF], 54 mg [BCF]

**MethylPREDNISolone****Outpatient Formulary Brands Available** Medrol® Dosepak™**Outpatient Dosage Forms**

Tablet, oral [dose-pack]: 4 mg (21s) [scored]  
Medrol Dosepak: 4 mg (21s) [scored]

**Metoclopramide****Outpatient Dosage Forms**

Solution, oral: 5 mg/5 mL (473 mL) [BCF]  
Tablet, oral: 10 mg [BCF]

## METOLAZONE

### MetOLazone

**Outpatient Formulary Brands Available** Zaroxolyn®

#### Outpatient Dosage Forms

Tablet, oral:  
Zaroxolyn®: 2.5 mg, 5 mg

### Metoprolol

**Outpatient Formulary Brands Available** Lopressor®; Toprol-XL®

#### Outpatient Dosage Forms

Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]  
Lopressor®: 50 mg [BCF], 100 mg [BCF] [scored]  
Tablet, extended release, oral, as succinate:  
Toprol-XL®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF]  
[scored; expressed as mg equivalent to tartrate]

### MetroNIDAZOLE (Systemic)

**Outpatient Formulary Brands Available** Flagyl®

#### Outpatient Dosage Forms

Tablet, Oral:  
Flagyl: 250 mg [BCF], 500 mg [BCF]  
Generic: 250 mg [BCF], 500 mg [BCF]

### MetroNIDAZOLE (Topical)

**Outpatient Formulary Brands Available** Metrogel; MetroGel-Vaginal

#### Outpatient Dosage Forms

Cream, External:  
Generic: 0.75% (45 g)  
Lotion, External:  
Generic: 0.75% (59 mL)  
Gel, topical:  
Metrogel: 1% (60 g) [contains methylparaben, propylparaben]  
Generic: 1% (60 g)  
Gel, vaginal:  
MetroGel-Vaginal: 0.75% (70 g) [BCF]

### Miconazole (Topical)

**Outpatient Formulary Brands Available** Baza® Antifungal; Monistat® 7

#### Outpatient Dosage Forms

Combination package, topical/vaginal, as nitrate:  
Monistat® 7: Cream, topical 2% (9 g); suppository, vaginal 100 mg (7)  
[contains benzoic acid (in cream)]  
Cream, topical, as nitrate:  
Baza® Antifungal: 2% (4 g, 57 g, 142 g) [zinc oxide based formula]  
Cream, vaginal, as nitrate:  
Monistat® 7 [OTC]: 2% (45 g)

### Midodrine

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 2.5 mg, 5 mg, 10 mg

### Minocycline

#### Outpatient Dosage Forms

Capsule, oral: 50 mg, 100 mg

### Minoxidil (Systemic)

#### Outpatient Dosage Forms

Tablet, oral: 2.5 mg, 10 mg

### Mirabegron

**Outpatient Formulary Brands Available** Myrbetriq

#### Outpatient Dosage Forms

Tablet extended release 24 hour, oral:  
Myrbetriq: 25 mg

### Mirtazapine

**Outpatient Formulary Brands Available** Remeron®

#### Outpatient Dosage Forms

Tablet, oral: 15 mg, 30 mg, 45 mg  
Remeron®: 15 mg, 30 mg [scored], 45 mg

### MiSOPROStol

**Outpatient Formulary Brands Available** Cytotec®

#### Outpatient Dosage Forms

Tablet, oral: 200 mcg  
Cytotec®: 200 mcg

### Modafinil

**Outpatient Formulary Brands Available** Provigil®

#### Outpatient Dosage Forms

Tablet, oral:  
Provigil®: 100 mg, 200 mg

### Mometasone (Topical)

#### Outpatient Dosage Forms

Cream, topical, as furoate: 0.1% (45 g)

### Montelukast

**Outpatient Formulary Brands Available** Singulair®

### Outpatient Dosage Forms

Granules, oral:  
Singulair®: 4 mg/packet (30s) [BCF]  
Tablet, oral:  
Singulair®: 10 mg [BCF]  
Tablet, chewable, oral:  
Singulair®:  
4 mg [contains phenylalanine 0.674 mg/tablet; cherry flavor] [BCF]  
5 mg [contains phenylalanine 0.842 mg/tablet; cherry flavor] [BCF]

### Morphine (Systemic)

**Outpatient Formulary Brands Available** MS Contin®; Oramorph® SR

#### Outpatient Dosage Forms

Solution, oral, as sulfate [concentrate]:  
Tablet, oral, as sulfate: 15 mg, 30 mg  
Tablet, extended release, oral, as sulfate: 15 mg, 30 mg, 60 mg  
Tablet, controlled release, oral, as sulfate: 15 mg, 30 mg, 60 mg  
MS Contin®: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF],  
200 mg [BCF]  
Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg  
[BCF], 100 mg [BCF], 200 mg [BCF]  
Tablet, sustained release, oral, as sulfate:  
Oramorph® SR: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF]

### Moxifloxacin (Ophthalmic)

**Outpatient Formulary Brands Available** Vigamox®

#### Outpatient Dosage Forms

Solution, ophthalmic:  
Vigamox®: 0.5% (3 mL)

### Moxifloxacin (Systemic)

**Outpatient Formulary Brands Available** Avelox®

#### Outpatient Dosage Forms

Tablet, oral:  
Avelox®: 400 mg

### Mupirocin

**Outpatient Formulary Brands Available** Bactroban Nasal®; Bactroban®

#### Outpatient Dosage Forms

Ointment, topical:  
Bactroban®: 2% (22 g) [contains polyethylene glycol] [BCF]  
Ointment, intranasal, as calcium [strength expressed as base]:  
Bactroban Nasal®: 2% (1 g)

### Mycophenolate

**Outpatient Formulary Brands Available** CellCept®

#### Outpatient Dosage Forms

Capsule, oral, as mofetil: 250 mg  
Powder for suspension, oral, as mofetil:  
CellCept®: 200 mg/mL (175 mL) [contains phenylalanine 0.56 mg/mL, soy-  
bean lecithin; mixed fruit flavor]  
Tablet, oral, as mofetil: 500 mg  
CellCept®: 500 mg [contains ethanol (may have trace amounts)]

### Nadolol

**Outpatient Formulary Brands Available** Corgard

#### Outpatient Dosage Forms

Tablet, Oral:  
Corgard: 20 mg [scored; contains fd&c blue #2 (indigotine)]

### Naftifine

**Outpatient Formulary Brands Available** Naftin®

#### Outpatient Dosage Forms

Cream, topical, as hydrochloride:  
Naftin®: 1% (30 g) [contains benzyl alcohol]

### Naloxone

**Outpatient Formulary Brands Available** Evzio; Narcan

#### Outpatient Dosage Forms

Liquid, Nasal:  
Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate  
disodium]

### Naltrexone

**Outpatient Formulary Brands Available** ReVia®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride:  
ReVia®: 50 mg

### Naphazoline and Pheniramine

**Outpatient Formulary Brands Available** Opcon-A®

#### Outpatient Dosage Forms

Solution, ophthalmic:  
Opcon-A®: Naphazoline hydrochloride 0.027% and pheniramine maleate  
0.3% (15 mL) [contains benzalkonium chloride]



**Naproxen**

**Outpatient Dosage Forms**

Suspension, oral: 125 mg/5 mL (500 mL) [BCF] (only stocked at WAMC)  
 Tablet, oral: 250 mg [BCF], 500 mg [BCF]  
 Tablet, oral, as sodium: 275 mg [equivalent to naproxen base 250 mg] [BCF],  
 550 mg [equivalent to naproxen base 500 mg] [BCF]

**Neomycin**

**Outpatient Dosage Forms**

Tablet, oral, as sulfate: 500 mg

**Neomycin, Polymyxin B, and Dexamethasone**

**Outpatient Dosage Forms**

Ointment, ophthalmic:  
 Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)  
 Suspension, ophthalmic [drops]:  
 Generic: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL)

**Neomycin, Polymyxin B, and Gramicidin**

**Outpatient Formulary Brands Available** Neosporin® Ophthalmic Solution

**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:  
 Neosporin®: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]

**Neomycin, Polymyxin B, and Hydrocortisone (Otic)**

**Outpatient Dosage Forms**

Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL) [BCF]

**Nepafenac**

**Outpatient Dosage Forms**

Suspension, Ophthalmic:  
 Ilevro: 0.3% (1.7 mL) [contains benzalkonium chloride, edetate disodium, propylene glycol]

**Niacin**

**Outpatient Formulary Brands Available** Niaspan®

**Outpatient Dosage Forms**

Tablet, extended release, oral:  
 Niaspan®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]

**Nicotine**

**Outpatient Formulary Brands Available** Nicorelief [OTC]; Nicotrol® NS

**Outpatient Dosage Forms**

Gum, chewing, oral, as polacrilex:  
 Nicorelief: 2 mg (50s, 110s) [BCF]; 4 mg (50s, 110s) [BCF]  
 Patch, transdermal: 7 mg/24 hours (7s) [BCF]; 14 mg/24 hours (7s) [BCF];  
 21 mg/24 hours (7s) [BCF]  
 Solution, intranasal [spray]:  
 Nicotrol® NS: 10 mg/mL (10 mL) [delivers 0.5 mg/spray; 200 sprays]

**NIFEdipine**

**Outpatient Formulary Brands Available** Adalat® CC; Afeditab® CR; Procardia®

**Outpatient Dosage Forms**

Capsule, softgel, oral:  
 Procardia®: 10 mg  
 Tablet, extended release, oral:  
 Adalat® CC: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]  
 Afeditab® CR: 30 mg [BCF], 60 mg [BCF]

**Nisoldipine**

**Outpatient Dosage Forms**

Tablet, extended release, oral: 20 mg, 30 mg, 40 mg

**Nitrofurantoin**

**Outpatient Formulary Brands Available** Furadantin®; Macrobid®; Macro-dantin®

**Outpatient Dosage Forms**

Capsule, oral [macrocrystal]:  
 Macro-dantin®: 50 mg [BCF]  
 Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]  
 Macrobid®: 100 mg [nitrofurantoin macrocrystal 25% and nitrofurantoin monohydrate 75%] [BCF]  
 Suspension, oral:  
 Furadantin®: 25 mg/5 mL (230 mL)

**Nitroglycerin**

**Outpatient Formulary Brands Available** Nitro-Bid®; Nitro-Dur®; Nitrolingual®; Nitrostat®

**Outpatient Dosage Forms**

Ointment, topical:  
 Nitro-Bid®: 2% (60 g)

Patch, transdermal [once-daily patch]:

Nitro-Dur®: 0.1 mg/hour (30s) [BCF]; 0.2 mg/hour (30s) [BCF]; 0.3 mg/hour (30s) [BCF]; 0.4 mg/hour (30s) [BCF]; 0.6 mg/hour (30s) [BCF]; 0.8 mg/hour (30s) [BCF]

Solution, translingual [spray]:

Nitrolingual®: 0.4 mg/spray (4.9 g) [contains ethanol 20%; 60 metered sprays] [BCF]

Tablet, sublingual:

Nitrostat®: 0.4 mg [BCF]

**Norethindrone**

**Outpatient Formulary Brands Available** Aygestin®; Nor-QD®

**Outpatient Dosage Forms**

Tablet, oral:  
 Nor-QD®: 0.35 mg [BCF]  
 Tablet, oral, as acetate: 5 mg  
 Aygestin®: 5 mg [scored]

**Nortriptyline**

**Outpatient Dosage Forms**

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]  
 Solution, oral: 10 mg/5 mL (473 mL, 480 mL) [BCF]

**Nystatin (Oral)**

**Outpatient Dosage Forms**

Suspension, oral: 100,000 units/mL (60 mL, 480 mL) [BCF]

**Nystatin (Topical)**

**Outpatient Dosage Forms**

Cream, topical: 100,000 units/g (15 g, 30 g) [BCF]  
 Ointment, topical: 100,000 units/g (15 g, 30 g) [BCF]  
 Powder, topical: 100,000 units/g (15 g)

**Ocular Lubricant**

**Outpatient Formulary Brands Available** Lacri-Lube® [OTC]

**Outpatient Dosage Forms**

Ointment, ophthalmic:  
 Lacri-Lube®: 3.5 g (3.5 g)

**Ofloxacin (Ophthalmic)**

**Outpatient Dosage Forms**

Solution, Ophthalmic:  
 Generic: 0.3% (5 mL, 10 mL)

**OLANzapine**

**Outpatient Formulary Brands Available** ZyPREXA®; ZyPREXA® Zydis®

**Outpatient Dosage Forms**

Tablet, oral:  
 ZyPREXA®: 2.5 mg, 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg  
 Tablet, orally disintegrating:  
 ZyPREXA® Zydis®:  
 5 mg [contains phenylalanine 0.34 mg/tablet]  
 10 mg [contains phenylalanine 0.45 mg/tablet]  
 15 mg [contains phenylalanine 0.67 mg/tablet]  
 20 mg [contains phenylalanine 0.9 mg/tablet]

**Omega-3 Fatty Acids**

**Outpatient Formulary Brands Available** Lovaza®

**Outpatient Dosage Forms**

Capsule, liquid gel, oral: 1 g [contains EPA ~180 mg/capsule, DHA ~120 mg/capsule, soybean oil]  
 Lovaza®: 1 g [contains EPA ~465 mg/capsule, DHA ~375 mg/capsule, soybean oil]

**Omeprazole**

**Outpatient Dosage Forms**

Capsule, Delayed Release, Oral:  
 Generic: 10 mg [BCF], 20 mg [BCF]

**Ondansetron**

**Outpatient Formulary Brands Available** Zofran®; Zofran® ODT

**Outpatient Dosage Forms**

Solution, oral:  
 Zofran®: 4 mg/5 mL (50 mL) [contains sodium benzoate; strawberry flavor]  
 Tablet, oral: 4 mg, 8 mg  
 Tablet, orally disintegrating: 4 mg  
 Zofran® ODT: 4 mg [each strength contains phenylalanine <0.03 mg/tablet; strawberry flavor]

**Oral Electrolyte Solution**

**Orphenadrine**

**Outpatient Dosage Forms**

Tablet Extended Release 12 Hour, Oral, as citrate:  
 Generic: 100 mg

**Oseltamivir**

**Outpatient Formulary Brands Available** Tamiflu

## OSELTAMIVIR

### Outpatient Dosage Forms

Capsule, oral, as phosphate:  
Tamiflu: 75 mg  
Suspension reconstituted, oral, as base:  
Tamiflu: 6 mg/mL (60 mL) [contains saccharin sodium, sodium benzoate; tutti-frutti flavor]

### OXcarbazepine

**Outpatient Formulary Brands Available** Trileptal®

### Outpatient Dosage Forms

Suspension, oral:  
Trileptal®: 300 mg/5 mL (250 mL) [contains ethanol, propylene glycol]  
Tablet, oral:  
Trileptal®: 150 mg, 300 mg, 600 mg

### Oxybutynin

**Outpatient Formulary Brands Available** Ditropan XL®

### Outpatient Dosage Forms

Syrup, oral, as chloride: 5 mg/5 mL (5 mL, 473 mL)  
Tablet, oral, as chloride: 5 mg  
Tablet, extended release, oral, as chloride:  
Ditropan XL®: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

### OxyCODONE

**Outpatient Formulary Brands Available** OxyCONTIN®

### Outpatient Dosage Forms

Tablet, controlled release, as hydrochloride:  
OxyCONTIN®: 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg

### Oxycodone and Acetaminophen

**Outpatient Formulary Brands Available** Percocet®; Roxicet™

### Outpatient Dosage Forms

Solution, oral:  
Roxicet™: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (5 mL, 500 mL) [contains ethanol <0.5%; mint flavor]  
Tablet, oral:  
5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]  
Percocet®: 5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [scored] [BCF]  
Percocet® 10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg

### Oxymetazoline (Nasal)

### Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

### Paliperidone

**Outpatient Formulary Brands Available** Invega

### Outpatient Dosage Forms

Tablet Extended Release 24 Hour, Oral:  
Invega: 3 mg, 6 mg, 9 mg

### Pancrelipase

**Outpatient Formulary Brands Available** Creon®; Pancreaze™; Zenpep™

### Outpatient Dosage Forms

Capsule, delayed release, enteric coated beads, oral [porcine derived]:  
Zenpep™: Lipase 5000 units, protease 17,000 units, amylase 27,000 units  
Zenpep™: Lipase 10,000 units, protease 34,000 units, amylase 55,000 units  
Zenpep™: Lipase 15,000 units, protease 51,000 units, amylase 82,000 units  
Zenpep™: Lipase 20,000 units, protease 68,000 units, amylase 109,000 units  
Capsule, delayed release, enteric coated microspheres, oral [new formulation; porcine derived]:  
Creon®: Lipase 6000 units, protease 19,000 units, and amylase 30,000 units [BCF]  
Creon®: Lipase 12000 units, protease 38,000 units, and amylase 60,000 units [BCF]  
Creon®: Lipase 24,000 units, protease 76,000 units, and amylase 120,000 units [BCF]  
Capsule, delayed release, enteric coated microtablets [porcine derived]:  
Pancreaze™: Lipase 4200 units, protease 10,000 units, and amylase 17,500 units  
Pancreaze™: Lipase 10,500 units, protease 25,000 units, and amylase 43,750 units  
Pancreaze™: Lipase 16,800 units, protease 40,000 units, and amylase 70,000 units  
Pancreaze™: Lipase 21,000 units, protease 37,000 units, and amylase 61,000 units

### Pantoprazole

**Outpatient Formulary Brands Available** Protonix

### Outpatient Dosage Forms

Tablet, Delayed Release, Oral:  
Protonix: 20 mg, 40 mg  
Generic: 20 mg, 40 mg

### Papillomavirus (9-Valent) Vaccine (Human, Recombinant)

**Outpatient Formulary Brands Available** Gardasil 9

### Outpatient Dosage Forms

Suspension, Intramuscular [preservative free]:  
Gardasil 9: (0.5 mL) [contains polysorbate 80, yeast extract]  
Suspension Prefilled Syringe, Intramuscular [preservative free]:  
Gardasil 9: (0.5 mL) [contains polysorbate 80, yeast extract]

### PARoxetine

**Outpatient Formulary Brands Available** Paxil; Paxil CR

### Outpatient Dosage Forms

Tablet, Oral, as hydrochloride [strength expressed as base]:  
Paxil: 20 mg, 40 mg  
Generic: 20 mg, 40 mg  
Tablet Extended Release 24 Hour, Oral, as hydrochloride [strength expressed as base]:  
Paxil CR: 12.5 mg, 25 mg, 37.5 mg

### Patiromer

### Outpatient Dosage Forms

Packet, Oral:  
Veltassa: 8.4 g (30 ea); 16.8 g (30 ea); 25.2 g (30 ea)

### Penicillin V Potassium

### Outpatient Dosage Forms

Powder for solution, oral: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (200 mL) [BCF]  
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

### Pentosan Polysulfate Sodium

**Outpatient Formulary Brands Available** Elmiron®

### Outpatient Dosage Forms

Capsule, oral:  
Elmiron®: 100 mg

### Pentoxifylline

### Outpatient Dosage Forms

Tablet, extended release, oral: 400 mg

### Permethrin

**Outpatient Formulary Brands Available** Elimite®; Nix® Complete Lice Treatment System [OTC]

### Outpatient Dosage Forms

Cream, topical: 5% (60 g) [BCF]  
Elimite®: 5% (60 g) [contains coconut oil] [BCF]  
Liquid, topical [creme rinse formulation]:  
Nix® Complete Lice Treatment System: 1% (1s) [contains isopropyl alcohol 20%]

### Phenazopyridine

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]

### Phenytoin

**Outpatient Formulary Brands Available** Dilantin-125®; Dilantin®

### Outpatient Dosage Forms

Capsule, extended release, oral, as sodium: 100 mg [BCF]  
Dilantin®: 30 mg  
Suspension, oral: 100 mg/4 mL (4 mL) [BCF]; 125 mg/5 mL (240 mL) [BCF]  
Tablet, chewable, oral:  
Dilantin®: 50 mg [scored] [BCF]

### Phosphatidylserine, Omega-3, DHA, EPA

**Outpatient Formulary Brands Available** Vayarin®

### Outpatient Dosage Forms

Capsule, oral:  
Vayarin®: 60s

### Phytonadione

**Outpatient Formulary Brands Available** Mephyton®

### Outpatient Dosage Forms

Tablet, oral:  
Mephyton®: 5 mg [scored]

### Pill Cutter

**Outpatient Dosage Forms** Device: Pill cutter

### Pilocarpine (Ophthalmic)

**Outpatient Formulary Brands Available** Pilopine HS®

### Outpatient Dosage Forms

Gel, ophthalmic, as hydrochloride:  
Pilopine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF]  
Solution, ophthalmic, as hydrochloride [drops]: 1% (15 mL) [BCF]; 2% (15 mL) [BCF]; 4% (15 mL) [BCF]

### Pilocarpine (Systemic)

**Outpatient Formulary Brands Available** Salagen®

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride:  
Salagen®: 5 mg

**Pimecrolimus****Outpatient Formulary Brands Available** Elidel®**Outpatient Dosage Forms**Cream, topical:  
Elidel®: 1% (30 g) [BCF]**Pioglitazone****Outpatient Formulary Brands Available** Actos®**Outpatient Dosage Forms**Tablet, oral:  
Actos®: 15 mg, 30 mg, 45 mg**Pioglitazone and Metformin****Outpatient Formulary Brands Available** Actoplus Met®**Outpatient Dosage Forms**Tablet, oral:  
Actoplus Met®:  
15/500: Pioglitazone 15 mg and metformin hydrochloride 500 mg  
15/850: Pioglitazone 15 mg and metformin hydrochloride 850 mg**Piroxicam (Systemic)****Outpatient Formulary Brands Available** Feldene®**Outpatient Dosage Forms**Capsule, oral: 20 mg  
Feldene®: 20 mg**Podofilox****Outpatient Formulary Brands Available** Condylox®**Outpatient Dosage Forms**Solution, topical:  
Condylox®: 0.5% (3.5 mL) [contains ethanol 95%]**Polyethylene Glycol 3350****Outpatient Formulary Brands Available** MiraLAX®**Outpatient Dosage Forms**Powder for solution, oral: 17 g/dose (238 g, 527 g)  
MiraLAX®: 17 g/dose (238 g, 510 g)**Polyethylene Glycol-Electrolyte Solution****Outpatient Formulary Brands Available** MoviPrep®; NuLYTELY®; TriLyte®**Outpatient Dosage Forms**Powder for solution, oral:  
MoviPrep®: Pouch A: PEG 3350 100 g, sodium sulfate 7.5 g, sodium chloride 2.69 g, potassium chloride 1.015 g; Pouch B: Ascorbic acid 4.7 g, sodium ascorbate 5.9 g (1000 mL) [contains phenylalanine 2.33 mg/treatment; lemon flavor]  
NuLYTELY®: PEG 3350 420 g, sodium bicarbonate 5.72 g, sodium chloride 11.2 g, and potassium chloride 1.48 g (4000 mL) [cherry, lemon-lime, orange, and pineapple flavors]  
TriLyte®: PEG 3350 420 g, sodium bicarbonate 5.72 g, sodium chloride 11.2 g, and potassium chloride 1.48 g (4000 mL) [supplied with flavor packets]**Potassium Chloride****Outpatient Formulary Brands Available** Epiklor™; Klor-Con®**Outpatient Dosage Forms**Caplet, extended release, oral: 10 mEq [BCF]  
Capsule, extended release, microencapsulated, oral: 10 mEq [BCF]  
Powder for solution, oral:  
Epiklor™: 20 mEq/packet (30s, 100s) [sugar free; orange flavor] [BCF]  
Klor-Con®: 20 mEq/packet (30s, 100s) [sugar free; fruit flavor] [BCF]  
Solution, oral: 20 mEq/15 mL (15 mL, 30 mL, 473 mL) [BCF]  
Tablet, extended release, microencapsulated, oral: 20 mEq [BCF]  
Tablet, extended release, wax matrix, oral: 10 mEq [BCF]**Potassium Citrate****Outpatient Formulary Brands Available** Urocit®-K**Outpatient Dosage Forms**Tablet, extended release, oral:  
Urocit®-K: 1620 mg [15 mEq]**Potassium Iodide****Outpatient Formulary Brands Available** SSKI®**Outpatient Dosage Forms**Solution, oral:  
SSKI®: 1 g/mL (30 mL)**Potassium Phosphate and Sodium Phosphate****Outpatient Formulary Brands Available** K-Phos® Neutral**Outpatient Dosage Forms**Tablet, oral:  
K-Phos® Neutral: Monobasic potassium phosphate 155 mg, dibasic sodium phosphate 852 mg, and monobasic sodium phosphate 130 mg [scored; equivalent to elemental phosphorus 250 mg, sodium 298 mg (13 mEq), and potassium 45 mg (1.1 mEq)]**Povidone-Iodine (Topical)****Outpatient Formulary Brands Available** Betadine® [OTC]**Outpatient Dosage Forms**Solution, topical:  
Betadine®: 10% (15 mL) (only stocked at WAMC)**Pramipexole****Outpatient Formulary Brands Available** Mirapex®**Outpatient Dosage Forms**Tablet, oral, as dihydrochloride monohydrate:  
Mirapex®: 0.125 mg, 0.25 mg, 0.5 mg, 1 mg**Pramoxine and Hydrocortisone****Outpatient Formulary Brands Available** Epifoam®**Outpatient Dosage Forms**Aerosol, foam, topical:  
Epifoam®: Pramoxine hydrochloride 1% and hydrocortisone acetate 1% (10 g)**Prasugrel****Outpatient Formulary Brands Available** Effient®**Outpatient Dosage Forms**Tablet, oral:  
Effient®: 5 mg, 10 mg**Pravastatin****Outpatient Formulary Brands Available** Pravachol®**Outpatient Dosage Forms**Tablet, Oral, as sodium:  
Pravachol: 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]  
Generic: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]**Praziquantel****Outpatient Formulary Brands Available** Biltricide®**Outpatient Dosage Forms**Tablet, oral:  
Biltricide®: 600 mg [scored]**Prazosin****Outpatient Dosage Forms**

Capsule, oral: 1 mg, 2 mg, 5 mg

**PrednisolONE (Ophthalmic)****Outpatient Formulary Brands Available** Pred Forte®**Outpatient Dosage Forms**Suspension, ophthalmic, as acetate [drops]:  
Pred Forte®: 1% (5 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]**PrednisolONE (Systemic)****Outpatient Dosage Forms**Solution, oral, as sodium phosphate [strength expressed as base]:  
Pediapred: 5 mg/5 mL (120 mL) [alcohol free, dye free, sugar free; contains edetate disodium, methylparaben]  
Generic: 15 mg/5 mL (473 mL) [BCF]  
Syrup, oral, as base:  
Generic: 15 mg/5 mL (480 mL)**PredniSONE****Outpatient Dosage Forms**Tablet, oral: 1 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]  
Tablet, oral [dosepack]: 5 mg [6 day], 10 mg [12 day]**Primaquine****Outpatient Dosage Forms**

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

**Primidone****Outpatient Formulary Brands Available** Mysoline®**Outpatient Dosage Forms**Tablet, oral: 50 mg, 250 mg  
Mysoline®: 50 mg, 250 mg**Probenecid****Outpatient Dosage Forms**Tablet, Oral:  
Generic: 500 mg [BCF]**Prochlorperazine****Outpatient Dosage Forms**

Tablet, oral, as maleate [strength expressed as base]: 5 mg, 10 mg

**Promethazine****Outpatient Dosage Forms**Suppository, Rectal, as hydrochloride:  
Generic: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF]  
Syrup, Oral, as hydrochloride:  
Generic: 6.25 mg/5 mL (118 mL, 473 mL) [BCF]  
Tablet, Oral, as hydrochloride:  
Generic: 25 mg [BCF]

## PROPAFENONE

### Propafenone

**Outpatient Formulary Brands Available** Rythmol

#### Outpatient Dosage Forms

Capsule Extended Release 12 Hour, Oral, as hydrochloride:

Generic: 225 mg, 325 mg, 425 mg

Tablet, Oral, as hydrochloride:

Rythmol: 150 mg, 300 mg

### Propranolol

**Outpatient Formulary Brands Available** Inderal LA

#### Outpatient Dosage Forms

Capsule, Extended Release, Oral, as hydrochloride:

Inderal LA: 80 mg, 120 mg

Generic: 60 mg, 80 mg, 120 mg, 160 mg

Tablet, Oral, as hydrochloride:

Generic: 10 mg, 20 mg, 40 mg

### Propylthiouracil

#### Outpatient Dosage Forms

Tablet, Oral:

Generic: 50 mg [BCF]

### Psyllium

#### Outpatient Dosage Forms

Packet, Oral:

Metamucil MultiHealth Fiber: 58.12% (30 ea) [gluten free, sugar free; contains aspartame]

### Pyrazinamide

#### Outpatient Dosage Forms

Tablet, Oral:

Generic: 500 mg [BCF]

### Pyridostigmine

**Outpatient Formulary Brands Available** Mestinon®; Mestinon® Timespan®

#### Outpatient Dosage Forms

Tablet, oral, as bromide:

Mestinon®: 60 mg [scored]

Tablet, sustained release, oral, as bromide:

Mestinon® Timespan®: 180 mg [scored]

### Pyridoxine

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg

### Pyrimethamine

**Outpatient Formulary Brands Available** Daraprim®

#### Outpatient Dosage Forms

Tablet, oral:

Daraprim®: 25 mg [scored]

### QUetiapine

**Outpatient Formulary Brands Available** SEROquel XR®; SEROquel®

#### Outpatient Dosage Forms

Tablet, Oral:

SEROquel: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Generic: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Tablet Extended Release 24 Hour, Oral:

SEROquel XR: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

Generic: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

### Quinine

**Outpatient Formulary Brands Available** Quaaliquin®

#### Outpatient Dosage Forms

Capsule, oral, as sulfate:

Quaaliquin®: 324 mg

### RABEprazole

#### Outpatient Dosage Forms

Tablet Delayed Release, Oral, as sodium:

Generic: 20 mg

### Raloxifene

**Outpatient Formulary Brands Available** Evista®

#### Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:

Evista: 60 mg [BCF]

Generic: 60 mg [BCF]

### Ramipril

#### Outpatient Dosage Forms

Capsule, oral: 1.25 mg, 2.5 mg, 5 mg, 10 mg

### RaNITidine

**Outpatient Formulary Brands Available** Zantac®

### Outpatient Dosage Forms

Syrup, oral: 15 mg/mL (5 mL) [BCF]

Zantac®: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor] [BCF]

Tablet, oral: 150 mg [BCF]

Zantac®: 150 mg [BCF]

### Ranolazine

**Outpatient Formulary Brands Available** Ranexa®

#### Outpatient Dosage Forms

Tablet, extended release, oral:

Ranexa®: 500 mg, 1000 mg

### RifAMPin

**Outpatient Formulary Brands Available** Rifadin

#### Outpatient Dosage Forms

Capsule, oral:

Rifadin®: 300 mg [BCF]

### RifAXIMin

**Outpatient Formulary Brands Available** Xifaxan®

#### Outpatient Dosage Forms

Tablet, oral:

Xifaxan®: 200 mg, 550 mg

### Risedronate

#### Outpatient Dosage Forms

Tablet, oral, as sodium: 150 mg

### RisperiDONE

**Outpatient Formulary Brands Available** RisperDAL M-TAB

#### Outpatient Dosage Forms

Solution, oral: 1 mg/mL (30 mL) [BCF]

Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]

Tablet, dispersible, oral:

RisperDAL M-TAB: 0.5 mg, 1 mg, 2 mg [contains aspartame, peppermint oil (mentha piperita oil)]

### Ritonavir

**Outpatient Formulary Brands Available** Norvir

#### Outpatient Dosage Forms

Tablet, Oral:

Norvir: 100 mg

### Rivaroxaban

**Outpatient Formulary Brands Available** Xarelto; Xarelto Starter Pack

#### Outpatient Dosage Forms

Tablet, Oral:

Xarelto: 10 mg, 15 mg, 20 mg

Tablet Therapy Pack, Oral:

Xarelto Starter Pack: 15 mg (42s) and 20 mg (9s) (51 ea)

### Rizatriptan

**Outpatient Formulary Brands Available** Maxalt-MLT®; Maxalt®

#### Outpatient Dosage Forms

Tablet, Oral:

Maxalt: 5 mg [BCF], 10 mg [BCF]

Generic: 5 mg [BCF], 10 mg [BCF]

Tablet Dispersible, Oral:

Maxalt-MLT: 5 mg [BCF], 10 mg [BCF] [contains aspartame; peppermint flavor]

Generic: 5 mg [BCF], 10 mg [BCF]

### ROPINIrole

#### Outpatient Dosage Forms

Tablet, Oral:

Generic: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg

Tablet Extended Release 24 Hour, Oral:

Generic: 2 mg, 6 mg, 8 mg

### Rosiglitazone

**Outpatient Formulary Brands Available** Avandia®

#### Outpatient Dosage Forms

Tablet, oral:

Avandia®: 2 mg, 4 mg, 8 mg

### Saccharomyces boulardii

**Outpatient Formulary Brands Available** Florastor Kids

#### Outpatient Dosage Forms

Powder, Oral:

Florastor Kids: 250 mg/packet (10s) [contains lactose 32.5 mg/packet, magnesium 2.85 mg/packet; tutti frutti flavor; provides 5 billion live cells]

### Sacubitril and Valsartan

#### Outpatient Dosage Forms

Tablet, Oral:

Entresto: Sacubitril 24 mg and valsartan 26 mg, Sacubitril 49 mg and valsartan 51 mg, Sacubitril 97 mg and valsartan 103 mg

**Salicylic Acid****Outpatient Formulary Brands Available** Curad® Mediplast®**Outpatient Dosage Forms**Pad, topical:  
Curad® Mediplast®: 40%**Saliva Substitute****Outpatient Formulary Brands Available** Biotene Moisturizing Mouth Spray [OTC]**Outpatient Dosage Forms**Solution, Oral [spray]:  
Biotene Moisturizing Mouth Spray: Water, polyglycol, propylene glycol, sunflower oil, xylitol, milk protein extract, potassium sorbate, acesulfame K, potassium thiocyanate, lysozyme, lactoferrin, lactoperoxidase (45 mL)**Salmeterol****Outpatient Formulary Brands Available** Serevent® Diskus®**Outpatient Dosage Forms**Aerosol Powder Breath Activated, Inhalation:  
Serevent Diskus: 50 mcg (28s, 60s) [contains lactose] [BCF]**Salsalate****Outpatient Dosage Forms**Tablet, Oral:  
Disalcid: 500 mg [BCF], 750 mg [BCF]  
Generic: 500 mg [BCF], 750 mg [BCF]**Selenium Sulfide****Outpatient Dosage Forms**Lotion, External:  
Generic: 2.5% (120 mL) [BCF]**Senna****Outpatient Dosage Forms**Syrup, Oral:  
Generic: 176 mg/5 mL (237 mL)**Sertraline****Outpatient Dosage Forms**Concentrate, oral: 20 mg/mL (60 mL) [BCF]  
Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]**Sevelamer****Outpatient Formulary Brands Available** Renegel; Renvela**Outpatient Dosage Forms**Packet, Oral, as carbonate:  
Renvela: 0.8 g (1 ea, 90 ea) [citrus flavor]  
Tablet, Oral, as hydrochloride:  
Renegel: 800 mg**Sildenafil****Outpatient Formulary Brands Available** Viagra**Outpatient Dosage Forms**Tablet, Oral:  
Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]**Silver Sulfadiazine****Outpatient Formulary Brands Available** Silvadene®**Outpatient Dosage Forms**Cream, topical:  
Silvadene®: 1% (20 g, 400 g) [BCF]**Simethicone****Outpatient Dosage Forms**

Suspension, oral [drops]: 40 mg/0.6 mL (30 mL)

**Simvastatin****Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

**Sinus Lavage****Outpatient Formulary Brands Available** NeilMed® Sinus Rinse™**Outpatient Dosage Forms**Solution, intranasal: Saline  
Pediatric starter kit (50-pack)  
Adult starter kit (50-pack)  
Solution, refill pack: Saline**SITagliptin****Outpatient Formulary Brands Available** Januvia®**Outpatient Dosage Forms**Tablet, Oral:  
Januvia: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]**Sitagliptin and Metformin****Outpatient Formulary Brands Available** Janumet®; Janumet® XR**Outpatient Dosage Forms**Tablet, oral:  
Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]  
Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]  
Tablet, extended release, oral:  
Janumet® XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]  
Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]  
Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg [BCF]**Sodium Chloride****Outpatient Formulary Brands Available** Ayr® Baby Saline; Muro 128®**Outpatient Dosage Forms**Ointment, ophthalmic [preservative free]:  
Muro 128®: 5% (3.5 g)  
Solution, for inhalation [preservative free]: 0.9% (3 mL, 5 mL)  
Solution, intranasal [drops, spray]:  
Ayr® Baby Saline: 0.65% (30 mL) [ethanol free; contains benzalkonium chloride]  
Solution, ophthalmic [drops]: 5% (15 mL)  
Muro 128®: 2% (15 mL); 5% (15 mL)**Sodium Phosphates****Outpatient Formulary Brands Available** Fleet® Enema [OTC]; OsmoPrep®**Outpatient Dosage Forms**Solution, rectal [enema]:  
Fleet® Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL]  
Tablet, oral:  
OsmoPrep®: Sodium phosphate monobasic monohydrate 1.102 g and sodium phosphate dibasic anhydrous 0.398 g [scored; gluten free; sodium phosphate 1.5 g per tablet]**Solifenacin****Outpatient Formulary Brands Available** VESIcare®**Outpatient Dosage Forms**Tablet, oral, as succinate:  
VESIcare®: 5 mg, 10 mg**Spirolactone****Outpatient Formulary Brands Available** Aldactone®**Outpatient Dosage Forms**Tablet, oral: 25 mg [BCF], 100 mg  
Aldactone®: 25 mg [BCF], 100 mg**Sucalfate****Outpatient Formulary Brands Available** Carafate®**Outpatient Dosage Forms**Suspension, oral: 1 g/10 mL (10 mL)  
Carafate®: 1 g/10 mL (420 mL)**Sulfacetamide (Ophthalmic)****Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

**Sulfacetamide (Topical)****Outpatient Dosage Forms**Lotion, External, as sodium:  
Generic: 10% (118 mL)**Sulfamethoxazole and Trimethoprim****Outpatient Formulary Brands Available** Septra® DS**Outpatient Dosage Forms**Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (473 mL) [BCF]  
Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF]  
Tablet, double strength, oral:  
Septra® DS: Sulfamethoxazole 800 mg and trimethoprim 160 mg [scored] [BCF]**SulfaSALazine****Outpatient Formulary Brands Available** Azulfidine EN-tabs®; Azulfidine®**Outpatient Dosage Forms**Tablet, oral: 500 mg [BCF]  
Azulfidine®: 500 mg [scored] [BCF]  
Tablet, delayed release, enteric coated, oral:  
Azulfidine EN-tabs®: 500 mg [BCF]**SUMATriptan****Outpatient Formulary Brands Available** Imitrex®**Outpatient Dosage Forms**Injection, solution, as succinate [strength expressed as base]:  
Imitrex®: 6 mg/0.5 mL (0.5 mL) [BCF]  
Solution, intranasal [spray]: 5 mg/0.1 mL (6s); 20 mg/0.1 mL (6s)

## SUMATRIPTAN

Tablet, oral, as succinate [strength expressed as base]:  
Imitrex®: 25 mg, 50 mg, 100 mg

### Tacrolimus (Systemic)

**Outpatient Formulary Brands Available** Prograf® [brand available at PV]

#### Outpatient Dosage Forms

Capsule, oral: 0.5 mg, 1 mg  
Prograf®: 0.5 mg

### Tacrolimus (Topical)

**Outpatient Formulary Brands Available** Protopic

#### Outpatient Dosage Forms

Ointment, External:  
Protopic: 0.1% (30 g)

### Tamoxifen

#### Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF], 20 mg [BCF]

### Tamsulosin

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 0.4 mg [BCF]  
Tablet, oral, as hydrochloride: 0.4 mg

### Tazarotene

**Outpatient Formulary Brands Available** Tazorac

#### Outpatient Dosage Forms

Cream, topical:  
Tazorac: 0.05% (30 g) [contains benzyl alcohol]

### Telmisartan

**Outpatient Formulary Brands Available** Micardis

#### Outpatient Dosage Forms

Tablet, Oral:  
Micardis: 20 mg, 40 mg, 80 mg

### Telmisartan and Hydrochlorothiazide

**Outpatient Formulary Brands Available** Micardis HCT

#### Outpatient Dosage Forms

Tablet, Oral:  
Micardis HCT:  
40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg  
80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg  
80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg

### Temazepam

**Outpatient Formulary Brands Available** Restoril™

#### Outpatient Dosage Forms

Capsule, Oral:  
Restoril: 15 mg [BCF], 30 mg [BCF]  
Generic: 15 mg [BCF], 30 mg [BCF]

### Terazosin

#### Outpatient Dosage Forms

Capsule, Oral:  
Generic: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]

### Terbinafine (Systemic)

**Outpatient Formulary Brands Available** Lamisil®

#### Outpatient Dosage Forms

Tablet, oral: 250 mg  
Lamisil®: 250 mg

### Terbinafine (Topical)

**Outpatient Formulary Brands Available** Lamisil AT®

#### Outpatient Dosage Forms

Cream, topical, as hydrochloride:  
Lamisil AT®: 1% (24 g) [contains benzyl alcohol]

### Terbutaline

#### Outpatient Dosage Forms

Tablet, oral, as sulfate: 5 mg

### Terconazole

**Outpatient Formulary Brands Available** Terazol® 7

#### Outpatient Dosage Forms

Cream, vaginal:  
Terazol® 7: 0.4% (45 g)

### Testosterone

**Outpatient Formulary Brands Available** Depo®-Testosterone; Fortesta™

#### Outpatient Dosage Forms

Gel, topical:  
Fortesta™: 10 mg/actuation (2%) (60 g) [odorless; contains propylene glycol, trolamine (triethanolamine)] [BCF]  
Injection, oil, as cypionate: 200 mg/mL (1 mL)  
Depo®-Testosterone: 200 mg/mL (1 mL) [contains benzyl alcohol, benzyl benzoate, cottonseed oil]

### Tetracaine (Ophthalmic)

#### Outpatient Dosage Forms

Solution, ophthalmic, as hydrochloride: 0.5% [5 mg/mL] (2 mL)

### Tetracycline

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 250 mg [BCF], 500 mg [BCF]

### Theophylline

**Outpatient Formulary Brands Available** Elixophyllin® Elixir; Theo-24®

#### Outpatient Dosage Forms

Capsule, extended release, oral:  
Theo-24®: 300 mg [BCF], 400 mg [BCF] [24 hours]  
Solution, oral:  
Elixophyllin® Elixir: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF]  
Tablet, extended release, oral: 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

### Timolol (Ophthalmic)

**Outpatient Formulary Brands Available** Timoptic-XE®; Timoptic®; Timoptic® in OcuDose®

#### Outpatient Dosage Forms

Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]:  
Timoptic-XE®: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]  
Solution, ophthalmic, as maleate [strength expressed as base, drops]:  
Timoptic®: 0.25% (5 mL) [BCF]; 0.5% (10 mL) [BCF] [contains benzalkonium chloride]  
Solution, ophthalmic, as maleate [strength expressed as base, drops, preservative free]:  
Timoptic® in OcuDose®: 0.25% (0.2 mL) [BCF]; 0.5% (0.2 mL) [BCF]

### Tinidazole

**Outpatient Formulary Brands Available** Tindamax®

#### Outpatient Dosage Forms

Tablet, oral:  
Tindamax®: 500 mg [scored]

### Tiotropium

**Outpatient Formulary Brands Available** Spiriva HandiHaler

#### Outpatient Dosage Forms

Aerosol Solution, Inhalation:  
Spiriva Respimat: 1.25 mcg/actuation (4 g); 2.5 mcg/actuation (4 g) [contains benzalkonium chloride, disodium edta]  
Capsule, Inhalation:  
Spiriva HandiHaler: 18 mcg [contains milk protein] [BCF]

### TiZANidine

#### Outpatient Dosage Forms

Tablet, oral: 2 mg, 4 mg

### Tobramycin and Dexamethasone

**Outpatient Formulary Brands Available** TobraDex®

#### Outpatient Dosage Forms

Ointment, ophthalmic:  
TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (3.5 g)  
Suspension, ophthalmic: Tobramycin 0.3% and dexamethasone 0.1% (2.5 mL, 5 mL, 10 mL)  
TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (2.5 mL, 5 mL, 10 mL) [contains benzalkonium chloride]

### Tobramycin (Ophthalmic)

#### Outpatient Dosage Forms

Ointment, Ophthalmic:  
Tobrex: 0.3% (3.5 g)  
Solution, Ophthalmic:  
Generic: 0.3% (5 mL)

### Tolterodine

**Outpatient Formulary Brands Available** Detrol® LA

#### Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral, as tartrate:  
Detrol LA: 2 mg [BCF], 4 mg [BCF]  
Generic: 2 mg [BCF], 4 mg [BCF]

### Topiramate

**Outpatient Formulary Brands Available** Topamax®

#### Outpatient Dosage Forms

Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg  
Topamax®: 25 mg, 50 mg, 100 mg, 200 mg

### Torseamide

**Outpatient Formulary Brands Available** Demadex®

#### Outpatient Dosage Forms

Tablet, oral: 5 mg, 10 mg, 20 mg  
Demadex®: 5 mg, 10 mg, 20 mg

**TraMADol****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF]

**Tranexamic Acid****Outpatient Formulary Brands Available** Lysteda**Outpatient Dosage Forms**

Tablet, Oral:

Lysteda: 650 mg

**TraZODone****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF], 300 mg [BCF]

**Tretinoin (Topical)****Outpatient Dosage Forms**

Cream, External:

Generic: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF]

Gel, External:

Generic: 0.01% (45 g); 0.025% (15 g)

**Triamcinolone (Topical)****Outpatient Dosage Forms**

Cream, topical, as acetonide: 0.1% (15 g, 80 g, 454 g) [BCF]

Ointment, topical, as acetonide: 0.1% (80 g, 454 g)

Paste, oral, topical, as acetonide: 0.1% (5 g)

**Triazolam****Outpatient Formulary Brands Available** Halcion®**Outpatient Dosage Forms**

Tablet: 0.25 mg

Halcion®: 0.25 mg

**Trifluridine****Outpatient Formulary Brands Available** Viroptic®**Outpatient Dosage Forms**

Solution, ophthalmic:

Viroptic®: 1% (7.5 mL)

**Trihexyphenidyl****Outpatient Dosage Forms**

Elixir, Oral, as hydrochloride:

Generic: 0.4 mg/mL (473 mL) [BCF]

Tablet, Oral, as hydrochloride:

Generic: 2 mg [BCF]

**Trimethobenzamide****Outpatient Formulary Brands Available** Tigan®**Outpatient Dosage Forms**

Capsule, oral, as hydrochloride:

Tigan®: 300 mg

**Trimethoprim****Outpatient Dosage Forms**

Tablet, oral: 100 mg

**Trimethoprim and Polymyxin B****Outpatient Formulary Brands Available** Polytrim®**Outpatient Dosage Forms**

Solution, ophthalmic:

Polytrim®: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride] [BCF]

**Tropium****Outpatient Formulary Brands Available** Sanctura® XR**Outpatient Dosage Forms**

Capsule, extended release, oral, as chloride: 60 mg

Sanctura® XR: 60 mg

**Ursodiol****Outpatient Formulary Brands Available** Actigall®**Outpatient Dosage Forms**

Capsule, oral: 300 mg

Actigall®: 300 mg

**ValACYclovir****Outpatient Formulary Brands Available** Valtrex®**Outpatient Dosage Forms**

Caplet, oral:

Valtrex®: 500 mg, 1 g

Tablet, oral: 500 mg, 1 g

**Valproic Acid and Derivatives****Outpatient Dosage Forms**

Capsule sprinkle, oral, as divalproex sodium: 125 mg [BCF]

Syrup, oral, as valproate sodium: 250 mg/5 mL (473 mL)

Tablet delayed release, oral, as divalproex sodium: 125 mg [BCF], 250 mg [BCF], 500 mg [BCF]

Tablet extended release 24 hour, oral, as divalproex sodium: 250 mg [BCF], 500 mg [BCF]

**Valsartan****Outpatient Formulary Brands Available** Diovan®**Outpatient Dosage Forms**

Tablet, Oral:

Diovan: 40 mg [scored] [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

Generic: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

**Valsartan and Hydrochlorothiazide****Outpatient Formulary Brands Available** Diovan HCT®**Outpatient Dosage Forms**

Tablet, Oral:

Diovan HCT: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]

Diovan HCT: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

Generic: 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

Generic: 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]

Generic: 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]

Generic: 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]

Generic: 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

**Vancomycin****Outpatient Formulary Brands Available** Vancocin®**Outpatient Dosage Forms**

Capsule, oral:

Vancocin®: 125 mg

**Venlafaxine****Outpatient Dosage Forms**

Capsule extended release 24 hour, oral: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]

Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF]

Tablet extended release 24 hour, oral: 225 mg [BCF]

**Verapamil****Outpatient Formulary Brands Available** Calan®; Calan® SR; Isoptin® SR**Outpatient Dosage Forms**

Caplet, sustained release, oral, as hydrochloride:

Calan® SR: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF] [scored]

Tablet, oral, as hydrochloride: 80 mg, 120 mg

Calan®: 80 mg, 120 mg [scored]

Tablet, extended release, oral, as hydrochloride: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]

Tablet, sustained release, oral, as hydrochloride: 240 mg [BCF]

Isoptin® SR: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF] [scored]

**Vitamin E (Systemic)****Outpatient Dosage Forms**

Capsule, oral: 400 int. units

**Vitamins (Multiple/Oral)****Outpatient Dosage Forms**

Content varies depending on product used.

**Vitamins (Multiple/Pediatric)****Outpatient Formulary Brands Available** Poly-Vi-Sol®; Poly-Vi-Sol® With Iron**Outpatient Dosage Forms**

Solution, oral [drops]:

Poly-Vi-Sol®: 50 mL

Poly-Vi-Sol® With Iron: 50 mL

**Vitamins (Multiple/Prenatal)****Outpatient Formulary Brands Available** Stuart Prenatal®**Outpatient Dosage Forms**

Content varies depending on product used.

Tablet, oral: 100s

Stuart Prenatal®: 100s

**Warfarin****Outpatient Dosage Forms**

Tablet, oral, as sodium:

Generic: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF], 4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]

## WHITE PETROLATUM

---

### White Petrolatum

#### Outpatient Dosage Forms

Ointment, topical

### Zinc Oxide

#### Outpatient Dosage Forms

Ointment, topical: 20% (30 g, 60 g, 454 g)

### Ziprasidone

#### Outpatient Formulary Brands Available Geodon®

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride:

Geodon®: 20 mg, 40 mg, 60 mg, 80 mg

### ZOLMiptan

#### Outpatient Dosage Forms

Tablet, Oral:

Generic: 2.5 mg, 5 mg

### Zolpidem

#### Outpatient Dosage Forms

Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF]

Tablet, extended release, oral, as tartrate: 6.25 mg

### Zonisamide

#### Outpatient Dosage Forms

Capsule, Oral:

Generic: 50 mg, 100 mg



## **Therapeutic Category Index**

## ACETYLCHOLINESTERASE INHIBITOR

<b>Acetylcholinesterase Inhibitor</b>		Indomethacin .....	12
Pyridostigmine .....	20	Meloxicam .....	15
<b>Acetylcholinesterase Inhibitor (Central)</b>		Naproxen .....	17
Donepezil .....	8	Piroxicam (Systemic) .....	19
<b>Acne Products</b>		<b>Analgesic, Opioid</b>	
Adapalene .....	2	Acetaminophen and Codeine .....	2
Benzoyl Peroxide .....	4	Codeine .....	6
Clindamycin and Benzoyl Peroxide .....	6	FentaNYL .....	10
Erythromycin (Topical) .....	9	Hydrocodone and Acetaminophen .....	12
ISOTretinoin .....	13	HYDRomorphone .....	12
Salicylic Acid .....	21	Methadone .....	15
Sulfacetamide (Topical) .....	21	Morphine (Systemic) .....	16
Tazarotene .....	22	OxyCODONE .....	18
Tretinoin (Topical) .....	23	Oxycodone and Acetaminophen .....	18
<b>Adrenergic Agonist Agent</b>		TraMADol .....	23
Oxymetazoline (Nasal) .....	18	<b>Analgesic, Topical</b>	
<b>Aldehyde Dehydrogenase Inhibitor</b>		Benzocaine .....	4
Disulfiram .....	8	Capsaicin .....	5
<b>Alkalinizing Agent</b>		Lidocaine (Topical) .....	14
Citric Acid, Sodium Citrate, and Potassium Citrate .....	6	<b>Analgesic, Urinary</b>	
<b>Alkalinizing Agent, Oral</b>		Pentosan Polysulfate Sodium .....	18
Potassium Citrate .....	19	Phenazopyridine .....	18
<b>Alkylamine Derivative</b>		<b>Androgen</b>	
Chlorpheniramine .....	5	Testosterone .....	22
Naphazoline and Pheniramine .....	16	<b>Anesthetic/Corticosteroid</b>	
<b>Alpha<sub>1</sub> Agonist</b>		Pramoxine and Hydrocortisone .....	19
Midodrine .....	16	<b>Angiotensin II Receptor Blocker</b>	
Naphazoline and Pheniramine .....	16	Losartan .....	14
<b>Alpha<sub>1</sub> Blocker</b>		Losartan and Hydrochlorothiazide .....	14
Alfuzosin .....	2	Sacubitril and Valsartan .....	20
Doxazosin .....	8	Telmisartan .....	22
Prazosin .....	19	Telmisartan and Hydrochlorothiazide .....	22
Tamsulosin .....	22	Valsartan .....	23
Terazosin .....	22	Valsartan and Hydrochlorothiazide .....	23
<b>Alpha<sub>2</sub>-Adrenergic Agonist</b>		<b>Angiotensin-Converting Enzyme (ACE) Inhibitor</b>	
CloNIDine .....	6	Amlodipine and Benazepril .....	2
GuanFACINE .....	12	Captopril .....	5
Methyldopa .....	15	Lisinopril .....	14
TIZANidine .....	22	Lisinopril and Hydrochlorothiazide .....	14
<b>Alpha<sub>2</sub> Agonist, Ophthalmic</b>		Ramipril .....	20
Brimonidine and Timolol .....	4	<b>Anilidopiperidine Opioid</b>	
Brimonidine (Ophthalmic) .....	4	FentaNYL .....	10
Brinzolamide and Brimonidine .....	4	<b>Antacid</b>	
<b>Alpha/Beta Agonist</b>		Magnesium Hydroxide .....	15
EPINEPHrine (Systemic) .....	8	<b>Anthelmintic</b>	
Guaifenesin and Pseudoephedrine .....	12	Albendazole .....	2
Loratadine and Pseudoephedrine .....	14	Ivermectin (Systemic) .....	13
<b>5 Alpha-Reductase Inhibitor</b>		Mebendazole .....	15
Finasteride .....	10	Praziquantel .....	19
<b>Amebicide</b>		<b>Antianginal Agent</b>	
MetroNIDAZOLE (Systemic) .....	16	AmLODIPine .....	2
Tinidazole .....	22	Amlodipine and Benazepril .....	2
<b>Aminoquinoline (Antimalarial)</b>		Atenolol .....	3
Chloroquine .....	5	DilTIAZem .....	7
Hydroxychloroquine .....	12	Isosorbide Dinitrate .....	13
Primaquine .....	19	Isosorbide Mononitrate .....	13
<b>5-Aminosalicylic Acid Derivative</b>		Metoprolol .....	16
Balsalazide .....	4	Nadolol .....	16
Mesalamine .....	15	NIFEdipine .....	17
SulfaSALazine .....	21	Nitroglycerin .....	17
<b>Ammonium Detoxicant</b>		Propranolol .....	20
Lactulose .....	13	Ranolazine .....	20
Neomycin .....	17	Verapamil .....	23
<b>Analgesic Combination (Opioid)</b>		<b>Antianxiety Agent, Miscellaneous</b>	
Acetaminophen and Codeine .....	2	BusPIRone .....	4
Hydrocodone and Acetaminophen .....	12	<b>Antiarrhythmic Agent, Class Ic</b>	
Oxycodone and Acetaminophen .....	18	Flecainide .....	10
<b>Analgesic, Nonopioid</b>		Propafenone .....	20
Acetaminophen .....	2	<b>Antiarrhythmic Agent, Class II</b>	
Acetaminophen, Isometheptene, and Dichloralphenazone .....	2	Propranolol .....	20
Aspirin .....	3	<b>Antiarrhythmic Agent, Class III</b>	
Celecoxib .....	5	Amiodarone .....	2
Diclofenac (Systemic) .....	7	Dofetilide .....	8
Ibuprofen .....	12	Dronedarone .....	8

<b>Antiarrhythmic Agent, Class IV</b>		<b>Antibiotic, Sulfonamide Derivative</b>	
Diltiazem .....	7	Sulfacetamide (Topical) .....	21
Verapamil .....	23	Sulfamethoxazole and Trimethoprim .....	21
<b>Antiarrhythmic Agent, Miscellaneous</b>		<b>Antibiotic, Tetracycline Derivative</b>	
Digoxin .....	7	Doxycycline .....	8
<b>Antibiotic, Aminoglycoside</b>		Minocycline .....	16
Gentamicin (Ophthalmic) .....	11	Tetracycline .....	22
Neomycin .....	17	<b>Antibiotic, Topical</b>	
Tobramycin (Ophthalmic) .....	22	Bacitracin (Topical) .....	3
<b>Antibiotic, Cephalosporin (First Generation)</b>		Erythromycin (Topical) .....	9
Cephalexin .....	5	MetroNIDAZOLE (Topical) .....	16
<b>Antibiotic, Cephalosporin (Second Generation)</b>		Mupirocin .....	16
Cefuroxime .....	5	Silver Sulfadiazine .....	21
<b>Antibiotic, Cephalosporin (Third Generation)</b>		<b>Anticholinergic Agent</b>	
Cefdinir .....	5	Benztropine .....	4
<b>Antibiotic/Corticosteroid, Ophthalmic</b>		Dicyclomine .....	7
Loteprednol and Tobramycin .....	14	Glycopyrrolate (Systemic) .....	11
Neomycin, Polymyxin B, and Dexamethasone .....	17	Hyoscyamine .....	12
Tobramycin and Dexamethasone .....	22	Ipratropium and Albuterol .....	13
<b>Antibiotic/Corticosteroid, Otic</b>		Ipratropium (Nasal) .....	13
Ciprofloxacin and Dexamethasone .....	5	Ipratropium (Oral Inhalation) .....	13
Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17	Solifenacin .....	21
<b>Antibiotic, Fluoroquinolone</b>		Tiotropium .....	22
Ciprofloxacin (Systemic) .....	6	Tolterodine .....	22
Gatifloxacin .....	11	Trihexyphenidyl .....	23
LevoFLOXacin (Systemic) .....	14	Trospium .....	23
Moxifloxacin (Ophthalmic) .....	16	<b>Anticholinergic Agent, Long-Acting</b>	
Moxifloxacin (Systemic) .....	16	Tiotropium .....	22
Ofloxacin (Ophthalmic) .....	17	<b>Anticholinergic Agent, Ophthalmic</b>	
<b>Antibiotic, Lincosamide</b>		Atropine (Ophthalmic) .....	3
Clindamycin (Systemic) .....	6	Homatropine .....	12
Clindamycin (Topical) .....	6	<b>Anticoagulant</b>	
<b>Antibiotic, Macrolide</b>		Apixaban .....	3
Azithromycin (Ophthalmic) .....	3	Dabigatran Etexilate .....	6
Azithromycin (Systemic) .....	3	Enoxaparin .....	8
Clarithromycin .....	6	Heparin .....	12
Erythromycin (Ophthalmic) .....	9	Rivaroxaban .....	20
Erythromycin (Systemic) .....	9	Warfarin .....	23
Erythromycin (Topical) .....	9	<b>Anticoagulant, Direct Thrombin Inhibitor</b>	
<b>Antibiotic, Miscellaneous</b>		Dabigatran Etexilate .....	6
MetroNIDAZOLE (Systemic) .....	16	<b>Anticoagulant, Factor Xa Inhibitor</b>	
Nitrofurantoin .....	17	Apixaban .....	3
RifAXIMin .....	20	Rivaroxaban .....	20
Sulfamethoxazole and Trimethoprim .....	21	<b>Anticoagulant, Heparin</b>	
Tinidazole .....	22	Heparin .....	12
Trimethoprim .....	23	<b>Anticoagulant, Low Molecular Weight Heparin</b>	
<b>Antibiotic, Ophthalmic</b>		Enoxaparin .....	8
Azithromycin (Ophthalmic) .....	3	<b>Anticoagulant, Vitamin K Antagonist</b>	
Bacitracin and Polymyxin B (Ophthalmic) .....	3	Warfarin .....	23
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic) .....	3	<b>Anticonvulsant, Benzodiazepine</b>	
Bacitracin, Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic) .....	3	Clonazepam .....	6
Bacitracin (Ophthalmic) .....	3	Diazepam .....	7
Erythromycin (Ophthalmic) .....	9	LORazepam .....	14
Gatifloxacin .....	11	<b>Anticonvulsant, Hydantoin</b>	
Gentamicin (Ophthalmic) .....	11	Phenytoin .....	18
Moxifloxacin (Ophthalmic) .....	16	<b>Anticonvulsant, Miscellaneous</b>	
Neomycin, Polymyxin B, and Gramicidin .....	17	AcetaZOLAMIDE .....	2
Ofloxacin (Ophthalmic) .....	17	CarBAMazepine .....	5
Sulfacetamide (Ophthalmic) .....	21	Gabapentin .....	11
Tobramycin (Ophthalmic) .....	22	Lacosamide .....	13
Trimethoprim and Polymyxin B .....	23	LamoTRLgine .....	13
<b>Antibiotic, Oral Rinse</b>		LevETIRAcetam .....	14
Chlorhexidine Gluconate (Oral) .....	5	OXcarbazepine .....	18
<b>Antibiotic, Otic</b>		Primidone .....	19
Ciprofloxacin and Dexamethasone .....	5	Topiramate .....	22
Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17	Valproic Acid and Derivatives .....	23
<b>Antibiotic, Penicillin</b>		Zonisamide .....	24
Amoxicillin .....	2	<b>Antidepressant, Alpha-2 Antagonist</b>	
Amoxicillin and Clavulanate .....	3	Mirtazapine .....	16
Dicloxacillin .....	7	<b>Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor</b>	
Penicillin V Potassium .....	18	BuPROpion .....	4
<b>Antibiotic, Respiratory Fluoroquinolone</b>		<b>Antidepressant, Selective Serotonin Reuptake Inhibitor</b>	
LevoFLOXacin (Systemic) .....	14	Citalopram .....	6
Moxifloxacin (Systemic) .....	16	Escitalopram .....	9
		FLUoxetine .....	11

**ANTIDEPRESSANT, SELECTIVE SEROTONIN REUPTAKE INHIBITOR**

PARoxetine .....	18	<b>Antifungal Agent, Azole Derivative</b>	
Sertraline .....	21	Terconazole .....	22
<b>Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor</b>		<b>Antifungal Agent, Imidazole Derivative</b>	
DULoxetine .....	8	Clotrimazole (Oral) .....	6
Venlafaxine .....	23	Clotrimazole (Topical) .....	6
<b>Antidepressant, Serotonin Reuptake Inhibitor/Antagonist</b>		Ketoconazole (Topical) .....	13
TraZODone .....	23	Miconazole (Topical) .....	16
<b>Antidepressant, Tricyclic (Secondary Amine)</b>		<b>Antifungal Agent, Oral</b>	
Nortriptyline .....	17	Fluconazole .....	10
<b>Antidepressant, Tricyclic (Tertiary Amine)</b>		Griseofulvin .....	11
Amitriptyline .....	2	Terbinafine (Systemic) .....	22
Doxepin (Systemic) .....	8	<b>Antifungal Agent, Oral Nonabsorbed</b>	
Imipramine .....	12	Clotrimazole (Oral) .....	6
<b>Antidiabetic Agent, Biguanide</b>		<b>Antifungal Agent, Oral Nonabsorbed/Partially Absorbed</b>	
Empagliflozin and Metformin .....	8	Clotrimazole (Topical) .....	6
Glyburide and Metformin .....	11	Miconazole (Topical) .....	16
MetFORMIN .....	15	Nystatin (Oral) .....	17
Pioglitazone and Metformin .....	19	<b>Antifungal Agent, Parenteral</b>	
Sitagliptin and Metformin .....	21	Fluconazole .....	10
<b>Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor</b>		<b>Antifungal Agent, Topical</b>	
Empagliflozin and Linagliptin .....	8	Ciclopirox .....	5
SITagliptin .....	21	Clotrimazole (Topical) .....	6
Sitagliptin and Metformin .....	21	Ketoconazole (Topical) .....	13
<b>Antidiabetic Agent, Dopamine Agonist</b>		Miconazole (Topical) .....	16
Bromocriptine .....	4	Naftifine .....	16
<b>Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist</b>		Nystatin (Topical) .....	17
Exenatide .....	10	Terbinafine (Topical) .....	22
<b>Antidiabetic Agent, Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor</b>		<b>Antifungal Agent, Vaginal</b>	
Empagliflozin .....	8	Clotrimazole (Topical) .....	6
Empagliflozin and Linagliptin .....	8	Miconazole (Topical) .....	16
Empagliflozin and Metformin .....	8	Terconazole .....	22
<b>Antidiabetic Agent, Sulfonylurea</b>		<b>Antigout Agent</b>	
GlipiZIDE .....	11	Allopurinol .....	2
GlyBURIDE .....	11	Colchicine .....	6
Glyburide and Metformin .....	11	<b>Antihemophilic Agent</b>	
<b>Antidiabetic Agent, Thiazolidinedione</b>		Desmopressin .....	7
Pioglitazone .....	19	Tranexamic Acid .....	23
Pioglitazone and Metformin .....	19	<b>Antihemorrhoidal Agent</b>	
Rosiglitazone .....	20	Dibucaine .....	7
<b>Antidiarrheal</b>		Hydrocortisone (Topical) .....	12
Bismuth Subsalicylate .....	4	<b>Antihepadnaviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HBV)</b>	
Diphenoxylate and Atropine .....	8	LamiVUDine .....	13
Loperamide .....	14	<b>Antihypertensive</b>	
Psyllium .....	20	AmLODIPine .....	2
<b>Antidote</b>		Amlodipine and Benazepril .....	2
Acetylcysteine .....	2	Atenolol .....	3
Calcium Acetate .....	4	Captopril .....	5
Glucagon .....	11	Carvedilol .....	5
Ipecac Syrup .....	13	Chlorothiazide .....	5
Leucovorin Calcium .....	14	Chlorthalidone .....	5
Naloxone .....	16	CloNIDine .....	6
Naltrexone .....	16	DiLTIAZem .....	7
Patiromer .....	18	Doxazosin .....	8
Potassium Iodide .....	19	Furosemide .....	11
<b>Antidote, Extravasation</b>		GuanFACINE .....	12
Nitroglycerin .....	17	HydrALAZINE .....	12
Terbutaline .....	22	HydroCHLORothiazide .....	12
<b>Antidote, Hypoglycemia</b>		Hydrochlorothiazide and Spironolactone .....	12
Glucagon .....	11	Hydrochlorothiazide and Triamterene .....	12
<b>Antiemetic</b>		Isosorbide Dinitrate and Hydralazine .....	13
Dexamethasone (Systemic) .....	7	Labetalol .....	13
Dronabinol .....	8	Lisinopril .....	14
HydrOXYzine .....	12	Lisinopril and Hydrochlorothiazide .....	14
Meclizine .....	15	Losartan .....	14
Metoclopramide .....	15	Losartan and Hydrochlorothiazide .....	14
Ondansetron .....	17	Methyldopa .....	15
Prochlorperazine .....	19	Metoprolol .....	16
Promethazine .....	19	Minoxidil (Systemic) .....	16
Trimethobenzamide .....	23	Nadolol .....	16
<b>Antifibrinolytic Agent</b>		NIFEdipine .....	17
Tranexamic Acid .....	23	Nisoldipine .....	17
<b>Antiflatulent</b>		Prazosin .....	19
Simethicone .....	21	Propranolol .....	20
		Ramipril .....	20
		Spironolactone .....	21
		Telmisartan .....	22
		Telmisartan and Hydrochlorothiazide .....	22
		Terazosin .....	22

Torseamide .....	22	<b>Antineoplastic Agent, Hormone</b>	
Valsartan .....	23	Megestrol .....	15
Valsartan and Hydrochlorothiazide .....	23	<b>Antineoplastic Agent, Retinoic Acid Derivative</b>	
Verapamil .....	23	ISOTretinoin .....	13
<b>Anti-inflammatory Agent</b>		<b>Antiparasitic Agent, Topical</b>	
Balsalazide .....	4	Permethrin .....	18
Dexamethasone (Systemic) .....	7	<b>Anti-Parkinson Agent, Anticholinergic</b>	
<b>Anti-inflammatory Agent, Ophthalmic</b>		Benzotropine .....	4
Dexamethasone (Ophthalmic) .....	7	Trihexyphenidyl .....	23
<b>Anti-inflammatory, Locally Applied</b>		<b>Anti-Parkinson Agent, Decarboxylase Inhibitor</b>	
Carbamide Peroxide .....	5	Carbidopa and Levodopa .....	5
<b>Antilipemic Agent, 2-Azetidinone</b>		<b>Anti-Parkinson Agent, Dopamine Agonist</b>	
Ezetimibe .....	10	Amantadine .....	2
<b>Antilipemic Agent, Bile Acid Sequestrant</b>		Bromocriptine .....	4
Cholestyramine Resin .....	5	Pramipexole .....	19
Colestipol .....	6	ROPINIRole .....	20
<b>Antilipemic Agent, Fibric Acid</b>		<b>Anti-Parkinson Agent, Dopamine Precursor</b>	
Fenofibrate and Derivatives .....	10	Carbidopa and Levodopa .....	5
Gemfibrozil .....	11	<b>Antiplatelet Agent</b>	
<b>Antilipemic Agent, HMG-CoA Reductase Inhibitor</b>		Aspirin .....	3
AtorvaSTATin .....	3	Aspirin and Dipyridamole .....	3
Pravastatin .....	19	Cilostazol .....	5
Simvastatin .....	21	Clopidogrel .....	6
<b>Antilipemic Agent, Miscellaneous</b>		Dipyridamole .....	8
Niacin .....	17	Prasugrel .....	19
<b>Antilipemic Agent, Omega-3 Fatty Acids</b>		<b>Antiplatelet Agent, Thienopyridine</b>	
Omega-3 Fatty Acids .....	17	Clopidogrel .....	6
<b>Antimalarial Agent</b>		Prasugrel .....	19
Artemether and Lumefantrine .....	3	<b>Antiprotozoal, Nitroimidazole</b>	
Atovaquone and Proguanil .....	3	MetroNIDAZOLE (Systemic) .....	16
Chloroquine .....	5	Tinidazole .....	22
Hydroxychloroquine .....	12	<b>Antiretroviral, Integrase Inhibitor (Anti-HIV)</b>	
Mefloquine .....	15	Abacavir, Dolutegravir, and Lamivudine .....	2
Primaquine .....	19	Dolutegravir .....	8
Pyrimethamine .....	20	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Alafenamide .....	8
QuiNINE .....	20	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
<b>Antimanic Agent</b>		<b>Antiretroviral, Protease Inhibitor (Anti-HIV)</b>	
ChlorproMAZINE .....	5	Darunavir .....	7
Lithium .....	14	Ritonavir .....	20
OLANZapine .....	17	<b>Antiretroviral, Reverse Transcriptase Inhibitor, Non-nucleoside (Anti-HIV)</b>	
RisperiDONE .....	20	Efavirenz, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
Valproic Acid and Derivatives .....	23	<b>Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV)</b>	
<b>Antimigraine Agent</b>		Abacavir, Dolutegravir, and Lamivudine .....	2
Eletriptan .....	8	Efavirenz, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
Rizatriptan .....	20	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Alafenamide .....	8
SUMATriptan .....	21	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
ZOLMitriptan .....	24	LamiVUDine .....	13
<b>Antineoplastic Agent, Alkylating Agent</b>		<b>Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV)</b>	
Busulfan .....	4	Efavirenz, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
Chlorambucil .....	5	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Alafenamide .....	8
Cyclophosphamide .....	6	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8
Melphalan .....	15	<b>Antirheumatic, Disease Modifying</b>	
<b>Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard)</b>		Adalimumab .....	2
Chlorambucil .....	5	InFLIXimab .....	12
Cyclophosphamide .....	6	Methotrexate .....	15
Melphalan .....	15	<b>Antirheumatic Miscellaneous</b>	
<b>Antineoplastic Agent, Antiandrogen</b>		Cyclophosphamide .....	6
Bicalutamide .....	4	<b>Antiseborrheic Agent, Topical</b>	
<b>Antineoplastic Agent, Antimetabolite</b>		Selenium Sulfide .....	21
Fluorouracil (Topical) .....	11	<b>Antiseptic, Topical</b>	
Mercaptopurine .....	15	Alcohol (Isopropyl) .....	2
<b>Antineoplastic Agent, Antimetabolite (Antifolate)</b>		Povidone-Iodine (Topical) .....	19
Methotrexate .....	15	<b>Antiseptic, Vaginal</b>	
<b>Antineoplastic Agent, Antimetabolite (Purine Analog)</b>		Povidone-Iodine (Topical) .....	19
Mercaptopurine .....	15	<b>Antispasmodic Agent, Urinary</b>	
<b>Antineoplastic Agent, Antimetabolite (Pyrimidine Analog)</b>		Oxybutynin .....	18
Fluorouracil (Topical) .....	11		
<b>Antineoplastic Agent, Aromatase Inhibitor</b>			
Anastrozole .....	3		
Exemestane .....	10		
Letrozole .....	14		
<b>Antineoplastic Agent, Estrogen Receptor Antagonist</b>			
Tamoxifen .....	22		

## ANTITHYROID AGENT

<b>Antithyroid Agent</b>			
MethIMAzole .....	15		
Potassium Iodide .....	19		
Propylthiouracil .....	20		
<b>Antitubercular Agent</b>			
Ethambutol .....	9		
Isoniazid .....	13		
Pyrazinamide .....	20		
RifAMPin .....	20		
<b>Antitussive</b>			
Benzonatate .....	4		
Codeine .....	6		
Guaifenesin and Codeine .....	11		
Guaifenesin and Dextromethorphan .....	11		
<b>Antiviral Agent</b>			
Acyclovir (Systemic) .....	2		
Amantadine .....	2		
Oseltamivir .....	17		
ValACYclovir .....	23		
<b>Antiviral Agent, Adamantane</b>			
Amantadine .....	2		
<b>Antiviral Agent, Ophthalmic</b>			
Ganciclovir (Ophthalmic) .....	11		
Trifluridine .....	23		
<b>Antiviral Agent, Oral</b>			
ValACYclovir .....	23		
<b>Appetite Stimulant</b>			
Dronabinol .....	8		
Megestrol .....	15		
<b>Barbiturate</b>			
Butalbitol, Acetaminophen, and Caffeine .....	4		
Primidone .....	19		
<b>Benzodiazepine</b>			
ALPRAZolam .....	2		
Clonazepam .....	6		
Diazepam .....	7		
LORazepam .....	14		
Temazepam .....	22		
Triazolam .....	23		
<b>Beta<sub>2</sub>-Adrenergic Agonist</b>			
Ipratropium and Albuterol .....	13		
<b>Beta<sub>2</sub>-Adrenergic Agonist, Long-Acting</b>			
Fluticasone and Salmeterol .....	11		
Salmeterol .....	21		
<b>Beta<sub>2</sub> Agonist</b>			
Albuterol .....	2		
Fluticasone and Salmeterol .....	11		
Salmeterol .....	21		
Terbutaline .....	22		
<b>Beta<sub>3</sub> Agonist</b>			
Mirabegron .....	16		
<b>Beta-Adrenergic Blocker, Nonselective</b>			
Dorzolamide and Timolol .....	8		
Propranolol .....	20		
<b>Beta-Blocker, Beta-1 Selective</b>			
Atenolol .....	3		
Metoprolol .....	16		
<b>Beta-Blocker, Nonselective</b>			
Brimonidine and Timolol .....	4		
Nadolol .....	16		
Timolol (Ophthalmic) .....	22		
<b>Beta-Blocker With Alpha-Blocking Activity</b>			
Carvedilol .....	5		
Labetalol .....	13		
<b>Bisphosphonate Derivative</b>			
Alendronate .....	2		
Ibandronate .....	12		
Risedronate .....	20		
<b>Blood Viscosity Reducer Agent</b>			
Pentoxifylline .....	18		
<b>Calcineurin Inhibitor</b>			
CycloSPORINE (Ophthalmic) .....	6		
Pimecrolimus .....	19		
Tacrolimus (Systemic) .....	22		
Tacrolimus (Topical) .....	22		
<b>Calcium Channel Blocker</b>			
AmLODIPine .....	2		
Amlodipine and Benazepril .....	2		
DiITIAZem .....	7		
NIFEdipine .....	17		
Nisoldipine .....	17		
Verapamil .....	23		
<b>Calcium Channel Blocker, Dihydropyridine</b>			
AmLODIPine .....	2		
Amlodipine and Benazepril .....	2		
NIFEdipine .....	17		
Nisoldipine .....	17		
<b>Calcium Channel Blocker, Nondihydropyridine</b>			
DiITIAZem .....	7		
Verapamil .....	23		
<b>Calcium Salt</b>			
Calcium Acetate .....	4		
Calcium and Vitamin D .....	5		
<b>Carbonic Anhydrase Inhibitor</b>			
AcetaZOLAMIDE .....	2		
MethazolAMIDE .....	15		
<b>Carbonic Anhydrase Inhibitor (Ophthalmic)</b>			
Brinzolamide and Brimonidine .....	4		
Dorzolamide .....	8		
Dorzolamide and Timolol .....	8		
<b>Cardiac Glycoside</b>			
Digoxin .....	7		
<b>Cardiovascular Agent, Miscellaneous</b>			
Ivabradine .....	13		
Ranolazine .....	20		
<b>Cathartic</b>			
Sodium Phosphates .....	21		
<b>Central Nervous System Stimulant</b>			
Dextroamphetamine .....	7		
Dextroamphetamine and Amphetamine .....	7		
Methylphenidate .....	15		
Modafinil .....	16		
<b>Chemotherapy Modulating Agent</b>			
Leucovorin Calcium .....	14		
<b>Chloride Channel Activator</b>			
Lubiprostone .....	14		
<b>Cholinergic Agonist</b>			
Pilocarpine (Systemic) .....	18		
<b>Contraceptive</b>			
Ethinyl Estradiol and Desogestrel .....	9		
Ethinyl Estradiol and Drospirenone .....	9		
Ethinyl Estradiol and Ethynodiol Diacetate .....	9		
Ethinyl Estradiol and Etonogestrel .....	9		
Ethinyl Estradiol and Levonorgestrel .....	9		
Ethinyl Estradiol and Norelgestromin .....	10		
Ethinyl Estradiol and Norethindrone .....	10		
Ethinyl Estradiol and Norgestimate .....	10		
Ethinyl Estradiol and Norgestrel .....	10		
Etonogestrel .....	10		
Levonorgestrel (Systemic) .....	14		
MedroxyPROGESTERone .....	15		
Norethindrone .....	17		
<b>Corticosteroid, Inhalant (Oral)</b>			
Budesonide (Oral Inhalation) .....	4		
Fluticasone and Salmeterol .....	11		
Fluticasone (Oral Inhalation) .....	11		
<b>Corticosteroid, Nasal</b>			
Fluticasone (Nasal) .....	11		
<b>Corticosteroid, Ophthalmic</b>			
Bacitracin, Neomycin, Polymyxin B, and Hydrocortisone (Ophthalmic) .....	3		
Dexamethasone (Ophthalmic) .....	7		
Difluprednate .....	7		
Fluorometholone .....	11		
Loteprednol .....	14		
PrednisolONE (Ophthalmic) .....	19		
<b>Corticosteroid, Otic</b>			
Ciprofloxacin and Dexamethasone .....	5		

Dexamethasone (Ophthalmic) .....	7	<b>Enzyme, Topical Debridement</b>	
Fluocinolone (Otic) .....	10	Collagenase (Topical) .....	6
Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17	<b>Ergot Derivative</b>	
<b>Corticosteroid, Rectal</b>		Bromocriptine .....	4
Hydrocortisone (Topical) .....	12	Methylergonovine .....	15
<b>Corticosteroid, Systemic</b>		<b>Estrogen and Androgen Combination</b>	
Budesonide (Systemic) .....	4	Estrogens (Esterified) and Methyltestosterone .....	9
Dexamethasone (Systemic) .....	7	<b>Estrogen and Progestin Combination</b>	
Fludrocortisone .....	10	Estrogens (Conjugated/Equine) and Medroxyprogesterone .....	9
Hydrocortisone (Systemic) .....	12	Ethinyl Estradiol and Desogestrel .....	9
MethylPREDNISolone .....	15	Ethinyl Estradiol and Drospirenone .....	9
PrednisoLONE (Systemic) .....	19	Ethinyl Estradiol and Ethynodiol Diacetate .....	9
PredniSONE .....	19	Ethinyl Estradiol and Etonogestrel .....	9
<b>Corticosteroid, Topical</b>		Ethinyl Estradiol and Levonorgestrel .....	9
Betamethasone (Topical) .....	4	Ethinyl Estradiol and Norelgestromin .....	10
Calcipotriene and Betamethasone .....	4	Ethinyl Estradiol and Norethindrone .....	10
Clobetasol .....	6	Ethinyl Estradiol and Norgestimate .....	10
Desonide .....	7	Ethinyl Estradiol and Norgestrel .....	10
Fluocinolone (Topical) .....	10	<b>Estrogen Derivative</b>	
Fluocinonide .....	10	Estradiol (Systemic) .....	9
Flurandrenolide .....	11	Estrogens (Conjugated/Equine) and Bazedoxifene .....	9
Fluticasone (Topical) .....	11	Estrogens (Conjugated/Equine, Systemic) .....	9
Hydrocortisone (Topical) .....	12	Estrogens (Conjugated/Equine, Topical) .....	9
Mometasone (Topical) .....	16	<b>Ethanolamine Derivative</b>	
Triamcinolone (Topical) .....	23	DiphenhydrAMINE (Systemic) .....	8
<b>Cytochrome P-450 Inhibitor</b>		<b>Expectorant</b>	
Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Alafenamide .....	8	GuaiFENesin .....	11
Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir Disoproxil Fumarate .....	8	Guafenesin and Codeine .....	11
<b>Decongestant</b>		Guafenesin and Dextromethorphan .....	11
Loratadine and Pseudoephedrine .....	14	Guafenesin and Pseudoephedrine .....	12
Oxymetazoline (Nasal) .....	18	Potassium Iodide .....	19
<b>Depigmenting Agent</b>		<b>Fiber Supplement</b>	
Hydroquinone .....	12	Psyllium .....	20
<b>Diagnostic Agent</b>		<b>First Generation (Typical) Antipsychotic</b>	
Glucagon .....	11	ChlorproMAZINE .....	5
<b>Dietary Supplement</b>		Haloperidol .....	12
Lactobacillus .....	13	Prochlorperazine .....	19
Saccharomyces boulardii .....	20	<b>GABA Agonist/Glutamate Antagonist</b>	
<b>Direct Oral Anticoagulant (DOAC)</b>		Acamprosate .....	2
Apixaban .....	3	<b>GABA Analog</b>	
Dabigatran Etexilate .....	6	Gabapentin .....	11
Rivaroxaban .....	20	<b>Gallstone Dissolution Agent</b>	
<b>Diuretic, Carbonic Anhydrase Inhibitor</b>		Ursodiol .....	23
AcetaZOLAMIDE .....	2	<b>Gastrointestinal Agent, Miscellaneous</b>	
MethazolAMIDE .....	15	Adalimumab .....	2
<b>Diuretic, Loop</b>		InFLIXimab .....	12
Furosemide .....	11	Linaclotide .....	14
Torseamide .....	22	Lubiprostone .....	14
<b>Diuretic, Potassium-Sparing</b>		Saliva Substitute .....	21
Hydrochlorothiazide and Triamterene .....	12	Sucralfate .....	21
SpiroNolactone .....	21	<b>Gastrointestinal Agent, Prokinetic</b>	
<b>Diuretic, Thiazide</b>		Metoclopramide .....	15
Chlorothiazide .....	5	<b>General Anesthetic</b>	
HydroCHLORothiazide .....	12	FentaNYL .....	10
Hydrochlorothiazide and SpiroNolactone .....	12	<b>Genitourinary Irrigant</b>	
Hydrochlorothiazide and Triamterene .....	12	Sodium Chloride .....	21
Lisinopril and Hydrochlorothiazide .....	14	<b>Glycopeptide</b>	
Losartan and Hydrochlorothiazide .....	14	Vancomycin .....	23
Telmisartan and Hydrochlorothiazide .....	22	<b>Guanylate Cyclase-C (GC-C) Agonist</b>	
Valsartan and Hydrochlorothiazide .....	23	Linaclotide .....	14
<b>Diuretic, Thiazide-Related</b>		<b>Hemostatic Agent</b>	
Chlorthalidone .....	5	Aluminum Chloride Hexahydrate .....	2
MetOLazone .....	16	Desmopressin .....	7
<b>Electrolyte Supplement, Oral</b>		Tranexamic Acid .....	23
Calcium and Vitamin D .....	5	<b>Histamine H<sub>1</sub> Antagonist</b>	
Magnesium Oxide .....	15	Azelastine (Nasal) .....	3
Potassium Chloride .....	19	Bepotastine .....	4
Potassium Phosphate and Sodium Phosphate .....	19	Cetirizine (Systemic) .....	5
<b>Electrolyte Supplement, Parenteral</b>		Chlorpheniramine .....	5
Potassium Chloride .....	19	Cyproheptadine .....	6
Sodium Chloride .....	21	DiphenhydrAMINE (Systemic) .....	8
Sodium Phosphates .....	21	Fexofenadine .....	10
<b>Enzyme</b>		HydrOXYzine .....	12
Pancrelipase .....	18	Ketotifen (Ophthalmic) .....	13

## HISTAMINE H<sub>1</sub> ANTAGONIST

Loratadine .....	14	<b>Laxative, Bowel Evacuant</b>	
Loratadine and Pseudoephedrine .....	14	Sodium Phosphates .....	21
Meclizine .....	15	<b>Laxative, Bulk-Producing</b>	
Naphazoline and Pheniramine .....	16	Psyllium .....	20
Promethazine .....	19	<b>Laxative, Osmotic</b>	
<b>Histamine H<sub>1</sub> Antagonist, First Generation</b>		Lactulose .....	13
Chlorpheniramine .....	5	Polyethylene Glycol 3350 .....	19
Cyproheptadine .....	6	Polyethylene Glycol-Electrolyte Solution .....	19
DiphenhydrAMINE (Systemic) .....	8	<b>Laxative, Saline</b>	
HydrOXYzine .....	12	Magnesium Citrate .....	15
Meclizine .....	15	<b>Laxative, Stimulant</b>	
Naphazoline and Pheniramine .....	16	Bisacodyl .....	4
Promethazine .....	19	Senna .....	21
<b>Histamine H<sub>1</sub> Antagonist, Second Generation</b>		<b>Leukotriene-Receptor Antagonist</b>	
Azelastine (Nasal) .....	3	Montelukast .....	16
Bepotastine .....	4	<b>Local Anesthetic</b>	
Cetirizine (Systemic) .....	5	Benzocaine .....	4
Fexofenadine .....	10	Dibucaine .....	7
Ketotifen (Ophthalmic) .....	13	Lidocaine and Prilocaine .....	14
Loratadine .....	14	Lidocaine (Ophthalmic) .....	14
Loratadine and Pseudoephedrine .....	14	Lidocaine (Topical) .....	14
<b>Histamine H<sub>2</sub> Antagonist</b>		Tetracaine (Ophthalmic) .....	22
Famotidine .....	10	<b>Local Anesthetic, Ophthalmic</b>	
RaNITIdine .....	20	Lidocaine (Ophthalmic) .....	14
<b>Histone Deacetylase Inhibitor</b>		<b>Lubricant, Ocular</b>	
Valproic Acid and Derivatives .....	23	Ocular Lubricant .....	17
<b>Hormone, Posterior Pituitary</b>		Sodium Chloride .....	21
Desmopressin .....	7	<b>Lysine Analog</b>	
<b>Hypnotic, Miscellaneous</b>		Tranexamic Acid .....	23
Eszopiclone .....	9	<b>Magnesium Salt</b>	
Zolpidem .....	24	Magnesium Citrate .....	15
<b>Imidazoline Derivative</b>		Magnesium Hydroxide .....	15
Naphazoline and Pheniramine .....	16	Magnesium Oxide .....	15
Oxymetazoline (Nasal) .....	18	<b>Mast Cell Stabilizer</b>	
<b>Immunosuppressant Agent</b>		Bepotastine .....	4
AzaTHIOprine .....	3	Ketotifen (Ophthalmic) .....	13
Cyclophosphamide .....	6	<b>Medical Food</b>	
CycloSPORINE (Ophthalmic) .....	6	Methylfolate .....	15
InFLIXimab .....	12	<b>Mineralocorticoid (Aldosterone) Receptor Antagonists</b>	
Mercaptopurine .....	15	Hydrochlorothiazide and Spironolactone .....	12
Methotrexate .....	15	Spironolactone .....	21
Mycophenolate .....	16	<b>Miscellaneous Product</b>	
Pimecrolimus .....	19	Diabetic Supplies .....	7
Tacrolimus (Systemic) .....	22	Pill Cutter .....	18
Tacrolimus (Topical) .....	22	Sinus Lavage .....	21
<b>Inhalation, Miscellaneous</b>		<b>Monoclonal Antibody</b>	
Inhalation Devices .....	12	Adalimumab .....	2
<b>Insulin, Combination</b>		InFLIXimab .....	12
Insulin Aspart Protamine and Insulin Aspart .....	12	<b>Mucolytic Agent</b>	
Insulin NPH and Insulin Regular .....	13	Acetylcysteine .....	2
<b>Insulin, Intermediate-Acting</b>		<b>Nepriylsin Inhibitor</b>	
Insulin NPH .....	13	Sacubitril and Valsartan .....	20
<b>Insulin, Long-Acting</b>		<b>Neuraminidase Inhibitor</b>	
Insulin Detemir .....	12	Osetamivir .....	17
Insulin Glargine .....	13	<b>N-Methyl-D-Aspartate Receptor Antagonist</b>	
<b>Insulin, Rapid-Acting</b>		Memantine .....	15
Insulin Aspart .....	12	<b>Nonsteroidal Anti-inflammatory Drug (NSAID)</b>	
<b>Insulin, Short-Acting</b>		Diclofenac (Ophthalmic) .....	7
Insulin Regular .....	13	Diclofenac (Systemic) .....	7
<b>Interferon</b>		Diclofenac (Topical) .....	7
Interferon Beta-1a .....	13	<b>Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective</b>	
Interferon Beta-1b .....	13	Celecoxib .....	5
<b>Iron Salt</b>		<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic</b>	
Ferrous Sulfate .....	10	Diclofenac (Ophthalmic) .....	7
<b>Irrigant</b>		Nepafenac .....	17
Sodium Chloride .....	21	<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Oral</b>	
<b>Irrigating Solution</b>		Aspirin .....	3
Balanced Salt Solution .....	4	Diclofenac (Systemic) .....	7
<b>Keratolytic Agent</b>		Ibuprofen .....	12
Podofilox .....	19	Indomethacin .....	12
Salicylic Acid .....	21	Meloxicam .....	15
Tazarotene .....	22	<b>Laxative</b>	
<b>Laxative</b>		Magnesium Hydroxide .....	15



**SODIUM-GLUCOSE COTRANSPORTER 2 (SGLT2) INHIBITOR**

Naproxen .....	17	Loratadine .....	14
Piroxicam (Systemic) .....	19	Loratadine and Pseudoephedrine .....	14
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral</b>		<b>Potassium Binder</b>	
Ibuprofen .....	12	Patiomer .....	18
Indomethacin .....	12	<b>Probiotic</b>	
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Topical</b>		Lactobacillus .....	13
Diclofenac (Topical) .....	7	Saccharomyces boulardii .....	20
<b>Norepinephrine Reuptake Inhibitor, Selective</b>		<b>Progestin</b>	
AtoMOXetine .....	3	Etonogestrel .....	10
<b>Nutritional Supplement</b>		Levonorgestrel (Systemic) .....	14
Fluoride .....	10	MedroxyPROGESTERone .....	15
Phosphatidylserine, Omega-3, DHA, EPA .....	18	Megestrol .....	15
<b>Ophthalmic Agent, Antiglaucoma</b>		Norethindrone .....	17
AcetaZOLAMIDE .....	2	<b>Prostaglandin</b>	
Betaxolol (Ophthalmic) .....	4	Alprostadil .....	2
Bimatoprost .....	4	MiSOPROStol .....	16
Brimonidine and Timolol .....	4	<b>Prostaglandin, Ophthalmic</b>	
Brimonidine (Ophthalmic) .....	4	Bimatoprost .....	4
Brinzolamide and Brimonidine .....	4	Latanoprost .....	14
Dorzolamide .....	8	<b>Proton Pump Inhibitor</b>	
Dorzolamide and Timolol .....	8	Lansoprazole .....	14
Latanoprost .....	14	Omeprazole .....	17
MethazolAMIDE .....	15	Pantoprazole .....	18
Pilocarpine (Ophthalmic) .....	18	RABEprazole .....	20
Timolol (Ophthalmic) .....	22	<b>Rescue Agent (Chemotherapy)</b>	
<b>Ophthalmic Agent, Miotic</b>		Leucovorin Calcium .....	14
Pilocarpine (Ophthalmic) .....	18	<b>Retinoic Acid Derivative</b>	
<b>Ophthalmic Agent, Miscellaneous</b>		ISOTretinoin .....	13
Artificial Tears .....	3	Tretinoin (Topical) .....	23
Balanced Salt Solution .....	4	<b>Rifamycin</b>	
Carboxymethylcellulose .....	5	RifAMPin .....	20
Ocular Lubricant .....	17	<b>Salicylate</b>	
<b>Ophthalmic Agent, Mydriatic</b>		Aspirin .....	3
Atropine (Ophthalmic) .....	3	Salsalate .....	21
Homatropine .....	12	<b>Scabical Agent</b>	
<b>Ophthalmic Agent, Vasoconstrictor</b>		Permethrin .....	18
Naphazoline and Pheniramine .....	16	<b>Second Generation (Atypical) Antipsychotic</b>	
<b>Opioid Antagonist</b>		ARIPiprazole .....	3
Naloxone .....	16	Lurasidone .....	15
Naltrexone .....	16	OLANZapine .....	17
<b>Otic Agent, Anti-infective</b>		Paliperidone .....	18
Acetic Acid (Otic) .....	2	QUETiapine .....	20
<b>Otic Agent, Cerumenolytic</b>		RisperiDONE .....	20
Carbamide Peroxide .....	5	Ziprasidone .....	24
<b>Ovulation Stimulator</b>		<b>Sedative</b>	
ClomiPHENE .....	6	Acetaminophen, Isometheptene, and Dichloralphenazone .....	2
<b>Pediculocide</b>		<b>Selective 5-HT<sub>3</sub> Receptor Antagonist</b>	
Permethrin .....	18	Ondansetron .....	17
<b>Pharmaceutical Aid</b>		<b>Selective Estrogen Receptor Modulator (SERM)</b>	
White Petrolatum .....	24	ClomiPHENE .....	6
<b>Phenothiazine Derivative</b>		Estrogens (Conjugated/Equine) and Bazedoxifene .....	9
ChlorproMAZINE .....	5	Raloxifene .....	20
Prochlorperazine .....	19	Tamoxifen .....	22
Promethazine .....	19	<b>Serotonin 5-HT<sub>1B</sub>, 1D Receptor Agonist</b>	
<b>Phosphate Binder</b>		Eletriptan .....	8
Calcium Acetate .....	4	Rizatriptan .....	20
Lanthanum .....	14	SUMAtriptan .....	21
Sevelamer .....	21	ZOLMitriptan .....	24
<b>Phosphodiesterase-3 Enzyme Inhibitor</b>		<b>Skeletal Muscle Relaxant</b>	
Cilostazol .....	5	Baclofen .....	4
<b>Phosphodiesterase-5 Enzyme Inhibitor</b>		Cyclobenzaprine .....	6
Sildenafil .....	21	Metaxalone .....	15
<b>Phosphodiesterase Enzyme Inhibitor, Nonselective</b>		Methocarbamol .....	15
Theophylline .....	22	Orphenadrine .....	17
<b>Piperazine Derivative</b>		<b>Skin and Mucous Membrane Agent</b>	
Cetirizine (Systemic) .....	5	Imiquimod .....	12
HydrOXYzine .....	12	<b>Skin and Mucous Membrane Agent, Miscellaneous</b>	
Meclizine .....	15	Emollients .....	8
<b>Piperidine Derivative</b>		<b>Smoking Cessation Aid</b>	
Cyproheptadine .....	6	BuPROPion .....	4
Fexofenadine .....	10	Nicotine .....	17
Ketotifen (Ophthalmic) .....	13	<b>Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor</b>	
		Empagliflozin .....	8

**SODIUM-GLUCOSE COTRANSPORTER 2 (SGLT2) INHIBITOR**

Empagliflozin and Linagliptin .....	8	Isosorbide Dinitrate and Hydralazine .....	13
Empagliflozin and Metformin .....	8		
<b>Sodium Salt</b>		Isosorbide Mononitrate .....	13
Sodium Chloride .....	21	Nitroglycerin .....	17
<b>Stool Softener</b>			
Docusate .....	8	<b>Vasodilator, Direct-Acting</b>	
<b>Substituted Benzimidazole</b>		Minoxidil (Systemic) .....	16
Lansoprazole .....	14		
Omeprazole .....	17	<b>Vasopressin Analog, Synthetic</b>	
Pantoprazole .....	18	Desmopressin .....	7
RABEprazole .....	20		
<b>Sympathomimetic</b>		<b>Vitamin</b>	
Acetaminophen, Isometheptene, and Dichloralphenazone .....	2	Vitamins (Multiple/Oral) .....	23
<b>Thioamide</b>		Vitamins (Multiple/Pediatric) .....	23
MethIMAzole .....	15	Vitamins (Multiple/Prenatal) .....	23
Propylthiouracil .....	20		
<b>Thyroid Product</b>		<b>Vitamin D Analog</b>	
Levothyroxine .....	14	Calcipotriene .....	4
Liothyronine .....	14	Calcipotriene and Betamethasone .....	4
<b>Tissue-Selective Estrogen Complex (TSEC)</b>		Calcitriol (Systemic) .....	4
Estrogens (Conjugated/Equine) and Bazedoxifene .....	9	Cholecalciferol .....	5
<b>Topical Skin Product</b>		Ergocalciferol .....	9
Aluminum Chloride Hexahydrate .....	2		
Aluminum Sulfate and Calcium Acetate .....	2	<b>Vitamin, Fat Soluble</b>	
Benzoyl Peroxide .....	4	Calcium and Vitamin D .....	5
Calcipotriene .....	4	Phytonadione .....	18
Capsaicin .....	5	Vitamin E (Systemic) .....	23
Clindamycin and Benzoyl Peroxide .....	6		
Coal Tar .....	6	<b>Vitamin, Water Soluble</b>	
Emollients .....	8	Ascorbic Acid .....	3
Erythromycin (Topical) .....	9	Cyanocobalamin .....	6
Fluorouracil (Topical) .....	11	Folic Acid .....	11
Imiquimod .....	12	Leucovorin Calcium .....	14
Lactic Acid and Ammonium Hydroxide .....	13	Niacin .....	17
Lanolin .....	13	Pyridoxine .....	20
Pimecrolimus .....	19		
Podofilox .....	19	<b>Xanthine Oxidase Inhibitor</b>	
Povidone-Iodine (Topical) .....	19	Allopurinol .....	2
Selenium Sulfide .....	21		
Tacrolimus (Topical) .....	22		
White Petrolatum .....	24		
Zinc Oxide .....	24		
<b>Topical Skin Product, Acne</b>			
Adapalene .....	2		
Azelaic Acid .....	3		
Benzoyl Peroxide .....	4		
Clindamycin and Benzoyl Peroxide .....	6		
Clindamycin (Topical) .....	6		
Erythromycin (Topical) .....	9		
Salicylic Acid .....	21		
Sulfacetamide (Topical) .....	21		
Tazarotene .....	22		
Tretinoin (Topical) .....	23		
<b>Transient Receptor Potential Vanilloid 1 (TRPV1) Agonist</b>			
Capsaicin .....	5		
<b>Tumor Necrosis Factor (TNF) Blocking Agent</b>			
Adalimumab .....	2		
INFLIXimab .....	12		
<b>Uricosuric Agent</b>			
Probenecid .....	19		
<b>Vaccine</b>			
Cholera Vaccine .....	5		
Diphtheria and Tetanus Toxoids, and Acellular Pertussis Vaccine .....	8		
Papillomavirus (9-Valent) Vaccine (Human, Recombinant) .....	18		
<b>Vaccine, Inactivated (Bacterial)</b>			
Diphtheria and Tetanus Toxoids, and Acellular Pertussis Vaccine .....	8		
<b>Vaccine, Inactivated (Viral)</b>			
Papillomavirus (9-Valent) Vaccine (Human, Recombinant) .....	18		
<b>Vaccine, Live (Bacterial)</b>			
Cholera Vaccine .....	5		
<b>Vasodilator</b>			
Alprostadil .....	2		
Cilostazol .....	5		
Dipyridamole .....	8		
HydrALAZINE .....	12		
Isosorbide Dinitrate .....	13		