

**KEESLER AFB  
OUTPATIENT FORMULARY  
Alphabetical Listing by Name**

This document is current as of February 27, 2018.  
The availability of formulary items is subject to change.

## ABACAVIR

### Abacavir

**Outpatient Formulary Brands Available** Ziagen

#### Outpatient Dosage Forms

Tablet, Oral:  
Ziagen: 300 mg [scored]

### Abacavir and Lamivudine

**Outpatient Formulary Brands Available** Epzicom®

#### Outpatient Dosage Forms

Tablet, oral:  
Epzicom®: 600/300: Abacavir 600 mg and lamivudine 300 mg

### Abacavir, Dolutegravir, and Lamivudine

**Outpatient Formulary Brands Available** Triumeq

#### Outpatient Dosage Forms

Tablet, oral:  
Triumeq: Abacavir 600 mg, dolutegravir 50 mg, and lamivudine 300 mg

### Acebutolol

#### Outpatient Dosage Forms

Capsule, Oral, as hydrochloride:  
Generic: 200 mg, 400 mg

### Acetaminophen

#### Outpatient Dosage Forms

Solution, oral: 160 mg/5 mL (118 mL)  
Solution, oral [drops]: 80 mg/0.8 mL (15 mL)  
Suppository, rectal: 120 mg (12s); 650 mg (12s)  
Tablet, oral: 500 mg  
Tablet, chewable, oral: 80 mg

### Acetaminophen and Codeine

**Outpatient Formulary Brands Available** Tylenol® with Codeine No. 3

#### Outpatient Dosage Forms

Solution, oral [C-V]: Acetaminophen 120 mg and codeine phosphate 12 mg per 5 mL (5 mL, 10 mL, 12.5 mL, 15 mL, 120 mL, 480 mL) [contains alcohol 7%] [BCF]  
Tablet, oral [C-III]: Acetaminophen 300 mg and codeine phosphate 30 mg [BCF]

### Acetaminophen and Tramadol

**Outpatient Formulary Brands Available** Ultracet®

#### Outpatient Dosage Forms

Tablet, oral: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg  
Ultracet®: Acetaminophen 325 mg and tramadol hydrochloride 37.5 mg

### Acetaminophen, Caffeine, and Isometheptene Mucate

#### Outpatient Dosage Forms

Capsule, oral: Acetaminophen 500 mg, caffeine 20 mg, isometheptene mucate 130 mg

### AcetaZOLAMIDE

**Outpatient Formulary Brands Available** Diamox® Sequels®

#### Outpatient Dosage Forms

Capsule, sustained release, oral:  
Diamox® Sequels®: 500 mg  
Tablet, oral: 250 mg

### Acetic Acid (Otic)

#### Outpatient Dosage Forms

Solution, otic [drops]: 2% (15 mL)

### Acyclovir (Systemic)

**Outpatient Formulary Brands Available** Zovirax®

#### Outpatient Dosage Forms

Capsule, oral: 200 mg [BCF]  
Zovirax®: 200 mg  
Suspension, oral: 200 mg/5 mL (473 mL) [BCF]  
Tablet, oral: 400 mg [BCF], 800 mg [BCF]  
Zovirax®: 400 mg  
Zovirax®: 800 mg [scored]

### Adalimumab

**Outpatient Formulary Brands Available** Humira

#### Outpatient Dosage Forms

Kit, Subcutaneous [preservative free]:  
Humira: 20 mg/0.4 mL, 40 mg/0.8 mL [contains polysorbate 80] [BCF]

### Adapalene

**Outpatient Formulary Brands Available** Differin®

#### Outpatient Dosage Forms

Cream, topical: 0.1% (45 g)  
Differin®: 0.1% (15 g)  
Gel, topical: 0.1% (45 g)  
Differin®: 0.1% (45 g) [ethanol free]

### Aflibercept (Ophthalmic)

**Outpatient Formulary Brands Available** Eylea

#### Outpatient Dosage Forms

Solution, Intraocular [preservative free]:  
Eylea: 2 mg/0.05 mL (0.05 mL) [contains mouse protein (murine) (hamster)]

### Albendazole

**Outpatient Formulary Brands Available** Albenza®

#### Outpatient Dosage Forms

Tablet, oral:  
Albenza®: 200 mg

### Albuterol

**Outpatient Formulary Brands Available** ProAir HFA

#### Outpatient Dosage Forms

Aerosol Solution, Inhalation:  
ProAir HFA: 108 (90 Base) mcg/actuation (8.5 g) [BCF]  
Nebulization Solution, Inhalation: 0.083% [2.5 mg/3 mL] (25 ea, 30 ea, 60 ea) [BCF]; 0.5% [100 mg/20 mL] (1 ea)

### Alclometasone

#### Outpatient Dosage Forms

Ointment, External, as dipropionate:  
Generic: 0.05% (15 g)

### Alendronate

**Outpatient Formulary Brands Available** Fosamax®

#### Outpatient Dosage Forms

Solution, oral:  
Fosamax®: 70 mg/75 mL (75 mL) [raspberry flavor] [BCF]  
Tablet, oral: 5 mg [BCF], 10 mg [BCF], 35 mg [BCF], 70 mg [BCF]

### Alfuzosin

**Outpatient Formulary Brands Available** Uroxatral®

#### Outpatient Dosage Forms

Tablet, extended release, oral, as hydrochloride:  
Uroxatral®: 10 mg [BCF]

### Aliskiren

**Outpatient Formulary Brands Available** Tekturna®

#### Outpatient Dosage Forms

Tablet, oral:  
Tekturna®: 150 mg, 300 mg

### Allopurinol

#### Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

### ALPRAZolam

**Outpatient Formulary Brands Available** Xanax®

#### Outpatient Dosage Forms

Tablet, oral: 0.25 mg, 0.5 mg, 1 mg  
Xanax®: 0.25 mg, 0.5 mg, 1 mg

### Alprostadil

**Outpatient Formulary Brands Available** Edex®; Muse®

#### Outpatient Dosage Forms

Injection, powder for reconstitution:  
Edex®: 20 mcg  
Pellet, urethral:  
Muse®: 500 mcg (6s); 1000 mcg (6s)

### Aluminum Chloride Hexahydrate

**Outpatient Formulary Brands Available** Drysol™

#### Outpatient Dosage Forms

Solution, topical:  
Drysol™: 20% (37.5 mL) [contains ethanol 93%]

### Amantadine

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 100 mg [BCF]  
Syrup, oral, as hydrochloride: 50 mg/5 mL (10 mL, 473 mL, 480 mL) [BCF]

### AMILoride

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg

### Amiodarone

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg [BCF]

### Amitriptyline

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]

### AmLODIPine

**Outpatient Formulary Brands Available** Norvasc®

#### Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]  
Norvasc®: 2.5 mg, 5 mg, 10 mg

**Amlodipine and Benazepril****Outpatient Formulary Brands Available** Lotrel®**Outpatient Dosage Forms**

Capsule, oral:

- 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]
- 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]
- 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]
- 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]

Lotrel®:

- 2.5/10: Amlodipine 2.5 mg and benazepril hydrochloride 10 mg [BCF]
- 5/10: Amlodipine 5 mg and benazepril hydrochloride 10 mg [BCF]
- 5/20: Amlodipine 5 mg and benazepril hydrochloride 20 mg [BCF]
- 5/40: Amlodipine 5 mg and benazepril hydrochloride 40 mg [BCF]
- 10/20: Amlodipine 10 mg and benazepril hydrochloride 20 mg [BCF]
- 10/40: Amlodipine 10 mg and benazepril hydrochloride 40 mg [BCF]

**Amlodipine and Valsartan****Outpatient Formulary Brands Available** Exforge**Outpatient Dosage Forms**

Tablet, Oral:

Exforge:

- 5/160: Amlodipine 5 mg and valsartan 160 mg
- 10/160: Amlodipine 10 mg and valsartan 160 mg
- 10/320: Amlodipine 10 mg and valsartan 320 mg

**Amlodipine, Valsartan, and Hydrochlorothiazide****Outpatient Formulary Brands Available** Exforge HCT**Outpatient Dosage Forms**

Tablet, Oral:

Exforge HCT:

- Amlodipine 5 mg, valsartan 160 mg, and hydrochlorothiazide 12.5 mg
- Amlodipine 10 mg, valsartan 320 mg, and hydrochlorothiazide 25 mg

**Amoxicillin****Outpatient Dosage Forms**

- Capsule, oral: 250 mg [BCF], 500 mg [BCF]
- Powder for suspension, oral: 250 mg/5 mL (80 mL, 100 mL, 150 mL) [BCF]; 400 mg/5 mL (50 mL, 75 mL, 100 mL) [BCF]
- Tablet, oral: 875 mg

**Amoxicillin and Clavulanate Potassium****Outpatient Formulary Brands Available** Augmentin XR®; Augmentin®**Outpatient Dosage Forms**

Powder for suspension, oral:

- 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [contains phenylalanine] [BCF]
- 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [contains phenylalanine] [BCF]
- 600: Amoxicillin 600 mg and clavulanate potassium 42.9 mg per 5 mL (75 mL, 125 mL, 200 mL) [BCF]

Augmentin®:

- 125: Amoxicillin 125 mg and clavulanate potassium 31.25 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.16 mEq/5 mL; banana flavor] [BCF]
- 200: Amoxicillin 200 mg and clavulanate potassium 28.5 mg per 5 mL (50 mL, 75 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.14 mEq/5 mL; orange flavor] [BCF]
- 250: Amoxicillin 250 mg and clavulanate potassium 62.5 mg per 5 mL (75 mL, 100 mL, 150 mL) [contains potassium 0.32 mEq/5 mL; orange flavor] [BCF]
- 400: Amoxicillin 400 mg and clavulanate potassium 57 mg per 5 mL (50 mL, 75 mL, 100 mL) [contains phenylalanine 7 mg/5 mL and potassium 0.29 mEq/5 mL; orange flavor] [BCF]

Tablet, oral:

- Amoxicillin 250 mg and clavulanate potassium 125 mg [BCF]
- Amoxicillin 500 mg and clavulanate potassium 125 mg [BCF]
- Amoxicillin 875 mg and clavulanate potassium 125 mg [BCF]
- Augmentin XR®: 1000: Amoxicillin 1000 mg and clavulanate potassium 62.5 mg [scored; contains potassium 12.6 mg/tablet, sodium 29.3 mg/tablet]

**Anastrozole****Outpatient Formulary Brands Available** Arimidex®**Outpatient Dosage Forms**

Tablet, oral:

- Arimidex®: 1 mg

**Apixaban****Outpatient Formulary Brands Available** Eliquis**Outpatient Dosage Forms**

Tablet, Oral:

- Eliquis: 2.5 mg, 5 mg

**ARIPiprazole****Outpatient Formulary Brands Available** Abilify®**Outpatient Dosage Forms**

Tablet, oral:

- Abilify®: 2 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg

**Aspirin****Outpatient Dosage Forms**

- Tablet, oral: 325 mg
- Tablet, chewable, oral: 81 mg
- Tablet, enteric coated, oral: 325 mg

**Aspirin and Dipyridamole****Outpatient Formulary Brands Available** Aggrenox®**Outpatient Dosage Forms**

Capsule, variable release, oral:

- Aggrenox®: Aspirin 25 mg [immediate release] and dipyridamole 200 mg [extended release]

**Atazanavir****Outpatient Formulary Brands Available** Reyataz®**Outpatient Dosage Forms**

Capsule, oral, as sulfate:

- Reyataz®: 200 mg, 300 mg

**Atenolol****Outpatient Dosage Forms**

- Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

**AtoMOXetine****Outpatient Formulary Brands Available** Strattera®**Outpatient Dosage Forms**

Capsule, oral:

- Strattera®: 10 mg, 18 mg, 25 mg, 40 mg, 60 mg

**AtorvaSTATin****Outpatient Formulary Brands Available** Lipitor®**Outpatient Dosage Forms**

Tablet, oral:

- Lipitor®: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]

**Atovaquone and Proguanil****Outpatient Formulary Brands Available** Malarone®**Outpatient Dosage Forms**

Tablet, oral:

- Malarone®: Atovaquone 250 mg and proguanil hydrochloride 100 mg

**Atropine (Ophthalmic)****Outpatient Dosage Forms**

- Solution, ophthalmic, as sulfate [drops]: 1% (15 mL)

**AzaTHIOprine****Outpatient Dosage Forms**

- Tablet, oral: 50 mg

**Azelaic Acid****Outpatient Formulary Brands Available** Azelex®; Finacea®**Outpatient Dosage Forms**

Cream, topical:

- Azelex®: 20% (30 g, 50 g) [contains benzoic acid]

Gel, topical:

- Finacea®: 15% (50 g) [contains benzoic acid]

**Azelastine (Nasal)****Outpatient Formulary Brands Available** Astelin®**Outpatient Dosage Forms**

- Solution, intranasal, as hydrochloride [spray]: 0.1% [137 mcg/spray] (30 mL)
- Astelin®: 0.1% [137 mcg/spray] (30 mL) [contains benzalkonium chloride; 200 metered sprays]

**Azithromycin (Ophthalmic)****Outpatient Formulary Brands Available** AzaSite®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

- AzaSite®: 1% (2.5 mL) [contains benzalkonium chloride]

**Azithromycin (Systemic)****Outpatient Formulary Brands Available** Zithromax®; Zithromax® Z-PAK®**Outpatient Dosage Forms**

Powder for suspension, oral, as dihydrate [strength expressed as base]:

- 100 mg/5 mL (15 mL) [BCF]; 1 g/packet (3s) [BCF]
- Zithromax®: 100 mg/5 mL (15 mL) [contains sodium 3.7 mg/5 mL; cherry-crème de vanilla-banana flavor]
- Zithromax®: 200 mg/5 mL (22.5 mL) [contains sodium 7.4 mg/5 mL; cherry-crème de vanilla-banana flavor]
- Zithromax®: 1 g/packet (10s) [contains sodium 37 mg/packet; banana-cherry flavor]

Tablet, oral, as dihydrate [strength expressed as base]: 250 mg [BCF], 500 mg [BCF]

- Zithromax®: 250 mg [contains sodium 0.9 mg/tablet]

- Zithromax® Z-PAK®: 250 mg [contains sodium 0.9 mg/tablet]

## BACITRACIN, NEOMYCIN, AND POLYMYXIN B (OPHTHALMIC)

### Bacitracin, Neomycin, and Polymyxin B (Ophthalmic)

#### Outpatient Dosage Forms

Ointment, ophthalmic: Bacitracin 400 units, neomycin 3.5 mg, and polymyxin B 10,000 units per g (3.5 g) [BCF]

### Bacitracin (Ophthalmic)

#### Outpatient Dosage Forms

Ointment, Ophthalmic:  
Generic: 500 units/g (3.5 g)

### Bacitracin (Topical)

#### Outpatient Dosage Forms

Ointment, External, as zinc [strength expressed as base]:  
Generic: 500 units/g (15 g)

### Baclofen

#### Outpatient Dosage Forms

Tablet, oral: 10 mg

### Balsalazide

#### Outpatient Formulary Brands Available Colazal®

#### Outpatient Dosage Forms

Capsule, oral, as disodium:  
Colazal®: 750 mg [contains sodium ~86 mg/capsule]

### Barium

#### Outpatient Formulary Brands Available Readi-Cat® 2

#### Outpatient Dosage Forms

Suspension, oral, as sulfate:  
Readi-Cat® 2: 2.1% w/v (450 mL) [contains benzoic acid, sodium benzoate; apple smoothie flavor]  
Readi-Cat® 2: 2.1% w/v (250 mL, 450 mL) [contains benzoic acid, sodium benzoate; banana smoothie flavor]  
Readi-Cat® 2: 2.1% w/v (450 mL) [contains benzoic acid, sodium benzoate; berry smoothie flavor]

### Belladonna and Opium

#### Outpatient Dosage Forms

Suppository, rectal: Belladonna extract 16.2 mg and opium 60 mg (12s)

### Benzonate

#### Outpatient Dosage Forms

Capsule, softgel, oral: 100 mg

### Benzoyl Peroxide

#### Outpatient Dosage Forms

Gel, topical: 5% (45 g); 10% (45 g)  
Wash, topical: 10% (227 g)

### Benzotropine

#### Outpatient Dosage Forms

Tablet, oral, as mesylate: 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF]

### Betamethasone (Topical)

#### Outpatient Formulary Brands Available Luxiq®

#### Outpatient Dosage Forms

Aerosol, topical, as valerate [strength expressed as base, foam]:  
Luxiq®: 0.12% (50 g) [contains ethanol 60.4%]

### Betaxolol (Ophthalmic)

#### Outpatient Formulary Brands Available Betoptic S®

#### Outpatient Dosage Forms

Suspension, ophthalmic [drops]:  
Betoptic S®: 0.25% (15 mL) [contains benzalkonium chloride]

### Bicalutamide

#### Outpatient Formulary Brands Available Casodex®

#### Outpatient Dosage Forms

Tablet, oral:  
Casodex®: 50 mg

### Bimatoprost

#### Outpatient Formulary Brands Available Lumigan®

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Lumigan®: 0.01% (5 mL) [contains benzalkonium chloride]

### Bisacodyl

#### Outpatient Dosage Forms

Suppository, rectal: 10 mg (50s)  
Tablet, enteric coated, oral: 5 mg

### Bismuth Subsalicylate

#### Outpatient Formulary Brands Available Peptic Relief [OTC]

#### Outpatient Dosage Forms

Tablet, chewable, oral, as subsalicylate:  
Peptic Relief: 262 mg

### Bisoprolol

#### Outpatient Dosage Forms

Tablet, Oral, as fumarate:  
Generic: 5 mg

### Brimonidine and Timolol

#### Outpatient Formulary Brands Available Combigan™

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Combigan™: Brimonidine tartrate 0.2% and timolol maleate 0.5% (5 mL) [contains benzalkonium chloride]

### Brimonidine (Ophthalmic)

#### Outpatient Formulary Brands Available Alphagan P

#### Outpatient Dosage Forms

Solution, Ophthalmic, as tartrate [drops]:  
Alphagan P: 0.1% (5 mL); 0.15% (10 mL) [contains Purite]  
Generic: 0.15% (5 mL, 10 mL, 15 mL) [BCF]; 0.2% (5 mL, 10 mL, 15 mL) [BCF]

### Bromocriptine

#### Outpatient Formulary Brands Available Parlodel® SnapTabs®

#### Outpatient Dosage Forms

Tablet, oral:  
Parlodel® SnapTabs®: 2.5 mg [scored]

### Budesonide (Oral Inhalation)

#### Outpatient Dosage Forms

Suspension, Inhalation:  
Pulmicort: 0.25 mg/2 mL (2 mL); 0.5 mg/2 mL (2 mL); 1 mg/2 mL (2 mL) [contains disodium edta, polysorbate 80]

### Budesonide (Systemic)

#### Outpatient Dosage Forms

Capsule, oral:  
Endocort® EC: 3 mg

### Bumetanide

#### Outpatient Formulary Brands Available Bumex

#### Outpatient Dosage Forms

Tablet, Oral:  
Bumex: 0.5 mg [contains fd&c blue #1 aluminum lake, fd&c yellow #10 aluminum lake]  
Bumex: 1 mg [contains fd&c yellow #10 (quinoline yellow)]

### Bupivacaine (Liposomal)

#### Outpatient Dosage Forms

Suspension, Injection:  
Exparel: 1.3% (20 mL)

### BuPROPion

#### Outpatient Formulary Brands Available Wellbutrin SR®; Wellbutrin XL®; Zyban®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 75 mg [BCF], 100 mg [BCF]  
Tablet, extended release, oral, as hydrochloride: 100 mg [BCF], 150 mg [BCF]  
Wellbutrin XL®: 300 mg [BCF]  
Tablet, sustained release, oral, as hydrochloride:  
Wellbutrin SR®: 100 mg [BCF], 150 mg [BCF]  
Zyban®: 150 mg [BCF]

### BusPIRone

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

### Butalbital, Acetaminophen, and Caffeine

#### Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, acetaminophen 325 mg, and caffeine 40 mg [BCF]

### Butalbital, Aspirin, and Caffeine

#### Outpatient Dosage Forms

Tablet, oral: Butalbital 50 mg, aspirin 325 mg, and caffeine 40 mg

### Calcipotriene

#### Outpatient Formulary Brands Available Dovonex®

#### Outpatient Dosage Forms

Cream, topical:  
Dovonex®: 0.005% (60 g)  
Solution, topical:  
Dovonex®: 0.005% (60 mL)

### Calcitriol (Systemic)

#### Outpatient Dosage Forms

Capsule, softgel, oral:  
Generic: 0.25 mcg

### Calcium Acetate

#### Outpatient Formulary Brands Available PhosLo®

**Outpatient Dosage Forms**

Gelcap, oral:  
PhosLo®: 667 mg [equivalent to elemental calcium 169 mg (8.45 mEq)]

**Calcium Carbonate**

**Outpatient Formulary Brands Available** Calcarb 600 [OTC]

**Outpatient Dosage Forms**

Tablet, oral:  
Calcarb 600: 1500 mg [scored; sugar free; equivalent to elemental calcium 600 mg]

**Candesartan**

**Outpatient Formulary Brands Available** Atacand®

**Outpatient Dosage Forms**

Tablet, oral, as cilxetil:  
Atacand®: 4 mg, 8 mg, 16 mg, 32 mg [scored]

**Capecitabine**

**Outpatient Formulary Brands Available** Xeloda®

**Outpatient Dosage Forms**

Tablet, oral:  
Xeloda®: 500 mg

**Captopril****Outpatient Dosage Forms**

Tablet, oral: 12.5 mg [BCF], 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

**CarBAMazepine**

**Outpatient Formulary Brands Available** Carbatrol; TEGretol

**Outpatient Dosage Forms**

Capsule Extended Release 12 Hour, Oral:  
Carbatrol: 100 mg, 200 mg, 300 mg  
Suspension, Oral:  
Generic: 100 mg/5 mL (5 mL, 10 mL, 450 mL) [BCF]  
Tablet, Oral:  
Generic: 200 mg [BCF]  
Tablet, Chewable, Oral:  
TEGretol: 100 mg [scored]  
Generic: 100 mg [BCF]  
Tablet Extended Release 12 Hour, Oral:  
Generic: 400 mg [BCF]

**Carbamide Peroxide****Outpatient Dosage Forms**

Solution, otic [drops]: 6.5% (15 mL)

**Carbidopa and Levodopa**

**Outpatient Formulary Brands Available** Sinemet® CR

**Outpatient Dosage Forms**

Tablet, oral:  
10/100: Carbidopa 10 mg and levodopa 100 mg [BCF]  
25/100: Carbidopa 25 mg and levodopa 100 mg [BCF]  
25/250: Carbidopa 25 mg and levodopa 250 mg [BCF]  
Tablet, sustained release, oral:  
Sinemet® CR: 50/200: Carbidopa 50 mg and levodopa 200 mg [scored]

**Carboxymethylcellulose**

**Outpatient Formulary Brands Available** Refresh Celluvisc; Refresh Optive; Refresh Tears

**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]:  
Refresh Optive: 0.5% (15 mL, 30 mL)  
Solution, ophthalmic, as sodium [drops, preservative free]:  
Refresh Celluvisc: 1%  
Refresh Tears: 0.5%

**Carteolol (Ophthalmic)****Outpatient Dosage Forms**

Solution, Ophthalmic, as hydrochloride:  
Generic: 1% (5 mL, 10 mL)

**Carvedilol**

**Outpatient Formulary Brands Available** Coreg CR®; Coreg®

**Outpatient Dosage Forms**

Capsule, extended release, oral, as phosphate:  
Coreg CR®: 10 mg, 20 mg, 40 mg, 80 mg  
Tablet, oral: 3.125 mg [BCF], 6.25 mg [BCF], 12.5 mg [BCF], 25 mg [BCF]  
Coreg®: 3.125 mg, 6.25 mg, 12.5 mg, 25 mg

**Cefadroxil****Outpatient Dosage Forms**

Capsule, oral, as monohydrate [strength expressed as base]: 500 mg

**Cefdinir**

**Outpatient Formulary Brands Available** Omnicef®

**Outpatient Dosage Forms**

Capsule, oral: 300 mg  
Powder for suspension, oral:  
Omnicef®: 125 mg/5 mL (100 mL); 250 mg/5 mL (100 mL) [contains sodium benzoate, sucrose 2.86 g/5 mL; strawberry flavor]

**Cefprozil**

**Outpatient Formulary Brands Available** Cefzil®

**Outpatient Dosage Forms**

Powder for suspension, oral, as anhydrous:  
Cefzil®: 250 mg/5 mL (100 mL) [contains phenylalanine 28 mg/5 mL, sodium benzoate; bubblegum flavor]  
Tablet, oral, as anhydrous:  
Cefzil®: 250 mg, 500 mg

**Celecoxib**

**Outpatient Formulary Brands Available** CeleBEX®

**Outpatient Dosage Forms**

Capsule, oral:  
CeleBEX®: 100 mg, 200 mg

**Cephalexin****Outpatient Dosage Forms**

Capsule, oral: 250 mg [BCF], 500 mg [BCF]  
Powder for suspension, oral: 250 mg/5 mL (100 mL, 200 mL) [BCF]

**Cetirizine (Systemic)**

**Outpatient Formulary Brands Available** ZyrTEC Allergy; ZyrTEC Children's Allergy

**Outpatient Dosage Forms**

Syrup, oral, as hydrochloride: 5 mg/5 mL (120 mL)  
ZyrTEC Children's Allergy: 5 mg/5 mL (118 mL) [contains propylene glycol; banana-grape flavor]  
Tablet, oral, as hydrochloride: 5 mg, 10 mg  
ZyrTEC Allergy: 10 mg

**Chlorhexidine Gluconate (Oral)****Outpatient Dosage Forms**

Solution, Mouth/Throat:  
Generic: 0.12% (473 mL) [BCF]

**Chlorhexidine Gluconate (Topical)****Outpatient Dosage Forms**

Liquid, External [surgical scrub]:  
Hibiclens: 4% (946 mL) [contains isopropyl alcohol]

**Chloroquine**

**Outpatient Formulary Brands Available** Aralen®

**Outpatient Dosage Forms**

Tablet, oral, as phosphate: 500 mg [equivalent to chloroquine base 300 mg]  
Aralen®: 500 mg [equivalent to chloroquine base 300 mg]

**Chlorpheniramine****Outpatient Dosage Forms**

Tablet, oral, as maleate: 4 mg

**ChlorproMAZINE****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg

**Chlorthalidone****Outpatient Dosage Forms**

Tablet, oral: 25 mg [BCF], 50 mg [BCF]

**Cholecalciferol****Outpatient Dosage Forms**

Tablet, Oral:  
Generic: 2000 units

**Cholestyramine Resin**

**Outpatient Formulary Brands Available** Questran® Light

**Outpatient Dosage Forms**

Powder for suspension, oral: Cholestyramine resin 4 g/5 g of powder (210 g); Cholestyramine resin 4 g/5.7 g of powder (239.4 g); Cholestyramine resin 4 g/9 g of powder (378 g); Cholestyramine resin 4 g/5 g packet (60s); Cholestyramine resin 4 g/5.7 g packet (60s); Cholestyramine resin 4 g/9 g packet (60s)  
Questran® Light: Cholestyramine resin 4 g/5 g of powder (210 g); Cholestyramine resin 4 g/5 g packet (60s) [contains phenylalanine 14 mg/5 g; orange flavor]

**Ciclopirox****Outpatient Dosage Forms**

Solution, External:  
Generic: 8% (6.6 mL)

**Cilostazol**

**Outpatient Formulary Brands Available** Pletal®

**Outpatient Dosage Forms**

Tablet, oral:  
Pletal®: 100 mg

**Cimetidine****Outpatient Dosage Forms**

Tablet, oral: 400 mg

## CINACALCET

### Cinacalcet

**Outpatient Formulary Brands Available** Sensipar

#### Outpatient Dosage Forms

Tablet, Oral:  
Sensipar: 30 mg, 60 mg, 90 mg

### Ciprofloxacin and Dexamethasone

**Outpatient Formulary Brands Available** Ciprodex®

#### Outpatient Dosage Forms

Suspension, otic:  
Ciprodex®: Ciprofloxacin 0.3% and dexamethasone 0.1% (7.5 mL) [contains benzalkonium chloride]

### Ciprofloxacin (Systemic)

**Outpatient Formulary Brands Available** Cipro®

#### Outpatient Dosage Forms

Microcapsules for suspension, oral:  
Cipro®: 250 mg/5 mL (100 mL) [strawberry flavor] [BCF]  
Tablet, oral, as hydrochloride [strength expressed as base]: 100 mg, 250 mg [BCF], 500 mg [BCF], 750 mg

### Citalopram

#### Outpatient Dosage Forms

Solution, oral: 10 mg/5 mL (240 mL) [BCF]  
Tablet, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]

### Clarithromycin

**Outpatient Formulary Brands Available** Biaxin®; Biaxin® XL; Biaxin® XL Pac

#### Outpatient Dosage Forms

Tablet, oral:  
Biaxin®: 500 mg  
Tablet, extended release, oral:  
Biaxin® XL: 500 mg  
Biaxin® XL Pac [7-day]: 500 mg (14 tablets)

### Clidinium and Chlordiazepoxide

**Outpatient Formulary Brands Available** Librax

#### Outpatient Dosage Forms

Capsule, Oral:  
Librax: Clidinium bromide 2.5 mg and chlordiazepoxide hydrochloride 5 mg

### Clindamycin and Benzoyl Peroxide

**Outpatient Formulary Brands Available** BenzaClin

#### Outpatient Dosage Forms

Gel, External:  
BenzaClin: Clindamycin 1% and benzoyl peroxide 5% (25 g)  
Generic: Clindamycin 1.2% and benzoyl peroxide 5% (45 g) [BCF]

### Clindamycin (Systemic)

**Outpatient Formulary Brands Available** Cleocin HCl®; Cleocin Pediatric®

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride [strength expressed as base]: 150 mg [BCF]  
Cleocin HCl®: 300 mg  
Granules for solution, oral, as palmitate hydrochloride [strength expressed as base]:  
Cleocin Pediatric®: 75 mg/5 mL (100 mL) [cherry flavor]

### Clindamycin (Topical)

**Outpatient Formulary Brands Available** Cleocin

#### Outpatient Dosage Forms

Cream, Vaginal, as phosphate [strength expressed as base]:  
Cleocin: 2% (40 g) [contains benzyl alcohol, mineral oil]  
Generic: 2% (40 g) [BCF]  
Gel, External, as phosphate:  
Generic: 1% (30 g) [BCF]  
Lotion, External, as phosphate:  
Generic: 1% (60 g) [BCF]  
Solution, External, as phosphate [strength expressed as base]:  
Generic: 1% (30 mL, 60 mL) [BCF]

### CloBAZam

#### Outpatient Dosage Forms

Suspension, Oral:  
Onfi: 2.5 mg/mL (120 mL) [contains methylparaben, polysorbate 80, propylene glycol, propylparaben; berry flavor]

### Clobetasol

**Outpatient Formulary Brands Available** Clobex; Clobex Spray; Olux; Temovate; Temovate E

#### Outpatient Dosage Forms

Cream, External, as propionate:  
Temovate E: 0.05% (30 g [DSC], 60 g)  
Generic: 0.05% (30 g)  
Foam, External, as propionate:  
Olux: 0.05% (100 g) [contains cetyl alcohol, propylene glycol]  
Liquid, External, as propionate:  
Clobex Spray: 0.05% (125 mL) [contains alcohol, usp]

Ointment, External, as propionate:

Temovate: 0.05% (15 g, 30 g, 45 g [DSC])

Generic: 0.05% (45 g)

Shampoo, External, as propionate:

Clobex: 0.05% (118 mL) [contains alcohol, usp]

Solution, External, as propionate:

Temovate: 0.05% (50 mL)

Generic: 0.05% (50 mL)

### ClomiPHENE

**Outpatient Formulary Brands Available** Clomid®

#### Outpatient Dosage Forms

Tablet, oral, as citrate:  
Clomid®: 50 mg [scored]

### Clonazepam

#### Outpatient Dosage Forms

Tablet, oral: 0.5 mg [BCF], 1 mg, 2 mg

### CloNIDine

**Outpatient Formulary Brands Available** Catapres-TTS®-1; Catapres-TTS®-2; Catapres-TTS®-3; Kapvay®

#### Outpatient Dosage Forms

Patch, transdermal [once-weekly patch]:  
Catapres-TTS®-1: 0.1 mg/24 hours (4s)  
Catapres-TTS®-2: 0.2 mg/24 hours (4s)  
Catapres-TTS®-3: 0.3 mg/24 hours (4s)  
Tablet, oral, as hydrochloride: 0.1 mg [BCF], 0.2 mg [BCF], 0.3 mg [BCF]  
Tablet, extended release, oral, as hydrochloride:  
Kapvay®: 0.1 mg

### Clopidogrel

**Outpatient Formulary Brands Available** Plavix®

#### Outpatient Dosage Forms

Tablet, Oral:  
Plavix: 75 mg [BCF], 300 mg [BCF]  
Generic: 75 mg [BCF], 300 mg [BCF]

### Clotrimazole (Oral)

**Outpatient Formulary Brands Available** Mycelex®

#### Outpatient Dosage Forms

Troche, oral:  
Mycelex®: 10 mg

### Clotrimazole (Topical)

#### Outpatient Dosage Forms

Cream, topical: 1% (30 g)  
Solution, topical: 1% (10 mL, 30 mL) [BCF]

### Codeine

#### Outpatient Dosage Forms

Tablet, oral, as sulfate: 30 mg

### Colchicine

#### Outpatient Dosage Forms

Tablet, oral: 0.6 mg

### Colestipol

**Outpatient Formulary Brands Available** Colestid®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride [micronized]:  
Colestid®: 1 g

### Collagenase (Topical)

**Outpatient Formulary Brands Available** Santyl®

#### Outpatient Dosage Forms

Ointment, topical:  
Santyl®: 250 units/g (15 g, 30 g)

### Copper IUD

**Outpatient Formulary Brands Available** ParaGard

#### Outpatient Dosage Forms

Device:  
ParaGard: (1 ea)

### Cromolyn (Ophthalmic)

**Outpatient Formulary Brands Available** Crolom®

#### Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]:  
Crolom®: 4% (10 mL) [contains benzalkonium chloride]

### Cyanocobalamin

#### Outpatient Dosage Forms

Injection, solution: 1000 mcg/mL (1 mL)  
Tablet, oral: 1000 mcg

**Cyclobenzaprine****Outpatient Formulary Brands Available** Flexeril®**Outpatient Dosage Forms**Tablet, oral, as hydrochloride: 10 mg [BCF]  
Flexeril®: 5 mg**Cyclopentolate****Outpatient Formulary Brands Available** AK-Pentolate™; Cyclogyl®**Outpatient Dosage Forms**Solution, ophthalmic, as hydrochloride [drops]:  
AK-Pentolate™: 1% (15 mL) [contains benzalkonium chloride]  
Cyclogyl®: 0.5% (15 mL) [contains benzalkonium chloride]**Cyclopentolate and Phenylephrine****Outpatient Formulary Brands Available** Cyclomydril®**Outpatient Dosage Forms**Solution, ophthalmic [drops]:  
Cyclomydril®: Cyclopentolate hydrochloride 0.2% and phenylephrine hydrochloride 1% (2 mL) [contains benzalkonium chloride]**CycloSPORINE (Ophthalmic)****Outpatient Formulary Brands Available** Restasis®**Outpatient Dosage Forms**Emulsion, ophthalmic [drops, preservative free]:  
Restasis®: 0.05% (0.4 mL) [contains castor oil]**CycloSPORINE (Systemic)****Outpatient Formulary Brands Available** Neoral®**Outpatient Dosage Forms**Capsule, softgel, oral [modified]: 25 mg, 100 mg  
Neoral®: 25 mg, 100 mg [contains corn oil, dehydrated ethanol 11.9%]**Cyproheptadine****Outpatient Dosage Forms**Syrup, oral, as hydrochloride: 2 mg/5 mL (473 mL, 480 mL) [BCF]  
Tablet, oral, as hydrochloride: 4 mg [BCF]**Dabigatran Exetilate****Outpatient Formulary Brands Available** Pradaxa**Outpatient Dosage Forms**Capsule, Oral:  
Pradaxa: 75 mg, 150 mg**Dapsone (Systemic)****Outpatient Dosage Forms**

Tablet, oral: 25 mg

**Darbepoetin Alfa****Outpatient Formulary Brands Available** Aranesp®; Aranesp® SingleJect®**Outpatient Dosage Forms**Injection, solution [preservative free]:  
Aranesp®: 60 mcg/0.3 mL (0.3 mL [DSC]); 200 mcg/0.4 mL (0.4 mL [DSC]) [contains albumin (human)]  
Aranesp® SingleJect®: 25 mcg/0.42 mL (0.42 mL); 60 mcg/0.3 mL (0.3 mL); 100 mcg/0.5 mL (0.5 mL); 200 mcg/0.4 mL (0.4 mL) [contains natural rubber/natural latex in packaging, polysorbate 80]**Darunavir****Outpatient Formulary Brands Available** Prezista**Outpatient Dosage Forms**Tablet, oral:  
Prezista: 600 mg, 800 mg**Desmopressin****Outpatient Formulary Brands Available** DDAVP®**Outpatient Dosage Forms**Solution, intranasal, as acetate [spray]:  
DDAVP®: 0.1 mg/mL (5 mL) [contains benzalkonium chloride; delivers 10 mcg/spray]  
Tablet, oral, as acetate:  
DDAVP®: 0.1 mg, 0.2 mg [scored]**Desonide****Outpatient Dosage Forms**Cream, topical: 0.05% (60 g)  
Lotion, topical: 0.05% (60 mL)  
Ointment, topical: 0.05% (60 g)**Devices****Outpatient Dosage Forms**Pill Cutter  
Peak Flow Meter  
Syringe: 1 mL 25 gauge x 5/8"**Dexamethasone (Systemic)****Outpatient Formulary Brands Available** Decadron® [DSC]; Dexamethasone IntenSol™**Outpatient Dosage Forms**Solution, oral: 0.5 mg/5 mL (240 mL, 500 mL)  
Solution, oral [concentration]:  
Dexamethasone IntenSol™: 1 mg/mL (30 mL) [dye free, sugar free; contains benzoic acid, ethanol 30%, propylene glycol]  
Tablet, oral: 0.75 mg, 4 mg  
Decadron®: 0.5 mg [DSC] [scored]**Dexmethylphenidate****Outpatient Formulary Brands Available** Focalin**Outpatient Dosage Forms**Tablet, Oral, as hydrochloride:  
Focalin: 2.5 mg, 5 mg, 10 mg**Dextroamphetamine****Outpatient Formulary Brands Available** Dexedrine® Spansule®**Outpatient Dosage Forms**Capsule, sustained release, oral, as sulfate:  
Dexedrine® Spansule®: 5 mg [scored; contains tartrazine]**Dextroamphetamine and Amphetamine****Outpatient Formulary Brands Available** Adderall; Adderall XR**Outpatient Dosage Forms**Capsule, Extended Release, Oral:  
5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)] [BCF]  
10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)] [BCF]  
15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)] [BCF]  
20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)] [BCF]  
25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)] [BCF]  
30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)] [BCF]  
Adderall XR  
5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.1 mg)]  
10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]  
15 mg [dextroamphetamine sulfate 3.75 mg, dextroamphetamine saccharate 3.75 mg, amphetamine aspartate monohydrate 3.75 mg, amphetamine sulfate 3.75 mg (equivalent to amphetamine base 9.4 mg)]  
20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.5 mg)]  
25 mg [dextroamphetamine sulfate 6.25 mg, dextroamphetamine saccharate 6.25 mg, amphetamine aspartate monohydrate 6.25 mg, amphetamine sulfate 6.25 mg (equivalent to amphetamine base 15.6 mg)]  
30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)]**Tablet, Oral:**5 mg [dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]  
10 mg [dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]  
20 mg [dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]  
Adderall:  
5 mg [scored; dextroamphetamine sulfate 1.25 mg, dextroamphetamine saccharate 1.25 mg, amphetamine aspartate monohydrate 1.25 mg, amphetamine sulfate 1.25 mg (equivalent to amphetamine base 3.13 mg)]  
10 mg [scored; dextroamphetamine sulfate 2.5 mg, dextroamphetamine saccharate 2.5 mg, amphetamine aspartate monohydrate 2.5 mg, amphetamine sulfate 2.5 mg (equivalent to amphetamine base 6.3 mg)]  
20 mg [scored; dextroamphetamine sulfate 5 mg, dextroamphetamine saccharate 5 mg, amphetamine aspartate monohydrate 5 mg, amphetamine sulfate 5 mg (equivalent to amphetamine base 12.6 mg)]  
30 mg [dextroamphetamine sulfate 7.5 mg, dextroamphetamine saccharate 7.5 mg, amphetamine aspartate monohydrate 7.5 mg, amphetamine sulfate 7.5 mg (equivalent to amphetamine base 18.8 mg)]**Diabetic Supplies****Outpatient Formulary Brands Available** FreeStyle

## DIABETIC SUPPLIES

### Outpatient Dosage Forms

Glucose meter:  
FreeStyle  
Glucose solution:  
FreeStyle Glucose Control Solution (2s)  
Lancet:  
FreeStyle  
Lancing Device:  
FreeStyle  
Syringe and needle:  
BD Syringe 0.5 mL (Ultra-Fine II) 31 gauge x 5/16" [BCF]  
BD Syringe 1 mL (Ultra-Fine II) 31 gauge x 5/16" [BCF]  
Test Strips/Kit:  
FreeStyle

### DiasePAM

**Outpatient Formulary Brands Available** Diastat®; Diastat® AcuDial™; Valium®

### Outpatient Dosage Forms

Gel, rectal [pediatric rectal tip (4.4 cm)]:  
Diastat®: 5 mg/mL (0.5 mL) [contains benzoic acid, benzyl alcohol, ethanol 10%, propylene glycol, sodium benzoate]  
Gel, rectal [pediatric/adult rectal tip (4.4 cm)]:  
Diastat® AcuDial™: 10 mg (2 mL) [contains benzoic acid, benzyl alcohol, ethanol 10%, propylene glycol, sodium benzoate; 5 mg/mL (delivers set doses of 5 mg, 7.5 mg, and 10 mg)]  
Tablet, oral: 5 mg [BCF]

### Diclofenac (Systemic)

#### Outpatient Dosage Forms

Tablet, Oral, as potassium:  
Generic: 50 mg  
Tablet Delayed Release, Oral, as sodium:  
Generic: 25 mg, 75 mg  
Tablet Extended Release 24 Hour, Oral, as sodium:  
Generic: 100 mg

### Diclofenac (Topical)

**Outpatient Formulary Brands Available** Voltaren

#### Outpatient Dosage Forms

Gel, Transdermal, as sodium:  
Voltaren: 1% (100 g) [contains isopropyl alcohol, propylene glycol]

### Dicloxacillin

#### Outpatient Dosage Forms

Capsule, oral: 250 mg [BCF], 500 mg [BCF]

### Dicyclomine

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF]  
Injection, solution, as hydrochloride: 10 mg/mL (2 mL) [BCF]  
Syrup, oral, as hydrochloride:  
Bentyl®: 10 mg/5 mL (480 mL) [contains propylene glycol] [BCF]  
Tablet, oral, as hydrochloride: 20 mg [BCF]

### Difluprednate

**Outpatient Formulary Brands Available** Durezol®

#### Outpatient Dosage Forms

Emulsion, ophthalmic [drops]:  
Durezol®: 0.05% (5 mL) [contains sorbic acid]

### Digoxin

**Outpatient Formulary Brands Available** Lanoxin®

#### Outpatient Dosage Forms

Tablet, oral: 125 mcg [BCF], 250 mcg [BCF]

### Diltiazem

**Outpatient Formulary Brands Available** Tiazac

#### Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral, as hydrochloride:  
Tiazac: 120 mg, 180 mg, 240 mg, 300 mg, 360 mg  
Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF], 300 mg [BCF], 360 mg [BCF], 420 mg [BCF]  
Tablet, Oral, as hydrochloride:  
Generic: 30 mg, 60 mg, 90 mg

### DiphenhydrAMINE (Systemic)

**Outpatient Formulary Brands Available** Benadryl®; Diphenhist® [OTC]

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 25 mg, 50 mg  
Benadryl® Allergy: 25 mg [contains calcium 35 mg/capsule]  
Elixir, oral, as hydrochloride: 12.5 mg/5 mL

### Diphenoxylate and Atropine

**Outpatient Formulary Brands Available** Lomotil®

#### Outpatient Dosage Forms

Tablet, oral:  
Lomotil®: 2.5/0.025: Diphenoxylate hydrochloride 2.5 mg and atropine sulfate 0.025 mg

### Docusate

**Outpatient Formulary Brands Available** Colace® [OTC]; Surfak® Liqui-Gels®

#### Outpatient Dosage Forms

Capsule, liquid-filled:  
Surfak® Liqui-Gels®: 240 mg  
Capsule, softgel, oral, as calcium: 240 mg  
Liquid, oral, as sodium: 50 mg/5 mL (473 mL)  
Colace®: 50 mg/5 mL

### Docusate and Senna

**Outpatient Formulary Brands Available** Senokot-S® [OTC]

#### Outpatient Dosage Forms

Tablet, oral:  
Senokot-S®: Docusate sodium 50 mg and sennosides 8.6 mg [sugar free; contains sodium 4 mg/tablet]

### Dolutegravir

**Outpatient Formulary Brands Available** Tivicay

#### Outpatient Dosage Forms

Tablet, Oral:  
Tivicay: 50 mg

### Donepezil

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg, 10 mg

### Dorzolamide

**Outpatient Formulary Brands Available** Trusopt®

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Trusopt®: 2% (10 mL) [contains benzalkonium chloride]

### Dorzolamide and Timolol

**Outpatient Formulary Brands Available** Cosopt®

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Cosopt®: Dorzolamide hydrochloride 2% [strength expressed as base] and timolol maleate 0.5% mg [strength expressed as base] (10 mL) [contains benzalkonium chloride]

### Doxazosin

**Outpatient Formulary Brands Available** Cardura®

#### Outpatient Dosage Forms

Tablet, oral: 2 mg, 4 mg, 8 mg  
Cardura®: 1 mg, 2 mg, 4 mg, 8 mg [scored]

### Doxepin (Systemic)

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF], 75 mg [BCF]  
Solution, oral, as hydrochloride [concentrate]: 10 mg/mL (120 mL) [BCF]

### Doxycycline

**Outpatient Formulary Brands Available** Vibramycin

#### Outpatient Dosage Forms

Capsule, Oral, as hyclate [strength expressed as base]:  
Generic: 50 mg, 100 mg [BCF]  
Tablet, Oral, as hyclate [strength expressed as base]:  
Generic: 20 mg, 100 mg [BCF]

### Dronedaron

**Outpatient Formulary Brands Available** Multaq®

#### Outpatient Dosage Forms

Tablet, oral:  
Multaq®: 400 mg

### DULoxetine

**Outpatient Formulary Brands Available** Cymbalta

#### Outpatient Dosage Forms

Capsule Delayed Release Particles, Oral:  
Generic: 20 mg, 30 mg, 60 mg

### Edoxaban

**Outpatient Formulary Brands Available** Savaysa

#### Outpatient Dosage Forms

Tablet, Oral:  
Savaysa: 15 mg, 30 mg, 60 mg

### Efavirenz

**Outpatient Formulary Brands Available** Sustiva®

#### Outpatient Dosage Forms

Tablet, oral:  
Sustiva®: 600 mg

### Efavirenz, Emtricitabine, and Tenofovir

**Outpatient Formulary Brands Available** Atripla®



**Outpatient Dosage Forms**

Tablet, oral:  
Atripla®: Efavirenz 600 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

**Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir****Outpatient Formulary Brands Available** Stribild**Outpatient Dosage Forms**

Tablet, oral:  
Stribild: Elvitegravir 150 mg, cobicistat 150 mg, emtricitabine 200 mg, and tenofovir disoproxil fumarate 300 mg

**Emollients****Outpatient Formulary Brands Available** Biafine®; Vanicream®**Outpatient Dosage Forms**

Cream, topical:  
Vancream®  
Emulsion, topical:  
Biafine®: (90 g)

**Emtricitabine and Tenofovir****Outpatient Formulary Brands Available** Truvada®**Outpatient Dosage Forms**

Tablet, oral:  
Truvada®: Emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg [gluten free; equivalent to 245 mg tenofovir disoproxil]

**Enalapril****Outpatient Dosage Forms**

Tablet, Oral, as maleate:  
Generic: 2.5 mg, 5 mg, 10 mg, 20 mg

**Enoxaparin****Outpatient Formulary Brands Available** Lovenox®**Outpatient Dosage Forms**

Injection, solution, as sodium [preservative free]:  
Lovenox®: 30 mg/0.3 mL (0.3 mL) [BCF]; 40 mg/0.4 mL (0.4 mL) [BCF]; 60 mg/0.6 mL (0.6 mL) [BCF]; 80 mg/0.8 mL (0.8 mL) [BCF]; 100 mg/mL (1 mL) [BCF]; 120 mg/0.8 mL (0.8 mL) [BCF]; 150 mg/mL (1 mL) [BCF]

**Entacapone****Outpatient Formulary Brands Available** Comtan®**Outpatient Dosage Forms**

Tablet, oral:  
Comtan®: 200 mg

**Entecavir****Outpatient Formulary Brands Available** Baraclude**Outpatient Dosage Forms**

Tablet, Oral:  
Baraclude: 0.5 mg

**EPINEPHrine (Systemic)****Outpatient Formulary Brands Available** EpiPen®; EpiPen® Jr.**Outpatient Dosage Forms**

Injection, solution:  
0.15 mg/0.15 mL (1.1 mL) [1:1000 solution; delivers 0.15 mg per injection]  
0.3 mg/0.3 mL (1.1 mL) [1:1000 solution; delivers 0.3 mg per injection]  
EpiPen®: 0.3 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:1000 solution; delivers 0.3 mg per injection]  
EpiPen® Jr.: 0.15 mg/0.3 mL (2 mL) [contains sodium metabisulfite; 1:2000 solution; delivers 0.15 mg per injection]

**Eplerenone****Outpatient Dosage Forms**

Tablet, oral: 25 mg, 50 mg

**Epoetin Alfa****Outpatient Formulary Brands Available** Procrit®**Outpatient Dosage Forms**

Injection, solution:  
Procrit®: 20,000 units/mL (1 mL [DSC]) [contains albumin (human), benzyl alcohol]  
Injection, solution [preservative free]:  
Procrit®: 40,000 units/mL (1 mL) [contains albumin (human)]

**Ergocalciferol****Outpatient Formulary Brands Available** Drisdol®**Outpatient Dosage Forms**

Capsule, oral:  
Drisdol®: 50,000 int. units [contains soybean oil, tartrazine; 1.25 mg]

**Erythromycin (Ophthalmic)****Outpatient Dosage Forms**

Ointment, Ophthalmic:  
Generic: 5 mg/g (3.5 g) [BCF]

**Erythromycin (Systemic)****Outpatient Formulary Brands Available** Ery-Tab®; EryPed®**Outpatient Dosage Forms**

Granules for suspension, oral, as ethylsuccinate [strength expressed as base]:  
E.E.S.®: 200 mg/5 mL (100 mL, 200 mL) [contains sodium 25.9 mg (1.1 mEq)/5 mL; cherry flavor] [BCF]  
Tablet, oral, as stearate [strength expressed as base]:  
Erythrocin®: 250 mg [contains potassium 5 mg (0.1 mEq)/tablet, sodium 56.7 mg (2.5 mEq)/tablet] [BCF]  
Tablet, delayed release, enteric coated, oral, as base:  
Ery-Tab®: 250 mg [contains sodium 8.3 mg (0.4 mEq)/tablet] [BCF]

**Erythromycin (Topical)****Outpatient Dosage Forms**

Gel, topical: 2% (30 g, 60 g) [BCF]  
Solution, topical: 2% (60 mL) [BCF]

**Escitalopram****Outpatient Dosage Forms**

Tablet, Oral:  
Generic: 5 mg, 10 mg, 20 mg

**esomeprazole****Outpatient Formulary Brands Available** NexIUM®**Outpatient Dosage Forms**

Capsule, delayed release, oral, as magnesium [strength expressed as base]:  
NexIUM®: 20 mg [BCF], 40 mg [BCF]

**Estradiol and Levonorgestrel****Outpatient Formulary Brands Available** ClimaraPro®**Outpatient Dosage Forms**

Patch, transdermal:  
ClimaraPro®: Estradiol 0.045 mg and levonorgestrel 0.015 mg per 24 hours (4s) [22 cm<sup>2</sup>; contains estradiol 4.4 mg and levonorgestrel 1.39 mg]

**Estradiol (Systemic)****Outpatient Formulary Brands Available** Climara; Divigel; Estrogel; Femring**Outpatient Dosage Forms**

Gel, Transdermal:  
Divigel: 0.25 mg/0.25 g (1 ea); 0.5 mg/0.5 g (1 ea); 1 mg/g (1 g) [contains propylene glycol, trolamine (triethanolamine)]  
Estrogel: 0.06% (50 g) [contains alcohol, usp, trolamine (triethanolamine)]  
Patch Weekly, Transdermal:  
Climara: 0.025 mg/24 hours (4s) [6.5 cm<sup>2</sup>, total estradiol 2.04 mg]  
Climara: 0.05 mg/24 hours (4s) [12.5 cm<sup>2</sup>, total estradiol 3.8 mg]  
Climara: 0.075 mg/24 hours (4s) [18.75 cm<sup>2</sup>, total estradiol 5.7 mg]  
Climara: 0.1 mg/24 hours (4s) [25 cm<sup>2</sup>, total estradiol 7.6 mg]  
Generic: 0.025 mg/24 hours (4s) [BCF]; 0.0375 mg/24 hours (4s) [BCF]; 0.05 mg/24 hours (4s) [BCF]; 0.06 mg/24 hours (4s) [BCF]; 0.075 mg/24 hours (4s) [BCF]; 0.1 mg/24 hours (4s) [BCF]  
Ring, Vaginal, as acetate:  
Femring: 0.05 mg/24 hours (1s) [total estradiol 12.4 mg; releases 0.05 mg/24 hours over 3 months]  
Femring: 0.1 mg/24 hours (1s) [total estradiol 24.8 mg; releases 0.1 mg/24 hours over 3 months]  
Tablet, Oral:  
Generic: 1 mg

**Estradiol (Topical)****Outpatient Formulary Brands Available** Estrace®; Estring®; Vagifem®**Outpatient Dosage Forms**

Cream, vaginal:  
Estrace®: 0.1 mg/g (42.5 g)  
Ring, vaginal, as base:  
Estring®: 2 mg (1s) [total estradiol 2 mg; releases 7.5 mcg/day over 90 days]  
Tablet, vaginal, as base:  
Vagifem®: 10 mcg

**Estrogens (Conjugated/Equine) and Medroxyprogesterone****Outpatient Formulary Brands Available** Premphase®; Prempro®**Outpatient Dosage Forms**

Tablet, oral:  
Prempro®:  
0.3/1.5: Conjugated estrogens 0.3 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF]  
0.45/1.5: Conjugated estrogens 0.45 mg and medroxyprogesterone acetate 1.5 mg (28s) [BCF]  
0.625/2.5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 2.5 mg (28s) [BCF]  
0.625/5: Conjugated estrogens 0.625 mg and medroxyprogesterone acetate 5 mg (28s) [BCF]  
Tablet, oral [therapy pack contains two separate tablet formulations]:  
Premphase® [therapy pack contains 2 separate tablet formulations]: Conjugated estrogens 0.625 mg [14 maroon tablets] and conjugated estrogen 0.625 mg/medroxyprogesterone acetate 5 mg [14 light blue tablets] (28s)

**Estrogens (Conjugated/Equine, Systemic)****Outpatient Formulary Brands Available** Premarin

## ESTROGENS (CONJUGATED/EQUINE, SYSTEMIC)

### Outpatient Dosage Forms

Tablet, Oral:

Premarin®: 0.3 mg [BCF], 0.45 mg [BCF], 0.625 mg [BCF], 0.9 mg, 1.25 mg [BCF]

### Estrogens (Conjugated/Equine, Topical)

Outpatient Formulary Brands Available Premarin®

### Outpatient Dosage Forms

Cream, vaginal:

Premarin®: 0.625 mg/g (42.5 g) [BCF]

### Estrogens (Esterified) and Methyltestosterone

Outpatient Formulary Brands Available Covaryx

### Outpatient Dosage Forms

Tablet, Oral:

Covaryx: Esterified estrogens 1.25 mg and methyltestosterone 2.5 mg [contains tartrazine]

### Eszopiclone

### Outpatient Dosage Forms

Tablet, oral: 1 mg, 2 mg, 3 mg

### Ethambutol

Outpatient Formulary Brands Available Myambutol®

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 100 mg [BCF], 400 mg [BCF]

Myambutol®: 400 mg [scored]

### Ethinyl Estradiol and Desogestrel

Outpatient Formulary Brands Available Mircette; Reclipsen

### Outpatient Dosage Forms

Tablet, Oral [low dose formulation]:

Mircette:

Day 1-21: Ethinyl estradiol 0.02 mg and desogestrel 0.15 mg [21 white tablets]

Day 22-23: 2 inactive green tablet

Day 24-28: Ethinyl estradiol 0.01 mg [5 yellow tablets] (28s)

Tablet, Oral [monophasic formulation]:

Reclipsen: Ethinyl estradiol 0.03 mg and desogestrel 0.15 mg [21 rose tablets and 7 white inactive tablets] (28s)

### Ethinyl Estradiol and Drospirenone

Outpatient Formulary Brands Available Yasmin®; Yaz®

### Outpatient Dosage Forms

Tablet, oral:

Yasmin®: Ethinyl estradiol 0.03 mg and drospirenone 3 mg (28s) [21 yellow active tablets and 7 white inactive tablets] [BCF]

Yaz®: Ethinyl estradiol 0.02 mg and drospirenone 3 mg (28s) [24 light pink tablets and 4 white inactive tablets] [BCF]

### Ethinyl Estradiol and Ethynodiol Diacetate

Outpatient Formulary Brands Available Demulen® 1/35-28

### Outpatient Dosage Forms

Tablet, oral:

Demulen® 1/35-28: Ethinyl estradiol 0.035 mg and ethynodiol diacetate 1 mg [21 white tablets and 7 blue inactive tablets] [DSC]

### Ethinyl Estradiol and Etonogestrel

Outpatient Formulary Brands Available NuvaRing®

### Outpatient Dosage Forms

Ring, vaginal:

NuvaRing®: Ethinyl estradiol 0.015 mg/day and etonogestrel 0.12 mg/day (1s) [3-week duration]

### Ethinyl Estradiol and Levonorgestrel

Outpatient Formulary Brands Available Aviane; Jolessa; Lessina; Levlite; Levora; Nordette; Orsythia

### Outpatient Dosage Forms

Tablet, Oral [low dose formulation]:

Aviane 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 orange tablets and 7 light green inactive tablets] [BCF]

Lessina 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF]

Levlite 28: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg (28s) [21 pink tablets and 7 white inactive tablets] [BCF]

Orsythia: Ethinyl estradiol 0.02 mg and levonorgestrel 0.1 mg [21 pink tablets and 7 light green inactive tablets] (28s)

Tablet, Oral [monophasic formulation]:

Levora 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 white tablets and 7 peach inactive tablets] [BCF]

Nordette 28: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (28s) [21 light orange tablets and 7 pink inactive tablets] [BCF]

Tablet, Oral [extended cycle regimen]:

Jolessa: Ethinyl estradiol 0.03 mg and levonorgestrel 0.15 mg (91s) [84 pink tablets and 7 white inactive tablets] [BCF]

### Ethinyl Estradiol and Norelgestromin

Outpatient Formulary Brands Available Ortho Evra®

### Outpatient Dosage Forms

Patch, transdermal:

Ortho Evra®: Ethinyl estradiol 0.75 mg and norelgestromin 6 mg (1s) [releases ethinyl estradiol 20 mcg and norelgestromin 150 mcg per day]

### Ethinyl Estradiol and Norethindrone

Outpatient Formulary Brands Available Loestrin Fe 1.5/30; Loestrin Fe 1/20; Necon 1/35; Norinyl 1+35; Ortho-Novum 1/35; Ortho-Novum 7/77

### Outpatient Dosage Forms

Tablet, oral [monophasic formulation]:

Norinyl 1+35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 yellow-green tablets and 7 orange inactive tablets] (28 ea) [BCF]

Ortho-Novum 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 peach tablets and 7 green inactive tablets] (28 ea) [BCF]

Loestrin Fe 1.5/30: Ethinyl estradiol 0.03 mg and norethindrone acetate 1.5 mg [21 pink tablets] and ferrous fumarate 75 mg [7 brown tablets] (28 ea)

Loestrin Fe 1/20: Ethinyl estradiol 0.02 mg and norethindrone acetate 1 mg [21 light yellow tablets] and ferrous fumarate 75 mg [7 brown tablets] (28 ea)

Necon 1/35: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [21 dark yellow tablets and 7 white inactive tablets] (28 ea)

Tablet, oral [triphasic formulation]:

Ortho-Novum 7/77:

Day 1-7: Ethinyl estradiol 0.035 mg and norethindrone 0.5 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norethindrone 0.75 mg [7 light peach tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norethindrone 1 mg [7 peach tablets]

Day 22-28: 7 green inactive tablets (28 ea)

### Ethinyl Estradiol and Norgestimate

Outpatient Formulary Brands Available Ortho Tri-Cyclen®; Ortho Tri-Cyclen® Lo; Ortho-Cyclen®

### Outpatient Dosage Forms

Tablet, oral, monophasic formulations:

Ortho-Cyclen®: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg (28s) [21 blue tablets and 7 green inactive tablets] [BCF]

Tablet, oral [triphasic formulation]:

Ortho Tri-Cyclen®: Day 1-7: Ethinyl estradiol 0.035 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.035 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.035 mg and norgestimate 0.25 mg [7 blue tablets]

Day 22-28: 7 green inactive tablets [DSC]

Ortho Tri-Cyclen® Lo: Day 1-7: Ethinyl estradiol 0.025 mg and norgestimate 0.18 mg [7 white tablets]

Day 8-14: Ethinyl estradiol 0.025 mg and norgestimate 0.215 mg [7 light blue tablets]

Day 15-21: Ethinyl estradiol 0.025 mg and norgestimate 0.25 mg [7 dark blue tablets]

Day 22-28: 7 dark green inactive tablets

### Ethinyl Estradiol and Norgestrel

Outpatient Formulary Brands Available Lo/Ovral®-28; Ogestrel®

### Outpatient Dosage Forms

Tablet, oral:

Ogestrel®: Ethinyl estradiol 0.05 mg and norgestrel 0.5 mg

Tablet, oral [monophasic formulation]:

Lo/Ovral®-28: Ethinyl estradiol 0.03 mg and norgestrel 0.3 mg [DSC]

### Exenatide

Outpatient Formulary Brands Available Bydureon; Bydureon BCise

### Outpatient Dosage Forms

Auto-injector, Subcutaneous:

Bydureon BCise: 2 mg/0.85 mL (0.85 mL)

Pen-injector, Subcutaneous:

Bydureon: 2 mg (1 ea)

### Ezetimibe

Outpatient Formulary Brands Available Zetia®

### Outpatient Dosage Forms

Tablet, oral:

Zetia®: 10 mg

### Famciclovir

Outpatient Formulary Brands Available Famvir®

### Outpatient Dosage Forms

Tablet, oral:

Famvir®: 250 mg, 500 mg

### Famotidine

Outpatient Formulary Brands Available Pepcid

### Outpatient Dosage Forms

Tablet, Oral:

Pepcid: 40 mg [contains corn starch]

**Fenofibrate and Derivatives****Outpatient Dosage Forms**

Tablet, oral, as fenofibrate: 48 mg [BCF], 54 mg, 145 mg [BCF], 160 mg

**FentaNYL****Outpatient Formulary Brands Available** Duragesic®**Outpatient Dosage Forms**

Patch, transdermal, as base: 12.5 mcg/hour (5s)  
 Duragesic®: 25 mcg/hour (5s) [contains ethanol 0.1 mL/10 cm<sup>2</sup>; 10 cm<sup>2</sup>]  
 Duragesic®: 50 mcg/hour (5s) [contains ethanol 0.1 mL/10 cm<sup>2</sup>; 20 cm<sup>2</sup>]  
 Duragesic®: 75 mcg/hour (5s) [contains ethanol 0.1 mL/10 cm<sup>2</sup>; 30 cm<sup>2</sup>]  
 Duragesic®: 100 mcg/hour (5s) [contains ethanol 0.1 mL/10 cm<sup>2</sup>; 40 cm<sup>2</sup>]

**Ferrous Sulfate****Outpatient Formulary Brands Available** Fer-iron [OTC]**Outpatient Dosage Forms**

Liquid, oral [drops]:  
 Fer-iron: 75 mg/mL (50 mL) [contains ethanol 0.2%, sodium bisulfite; lemon flavor; elemental iron 15 mg/mL]  
 Tablet, oral: 325 mg [elemental iron 65 mg]

**Fexofenadine****Outpatient Dosage Forms**

Suspension, oral, as hydrochloride: 30 mg/5 mL  
 Tablet, oral, as hydrochloride: 60 mg, 180 mg

**Fexofenadine and Pseudoephedrine****Outpatient Formulary Brands Available** Allegra-D® 24-Hour**Outpatient Dosage Forms**

Tablet, extended release, oral:  
 Allegra-D® 24-Hour: 180/240: Fexofenadine hydrochloride 180 mg and pseudoephedrine hydrochloride 240 mg

**Fidaxomicin****Outpatient Dosage Forms**

Tablet, Oral:  
 Difucid: 200 mg [contains soybean lecithin]

**Finasteride****Outpatient Formulary Brands Available** Proscar®**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF]

**Flecainide****Outpatient Formulary Brands Available** Tambocor™**Outpatient Dosage Forms**

Tablet, oral, as acetate: 50 mg  
 Tambocor™: 100 mg [scored]

**Fluconazole****Outpatient Formulary Brands Available** Diflucan®**Outpatient Dosage Forms**

Tablet, oral: 150 mg [BCF]  
 Diflucan®: 200 mg

**Fludrocortisone****Outpatient Formulary Brands Available** Florinef® [DSC]**Outpatient Dosage Forms**

Tablet, oral, as acetate: 0.1 mg  
 Florinef®: 0.1 mg [DSC] [scored]

**Flunisolide (Nasal)****Outpatient Dosage Forms**

Solution, intranasal [spray]: 25 mcg/actuation (25 mL)

**Fluocinolone (Topical)****Outpatient Formulary Brands Available** Capex®; Derma-Smoother/FS®**Outpatient Dosage Forms**

Oil, topical, as acetonide [scalp oil]:  
 Derma-Smoother/FS®: 0.01% (120 mL) [contains peanut oil]  
 Shampoo, topical, as acetonide:  
 Capex®: 0.01% (120 mL)

**Fluocinonide****Outpatient Dosage Forms**

Cream, 0.05% (15 g, 30 g, 60 g, 120 g) [BCF]  
 Gel, topical: 0.05% (60 g)  
 Ointment, topical: 0.05% (15 g, 30 g, 60 g) [BCF]  
 Solution, topical: 0.05% (60 mL)

**Fluoride****Outpatient Formulary Brands Available** Fluorabon™ [DSC]; Gel-Kam®; PreviDent® 5000 Dry Mouth; PreviDent® 5000 Plus®**Outpatient Dosage Forms**

Cream, oral, as sodium [toothpaste]:  
 PreviDent® 5000 Plus®: 1.1% (51 g) [contains sodium benzoate; spearmint flavor; equivalent to fluoride 2.5 mg/dose]

Gel, oral, as sodium [toothpaste]:

PreviDent® 5000 Dry Mouth: 1.1% (100 mL) [mint flavor; equivalent to fluoride 2.5 mg/dose]

Gel, topical, as stannous fluoride:

Gel-Kam®: 0.4% (129 mL) [fruit & berry flavor]

Tablet, chewable, oral: 1.1 mg, 2.2 mg

Fluorabon™: 2.21 mg [DSC] [scored; sugar free; raspberry flavor; equivalent to fluoride 1 mg]

**Fluorometholone****Outpatient Formulary Brands Available** FML®**Outpatient Dosage Forms**

Suspension, ophthalmic, as base [drops]: 0.1% (5 mL, 10 mL, 15 mL)  
 FML®: 0.1% (5 mL, 10 mL, 15 mL) [contains benzalkonium chloride]

**Fluorouracil (Topical)****Outpatient Formulary Brands Available** Efudex®**Outpatient Dosage Forms**

Cream, topical: 5% (40 g)  
 Efudex®: 5% (25 g [DSC])

**FLUoxetine****Outpatient Dosage Forms**

Capsule, oral: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF]  
 Solution, oral: 20 mg/5 mL (120 mL) [BCF]

**Flurandrenolide****Outpatient Formulary Brands Available** Cordran®**Outpatient Dosage Forms**

Tape, topical [roll]:  
 Cordran®: 4 mcg/cm<sup>2</sup> (80 inch)

**Furbiprofen (Ophthalmic)****Outpatient Formulary Brands Available** Ocufen®**Outpatient Dosage Forms**

Solution, ophthalmic, as sodium [drops]:  
 Ocufen®: 0.03% (2.5 mL)

**Fluticasone and Salmeterol****Outpatient Formulary Brands Available** Advair Diskus®; Advair® HFA**Outpatient Dosage Forms**

Aerosol, for oral inhalation:  
 Advair® HFA:  
 45/21: Fluticasone propionate 45 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 115/21: Fluticasone propionate 115 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 230/21: Fluticasone propionate 230 mcg and salmeterol 21 mcg per inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 Powder, for oral inhalation:  
 Advair Diskus®:  
 100/50: Fluticasone propionate 100 mcg and salmeterol 50 mcg ((14s, 60s) [contains lactose] [BCF]  
 250/50: Fluticasone propionate 250 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]  
 500/50: Fluticasone propionate 500 mcg and salmeterol 50 mcg (60s) [contains lactose] [BCF]

**Fluticasone (Nasal)****Outpatient Formulary Brands Available** Flonase®**Outpatient Dosage Forms**

Suspension, intranasal, as propionate [spray]:  
 Flonase®: 50 mcg/inhalation (16 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]

**Fluticasone (Oral Inhalation)****Outpatient Formulary Brands Available** Flovent® HFA**Outpatient Dosage Forms**

Aerosol, for oral inhalation, as propionate:  
 Flovent® HFA:  
 44 mcg/inhalation (10.6 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 110 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 220 mcg/inhalation (12 g) [chlorofluorocarbon free; 120 metered actuations] [BCF]  
 Powder, for oral inhalation, as propionate:  
 Flovent® Diskus®: 50 mcg (60s) [contains lactose] [BCF]; 100 mcg (60s) [contains lactose] [BCF]; 250 mcg (60s) [contains lactose] [BCF]

**Fluvoxamine****Outpatient Dosage Forms**

Tablet, Oral, as maleate:  
 Generic: 25 mg, 50 mg, 100 mg

**Folic Acid****Outpatient Dosage Forms**

Tablet, oral: 1 mg [BCF]

## FOSFOMYCIN

### Fosfomycin

**Outpatient Formulary Brands Available** Monurol

#### Outpatient Dosage Forms

Packet, Oral:  
Monurol: 3 g (1 ea) [orange flavor]

### Fosinopril

#### Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg, 20 mg

### Furosemide

#### Outpatient Dosage Forms

Solution, oral: 10 mg/mL (4 mL, 60 mL, 120 mL) [BCF]  
Tablet, oral: 20 mg [BCF], 40 mg [BCF], 80 mg

### Gabapentin

**Outpatient Formulary Brands Available** Neurontin®

#### Outpatient Dosage Forms

Capsule, oral: 100 mg [BCF], 300 mg [BCF], 400 mg [BCF]  
Tablet, oral: 600 mg [BCF], 800 mg [BCF]  
Neurontin®: 600 mg, 800 mg [scored]

### Ganciclovir (Ophthalmic)

**Outpatient Formulary Brands Available** Zirgan®

#### Outpatient Dosage Forms

Gel, ophthalmic [drops]:  
Zirgan®: 0.15% (5 g) [contains benzalkonium chloride]

### Gatifloxacin

**Outpatient Formulary Brands Available** Zymaxid™

#### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Zymaxid™: 0.5% (2.5 mL) [contains benzalkonium chloride]

### Gemfibrozil

#### Outpatient Dosage Forms

Tablet, oral: 600 mg [BCF]

### Gentamicin (Ophthalmic)

**Outpatient Formulary Brands Available** Gentak®

#### Outpatient Dosage Forms

Ointment, ophthalmic:  
Gentak®: 0.3% [3 mg/g] (3.5 g) [BCF]  
Solution, ophthalmic [drops]: 0.3% (5 mL) [BCF]

### Glatiramer Acetate

**Outpatient Formulary Brands Available** Copaxone

#### Outpatient Dosage Forms

Solution Prefilled Syringe, Subcutaneous:  
Copaxone: 20 mg/mL (1 mL) [contains mannitol]  
Copaxone: 40 mg/mL (1 mL)

### Glimepiride

**Outpatient Formulary Brands Available** Amaryl®

#### Outpatient Dosage Forms

Tablet, oral:  
Amaryl®: 2 mg, 4 mg [scored]

### GlipiZIDE

**Outpatient Formulary Brands Available** Glucotrol XL®

#### Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF]  
Tablet, extended release, oral: 2.5 mg [DSC]  
Glucotrol XL®: 5 mg, 10 mg

### Glucagon

**Outpatient Formulary Brands Available** Glucagon Emergency Kit

#### Outpatient Dosage Forms

Injection, powder for reconstitution:  
Glucagon Emergency Kit: 1 mg [contains glycerin (in diluent), lactose 49 mg; equivalent to 1 unit]

### GlyBURIDE

#### Outpatient Dosage Forms

Tablet, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF]  
Tablet, oral [micronized]: 1.5 mg [BCF], 3 mg [BCF], 6 mg [BCF]

### Glyburide and Metformin

**Outpatient Formulary Brands Available** Glucovance®

#### Outpatient Dosage Forms

Tablet, oral:  
1.25/250: Glyburide 1.25 mg and metformin hydrochloride 250 mg  
5/500: Glyburide 5 mg and metformin hydrochloride 500 mg  
Glucovance®: 2.5/500: Glyburide 2.5 mg and metformin hydrochloride 500 mg

### Goserelin

**Outpatient Formulary Brands Available** Zoladex®

#### Outpatient Dosage Forms

Implant, subcutaneous:  
Zoladex®:  
3.6 mg (1s) [1 month implant] [BCF]  
10.8 mg (1s) [3 month implant] [BCF]

### Griseofulvin

**Outpatient Formulary Brands Available** Grifulvin V®; Gris-PEG®

#### Outpatient Dosage Forms

Suspension, oral [microsize]: 125 mg/5 mL (120 mL) [BCF]  
Tablet, oral [ultramicrosize]:  
Gris-PEG®: 125 mg [BCF], 250 mg [BCF] [scored]

### GuaifENesin

**Outpatient Formulary Brands Available** Mucinex® [OTC]

#### Outpatient Dosage Forms

Tablet, extended release, oral:  
Mucinex®: 600 mg

### Guaifenesin and Codeine

#### Outpatient Dosage Forms

Solution, oral: Guaifenesin 100 mg and codeine phosphate 10 mg per 5 mL (5 mL)

### Guaifenesin and Dextromethorphan

**Outpatient Formulary Brands Available** Robitussin® Cough & Chest Congestion DM [OTC]

#### Outpatient Dosage Forms

Syrup, oral: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (10 mL)  
Robitussin® Cough & Chest Congestion DM: Guaifenesin 100 mg and dextromethorphan hydrobromide 10 mg per 5 mL (120 mL, 240 mL, 360 mL) [ethanol free; contains propylene glycol, sodium 7 mg/5 mL, sodium benzoate]

### Guaifenesin and Pseudoephedrine

**Outpatient Formulary Brands Available** Mucinex® D [OTC]

#### Outpatient Dosage Forms

Tablet, extended release, oral:  
Mucinex® D: Guaifenesin 600 mg and pseudoephedrine hydrochloride 60 mg

### GuanFACINE

**Outpatient Formulary Brands Available** Intuniv

#### Outpatient Dosage Forms

Tablet, oral: 1 mg  
Tablet extended release 24 hour, oral:  
Intuniv: 1 mg, 2 mg

### Homatropine

**Outpatient Formulary Brands Available** Isopto® Homatropine

#### Outpatient Dosage Forms

Solution, ophthalmic, as hydrobromide [drops]:  
Isopto® Homatropine: 5% (5 mL) [contains benzalkonium chloride]

### HydrALAZINE

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

### HydroCHLORothiazide

#### Outpatient Dosage Forms

Capsule, oral: 12.5 mg [BCF]  
Tablet, oral: 25 mg [BCF], 50 mg [BCF]

### Hydrochlorothiazide and Triamterene

#### Outpatient Dosage Forms

Tablet, oral:  
Hydrochlorothiazide 25 mg and triamterene 37.5 mg [BCF]  
Hydrochlorothiazide 50 mg and triamterene 75 mg [BCF]

### Hydrocodone and Acetaminophen

#### Outpatient Dosage Forms

Solution, oral:  
Generic: Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg per 15 mL (118 mL)  
Tablet, oral:  
Hydrocodone bitartrate 5 mg and acetaminophen 500 mg  
Hydrocodone bitartrate 7.5 mg and acetaminophen 500 mg  
Hydrocodone bitartrate 10 mg and acetaminophen 325 mg

### Hydrocodone and Chlorpheniramine

**Outpatient Formulary Brands Available** Tussionex® Pennkinetic®

#### Outpatient Dosage Forms

Suspension, extended release, oral:  
Tussionex® Pennkinetic®: Hydrocodone polistirex [equivalent to hydrocodone bitartrate 10 mg] and chlorpheniramine polistirex [equivalent to chlorpheniramine maleate 8 mg] per 5 mL (473 mL) [contains propylene glycol]

### Hydrocodone and Ibuprofen

**Outpatient Formulary Brands Available** Vicoprofen®

**Outpatient Dosage Forms**

Tablet, oral:  
Vicoprofen®: 7.5/200: Hydrocodone bitartrate 7.5 mg and ibuprofen 200 mg

**Hydrocortisone (Systemic)**

**Outpatient Formulary Brands Available** Cortef®

**Outpatient Dosage Forms**

Tablet, oral, as base: 5 mg, 20 mg  
Cortef®: 5 mg, 20 mg

**Hydrocortisone (Topical)**

**Outpatient Formulary Brands Available** Proctozone-HC 2.5%™

**Outpatient Dosage Forms**

Cream, topical, as base: 1% (15 g); 2.5% (20 g, 28 g, 28.35 g, 30 g, 454 g) [BCF]  
Proctozone-HC 2.5%™: 2.5% (30 g)  
Cream, topical, as valerate: 0.2% (60 g)  
Lotion, topical, as base: 1%  
Ointment, topical, as base: 1% (30 g)  
Ointment, topical, as valerate: 0.2% (15 g)  
Suppository, rectal, as acetate: 25 mg (12s, 24s) [BCF]

**HYDRomorphone**

**Outpatient Formulary Brands Available** Dilaudid

**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
Dilaudid: 4 mg [contains sodium metabisulfite (may have trace amounts)]  
Generic: 2 mg, 4 mg

**Hydroquinone**

**Outpatient Formulary Brands Available** Solaquin Forte® [DSC]

**Outpatient Dosage Forms**

Cream, topical: 4% (28 g)  
Solaquin Forte®: 4% (28.4 g [DSC]) [contains sunscreen]

**Hydroxychloroquine****Outpatient Dosage Forms**

Tablet, oral, as sulfate: 200 mg [equivalent to 155 mg base]

**Hydroxyurea**

**Outpatient Formulary Brands Available** Hydrea®

**Outpatient Dosage Forms**

Capsule, oral:  
Hydrea®: 500 mg

**HydrOXYzine****Outpatient Dosage Forms**

Capsule, Oral, as pamoate:  
Generic: 25 mg, 50 mg  
Syrup, Oral, as hydrochloride:  
Generic: 10 mg/5 mL (118 mL, 473 mL) [BCF]  
Tablet, Oral, as hydrochloride:  
Generic: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

**Hyoscyamine**

**Outpatient Formulary Brands Available** Levsin; Symax-SL

**Outpatient Dosage Forms**

Solution, Oral, as sulfate:  
Levsin: 0.125 mg/mL (15 mL [DSC]) [contains ethanol 5%; orange flavor]  
Generic: 0.125 mg/mL (15 mL)  
Tablet, Oral, as sulfate:  
Levsin: 0.125 mg  
Tablet Sublingual, Sublingual, as sulfate:  
Symax-SL: 0.125 mg [mint flavor]

**Hyoscyamine, Atropine, Scopolamine, and Phenobarbital****Outpatient Dosage Forms**

Elixir, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg per 5 mL (473 mL)  
Tablet, oral: Hyoscyamine sulfate 0.1037 mg, atropine sulfate 0.0194 mg, scopolamine hydrobromide 0.0065 mg, and phenobarbital 16.2 mg

**Ibandronate****Outpatient Dosage Forms**

Tablet, oral: 150 mg

**Ibuprofen**

**Outpatient Formulary Brands Available** Motrin® Children's

**Outpatient Dosage Forms**

Suspension, oral: 100 mg/5 mL (5 mL, 10 mL, 120 mL, 480 mL)  
Motrin® Children's: 100 mg/5 mL  
Tablet, oral: 400 mg [BCF], 600 mg [BCF], 800 mg [BCF]

**IdaruCIZumab****Outpatient Dosage Forms**

Solution, Intravenous [preservative free]:  
Praxbind: 2.5 g/50 mL (50 mL)

**Imipramine****Outpatient Dosage Forms**

Capsule, oral, as pamoate: 75 mg [BCF]  
Tablet, oral, as hydrochloride: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]

**Imiquimod**

**Outpatient Formulary Brands Available** Aldara®

**Outpatient Dosage Forms**

Cream, topical:  
Aldara®: 5% (12s [DSC], 24s) [contains benzyl alcohol]

**Indomethacin****Outpatient Dosage Forms**

Capsule, oral: 25 mg [BCF], 50 mg [BCF]

**Inhalation Devices****Outpatient Dosage Forms**

AeroChamber™, AeroChamber™ with mask (small, medium)

**Insulin Aspart**

**Outpatient Formulary Brands Available** NovoLOG; NovoLOG FlexPen; NovoLOG PenFill

**Outpatient Dosage Forms**

Solution, Subcutaneous:  
NovoLOG: 100 units/mL (3 mL) [FlexPen prefilled syringe or PenFill prefilled cartridge] [BCF]; (10 mL) [vial] [BCF]  
Solution Cartridge, Subcutaneous:  
NovoLOG PenFill: 100 units/mL (3 mL) [contains metacresol, phenol]  
Solution Pen-injector, Subcutaneous:  
NovoLOG FlexPen: 100 units/mL (3 mL)

**Insulin Aspart Protamine and Insulin Aspart**

**Outpatient Formulary Brands Available** NovoLOG® Mix 70/30 FlexPen®

**Outpatient Dosage Forms**

Injection, suspension:  
NovoLOG® Mix 70/30: Insulin aspart protamine suspension 70% [intermediate acting] and insulin aspart solution 30% [rapid acting]: 100 units/mL (3 mL) [FlexPen® prefilled syringe] [BCF]; (10 mL) [vial] [BCF]

**Insulin Glargine**

**Outpatient Formulary Brands Available** Lantus®; Lantus® Solostar®

**Outpatient Dosage Forms**

Injection, solution:  
Lantus®: 100 units/mL (3 mL, 10 mL) [BCF]  
Lantus® Solostar®: 100 units/mL (3 mL) [prefilled pen]

**Insulin NPH**

**Outpatient Formulary Brands Available** NovoLIN N

**Outpatient Dosage Forms**

Suspension, subcutaneous:  
NovoLIN N: 100 units/mL (10 mL) [contains metacresol, phenol] [BCF]

**Insulin NPH and Insulin Regular**

**Outpatient Formulary Brands Available** NovoLIN 70/30

**Outpatient Dosage Forms**

Suspension, subcutaneous:  
NovoLIN 70/30: Insulin NPH suspension 70% [intermediate acting] and insulin regular solution 30% [short acting]: 100 units/mL (10 mL) [contains metacresol, phenol] [BCF]

**Insulin Regular**

**Outpatient Formulary Brands Available** NovoLIN R

**Outpatient Dosage Forms**

Solution, injection:  
NovoLIN R: 100 units/mL (10 mL) [contains metacresol] [BCF]

**Interferon Beta-1b**

**Outpatient Formulary Brands Available** Betaseron®

**Outpatient Dosage Forms**

Injection, powder for reconstitution:  
Betaseron®: 0.3 mg [~9.6 million int. units] [contains albumin (human)]

**Ipratropium and Albuterol**

**Outpatient Formulary Brands Available** Combivent; Combivent Respimat; DuoNeb

**Outpatient Dosage Forms**

Solution for nebulization: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s, 60s)  
DuoNeb®: Ipratropium bromide 0.5 mg and albuterol (base) 2.5 mg per 3 mL (30s, 60s)  
Solution, for oral inhalation [spray]:  
Combivent® Respimat®: Ipratropium bromide 20 mcg and albuterol (base) 100 mcg per inhalation (4 g) [contains benzalkonium chloride; 120 metered actuations] [BCF]

**Ipratropium (Nasal)**

**Outpatient Formulary Brands Available** Atrovent®

## IPRATROPIUM (NASAL)

### Outpatient Dosage Forms

Solution, intranasal, as bromide [spray]:  
Atrovent®: 0.03% (30 mL) [contains benzalkonium chloride; delivers 21 mcg/spray; 345 sprays]

### Ipratropium (Oral Inhalation)

**Outpatient Formulary Brands Available** Atrovent® HFA

### Outpatient Dosage Forms

Aerosol, for oral inhalation, as bromide:  
Atrovent® HFA: 17 mcg/actuation (12.9 g) [chlorofluorocarbon free] [BCF]  
Solution, for nebulization, as bromide: 0.02% [500 mcg/2.5 mL] (25s, 30s, 60s)

### Isoniazid

### Outpatient Dosage Forms

Tablet, oral: 100 mg [BCF], 300 mg [BCF]

### Isosorbide Dinitrate

### Outpatient Dosage Forms

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF]  
Tablet, extended release, oral: 40 mg [BCF]

### Isosorbide Dinitrate and Hydralazine

**Outpatient Formulary Brands Available** BiDil

### Outpatient Dosage Forms

Tablet, oral:  
BiDil: Isosorbide dinitrate 20 mg and hydralazine hydrochloride 37.5 mg

### Isosorbide Mononitrate

**Outpatient Formulary Brands Available** Imdur®

### Outpatient Dosage Forms

Tablet, oral: 20 mg  
Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 120 mg [BCF]  
Imdur®: 30 mg, 60 mg [scored]

### ISOTretinoin

**Outpatient Formulary Brands Available** Amnesteem; Claravis

### Outpatient Dosage Forms

Capsule, oral:  
Amnesteem: 20 mg, 40 mg [contains soybean oil]  
Claravis: 40 mg [contains soybean oil]

### Itraconazole

### Outpatient Dosage Forms

Capsule, Oral:  
Sporanox: 100 mg [contains brilliant blue fcf (fd&c blue #1), d&c red #22 (eosine), fd&c blue #2 (indigotine)]

### Ivermectin (Systemic)

### Outpatient Dosage Forms

Tablet, Oral:  
Generic: 3 mg

### Ketoconazole (Topical)

### Outpatient Dosage Forms

Cream, topical: 2% (30 g)  
Shampoo, topical: 2% (120 mL)

### Ketorolac (Ophthalmic)

**Outpatient Formulary Brands Available** Acuvail®

### Outpatient Dosage Forms

Solution, ophthalmic, as tromethamine [drops, preservative free]:  
Acuvail®: 0.45% (0.4 mL)

### Labetalol

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 200 mg

### Lacosamide

**Outpatient Formulary Brands Available** Vimpat

### Outpatient Dosage Forms

Tablet, Oral:  
Vimpat: 50 mg [contains fd&c blue #2 aluminum lake]  
Vimpat: 100 mg  
Vimpat: 200 mg [contains fd&c blue #2 aluminum lake]

### Lactic Acid and Ammonium Hydroxide

**Outpatient Formulary Brands Available** AmLactin® [OTC]

### Outpatient Dosage Forms

Lotion, topical:  
AmLactin®: Lactic acid 12% with ammonium hydroxide (225 g)

### Lactobacillus

**Outpatient Formulary Brands Available** Culturelle

### Outpatient Dosage Forms

Capsule, oral:  
Culturelle: *L. rhamnosus* GG 10 billion colony-forming units [contains casein and whey]

### Lactulose

### Outpatient Dosage Forms

Solution, oral: 10 g/15 mL (15 mL, 30 mL, 237 mL, 240 mL, 473 mL, 480 mL, 500 mL, 946 mL, 960 mL) [BCF]

### LamiVUDine

**Outpatient Formulary Brands Available** Epivir-HBV®; Epivir®

### Outpatient Dosage Forms

Tablet, oral:  
Epivir-HBV®: 100 mg  
Epivir®: 150 mg [scored]  
Epivir®: 300 mg

### Lamivudine and Zidovudine

**Outpatient Formulary Brands Available** Combivir®

### Outpatient Dosage Forms

Tablet, oral:  
Combivir®: 300/150: Zidovudine 300 mg and lamivudine 150 mg

### LamoTRlgine

**Outpatient Formulary Brands Available** LaMICtal®

### Outpatient Dosage Forms

Tablet, oral:  
LaMICtal®: 25 mg, 100 mg, 150 mg, 200 mg [scored]

### Latanoprost

**Outpatient Formulary Brands Available** Xalatan®

### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Xalatan®: 0.005% (2.5 mL) [contains benzalkonium chloride] [BCF]

### Leflunomide

### Outpatient Dosage Forms

Tablet, Oral: 10 mg, 20 mg

### Letrozole

**Outpatient Formulary Brands Available** Femara®

### Outpatient Dosage Forms

Tablet, oral:  
Femara®: 2.5 mg

### Leucovorin Calcium

### Outpatient Dosage Forms

Tablet, oral [strength expressed as base]: 5 mg

### Leuprolide

**Outpatient Formulary Brands Available** Lupron Depot

### Outpatient Dosage Forms

Kit, Intramuscular, as acetate:  
Lupron Depot (1-Month): 7.5 mg [latex free; contains polysorbate 80]  
Kit, Intramuscular, as acetate [preservative free]:  
Lupron Depot (1-Month): 3.75 mg [latex free; contains polysorbate 80]  
Lupron Depot (3-Month): 11.25 mg [latex free; contains polysorbate 80]

### LevETIRAcetam

**Outpatient Formulary Brands Available** Keppra; Keppra XR

### Outpatient Dosage Forms

Solution, oral:  
Keppra: 100 mg/mL (480 mL) [dye free; grape flavor]  
Tablet, oral:  
Keppra: 500 mg, 750 mg [scored; gluten free]  
Tablet, extended release, oral:  
Keppra XR: 500 mg

### LevoFLOXacin (Systemic)

**Outpatient Formulary Brands Available** Levaquin®

### Outpatient Dosage Forms

Solution, oral:  
Levaquin®: 25 mg/mL (480 mL) [contains benzyl alcohol, propylene glycol] [BCF]  
Tablet, oral:  
Levaquin®: 250 mg [BCF], 500 mg [BCF], 750 mg [BCF]

### Levonorgestrel (IUD)

### Outpatient Dosage Forms

Intrauterine Device, Intrauterine:  
Kyleena: 19.5 mg

### Levonorgestrel (Systemic)

### Outpatient Dosage Forms

Tablet, Oral:  
Plan B: 0.75 mg [BCF]  
Plan B One-Step: 1.5 mg

### Levothyroxine

**Outpatient Formulary Brands Available** Synthroid®

**Outpatient Dosage Forms**

Tablet, oral, as sodium: 25 mcg [BCF], 50 mcg [BCF], 75 mcg [BCF], 88 mcg [BCF], 100 mcg [BCF], 112 mcg [BCF], 125 mcg [BCF], 137 mcg [BCF], 150 mcg [BCF], 175 mcg [BCF], 200 mcg [BCF], 300 mcg [BCF]  
 Synthroid®: 25 mcg, 75 mcg, 88 mcg, 100 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg [scored]  
 Synthroid®: 50 mcg [scored; dye free]

**Lidocaine, Maalox®, Diphenhydramine****Outpatient Dosage Forms**

Suspension, oral [mouthwash 1:1:1]: 1 part Lidocaine viscous 2%, 1 part Maalox®, and 1 part diphenhydramine elixir 12.5 mg/5 mL per 120 mL

**Lidocaine (Topical)****Outpatient Formulary Brands Available L-M-X 4****Outpatient Dosage Forms**

Cream, topical:  
 L-M-X® 4: 4% (5 g, 15 g, 30 g) [contains benzyl alcohol]  
 Jelly, topical, as hydrochloride [preservative free]: 2% (10 mL)  
 Ointment, topical: 5% (35.4 g)  
 Patch, topical: 5% (1 ea, 30 ea)

**Linezolid****Outpatient Formulary Brands Available Zyvox®****Outpatient Dosage Forms**

Powder for suspension, oral:  
 Zyvox®: 100 mg/5 mL (150 mL) [contains phenylalanine 20 mg/5 mL, sodium 8.52 mg (0.4 mEq)/5 mL, sodium benzoate; orange flavor]  
 Tablet, oral:  
 Zyvox®: 600 mg [contains sodium 2.92 mg (0.1 mEq)/tablet]

**Liothyronine****Outpatient Formulary Brands Available Cytomel®****Outpatient Dosage Forms**

Tablet, oral:  
 Cytomel®: 5 mcg  
 Cytomel®: 25 mcg [scored]

**Lisinopril****Outpatient Formulary Brands Available Zestril®****Outpatient Dosage Forms**

Tablet, oral: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 30 mg [BCF], 40 mg [BCF]  
 Zestril®: 5 mg, 10 mg, 20 mg, 40 mg

**Lisinopril and Hydrochlorothiazide****Outpatient Dosage Forms**

Tablet, oral:  
 10/12.5: Lisinopril 10 mg and hydrochlorothiazide 12.5 mg [BCF]  
 20/12.5: Lisinopril 20 mg and hydrochlorothiazide 12.5 mg [BCF]  
 20/25: Lisinopril 20 mg and hydrochlorothiazide 25 mg [BCF]

**Lithium****Outpatient Dosage Forms**

Capsule, oral, as carbonate: 150 mg [BCF], 300 mg [BCF]  
 Solution, oral, as citrate: 300 mg/5 mL (5 mL, 473 mL, 500 mL) [equivalent to amount of lithium in lithium carbonate] [BCF]  
 Syrup, oral, as citrate: 300 mg/5 mL [BCF]

**Loperamide****Outpatient Dosage Forms**

Capsule, oral, as hydrochloride: 2 mg [BCF]

**Lopinavir and Ritonavir****Outpatient Formulary Brands Available Kaletra®****Outpatient Dosage Forms**

Tablet, oral:  
 Kaletra®: Lopinavir 200 mg and ritonavir 50 mg

**Loratadine****Outpatient Formulary Brands Available Claritin®****Outpatient Dosage Forms**

Syrup, oral:  
 Claritin®: 1 mg/mL (473 mL [DSC]) [contains sodium benzoate; fruit flavor]  
 Tablet, oral: 10 mg

**LORazepam****Outpatient Dosage Forms**

Tablet, oral: 1 mg

**Losartan****Outpatient Formulary Brands Available Cozaar®****Outpatient Dosage Forms**

Tablet, oral, as potassium:  
 Cozaar®: 25 mg [contains potassium 2.12 mg (0.054 mEq)] [BCF]  
 Cozaar®: 50 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]  
 Cozaar®: 100 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

**Losartan and Hydrochlorothiazide****Outpatient Formulary Brands Available Hyzaar®****Outpatient Dosage Forms**

Tablet, oral:  
 Hyzaar® 50/12.5: Losartan potassium 50 mg and hydrochlorothiazide 12.5 mg [contains potassium 4.24 mg (0.108 mEq)] [BCF]  
 Hyzaar® 100/12.5: Losartan potassium 100 mg and hydrochlorothiazide 12.5 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]  
 Hyzaar® 100/25: Losartan potassium 100 mg and hydrochlorothiazide 25 mg [contains potassium 8.48 mg (0.216 mEq)] [BCF]

**Lovastatin****Outpatient Dosage Forms**

Tablet, Oral:  
 Generic: 10 mg, 20 mg, 40 mg

**Lubiprostone****Outpatient Formulary Brands Available Amitiza****Outpatient Dosage Forms**

Capsule, Oral:  
 Amitiza: 8 mcg  
 Amitiza: 24 mcg [contains fd&c red #40, fd&c yellow #10 (quinoline yellow)]

**Lurasidone****Outpatient Formulary Brands Available Latuda****Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
 Latuda: 20 mg, 40 mg, 60 mg, 80 mg, 120 mg

**Magnesium Citrate****Outpatient Dosage Forms**

Solution, oral: 290 mg/5 mL (296 mL)

**Magnesium Gluconate****Outpatient Dosage Forms**

Tablet, oral: 500 mg [equivalent to elemental magnesium 27 mg (2.4 mEq)]

**Magnesium Hydroxide****Outpatient Formulary Brands Available Milk of Magnesia [OTC]****Outpatient Dosage Forms**

Suspension, oral: 400 mg/5 mL (30 mL)  
 Milk of Magnesia: 400 mg/5 mL

**Magnesium Oxide****Outpatient Formulary Brands Available Mag-Ox® 400 [OTC]****Outpatient Dosage Forms**

Tablet, oral:  
 Mag-Ox® 400: 400 mg [scored; equivalent to elemental magnesium 240 mg (20 mEq)]

**Meclizine****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 25 mg

**MedroxyPROGESTERone****Outpatient Dosage Forms**

Injection, suspension, as acetate:  
 Depo-Provera® Contraceptive: 150 mg/mL (1 mL)  
 Tablet, oral, as acetate: 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

**Megestrol****Outpatient Formulary Brands Available Megace®****Outpatient Dosage Forms**

Suspension, oral, as acetate:  
 Megace®: 40 mg/mL (240 mL) [contains ethanol 0.06%, sodium benzoate; lemon-lime flavor]  
 Tablet, oral, as acetate: 40 mg

**Melatonin****Outpatient Dosage Forms**

Tablet: 1 mg, 3 mg

**Meloxicam****Outpatient Dosage Forms**

Tablet, Oral:  
 Mobic: 7.5 mg [BCF], 15 mg [BCF]  
 Generic: 7.5 mg [BCF], 15 mg [BCF]

**Melphalan****Outpatient Formulary Brands Available Alkeran®****Outpatient Dosage Forms**

Tablet, oral:  
 Alkeran®: 2 mg

**Memantine****Outpatient Formulary Brands Available Namenda®****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride:  
 Namenda®: 5 mg, 10 mg

**Meperidine****Outpatient Formulary Brands Available Demerol®**

## MEPERIDINE

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride:  
Demerol®: 50 mg [scored]

### Mercaptopurine

#### Outpatient Formulary Brands Available Purinethol®

### Outpatient Dosage Forms

Tablet, oral: 50 mg  
Purinethol®: 50 mg [scored]

### Mesalamine

#### Outpatient Formulary Brands Available Apriso; Canasa; Lialda; SfRowasa

### Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral:  
Apriso: 0.375 g [contains aspartame]  
Enema, Rectal:  
SfRowasa: 4 g/60 mL (60 mL) [sulfite free; contains edetate disodium, sodium benzoate]  
Generic: 4 g (60 mL)  
Suppository, Rectal:  
Canasa: 1000 mg (30 ea) [contains saturated vegetable fatty esters]  
Tablet Delayed Release, Oral:  
Lialda: 1.2 g [BCF]

### Metaxalone

#### Outpatient Formulary Brands Available Skelaxin®

### Outpatient Dosage Forms

Tablet, oral:  
Skelaxin®: 800 mg [scored]

### MetFORMIN

#### Outpatient Formulary Brands Available Riomet

### Outpatient Dosage Forms

Solution, Oral, as hydrochloride:  
Riomet: 500 mg/5 mL (118 mL)  
Tablet, Oral, as hydrochloride:  
Generic: 500 mg [BCF], 850 mg [BCF], 1000 mg [BCF]  
Tablet, Extended Release, Oral, as hydrochloride:  
Generic: 500 mg [BCF], 750 mg [BCF]

### Methadone

#### Outpatient Formulary Brands Available Dolophine®

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride:  
Dolophine®: 5 mg [scored]

### MethazolAMIDE

#### Outpatient Formulary Brands Available Neptazane

### Outpatient Dosage Forms

Tablet, Oral:  
Neptazane: 50 mg [scored]

### Methenamine

### Outpatient Dosage Forms

Tablet, Oral, as hippurate:  
Generic: 1 g

### MethIMAzole

### Outpatient Dosage Forms

Tablet, oral: 5 mg, 10 mg

### Methocarbamol

### Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]

### Methotrexate

### Outpatient Dosage Forms

Tablet, oral: 2.5 mg [BCF]

### Methyldopa

### Outpatient Dosage Forms

Tablet, oral: 250 mg

### Methylergonovine

#### Outpatient Formulary Brands Available Methergine®

### Outpatient Dosage Forms

Tablet, oral, as maleate:  
Methergine®: 0.2 mg

### Methylphenidate

#### Outpatient Formulary Brands Available Concerta; Metadate ER; Quillivant XR; Ritalin; Ritalin LA; Ritalin-SR

### Outpatient Dosage Forms

Capsule, Extended Release, Oral, as hydrochloride:  
Ritalin LA: 10 mg [5 mg immediate release, 5 mg extended release] [BCF]  
Ritalin LA: 20 mg [10 mg immediate release, 10 mg extended release] [BCF]  
Ritalin LA: 30 mg [15 mg immediate release, 15 mg extended release] [BCF]  
Ritalin LA: 40 mg [20 mg immediate release, 20 mg extended release] [BCF]  
Generic: 10 mg, 30 mg

Suspension Reconstituted, Oral, as hydrochloride:

Quillivant XR: 25 mg/5 mL (120 mL) [contains sodium benzoate; banana flavor]

Tablet, Oral, as hydrochloride:

Methylin: 5 mg [BCF], 10 mg [BCF]

Ritalin: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF]

Tablet, Extended Release, Oral, as hydrochloride:

Concerta:

18 mg [4 mg immediate release, 14 mg extended release] [BCF]

27 mg [6 mg immediate release, 21 mg extended release] [BCF]

36 mg [8 mg immediate release, 28 mg extended release] [BCF]

54 mg [12 mg immediate release, 42 mg extended release] [BCF]

Tablet, Sustained Release, Oral, as hydrochloride:

Ritalin-SR: 20 mg [dye free]

Generic: 20 mg

### MethylPREDNISolone

### Outpatient Dosage Forms

Tablet, oral: 4 mg

### Metoclopramide

### Outpatient Dosage Forms

Solution, oral: 5 mg/5 mL (10 mL, 473 mL) [BCF]

Tablet, oral: 10 mg [BCF]

### MetOLazone

#### Outpatient Formulary Brands Available Zaroxolyn®

### Outpatient Dosage Forms

Tablet, oral: 2.5 mg, 5 mg

Zaroxolyn®: 2.5 mg, 5 mg

### Metoprolol

#### Outpatient Formulary Brands Available Toprol-XL®

### Outpatient Dosage Forms

Tablet, oral, as tartrate: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

Tablet, extended release, oral, as succinate: 25 mg [BCF], 50 mg [BCF],

100 mg [BCF], 200 mg [BCF] [expressed as mg equivalent to tartrate]

Toprol-XL®: 25 mg, 50 mg, 100 mg, 200 mg [scored; expressed as mg

equivalent to tartrate]

### MetroNIDAZOLE (Systemic)

### Outpatient Dosage Forms

Tablet, oral: 250 mg [BCF], 500 mg [BCF]

### MetroNIDAZOLE (Topical)

#### Outpatient Formulary Brands Available MetroCream®; MetroGel-Vaginal®; MetroGel®

### Outpatient Dosage Forms

Cream, topical: 0.75% (45 g)

MetroCream®: 0.75% (45 g) [contains benzyl alcohol]

Gel, topical:

MetroGel®: 1% (45 g [DSC])

Gel, vaginal: 0.75% (70 g) [BCF]

MetroGel-Vaginal®: 0.75% (70 g)

### Mexiletine

### Outpatient Dosage Forms

Capsule, Oral, as hydrochloride:

Generic: 150 mg, 200 mg

### Miconazole (Topical)

### Outpatient Dosage Forms

Cream, topical, as nitrate: 2% (30 g)

### Midodrine

### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 5 mg, 10 mg

### Mineral Oil

### Outpatient Dosage Forms

Liquid, heavy oil

### Minocycline

#### Outpatient Formulary Brands Available Minocin®

### Outpatient Dosage Forms

Capsule, pellet filled, oral:

Minocin®: 50 mg, 100 mg

### Minoxidil (Systemic)

### Outpatient Dosage Forms

Tablet, oral: 2.5 mg, 10 mg

### Mirtazapine

#### Outpatient Formulary Brands Available Remeron®

### Outpatient Dosage Forms

Tablet, oral:

Remeron®: 15 mg, 30 mg [scored]

### MiSOPROStol

#### Outpatient Formulary Brands Available Cytotec®



**Outpatient Dosage Forms**

Tablet, oral:  
Cytotec®: 100 mcg  
Cytotec®: 200 mcg [scored]

**Modafinil**

**Outpatient Formulary Brands Available** Provigil®

**Outpatient Dosage Forms**

Tablet, oral:  
Provigil®: 100 mg  
Provigil®: 200 mg [scored]

**Mometasone (Nasal)**

**Outpatient Formulary Brands Available** Nasonex®

**Outpatient Dosage Forms**

Suspension, intranasal, as furoate [spray]:  
Nasonex®: 50 mcg/spray (17 g) [contains benzalkonium chloride; delivers 120 sprays]

**Mometasone (Topical)**

**Outpatient Formulary Brands Available** Elocon®

**Outpatient Dosage Forms**

Cream, topical, as furoate:  
Elocon®: 0.1% (15 g)

**Montelukast**

**Outpatient Formulary Brands Available** Singulair®

**Outpatient Dosage Forms**

Granules, oral:  
Singulair®: 4 mg/packet (30s) [BCF]  
Tablet, oral:  
Singulair®: 10 mg [BCF]  
Tablet, chewable, oral:  
Singulair®:  
4 mg [contains phenylalanine 0.674 mg/tablet; cherry flavor] [BCF]  
5 mg [contains phenylalanine 0.842 mg/tablet; cherry flavor] [BCF]

**Morphine (Systemic)**

**Outpatient Formulary Brands Available** MS Contin®

**Outpatient Dosage Forms**

Solution, oral, as sulfate: 10 mg/5 mL (100 mL)  
Tablet, oral, as sulfate: 15 mg, 30 mg  
Tablet, controlled release, oral, as sulfate:  
MS Contin®: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]  
Tablet, extended release, oral, as sulfate: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF], 200 mg [BCF]  
Tablet, sustained release, oral, as sulfate:  
Oramorph® SR: 15 mg [BCF], 30 mg [BCF], 60 mg [BCF], 100 mg [BCF]

**Moxifloxacin (Ophthalmic)**

**Outpatient Formulary Brands Available** Vigamox®

**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:  
Vigamox®: 0.5% (3 mL)

**Moxifloxacin (Systemic)**

**Outpatient Formulary Brands Available** Avelox®; Avelox® ABC Pack

**Outpatient Dosage Forms**

Tablet, oral:  
Avelox®: 400 mg  
Avelox® ABC Pack: 400 mg

**Mupirocin****Outpatient Dosage Forms**

Ointment, topical: 2% (22 g) [BCF]

**Mycophenolate**

**Outpatient Formulary Brands Available** CellCept; Myfortic

**Outpatient Dosage Forms**

Capsule, Oral, as mofetil:  
CellCept: 250 mg  
Tablet, Oral, as mofetil:  
CellCept: 500 mg [contains ethanol (may have trace amounts)]  
Tablet Delayed Release, Oral, as mycophenolic acid:  
Myfortic: 180 mg [contains fd&c blue #2 (indigotine)]  
Myfortic: 360 mg  
Generic: 360 mg

**Nabumetone****Outpatient Dosage Forms**

Tablet, oral: 500 mg

**Naftifine**

**Outpatient Formulary Brands Available** Naftin®

**Outpatient Dosage Forms**

Cream, topical, as hydrochloride:  
Naftin®: 1% (15 g [DSC], 30 g) [contains benzyl alcohol]

**Naloxone**

**Outpatient Formulary Brands Available** Narcan

**Outpatient Dosage Forms**

Liquid, Nasal:  
Narcan: 4 mg/0.1 mL (1 ea) [contains benzalkonium chloride, edetate disodium]

**Naphazoline and Pheniramine**

**Outpatient Formulary Brands Available** Naphcon® A [OTC]

**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:  
Naphcon® A: Naphazoline hydrochloride 0.025% and pheniramine maleate 0.3% (15 mL) [contains benzalkonium chloride]

**Naproxen****Outpatient Dosage Forms**

Suspension, oral: 125 mg/5 mL (500 mL) [BCF]  
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

**Neomycin****Outpatient Dosage Forms**

Tablet, oral, as sulfate: 500 mg

**Neomycin and Polymyxin B**

**Outpatient Formulary Brands Available** Neosporin® G.U.

**Outpatient Dosage Forms**

Solution, for irrigation:  
Neosporin® G.U.: Neomycin 40 mg and polymyxin B sulfate 200,000 units per 1 mL (1 mL)

**Neomycin, Polymyxin B, and Dexamethasone**

**Outpatient Formulary Brands Available** Maxitrol®

**Outpatient Dosage Forms**

Ointment, ophthalmic:  
Maxitrol®: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per g (3.5 g)  
Suspension, ophthalmic [drops]:  
Maxitrol®: Neomycin 3.5 mg, polymyxin B sulfate 10,000 units, and dexamethasone 0.1% per 1 mL (5 mL) [contains benzalkonium chloride]

**Neomycin, Polymyxin B, and Gramicidin**

**Outpatient Formulary Brands Available** Neosporin® Ophthalmic Solution

**Outpatient Dosage Forms**

Solution, ophthalmic [drops]: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL) [BCF]  
Neosporin® Ophthalmic Solution: Neomycin 1.75 mg, polymyxin B 10,000 units, and gramicidin 0.025 mg per 1 mL (10 mL)

**Neomycin, Polymyxin B, and Hydrocortisone (Otic)****Outpatient Dosage Forms**

Suspension, otic: Neomycin 3.5 mg, polymyxin B 10,000 units, and hydrocortisone 10 mg per 1 mL (10 mL)

**Niacin**

**Outpatient Formulary Brands Available** Niaspan®

**Outpatient Dosage Forms**

Tablet, extended release, oral:  
Niaspan®: 500 mg [BCF], 750 mg [BCF], 1000 mg [BCF]

**Nicotine****Outpatient Dosage Forms**

Gum, Mouth/Throat, as polacrilex:  
Generic: 2 mg (110 ea); 4 mg (100 ea) [BCF]  
Patch 24 Hour, Transdermal:  
Generic: 7 mg/24 hr (7 ea) [BCF]; 14 mg/24 hours (7 ea) [BCF]; 21 mg/24 hours (7 ea) [BCF]

**NIFEdipine**

**Outpatient Formulary Brands Available** Adalat® CC; Procardia®

**Outpatient Dosage Forms**

Capsule, softgel, oral:  
Procardia®: 10 mg  
Tablet, extended release, oral: 30 mg [BCF], 60 mg [BCF], 90 mg [BCF]  
Adalat® CC: 30 mg, 60 mg, 90 mg

**Nitrofurantoin**

**Outpatient Formulary Brands Available** Furadantin®; Macroductin®

**Outpatient Dosage Forms**

Capsule, oral [macrocrystal]: 50 mg [BCF]  
Macroductin®: 50 mg  
Capsule, oral [macrocrystal/monohydrate]: 100 mg [BCF]  
Suspension, oral:  
Furadantin®: 25 mg/5 mL (230 mL)

**Nitroglycerin**

**Outpatient Formulary Brands Available** Nitro-Dur; Nitrolingual; Nitrostat; Rectiv

## NITROGLYCERIN

### Outpatient Dosage Forms

Ointment, Rectal:  
Rectiv: 0.4% (30 g) [contains propylene glycol]  
Patch, transdermal [once-daily patch]:  
0.1 mg/hour (30s) [BCF]  
0.2 mg/hour (30s) [BCF]  
0.4 mg/hour (30s) [BCF]  
0.6 mg/hour (30s) [BCF]  
Nitro-Dur®:  
0.3 mg/hour (30s) [BCF]  
0.8 mg/hour (30s) [BCF]  
Solution, translingual [spray]:  
Nitrolingual®:  
0.4 mg/spray (12 g) [contains ethanol 20%; 200 metered sprays] [BCF]  
0.4 mg/spray (4.9 g) [contains ethanol 20%; 60 metered sprays] [BCF]  
Tablet, sublingual:  
Nitrostat®: 0.4 mg [BCF]

### Norethindrone

**Outpatient Formulary Brands Available** Aygestin®; Camila®; Errin®; Jolivet®; Nor-QD®; Nora-BE®; Ortho Micronor®

### Outpatient Dosage Forms

Tablet, oral:  
Camila®: 0.35 mg [BCF]  
Errin®: 0.35 mg [BCF]  
Jolivet®: 0.35 mg [BCF]  
Nor-QD®: 0.35 mg [BCF]  
Nora-BE®: 0.35 mg [BCF]  
Ortho Micronor®: 0.35 mg [BCF]  
Tablet, oral, as acetate: 5 mg  
Aygestin®: 5 mg [scored]

### Nortriptyline

### Outpatient Dosage Forms

Capsule, oral: 10 mg [BCF], 25 mg [BCF], 50 mg [BCF]  
Solution, oral: 10 mg/5 mL (473 mL, 480 mL) [BCF]

### Nystatin (Oral)

### Outpatient Dosage Forms

Suspension, oral: 100,000 units/mL (5 mL, 60 mL, 473 mL) [BCF]

### Nystatin (Topical)

**Outpatient Formulary Brands Available** Nystop®

### Outpatient Dosage Forms

Cream, topical: 100,000 units/g (15 g, 30 g) [BCF]  
Ointment, topical: 100,000 units/g (15 g, 30 g) [BCF]  
Powder, topical:  
Nystop®: 100,000 units/g (15 g) [contains talc]

### Octreotide

**Outpatient Formulary Brands Available** SandoSTATIN; SandoSTATIN LAR

### Outpatient Dosage Forms

Kit, Intramuscular:  
SandoSTATIN LAR Depot: 10 mg, 20 mg, 30 mg  
Solution, Injection:  
SandoSTATIN: 0.05 mg/mL (1 mL)  
Generic: 50 mcg/mL (1 mL);

### Ocular Lubricant

**Outpatient Formulary Brands Available** Refresh® Classic [OTC]; Refresh®

Lacri-Lube® [OTC]

### Outpatient Dosage Forms

Ointment, ophthalmic:  
Refresh® Classic [OTC], Refresh® Lacri-Lube® [OTC]

### Ofloxacin (Ophthalmic)

**Outpatient Formulary Brands Available** Ocuflox®

### Outpatient Dosage Forms

Solution, ophthalmic [drops]:  
Ocuflox®: 0.3% (5 mL) [contains benzalkonium chloride]

### Ofloxacin (Otic)

**Outpatient Formulary Brands Available** Floxin® [DSC]

### Outpatient Dosage Forms

Solution, otic [drops]: 0.3% (5 mL)  
Floxin®: 0.3% (5 mL [DSC]) [contains benzalkonium chloride]

### OLANzapine

### Outpatient Dosage Forms

Tablet, Oral:  
Generic: 5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg

### Olopatadine (Ophthalmic)

**Outpatient Formulary Brands Available** Pataday; Pazeo

### Outpatient Dosage Forms

Solution, Ophthalmic [drops]:  
Pataday: 0.2% (2.5 mL) [contains benzalkonium chloride, edetate disodium]  
Pazeo: 0.7% (2.5 mL) [contains benzalkonium chloride]

### Omeprazole

### Outpatient Dosage Forms

Capsule, delayed release, oral: 10 mg [BCF], 20 mg [BCF], 40 mg

### Ondansetron

**Outpatient Formulary Brands Available** Zofran®; Zofran® ODT

### Outpatient Dosage Forms

Solution, oral: 4 mg/5 mL (5 mL, 50 mL)  
Tablet, oral: 4 mg, 8 mg  
Zofran®: 4 mg, 8 mg  
Tablet, orally disintegrating, oral: 4 mg, 8 mg  
Zofran® ODT: 4 mg, 8 mg [contains phenylalanine <0.03 mg/tablet; strawberry flavor]

### Oseltamivir

**Outpatient Formulary Brands Available** Tamiflu

### Outpatient Dosage Forms

Capsule, oral, as phosphate:  
Tamiflu: 75 mg  
Suspension reconstituted, oral, as base:  
Tamiflu: 6 mg/mL (60 mL) [contains saccharin sodium, sodium benzoate; tutti-frutti flavor]

### Oxaprozin

**Outpatient Formulary Brands Available** Daypro

### Outpatient Dosage Forms

Tablet, Oral:  
Daypro: 600 mg [scored]

### Oxcarbazepine

**Outpatient Formulary Brands Available** Trileptal®

### Outpatient Dosage Forms

Suspension, oral:  
Trileptal®: 300 mg/5 mL (250 mL) [contains ethanol, propylene glycol]  
Tablet, oral:  
Trileptal®: 150 mg, 300 mg, 600 mg [scored]

### Oxybutynin

**Outpatient Formulary Brands Available** Ditropan XL®

### Outpatient Dosage Forms

Syrup, Oral, as chloride:  
Generic: 5 mg/5 mL (473 mL)  
Tablet, Oral, as chloride:  
Generic: 5 mg  
Tablet, Extended Release, Oral, as chloride:  
Ditropan XL: 10 mg, 15 mg  
Generic: 5 mg [BCF], 10 mg [BCF], 15 mg [BCF]

### OxyCODONE

**Outpatient Formulary Brands Available** OxyCONTIN

### Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:  
Generic: 5 mg, 10 mg, 15 mg, 30 mg  
Tablet ER 12 Hour Abuse-Deterrent, Oral, as hydrochloride:  
OxyCONTIN: 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 80 mg

### Oxycodone and Acetaminophen

**Outpatient Formulary Brands Available** Roxicet

### Outpatient Dosage Forms

Solution, oral:  
Roxicet: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg per 5 mL (500 mL) [contains ethanol <0.5%; mint flavor]  
Tablet, oral:  
5/325: Oxycodone hydrochloride 5 mg and acetaminophen 325 mg [BCF]  
7.5/325: Oxycodone hydrochloride 7.5 mg and acetaminophen 325 mg  
10/325: Oxycodone hydrochloride 10 mg and acetaminophen 325 mg

### Oxymetazoline (Nasal)

### Outpatient Dosage Forms

Solution, intranasal, as hydrochloride [spray]: 0.05% (15 mL)

### Pancrelipase

**Outpatient Formulary Brands Available** Creon®; Pancreaze™

### Outpatient Dosage Forms

Capsule, delayed release, enteric coated microspheres [new formulation; porcine derived]:  
Creon®: Lipase 12,000 units, protease 38,000 units, and amylase 60,000 units [BCF]  
Capsule, delayed release, enteric coated microtablets [porcine derived]:  
Pancreaze™: Lipase 16,800 units, protease 40,000 units, and amylase 70,000 units

### Pantoprazole

### Outpatient Dosage Forms

Tablet, delayed release, oral: 40 mg

### Paricalcitol

**Outpatient Formulary Brands Available** Zemplar®

**Outpatient Dosage Forms**

Capsule, soft gelatin, oral:  
Zemplar®: 1 mcg [contains coconut oil (may have trace amounts), ethanol, palm kernel oil (may have trace amounts)]

**PARoxetine**

**Outpatient Formulary Brands Available** Paxil

**Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride [strength expressed as base]:  
Paxil: 10 mg [scored]  
Generic: 10 mg, 20 mg, 30 mg, 40 mg  
Tablet Extended Release 24 Hour, Oral, as hydrochloride [strength expressed as base]:  
Generic: 12.5 mg, 25 mg, 37.5 mg

**Penciclovir**

**Outpatient Formulary Brands Available** Denavir

**Outpatient Dosage Forms**

Cream, External:  
Denavir: 1% (5 g) [contains cetostearyl alcohol, propylene glycol]

**Penicillin V Potassium****Outpatient Dosage Forms**

Powder for solution, oral: 125 mg/5 mL (100 mL, 200 mL) [BCF]; 250 mg/5 mL (100 mL, 200 mL) [BCF]  
Tablet, oral: 250 mg [BCF], 500 mg [BCF]

**Pentosan Polysulfate Sodium**

**Outpatient Formulary Brands Available** Elmiron

**Outpatient Dosage Forms**

Capsule, Oral:  
Elmiron: 100 mg [contains fd&c blue #1 aluminum lake, fd&c blue #2 aluminum lake, fd&c red #40 aluminum lake, fd&c yellow #10 aluminum lake]

**Pentoxifylline****Outpatient Dosage Forms**

Tablet, extended release, oral: 400 mg

**Permethrin**

**Outpatient Formulary Brands Available** Elimite®; Nix® Creme Rinse [OTC]

**Outpatient Dosage Forms**

Cream, topical: 5% (60 g) [BCF]  
Elimite®: 5% (60 g) [contains coconut oil] [BCF]  
Liquid, topical [creme rinse formulation]:  
Nix® Creme Rinse: 1% (60 mL) [contains isopropyl alcohol 20%]

**Phenazopyridine**

**Outpatient Formulary Brands Available** Pyridium®

**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 100 mg [BCF], 200 mg [BCF]

**PHENobarbital****Outpatient Dosage Forms**

Elixir, oral: 20 mg/5 mL (5 mL, 7.5 mL, 15 mL) [BCF]  
Tablet, oral: 60 mg [BCF], 100 mg [BCF]  
Tablet, oral [new reformulated strengths]: 16.2 mg, 32.4 mg

**Phenylephrine (Nasal)**

**Outpatient Formulary Brands Available** Neo-Synephrine® Mild Formula [OTC]

**Outpatient Dosage Forms**

Solution, intranasal, as hydrochloride [spray]:  
Neo-Synephrine® Mild Formula: 0.25% (15 mL) [contains benzalkonium chloride]

**Phenylephrine (Ophthalmic)**

**Outpatient Formulary Brands Available** AK-Dilate™; Neo-Synephrine® [DSC]

**Outpatient Dosage Forms**

Solution, ophthalmic, as hydrochloride [drops]:  
AK-Dilate™: 10% (5 mL) [contains benzalkonium chloride]  
Neo-Synephrine®: 2.5% (15 mL [DSC]) [contains benzalkonium chloride]

**Phenytoin**

**Outpatient Formulary Brands Available** Dilantin-125®; Dilantin®

**Outpatient Dosage Forms**

Capsule, extended release, oral, as sodium: 100 mg [BCF]  
Dilantin®: 30 mg, 100 mg  
Suspension, oral: 125 mg/5 mL (4 mL, 120 mL, 237 mL, 240 mL) [BCF]  
Dilantin-125®: 125 mg/5 mL (240 mL) [contains ethanol ≤0.6%, sodium benzoate; orange-vanilla flavor]  
Tablet, chewable, oral:  
Dilantin®: 50 mg [scored] [BCF]

**Phytonadione**

**Outpatient Formulary Brands Available** Mephyton®

**Outpatient Dosage Forms**

Tablet, oral:  
Mephyton®: 5 mg [scored]

**Pilocarpine (Ophthalmic)**

**Outpatient Formulary Brands Available** Pilocpine HS®

**Outpatient Dosage Forms**

Gel, ophthalmic, as hydrochloride:  
Pilocpine HS®: 4% (4 g) [contains benzalkonium chloride] [BCF]  
Solution, ophthalmic, as hydrochloride [drops]: 1% (2 mL, 15 mL) [BCF]; 2% (2 mL, 15 mL) [BCF]; 4% (2 mL, 15 mL) [BCF] [may contain benzalkonium chloride]

**Pilocarpine (Systemic)**

**Outpatient Formulary Brands Available** Salagen®

**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 5 mg  
Salagen®: 5 mg

**Pimecrolimus**

**Outpatient Formulary Brands Available** Elidel®

**Outpatient Dosage Forms**

Cream, topical:  
Elidel®: 1% (30 g, 60 g, 100 g) [BCF]

**Pioglitazone**

**Outpatient Formulary Brands Available** Actos®

**Outpatient Dosage Forms**

Tablet, oral:  
Actos®: 15 mg, 30 mg, 45 mg

**Piroxicam (Systemic)****Outpatient Dosage Forms**

Capsule, oral: 20 mg

**Podofilox**

**Outpatient Formulary Brands Available** Condylox®

**Outpatient Dosage Forms**

Solution, topical: 0.5% (3.5 mL)  
Condylox®: 0.5% (3.5 mL) [contains ethanol 95%]

**Polyethylene Glycol 3350**

**Outpatient Formulary Brands Available** MiraLAX® [OTC]

**Outpatient Dosage Forms**

Powder for solution, oral:  
MiraLAX®: PEG 3350 255 g (14 oz [DSC]); PEG 3350 17 g/packet (12s [DSC])

**Polyethylene Glycol-Electrolyte Solution**

**Outpatient Formulary Brands Available** GoLYTELY

**Outpatient Dosage Forms**

Powder for solution, oral:  
GoLYTELY: PEG 3350 236 g, sodium sulfate 22.74 g, sodium bicarbonate 6.74 g, sodium chloride 5.86 g, and potassium chloride 2.97 g (4000 mL) [regular and pineapple flavor]

**Potassium Bicarbonate and Potassium Citrate**

**Outpatient Formulary Brands Available** Effer-K

**Outpatient Dosage Forms**

Tablet Effervescent, Oral:  
Effer-K: 20 mEq

**Potassium Chloride**

**Outpatient Formulary Brands Available** Klor-Con® 8

**Outpatient Dosage Forms**

Capsule, extended release, microencapsulated, oral: 10 mEq [BCF]  
Powder for solution, oral: 20 mEq/packet [BCF]  
Solution, oral: 20 mEq/15 mL (15 mL, 30 mL, 480 mL) [BCF]  
Tablet, extended release, microencapsulated, oral: 10 mEq [BCF], 20 mEq [BCF]  
Tablet, extended release, wax matrix, oral:  
Klor-Con® 8: 8 mEq [600 mg]

**Potassium Citrate**

**Outpatient Formulary Brands Available** Urocit®-K

**Outpatient Dosage Forms**

Tablet, oral: 540 mg, 1080 mg  
Urocit®-K: 540 mg [5 mEq]  
Urocit®-K: 1080 mg [10 mEq]

**Pramipexole**

**Outpatient Formulary Brands Available** Mirapex®

**Outpatient Dosage Forms**

Tablet, oral, as dihydrochloride monohydrate: 0.25 mg, 0.5 mg, 1.5 mg  
Mirapex®: 0.25 mg, 0.5 mg, 1.5 mg [scored]

**Prasugrel**

**Outpatient Formulary Brands Available** Effient®

**Outpatient Dosage Forms**

Tablet, oral:  
Effient®: 5 mg, 10 mg

## PRAVASTATIN

### Pravastatin

**Outpatient Formulary Brands Available** Pravachol®

#### Outpatient Dosage Forms

Tablet, oral, as sodium: 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]  
Pravachol®: 10 mg, 20 mg, 40 mg, 80 mg

### Prazosin

**Outpatient Formulary Brands Available** Minipress®

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 1 mg, 2 mg, 5 mg  
Minipress®: 1 mg, 2 mg, 5 mg

### PrednisolONE (Ophthalmic)

**Outpatient Formulary Brands Available** Pred Forte®; Pred Mild®

#### Outpatient Dosage Forms

Suspension, ophthalmic, as acetate [drops]: 1% (5 mL, 10 mL, 15 mL) [BCF]  
Pred Forte®: 1% (10 mL)  
Pred Mild®: 0.12% (5 mL, 10 mL) [contains benzalkonium chloride, sodium bisulfite] [BCF]

### PrednisolONE (Systemic)

**Outpatient Formulary Brands Available** Orapred®

#### Outpatient Dosage Forms

Solution, oral, as sodium phosphate [strength expressed as base]: 15 mg/5 mL (237 mL, 473 mL) [BCF]  
Orapred®: 15 mg/5 mL (237 mL) [dye free; contains ethanol 2%, sodium benzoate; grape flavor]

### PredniSONE

#### Outpatient Dosage Forms

Solution, Oral:  
Generic: 5 mg/5 mL (500 mL)  
Tablet, Oral:  
Generic: 1 mg [BCF], 2.5 mg, 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 50 mg

### Primaquine

#### Outpatient Dosage Forms

Tablet, oral, as phosphate: 26.3 mg [15 mg base]

### Primidone

**Outpatient Formulary Brands Available** Mysoline®

#### Outpatient Dosage Forms

Tablet, oral: 50 mg, 250 mg  
Mysoline®: 50 mg, 250 mg

### Probenecid

#### Outpatient Dosage Forms

Tablet, Oral:  
Generic: 500 mg [BCF]

### Prochlorperazine

#### Outpatient Dosage Forms

Tablet, oral, as maleate [strength expressed as base]: 5 mg, 10 mg

### Progesterone

**Outpatient Formulary Brands Available** Crinone

#### Outpatient Dosage Forms

Capsule, oral: 100 mg  
Gel, vaginal:  
Crinone: 8%

### Promethazine

#### Outpatient Dosage Forms

Suppository, rectal, as hydrochloride: 12.5 mg (12s) [BCF]; 25 mg (12s) [BCF]  
Syrup, oral, as hydrochloride: 6.25 mg/5 mL (118 mL, 473 mL) [BCF]  
Tablet, oral, as hydrochloride: 25 mg [BCF]

### Propafenone

**Outpatient Formulary Brands Available** Rythmol SR

#### Outpatient Dosage Forms

Capsule Extended Release 12 Hour, Oral, as hydrochloride:  
Rythmol SR: 325 mg  
Generic: 225 mg  
Tablet, Oral, as hydrochloride:  
Generic: 150 mg, 225 mg, 300 mg

### Propranolol

**Outpatient Formulary Brands Available** Inderal LA

#### Outpatient Dosage Forms

Capsule Extended Release 24 Hour, Oral, as hydrochloride:  
Inderal LA: 60 mg, 80 mg

### Propylthiouracil

#### Outpatient Dosage Forms

Tablet, oral: 50 mg [BCF]

### Pseudoephedrine

#### Outpatient Dosage Forms

Liquid, oral, as hydrochloride: 15 mg/5 mL (118 mL)  
Tablet, oral, as hydrochloride: 30 mg

### Pyrazinamide

#### Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]

### Pyridostigmine

**Outpatient Formulary Brands Available** Mestinon®; Mestinon® Timespan®

#### Outpatient Dosage Forms

Tablet, oral, as bromide: 60 mg  
Mestinon®: 60 mg [scored]  
Tablet, sustained release, oral, as bromide:  
Mestinon® Timespan®: 180 mg [scored]

### Pyridoxine

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 50 mg

### QUETiapine

**Outpatient Formulary Brands Available** SEROquel XR®; SEROquel®

#### Outpatient Dosage Forms

Tablet, oral:  
SEROquel®: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]  
Tablet, extended release, oral:  
SEROquel XR®: 50 mg [BCF], 150 mg [BCF], 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

### Raloxifene

**Outpatient Formulary Brands Available** Evista®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride:  
Evista®: 60 mg [BCF]

### Raltegravir

#### Outpatient Dosage Forms

Tablet, Oral:  
Isentress: 400 mg [contains polyethylene glycol]

### Ramipril

**Outpatient Formulary Brands Available** Altace®

#### Outpatient Dosage Forms

Capsule, oral: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]  
Altace®: 1.25 mg [BCF], 2.5 mg [BCF], 5 mg [BCF], 10 mg [BCF]

### RaNITidine

**Outpatient Formulary Brands Available** Zantac®

#### Outpatient Dosage Forms

Syrup, oral: 15 mg/mL (5 mL, 10 mL, 473 mL, 480 mL) [BCF]  
Zantac®: 15 mg/mL (480 mL) [contains ethanol 7.5%; peppermint flavor]  
Tablet, oral: 150 mg [BCF]

### Ranolazine

**Outpatient Formulary Brands Available** Ranexa

#### Outpatient Dosage Forms

Tablet Extended Release 12 Hour, Oral:  
Ranexa: 500 mg, 1000 mg

### Repaglinide

**Outpatient Formulary Brands Available** Prandin

#### Outpatient Dosage Forms

Tablet, Oral:  
Prandin: 2 mg [contains corn starch]

### Rifabutin

**Outpatient Formulary Brands Available** Mycobutin®

#### Outpatient Dosage Forms

Capsule, oral:  
Mycobutin®: 150 mg

### RifAMPin

**Outpatient Formulary Brands Available** Rifadin

#### Outpatient Dosage Forms

Capsule, Oral:  
Rifadin: 300 mg  
Generic: 150 mg, 300 mg [BCF]  
Solution Reconstituted, Intravenous:  
Rifadin: 600 mg

### Rifapentine

#### Outpatient Dosage Forms

Tablet, oral:  
Priftin®: 150 mg

### Riluzole

**Outpatient Formulary Brands Available** Rilutek

**Outpatient Dosage Forms**

Tablet, Oral:  
Rilutek: 50 mg

**Risperidone****Outpatient Formulary Brands Available** RisperDAL®**Outpatient Dosage Forms**

Solution, oral: 1 mg/mL (30 mL) [BCF]  
RisperDAL®: 1 mg/mL (30 mL) [contains benzoic acid]  
Tablet, oral: 0.25 mg [BCF], 0.5 mg [BCF], 1 mg [BCF], 2 mg [BCF], 3 mg [BCF], 4 mg [BCF]  
RisperDAL®: 0.25 mg, 0.5 mg  
RisperDAL®: 1 mg [scored]  
RisperDAL®: 2 mg, 3 mg, 4 mg

**Ritonavir****Outpatient Formulary Brands Available** Norvir**Outpatient Dosage Forms**

Tablet, oral:  
Norvir: 100 mg [*non- fridge*]

**Rivaroxaban****Outpatient Formulary Brands Available** Xarelto; Xarelto Starter Pack**Outpatient Dosage Forms**

Tablet, Oral:  
Xarelto: 10 mg, 15 mg, 20 mg  
Tablet Therapy Pack, Oral:  
Xarelto Starter Pack: 15 mg (42s) and 20 mg (9s) (51 ea)

**Rizatriptan****Outpatient Formulary Brands Available** Maxalt-MLT®; Maxalt®**Outpatient Dosage Forms**

Tablet, oral:  
Maxalt®: 5 mg [BCF], 10 mg [BCF]  
Tablet, orally disintegrating:  
Maxalt-MLT®:  
5 mg [contains phenylalanine 1.05 mg/tablet; peppermint flavor] [BCF]  
10 mg [contains phenylalanine 2.1 mg/tablet; peppermint flavor] [BCF]

**Roflumilast****Outpatient Formulary Brands Available** Daliresp**Outpatient Dosage Forms**

Tablet, Oral:  
Daliresp: 500 mcg

**ROPINIRole****Outpatient Formulary Brands Available** Requip; Requip XL**Outpatient Dosage Forms**

Tablet, Oral:  
Requip: 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #6 aluminum lake, polysorbate 80]  
Tablet Extended Release 24 Hour, Oral:  
Requip XL: 2 mg, 4 mg, 8 mg [contains fd&c blue #2 aluminum lake, fd&c yellow #6 aluminum lake]

**Rosuvastatin****Outpatient Formulary Brands Available** Crestor®**Outpatient Dosage Forms**

Tablet, oral:  
Crestor®: 5 mg, 10 mg, 20 mg, 40 mg

**Sacubitril and Valsartan****Outpatient Formulary Brands Available** Entresto**Outpatient Dosage Forms**

Tablet, Oral:  
Entresto: Sacubitril 24 mg and valsartan 26 mg  
Entresto: Sacubitril 49 mg and valsartan 51 mg  
Entresto: Sacubitril 97 mg and valsartan 103 mg

**Salicylic Acid****Outpatient Formulary Brands Available** Salacyn**Outpatient Dosage Forms**

Cream, External:  
Salacyn: 6% (400 g) [contains cetyl alcohol, disodium edta, methylparaben, propylparaben, trolamine (triethanolamine)]  
Liquid, External:  
Generic: 17% (14.8 mL [DSC])

**Salmeterol****Outpatient Formulary Brands Available** Serevent® Diskus®**Outpatient Dosage Forms**

Powder, for oral inhalation:  
Serevent® Diskus®: 50 mcg (28s, 60s) [contains lactose] [BCF]

**Salsalate****Outpatient Dosage Forms**

Tablet, oral: 500 mg [BCF], 750 mg [BCF]

**Scopolamine (Systemic)****Outpatient Formulary Brands Available** Transderm Scōp®**Outpatient Dosage Forms**

Patch, transdermal:  
Transderm Scōp®: 1.5 mg (24s) [releases ~1 mg over 72 hours]

**Selegiline****Outpatient Dosage Forms**

Tablet, Oral, as hydrochloride:  
Generic: 5 mg

**Selenium Sulfide****Outpatient Dosage Forms**

Lotion, topical: 2.5% (120 mL) [BCF]

**Sertraline****Outpatient Formulary Brands Available** Zoloft®**Outpatient Dosage Forms**

Solution, oral [concentrate]: 20 mg/mL (60 mL) [BCF]  
Tablet, oral: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]  
Zoloft®: 50 mg, 100 mg

**Sevelamer****Outpatient Formulary Brands Available** Renagel®; Renvela®**Outpatient Dosage Forms**

Tablet, oral, as carbonate:  
Renvela®: 800 mg  
Tablet, oral, as hydrochloride:  
Renagel®: 800 mg

**Sildenafil****Outpatient Formulary Brands Available** Revatio; Viagra**Outpatient Dosage Forms**

Tablet, oral:  
Revatio: 20 mg [BCF]  
Viagra: 25 mg [BCF], 50 mg [BCF], 100 mg [BCF]

**Silver Sulfadiazine****Outpatient Formulary Brands Available** Silvadene®; Thermazene®**Outpatient Dosage Forms**

Cream, topical: 1% (20 g, 25 g, 50 g, 85 g, 400 g) [BCF]  
Silvadene®: 1% (400 g)  
Thermazene®: 1% (20 g)

**Simethicone****Outpatient Dosage Forms**

Tablet, chewable, oral: 80 mg

**Simvastatin****Outpatient Formulary Brands Available** Zocor®**Outpatient Dosage Forms**

Tablet, oral: 5 mg [BCF], 10 mg [BCF], 20 mg [BCF], 40 mg [BCF], 80 mg [BCF]  
Zocor®: 10 mg, 20 mg, 40 mg, 80 mg

**Sitagliptin****Outpatient Formulary Brands Available** Januvia™**Outpatient Dosage Forms**

Tablet, oral:  
Januvia™: 25 mg, 50 mg, 100 mg

**Sitagliptin and Metformin****Outpatient Formulary Brands Available** Janumet®; Janumet® XR**Outpatient Dosage Forms**

Tablet, oral:  
Janumet® 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]  
Janumet® 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]  
Tablet, extended release, oral:  
Janumet® XR: 50/500: Sitagliptin 50 mg and metformin hydrochloride 500 mg [BCF]  
Janumet® XR: 50/1000: Sitagliptin 50 mg and metformin hydrochloride 1000 mg [BCF]  
Janumet® XR: 100/1000: Sitagliptin 100 mg and metformin hydrochloride 1000 mg [BCF]

**Sodium Bicarbonate****Outpatient Dosage Forms**

Tablet, oral: 650 mg [7.6 mEq]

**Sodium Chloride****Outpatient Formulary Brands Available** Deep Sea [OTC]; Ocean® [OTC]**Outpatient Dosage Forms**

Solution, for Inhalation [preservative free]:  
Generic: 0.9% (3 mL)  
Solution, Intranasal [drops/mist/spray]:  
Ocean: 0.65% (45 mL) [gluten free; contains benzalkonium chloride, benzyl alcohol]  
Solution, Intranasal [spray]:  
Deep Sea: 0.65% (45 mL) [contains benzalkonium chloride, benzyl alcohol]

## SODIUM CHLORIDE

Solution, Ophthalmic [drops]:  
Muro 128: 5% (15 mL, 30 mL)  
Generic: 5% (15 mL)  
Tablet, Oral:  
Generic: 1 g

### Sodium Citrate and Citric Acid

#### Outpatient Dosage Forms

Solution, oral: Sodium citrate 500 mg and citric acid 334 mg per 5 mL (473 mL) [equivalent to bicarbonate 1 mEq/mL]

### Sodium Phosphates

#### Outpatient Formulary Brands Available Fleet® Enema [OTC]

#### Outpatient Dosage Forms

Solution, rectal [enema]:  
Fleet® Enema: Monobasic sodium phosphate monohydrate 19 g and dibasic sodium phosphate heptahydrate 7 g per 118 mL delivered dose (133 mL) [contains sodium 4.4 g/118 mL]

### Solifenacin

#### Outpatient Formulary Brands Available VESicare®

#### Outpatient Dosage Forms

Tablet, oral, as succinate:  
VESicare®: 5 mg, 10 mg

### Somatropin

#### Outpatient Formulary Brands Available Norditropin®; Norditropin® Nordi-Flex®

#### Outpatient Dosage Forms

Injection, solution [rDNA origin]:  
Norditropin®: 5 mg/1.5 mL (1.5 mL) [ECF]; 15 mg/1.5 mL (1.5 mL) [ECF]  
Norditropin® NordiFlex®: 5 mg/1.5 mL (1.5 mL) [ECF]; 10 mg/1.5 mL (1.5 mL) [ECF]; 15 mg/1.5 mL (1.5 mL) [ECF]; 30 mg/3 mL (3 mL) [ECF]

### Sotalol

#### Outpatient Formulary Brands Available Betapace®

#### Outpatient Dosage Forms

Tablet, oral, as hydrochloride: 80 mg, 120 mg, 160 mg, 240 mg  
Betapace®: 80 mg, 120 mg, 160 mg, 240 mg [scored]

### Spirololactone

#### Outpatient Dosage Forms

Tablet, Oral:  
Generic: 25 mg [BCF], 100 mg

### Sucralfate

#### Outpatient Formulary Brands Available Carafate®

#### Outpatient Dosage Forms

Suspension, oral: 1 g/10 mL (10 mL)  
Tablet, oral: 1 g  
Carafate®: 1 g [scored]

### Sulfacetamide (Ophthalmic)

#### Outpatient Dosage Forms

Solution, ophthalmic, as sodium [drops]: 10% (15 mL) [BCF]

### Sulfamethoxazole and Trimethoprim

#### Outpatient Formulary Brands Available Bactrim™ DS

#### Outpatient Dosage Forms

Suspension, oral: Sulfamethoxazole 200 mg and trimethoprim 40 mg per 5 mL (480 mL) [BCF]  
Tablet, oral: Sulfamethoxazole 400 mg and trimethoprim 80 mg [BCF]  
Tablet, double strength, oral: Sulfamethoxazole 800 mg and trimethoprim 160 mg [BCF]  
Bactrim™ DS: Sulfamethoxazole 800 mg and trimethoprim 160 mg

### SulfaSALazine

#### Outpatient Formulary Brands Available Azulfidine EN-tabs®

#### Outpatient Dosage Forms

Tablet, oral: 500 mg [BCF]  
Tablet, delayed release, enteric coated, oral: 500 mg [BCF]  
Azulfidine EN-tabs®: 500 mg

### Sulfur and Sulfacetamide

#### Outpatient Formulary Brands Available Rosanil®; Sulfacet-R®

#### Outpatient Dosage Forms

Cleanser, topical:  
Rosanil®: Sulfur 5% and sulfacetamide sodium 10% (170 g)  
Lotion, topical:  
Sulfacet-R®: Sulfur 5% and sulfacetamide sodium 10% (25 g) [contains sodium metabisulfite; tint formulation]

### SUMatriptan

#### Outpatient Formulary Brands Available Imitrex

#### Outpatient Dosage Forms

Solution, Nasal:  
Imitrex: 5 mg/actuation (1 ea); 20 mg/actuation (1 ea)  
Solution, Subcutaneous, as succinate [strength expressed as base]:  
Imitrex: 6 mg/0.5 mL (0.5 mL)  
Generic: 6 mg/0.5 mL (0.5 mL) [BCF]

Tablet, Oral, as succinate [strength expressed as base]:

Imitrex: 25 mg, 50 mg, 100 mg  
Generic: 25 mg, 50 mg, 100 mg

### Tacrolimus (Systemic)

#### Outpatient Formulary Brands Available Prograf®

#### Outpatient Dosage Forms

Capsule, oral: 0.5 mg, 1 mg  
Prograf®: 0.5 mg, 1 mg

### Tacrolimus (Topical)

#### Outpatient Formulary Brands Available Protopic®

#### Outpatient Dosage Forms

Ointment, topical:  
Protopic®: 0.03% (60 g); 0.1% (30 g)

### Tamoxifen

#### Outpatient Dosage Forms

Tablet, oral: 10 mg [BCF], 20 mg [BCF]

### Tamsulosin

#### Outpatient Formulary Brands Available Flomax®

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 0.4 mg [BCF]  
Flomax®: 0.4 mg

### Tazarotene

#### Outpatient Formulary Brands Available Tazorac®

#### Outpatient Dosage Forms

Cream, topical:  
Tazorac®: 0.05% (60 g) [contains benzyl alcohol]

### Telmisartan

#### Outpatient Dosage Forms

Tablet, Oral:  
Generic: 20 mg, 40 mg, 80 mg

### Telmisartan and Hydrochlorothiazide

#### Outpatient Dosage Forms

Tablet, Oral:  
Micardis HCT: 40/12.5: Telmisartan 40 mg and hydrochlorothiazide 12.5 mg  
Micardis HCT: 80/12.5: Telmisartan 80 mg and hydrochlorothiazide 12.5 mg  
Micardis HCT: 80/25: Telmisartan 80 mg and hydrochlorothiazide 25 mg

### Temazepam

#### Outpatient Dosage Forms

Capsule, oral: 15 mg [BCF], 30 mg [BCF]

### Tenofovir Alafenamide

#### Outpatient Dosage Forms

Tablet, Oral:  
Vemlidy: 25 mg

### Terazosin

#### Outpatient Dosage Forms

Capsule, oral: 1 mg [BCF], 2 mg [BCF], 5 mg [BCF], 10 mg [BCF]

### Terbinafine (Systemic)

#### Outpatient Formulary Brands Available LamISIL®

#### Outpatient Dosage Forms

Tablet, oral: 250 mg  
LamISIL®: 250 mg

### Terbinafine (Topical)

#### Outpatient Dosage Forms

Cream, External, as hydrochloride:  
Generic: 1% (30 g)

### Terbutaline

#### Outpatient Dosage Forms

Tablet, oral, as sulfate: 5 mg

### Terconazole

#### Outpatient Formulary Brands Available Terazol® 3

#### Outpatient Dosage Forms

Cream, vaginal:  
Terazol® 3: 0.8% (20 g)

### Testosterone

#### Outpatient Formulary Brands Available Fortesta

#### Outpatient Dosage Forms

Gel, transdermal:  
Fortesta: 10 mg/actuation (60 g) [contains ethanol; 0.5 g gel/actuation; 120 metered actuations] [BCF]

### Tetracycline

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride: 250 mg [BCF], 500 mg [BCF]

**Theophylline****Outpatient Dosage Forms**

Capsule, extended release, oral:

Theo-24®: 300 mg [24 hours] [BCF], 400 mg [24 hours] [BCF]

Elixir, oral:

Elixophyllin®: 80 mg/15 mL (473 mL) [contains ethanol 20%; mixed fruit flavor] [BCF]

Solution, oral: 80 mg/15 mL (15 mL)

Tablet, extended release, oral: 200 mg [BCF], 300 mg [BCF], 400 mg [BCF]

**Thiamine****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg

**Ticagrelor****Outpatient Formulary Brands Available** Brilinta™**Outpatient Dosage Forms**

Tablet, oral:

Brilinta™: 90 mg

**Timolol (Ophthalmic)****Outpatient Formulary Brands Available** Timolol GFS; Timoptic-XE®**Outpatient Dosage Forms**

Gel forming solution, ophthalmic, as maleate [strength expressed as base, drops]:

Timolol GFS: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]

Timoptic-XE®: 0.25% (5 mL) [BCF]; 0.5% (5 mL) [BCF]

Solution, ophthalmic, as maleate [strength expressed as base, drops]: 0.25% (5 mL, 10 mL, 15 mL) [BCF]; 0.5% (5 mL, 10 mL, 15 mL) [BCF]

**Tiotropium****Outpatient Formulary Brands Available** Spiriva® HandiHaler®**Outpatient Dosage Forms**

Powder, for oral inhalation [capsule]:

Spiriva® HandiHaler®: 18 mcg/capsule (30s) [contains lactose] [BCF]

**Tirofiban****Outpatient Formulary Brands Available** Aggrastat**Outpatient Dosage Forms**

Solution, Intravenous:

Aggrastat: 50 mcg/mL

**TiZANidine****Outpatient Dosage Forms**

Tablet, oral: 4 mg

**Tobramycin and Dexamethasone****Outpatient Formulary Brands Available** TobraDex®**Outpatient Dosage Forms**

Suspension, ophthalmic [drops]:

TobraDex®: Tobramycin 0.3% and dexamethasone 0.1% (2.5 mL) [contains benzalkonium chloride]

**Tobramycin (Ophthalmic)****Outpatient Formulary Brands Available** Tobrex®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

Tobrex®: 0.3% (5 mL) [contains benzalkonium chloride]

**Tolterodine****Outpatient Formulary Brands Available** Detrol® LA**Outpatient Dosage Forms**

Capsule, extended release, oral, as tartrate:

Detrol® LA: 2 mg [BCF], 4 mg [BCF]

**Topiramate****Outpatient Formulary Brands Available** Topamax®**Outpatient Dosage Forms**

Capsule, sprinkle, oral: 15 mg

Topamax®: 15 mg

Tablet, oral: 25 mg, 50 mg, 100 mg, 200 mg

Topamax®: 25 mg, 50 mg, 100 mg, 200 mg

**Torseamide****Outpatient Formulary Brands Available** Demadex®**Outpatient Dosage Forms**

Tablet, oral: 5 mg, 10 mg, 20 mg, 100 mg

Demadex®: 5 mg, 10 mg, 20 mg, 100 mg [scored]

**TraMADol****Outpatient Formulary Brands Available** Ultram®**Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF]

Ultram®: 50 mg

**Tranexamic Acid****Outpatient Formulary Brands Available** Lysteda™**Outpatient Dosage Forms**

Tablet, oral:

Lysteda™: 650 mg

**TraZODone****Outpatient Dosage Forms**

Tablet, oral, as hydrochloride: 50 mg [BCF], 100 mg [BCF], 150 mg [BCF],

300 mg [BCF]

**Tretinoin (Topical)****Outpatient Formulary Brands Available** Avita; Retin-A; Retin-A Micro**Outpatient Dosage Forms**

Cream, External:

Avita: 0.025% (45 g)

Retin-A: 0.05% (20 g)

Generic: 0.025% (20 g, 45 g) [BCF]; 0.05% (20 g, 45 g) [BCF]

Gel, External:

Retin-A: 0.01% (15 g) [contains ethanol 90% w/w]

**Triamcinolone (Nasal)****Outpatient Dosage Forms**

Aerosol, Nasal, as acetonide:

Generic: 55 mcg/actuation (16.5 g)

**Triamcinolone (Topical)****Outpatient Formulary Brands Available** Kenalog®**Outpatient Dosage Forms**

Aerosol, topical, as acetonide:

Kenalog®: 0.2 mg/2-second spray (63 g [contains dehydrated ethanol 10.3%])

Cream, topical, as acetonide: 0.1% (15 g, 30 g, 80 g, 454 g, 2270 g) [BCF]

Ointment, topical, as acetonide: 0.1% (80 g)

Paste, oral, topical, as acetonide: 0.1% (5 g)

**Triazolam****Outpatient Formulary Brands Available** Halcion®**Outpatient Dosage Forms**

Tablet, oral: 0.125 mg, 0.25 mg

Halcion®: 0.125 mg

**Trihexyphenidyl****Outpatient Dosage Forms**

Elixir, oral, as hydrochloride: 2 mg/5 mL (473 mL) [BCF]

Tablet, oral, as hydrochloride: 2 mg [BCF]

**Trimethoprim and Polymyxin B****Outpatient Formulary Brands Available** Polytrim®**Outpatient Dosage Forms**

Solution, ophthalmic: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per mL (10 mL) [contains benzalkonium chloride] [BCF]

Polytrim®: Trimethoprim 1 mg and polymyxin B sulfate 10,000 units per 1 mL (10 mL) [contains benzalkonium chloride]

**Tropicamide****Outpatient Formulary Brands Available** Mydracyl®**Outpatient Dosage Forms**

Solution, ophthalmic [drops]:

Mydracyl®: 1% (15 mL) [contains benzalkonium chloride]

**Umeclidinium and Vilanterol****Outpatient Formulary Brands Available** Anoro Ellipta**Outpatient Dosage Forms**

Aerosol Powder Breath Activated, Inhalation:

Anoro Ellipta: Umeclidinium 62.5 mcg and vilanterol 25 mcg per inhalation (7 dose, 30 dose) [contains milk protein]

**Urea (Topical)****Outpatient Formulary Brands Available** Carmol 10 [OTC]; Carmol 20 [OTC]; Carmol 40**Outpatient Dosage Forms**

Cream, topical:

Carmol 20: 20% (90 g)

Carmol 40: 40% (199 g)

Lotion, topical:

Carmol 10: 10% (180 mL)

**Ursodiol****Outpatient Formulary Brands Available** Actigall; Urso 250**Outpatient Dosage Forms**

Capsule, Oral:

Actigall: 300 mg

Tablet, Oral:

Urso 250: 250 mg

**ValACYclovir****Outpatient Formulary Brands Available** Valtrex®**Outpatient Dosage Forms**

Caplet, oral:

Valtrex®: 500 mg

Valtrex®: 1 g [scored]

## VALPROIC ACID AND DERIVATIVES

### Valproic Acid and Derivatives

**Outpatient Formulary Brands Available** Depakene

#### Outpatient Dosage Forms

Capsule, Sprinkle, Oral:

Generic: 125 mg [strength expressed as valproic acid] [BCF]

Solution, Oral, as valproate sodium:

Depakene: 250 mg/5 mL (480 mL)

Tablet Delayed Release, Oral:

Generic: 250 mg [strength expressed as valproic acid] [BCF]

Tablet Extended Release 24 Hour, Oral:

Generic: 250 mg [strength expressed as valproic acid] [BCF], 500 mg [strength expressed as valproic acid] [BCF]

### Valsartan

#### Outpatient Dosage Forms

Tablet, oral:

Diovan®: 40 mg [BCF], 80 mg [BCF], 160 mg [BCF], 320 mg [BCF]

### Valsartan and Hydrochlorothiazide

#### Outpatient Dosage Forms

Tablet, oral:

Diovan HCT® 80 mg/12.5 mg: Valsartan 80 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 160 mg/12.5 mg: Valsartan 160 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 320 mg/12.5 mg: Valsartan 320 mg and hydrochlorothiazide 12.5 mg [BCF]

Diovan HCT® 160 mg/25 mg: Valsartan 160 mg and hydrochlorothiazide 25 mg [BCF]

Diovan HCT® 320 mg/25 mg: Valsartan 320 mg and hydrochlorothiazide 25 mg [BCF]

### Vancomycin

**Outpatient Formulary Brands Available** Vancocin®

#### Outpatient Dosage Forms

Capsule, oral:

Vancocin®: 125 mg, 250 mg

### Varenicline

**Outpatient Formulary Brands Available** Chantix®

#### Outpatient Dosage Forms

Tablet, oral:

Chantix®: 0.5 mg, 1 mg

### Venlafaxine

**Outpatient Formulary Brands Available** Effexor XR®

#### Outpatient Dosage Forms

Capsule, extended release, oral:

Effexor XR®: 37.5 mg [BCF], 75 mg [BCF], 150 mg [BCF]

Tablet, oral: 25 mg [BCF], 37.5 mg [BCF], 50 mg [BCF], 75 mg [BCF], 100 mg [BCF]

Tablet, extended release, oral: 225 mg [BCF]

### Verapamil

#### Outpatient Dosage Forms

Tablet, Oral, as hydrochloride:

Generic: 40 mg, 80 mg, 120 mg

Tablet Extended Release, Oral, as hydrochloride:

Generic: 120 mg [BCF], 180 mg [BCF], 240 mg [BCF]

### Vitamins (Multiple/Oral)

**Outpatient Formulary Brands Available** PreserVision® AREDS 2 [OTC]

#### Outpatient Dosage Forms

Content varies depending on product used.

Capsule, softgel, oral:

PreserVision® AREDS 2: 120 ea

### Vitamins (Multiple/Pediatric)

**Outpatient Formulary Brands Available** AquADEKs; Poly-Vi-Sol With Iron [OTC]; Poly-Vi-Sol [OTC]; Tri-Vi-Sol [OTC]

#### Outpatient Dosage Forms

Content varies depending on product used.

Capsule, Oral:

AquADEKs

Liquid, Oral [drops]:

Poly-Vi-Sol

Tri-Vi-Sol

Solution, Oral:

Poly-Vi-Sol With Iron

### Vitamins (Multiple/Prenatal)

**Outpatient Formulary Brands Available** Prenatal Plus

#### Outpatient Dosage Forms

Tablet:

Prenatal Plus

### Warfarin

**Outpatient Formulary Brands Available** Coumadin®

#### Outpatient Dosage Forms

Tablet, oral, as sodium: 1 mg [BCF], 2 mg [BCF], 2.5 mg [BCF], 3 mg [BCF],

4 mg [BCF], 5 mg [BCF], 6 mg [BCF], 7.5 mg [BCF], 10 mg [BCF]

Coumadin®: 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 7.5 mg [scored]

Coumadin®: 10 mg [scored; dye free]

### Zinc Oxide

#### Outpatient Dosage Forms

Ointment, topical: 20% (30 g)

### Ziprasidone

**Outpatient Formulary Brands Available** Geodon®

#### Outpatient Dosage Forms

Capsule, oral, as hydrochloride:

Geodon®: 20 mg, 40 mg, 60 mg, 80 mg

### ZOLMitriptan

**Outpatient Formulary Brands Available** Zomig-ZMT®; Zomig®

#### Outpatient Dosage Forms

Tablet, oral:

Zomig®: 2.5 mg [scored]

Zomig®: 5 mg

Tablet, orally disintegrating, oral:

Zomig-ZMT®: 2.5 mg [contains phenylalanine 2.81 mg/tablet; orange flavor]

Zomig-ZMT®: 5 mg [contains phenylalanine 5.62 mg/tablet; orange flavor]

### Zolpidem

#### Outpatient Dosage Forms

Tablet, oral, as tartrate: 5 mg [BCF], 10 mg [BCF]

Tablet extended release, oral, as tartrate: 6.25 mg, 12.5 mg

### Zonisamide

**Outpatient Formulary Brands Available** Zonegran

#### Outpatient Dosage Forms

Capsule, Oral:

Zonegran: 100 mg

Generic: 50 mg



## Therapeutic Category Index

## ACETYLCHOLINESTERASE INHIBITOR

<b>Acetylcholinesterase Inhibitor</b>		Aspirin .....	3
Pyridostigmine .....	20	Celecoxib .....	5
<b>Acetylcholinesterase Inhibitor (Central)</b>		Diclofenac (Systemic) .....	8
Donepezil .....	8	Ibuprofen .....	13
<b>Acne Products</b>		Indomethacin .....	13
Adapalene .....	2	Meloxicam .....	15
Benzoyl Peroxide .....	4	Nabumetone .....	17
Clindamycin and Benzoyl Peroxide .....	6	Naproxen .....	17
Erythromycin (Topical) .....	9	Oxaprozin .....	18
ISOTretinoin .....	14	Piroxicam (Systemic) .....	19
Salicylic Acid .....	21	<b>Analgesic, Opioid</b>	
Sulfur and Sulfacetamide .....	22	Acetaminophen and Codeine .....	2
Tazarotene .....	22	Acetaminophen and Tramadol .....	2
Tretinoin (Topical) .....	23	Belladonna and Opium .....	4
<b>Adrenergic Agonist Agent</b>		Codeine .....	6
Oxymetazoline (Nasal) .....	18	FentaNYL .....	11
<b>Alkalinizing Agent</b>		Hydrocodone and Acetaminophen .....	12
Sodium Bicarbonate .....	21	Hydrocodone and Chlorpheniramine .....	12
<b>Alkalinizing Agent, Oral</b>		HYDROmorphone .....	13
Potassium Citrate .....	19	Meperidine .....	15
Sodium Citrate and Citric Acid .....	22	Methadone .....	16
<b>Alkylamine Derivative</b>		Morphine (Systemic) .....	17
Chlorpheniramine .....	5	OxyCODONE .....	18
Hydrocodone and Chlorpheniramine .....	12	Oxycodone and Acetaminophen .....	18
Naphazoline and Pheniramine .....	17	TraMADol .....	23
<b>Alpha<sub>1</sub> Agonist</b>		<b>Analgesic, Topical</b>	
Midodrine .....	16	Lidocaine (Topical) .....	15
Naphazoline and Pheniramine .....	17	<b>Analgesic, Urinary</b>	
<b>Alpha<sub>1</sub> Blocker</b>		Pentosan Polysulfate Sodium .....	19
Alfuzosin .....	2	Phenazopyridine .....	19
Doxazosin .....	8	<b>Androgen</b>	
Prazosin .....	20	Testosterone .....	22
Tamsulosin .....	22	<b>Angiotensin II Receptor Blocker</b>	
Terazosin .....	22	Amlodipine and Valsartan .....	3
<b>Alpha<sub>2</sub>-Adrenergic Agonist</b>		Amlodipine, Valsartan, and Hydrochlorothiazide .....	3
CloNIDine .....	6	Candesartan .....	5
GuanFACINE .....	12	Losartan .....	15
Methyldopa .....	16	Losartan and Hydrochlorothiazide .....	15
TiZANidine .....	23	Sacubitril and Valsartan .....	21
<b>Alpha<sub>2</sub> Agonist, Ophthalmic</b>		Telmisartan .....	22
Brimonidine and Timolol .....	4	Telmisartan and Hydrochlorothiazide .....	22
Brimonidine (Ophthalmic) .....	4	Valsartan .....	24
<b>Alpha-Adrenergic Agonist</b>		Valsartan and Hydrochlorothiazide .....	24
Phenylephrine (Nasal) .....	19	<b>Angiotensin-Converting Enzyme (ACE) Inhibitor</b>	
Phenylephrine (Ophthalmic) .....	19	Amlodipine and Benazepril .....	3
<b>Alpha/Beta Agonist</b>		Captopril .....	5
EPINEPHrine (Systemic) .....	9	Enalapril .....	9
Fexofenadine and Pseudoephedrine .....	11	Fosinopril .....	12
Guaifenesin and Pseudoephedrine .....	12	Lisinopril .....	15
Pseudoephedrine .....	20	Lisinopril and Hydrochlorothiazide .....	15
<b>5 Alpha-Reductase Inhibitor</b>		Ramipril .....	20
Finasteride .....	11	<b>Anilidopiperidine Opioid</b>	
<b>Amebicide</b>		FentaNYL .....	11
MetroNIDAZOLE (Systemic) .....	16	<b>Antacid</b>	
<b>Aminoquinoline (Antimalarial)</b>		Calcium Carbonate .....	5
Chloroquine .....	5	Magnesium Hydroxide .....	15
Hydroxychloroquine .....	13	Sodium Bicarbonate .....	21
Primaquine .....	20	<b>Anthelmintic</b>	
<b>5-Aminosalicylic Acid Derivative</b>		Albendazole .....	2
Balsalazide .....	4	Ivermectin (Systemic) .....	14
Mesalamine .....	16	<b>Antianginal Agent</b>	
SulfaSALazine .....	22	AmLODIPine .....	2
<b>Ammonium Detoxicant</b>		Amlodipine and Benazepril .....	3
Lactulose .....	14	Amlodipine and Valsartan .....	3
Neomycin .....	17	Amlodipine, Valsartan, and Hydrochlorothiazide .....	3
<b>Analgesic Combination (Opioid)</b>		Atenolol .....	3
Acetaminophen and Codeine .....	2	DiITIAZem .....	8
Acetaminophen and Tramadol .....	2	Isosorbide Dinitrate .....	14
Belladonna and Opium .....	4	Isosorbide Mononitrate .....	14
Hydrocodone and Acetaminophen .....	12	Metoprolol .....	16
Hydrocodone and Ibuprofen .....	12	NIFEdipine .....	17
Oxycodone and Acetaminophen .....	18	Nitroglycerin .....	17
<b>Analgesic, Nonopioid</b>		Propranolol .....	20
Acetaminophen .....	2	Ranolazine .....	20
		Verapamil .....	24
		<b>Antianxiety Agent, Miscellaneous</b>	
		BusPIRone .....	4
		<b>Antiarrhythmic Agent, Class Ib</b>	
		Mexiletine .....	16

<b>Antiarrhythmic Agent, Class Ic</b>		Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17
Flecainide .....	11	Ofloxacin (Otic) .....	18
Propafenone .....	20	<b>Antibiotic, Oxazolidinone</b>	
<b>Antiarrhythmic Agent, Class II</b>		Linezolid .....	15
Acebutolol .....	2	<b>Antibiotic, Penicillin</b>	
Propranolol .....	20	Amoxicillin .....	3
Sotalol .....	22	Amoxicillin and Clavulanate Potassium .....	3
<b>Antiarrhythmic Agent, Class III</b>		Dicloxacillin .....	8
Amiodarone .....	2	Penicillin V Potassium .....	19
Dronedarone .....	8	<b>Antibiotic, Respiratory Fluoroquinolone</b>	
Sotalol .....	22	LevoFLOXacin (Systemic) .....	14
<b>Antiarrhythmic Agent, Class IV</b>		Moxifloxacin (Systemic) .....	17
Diltiazem .....	8	<b>Antibiotic, Sulfonamide Derivative</b>	
Verapamil .....	24	Sulfamethoxazole and Trimethoprim .....	22
<b>Antiarrhythmic Agent, Miscellaneous</b>		Sulfur and Sulfacetamide .....	22
Digoxin .....	8	<b>Antibiotic, Tetracycline Derivative</b>	
<b>Antibiotic, Aminoglycoside</b>		Doxycycline .....	8
Gentamicin (Ophthalmic) .....	12	Minocycline .....	16
Neomycin .....	17	Tetracycline .....	22
Tobramycin (Ophthalmic) .....	23	<b>Antibiotic, Topical</b>	
<b>Antibiotic, Cephalosporin (First Generation)</b>		Bacitracin (Topical) .....	4
Cefadroxil .....	5	Chlorhexidine Gluconate (Topical) .....	5
Cephalexin .....	5	Erythromycin (Topical) .....	9
<b>Antibiotic, Cephalosporin (Second Generation)</b>		MetroNIDAZOLE (Topical) .....	16
Cefprozil .....	5	Mupirocin .....	17
<b>Antibiotic, Cephalosporin (Third Generation)</b>		Neomycin and Polymyxin B .....	17
Cefdinir .....	5	Silver Sulfadiazine .....	21
<b>Antibiotic/Corticosteroid, Ophthalmic</b>		<b>Anticholinergic Agent</b>	
Neomycin, Polymyxin B, and Dexamethasone .....	17	Benztropine .....	4
Tobramycin and Dexamethasone .....	23	Dicyclomine .....	8
<b>Antibiotic/Corticosteroid, Otic</b>		Hyoscyamine .....	13
Ciprofloxacin and Dexamethasone .....	6	Hyoscyamine, Atropine, Scopolamine, and Phenobarbital .....	13
Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17	Ipratropium and Albuterol .....	13
<b>Antibiotic, Fluoroquinolone</b>		Ipratropium (Nasal) .....	13
Ciprofloxacin (Systemic) .....	6	Ipratropium (Oral Inhalation) .....	14
Gatifloxacin .....	12	Scopolamine (Systemic) .....	21
LevoFLOXacin (Systemic) .....	14	Solifenacin .....	22
Moxifloxacin (Ophthalmic) .....	17	Tiotropium .....	23
Moxifloxacin (Systemic) .....	17	Tolterodine .....	23
Ofloxacin (Ophthalmic) .....	18	Trihexyphenidyl .....	23
Ofloxacin (Otic) .....	18	Umeclidinium and Vilanterol .....	23
<b>Antibiotic, Lincosamide</b>		<b>Anticholinergic Agent, Long-Acting</b>	
Clindamycin (Systemic) .....	6	Tiotropium .....	23
Clindamycin (Topical) .....	6	Umeclidinium and Vilanterol .....	23
<b>Antibiotic, Macrolide</b>		<b>Anticholinergic Agent, Ophthalmic</b>	
Azithromycin (Ophthalmic) .....	3	Atropine (Ophthalmic) .....	3
Azithromycin (Systemic) .....	3	Cyclopentolate .....	7
Clarithromycin .....	6	Homatropine .....	12
Erythromycin (Ophthalmic) .....	9	<b>Anticoagulant</b>	
Erythromycin (Systemic) .....	9	Apixaban .....	3
Erythromycin (Topical) .....	9	Dabigatran Etexilate .....	7
Fidaxomicin .....	11	Edoxaban .....	8
<b>Antibiotic, Miscellaneous</b>		Enoxaparin .....	9
Dapsone (Systemic) .....	7	Rivaroxaban .....	21
Fosfomycin .....	12	Warfarin .....	24
Methenamine .....	16	<b>Anticoagulant, Direct Thrombin Inhibitor</b>	
MetroNIDAZOLE (Systemic) .....	16	Dabigatran Etexilate .....	7
Nitrofurantoin .....	17	<b>Anticoagulant, Factor Xa Inhibitor</b>	
Sulfamethoxazole and Trimethoprim .....	22	Apixaban .....	3
<b>Antibiotic, Ophthalmic</b>		Edoxaban .....	8
Azithromycin (Ophthalmic) .....	3	Rivaroxaban .....	21
Bacitracin, Neomycin, and Polymyxin B (Ophthalmic) .....	4	<b>Anticoagulant, Low Molecular Weight Heparin</b>	
Bacitracin (Ophthalmic) .....	4	Enoxaparin .....	9
Erythromycin (Ophthalmic) .....	9	<b>Anticoagulant, Vitamin K Antagonist</b>	
Gatifloxacin .....	12	Warfarin .....	24
Gentamicin (Ophthalmic) .....	12	<b>Anticonvulsant, Barbiturate</b>	
Moxifloxacin (Ophthalmic) .....	17	PHENobarbital .....	19
Neomycin, Polymyxin B, and Gramicidin .....	17	<b>Anticonvulsant, Benzodiazepine</b>	
Ofloxacin (Ophthalmic) .....	18	CloBAZam .....	6
Sulfacetamide (Ophthalmic) .....	22	Clonazepam .....	6
Tobramycin (Ophthalmic) .....	23	Diazepam .....	8
Trimethoprim and Polymyxin B .....	23	LORazepam .....	15
<b>Antibiotic, Oral Rinse</b>		<b>Anticonvulsant, Hydantoin</b>	
Chlorhexidine Gluconate (Oral) .....	5	Phenytoin .....	19
<b>Antibiotic, Otic</b>			
Ciprofloxacin and Dexamethasone .....	6		

## ANTICONVULSANT, MISCELLANEOUS

<b>Anticonvulsant, Miscellaneous</b>	
AcetaZOLAMIDE .....	2
CarBAMazepine .....	5
Gabapentin .....	12
Lacosamide .....	14
LamoTRigine .....	14
LevETIRAcetam .....	14
OXcarbazepine .....	18
Primidone .....	20
Topiramate .....	23
Valproic Acid and Derivatives .....	24
Zonisamide .....	24
<b>Antidepressant, Alpha-2 Antagonist</b>	
Mirtazapine .....	16
<b>Antidepressant, Dopamine/Norepinephrine-Reuptake Inhibitor</b>	
BuPROPion .....	4
<b>Antidepressant, Monoamine Oxidase Inhibitor</b>	
Selegiline .....	21
<b>Antidepressant, Selective Serotonin Reuptake Inhibitor</b>	
Citalopram .....	6
Escitalopram .....	9
FLUoxetine .....	11
Fluvoxamine .....	11
PARoxetine .....	19
Sertraline .....	21
<b>Antidepressant, Serotonin/Norepinephrine Reuptake Inhibitor</b>	
DULoxetine .....	8
Venlafaxine .....	24
<b>Antidepressant, Serotonin Reuptake Inhibitor/Antagonist</b>	
TraZODone .....	23
<b>Antidepressant, Tricyclic (Secondary Amine)</b>	
Nortriptyline .....	18
<b>Antidepressant, Tricyclic (Tertiary Amine)</b>	
Amitriptyline .....	2
Doxepin (Systemic) .....	8
Imipramine .....	13
<b>Antidiabetic Agent, Biguanide</b>	
Glyburide and Metformin .....	12
MetFORMIN .....	16
Sitagliptin and Metformin .....	21
<b>Antidiabetic Agent, Dipeptidyl Peptidase 4 (DPP-4) Inhibitor</b>	
SITagliptin .....	21
Sitagliptin and Metformin .....	21
<b>Antidiabetic Agent, Dopamine Agonist</b>	
Bromocriptine .....	4
<b>Antidiabetic Agent, Glucagon-Like Peptide-1 (GLP-1) Receptor Agonist</b>	
Exenatide .....	10
<b>Antidiabetic Agent, Meglitinide Analog</b>	
Repaglinide .....	20
<b>Antidiabetic Agent, Sulfonylurea</b>	
Glimepiride .....	12
GlipiZIDE .....	12
GlyBURIDE .....	12
Glyburide and Metformin .....	12
<b>Antidiabetic Agent, Thiazolidinedione</b>	
Pioglitazone .....	19
<b>Antidiarrheal</b>	
Bismuth Subsalicylate .....	4
Diphenoxylate and Atropine .....	8
Loperamide .....	15
Octreotide .....	18
<b>Antidote</b>	
Calcium Acetate .....	4
Calcium Carbonate .....	5
Glucagon .....	12
IdaruCIZUmab .....	13
Leucovorin Calcium .....	14
Naloxone .....	17
Octreotide .....	18
<b>Antidote, Extravasation</b>	
Nitroglycerin .....	17
Terbutaline .....	22
<b>Antidote, Hypoglycemia</b>	
Glucagon .....	12
<b>Antiemetic</b>	
Dexamethasone (Systemic) .....	7
HydroXYzine .....	13
Meclizine .....	15
Metoclopramide .....	16
Ondansetron .....	18
Prochlorperazine .....	20
Promethazine .....	20
<b>Antifibrinolytic Agent</b>	
Tranexamic Acid .....	23
<b>Antiflatulent</b>	
Simethicone .....	21
<b>Antifungal Agent, Azole Derivative</b>	
Terconazole .....	22
<b>Antifungal Agent, Imidazole Derivative</b>	
Clotrimazole (Oral) .....	6
Clotrimazole (Topical) .....	6
Ketoconazole (Topical) .....	14
Miconazole (Topical) .....	16
<b>Antifungal Agent, Oral</b>	
Fluconazole .....	11
Griseofulvin .....	12
Itraconazole .....	14
Terbinafine (Systemic) .....	22
<b>Antifungal Agent, Oral Nonabsorbed</b>	
Clotrimazole (Oral) .....	6
<b>Antifungal Agent, Oral Nonabsorbed/Partially Absorbed</b>	
Clotrimazole (Topical) .....	6
Miconazole (Topical) .....	16
Nystatin (Oral) .....	18
<b>Antifungal Agent, Parenteral</b>	
Fluconazole .....	11
<b>Antifungal Agent, Topical</b>	
Ciclopirox .....	5
Clotrimazole (Topical) .....	6
Ketoconazole (Topical) .....	14
Miconazole (Topical) .....	16
Naftifine .....	17
Nystatin (Topical) .....	18
Terbinafine (Topical) .....	22
<b>Antifungal Agent, Vaginal</b>	
Clotrimazole (Topical) .....	6
Miconazole (Topical) .....	16
Terconazole .....	22
<b>Antigout Agent</b>	
Allopurinol .....	2
Colchicine .....	6
<b>Antihemophilic Agent</b>	
Desmopressin .....	7
Tranexamic Acid .....	23
<b>Antihemorrhoidal Agent</b>	
Hydrocortisone (Topical) .....	13
<b>Antihepadnaviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HBV)</b>	
Entecavir .....	9
LamiVUDine .....	14
<b>Antihepadnaviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HBV)</b>	
Tenofovir Alafenamide .....	22
<b>Antihypertensive</b>	
Acebutolol .....	2
AMILoride .....	2
AmLODIPine .....	2
Amlodipine and Benazepril .....	3
Amlodipine and Valsartan .....	3
Amlodipine, Valsartan, and Hydrochlorothiazide .....	3
Atenolol .....	3
Bisoprolol .....	4
Bumetanide .....	4
Candesartan .....	5
Captopril .....	5
Carvedilol .....	5
Chlorthalidone .....	5

**ANTIRETROVIRAL, REVERSE TRANSCRIPTASE INHIBITOR, NON-NUCLEOSIDE (ANTI-HIV)**

CloNIDine .....	6	Fluorouracil (Topical) .....	11
DiTIAZem .....	8	Mercaptopurine .....	16
Doxazosin .....	8	<b>Antineoplastic Agent, Antimetabolite (Antifolate)</b>	
Enalapril .....	9	Methotrexate .....	16
Eplerenone .....	9	<b>Antineoplastic Agent, Antimetabolite (Purine Analog)</b>	
Fosinopril .....	12	Mercaptopurine .....	16
Furosemide .....	12	<b>Antineoplastic Agent, Antimetabolite (Pyrimidine Analog)</b>	
GuanFACINE .....	12	Capecitabine .....	5
HydrALAZINE .....	12	Fluorouracil (Topical) .....	11
HydroCHLORothiazide .....	12	<b>Antineoplastic Agent, Aromatase Inhibitor</b>	
Hydrochlorothiazide and Triamterene .....	12	Anastrozole .....	3
Isosorbide Dinitrate and Hydralazine .....	14	Letrozole .....	14
Labetalol .....	14	<b>Antineoplastic Agent, Estrogen Receptor Antagonist</b>	
Lisinopril .....	15	Tamoxifen .....	22
Lisinopril and Hydrochlorothiazide .....	15	<b>Antineoplastic Agent, Gonadotropin-Releasing Hormone Agonist</b>	
Losartan .....	15	Goserelin .....	12
Losartan and Hydrochlorothiazide .....	15	Leuprolide .....	14
Methyldopa .....	16	<b>Antineoplastic Agent, Hormone</b>	
Metoprolol .....	16	Megestrol .....	15
Minoxidil (Systemic) .....	16	<b>Antineoplastic Agent, Miscellaneous</b>	
NIFEdipine .....	17	Hydroxyurea .....	13
Prazosin .....	20	<b>Antineoplastic Agent, Retinoic Acid Derivative</b>	
Propranolol .....	20	ISOTretinoin .....	14
Ramipril .....	20	<b>Antiparasitic Agent, Topical</b>	
SpiroNolactone .....	22	Permethrin .....	19
Telmisartan .....	22	<b>Anti-Parkinson Agent, Anticholinergic</b>	
Telmisartan and Hydrochlorothiazide .....	22	Benzotropine .....	4
Terazosin .....	22	Trihexyphenidyl .....	23
TorseNide .....	23	<b>Anti-Parkinson Agent, COMT Inhibitor</b>	
Valsartan .....	24	Entacapone .....	9
Valsartan and Hydrochlorothiazide .....	24	<b>Anti-Parkinson Agent, Decarboxylase Inhibitor</b>	
Verapamil .....	24	Carbidopa and Levodopa .....	5
<b>Anti-inflammatory Agent</b>		<b>Anti-Parkinson Agent, Dopamine Agonist</b>	
Balsalazide .....	4	Amantadine .....	2
Dexamethasone (Systemic) .....	7	Bromocriptine .....	4
<b>Anti-inflammatory, Locally Applied</b>		Pramipexole .....	19
Carbamide Peroxide .....	5	ROPINIRole .....	21
<b>Antilipemic Agent, 2-Azetidinone</b>		<b>Anti-Parkinson Agent, Dopamine Precursor</b>	
Ezetimibe .....	10	Carbidopa and Levodopa .....	5
<b>Antilipemic Agent, Bile Acid Sequestrant</b>		<b>Anti-Parkinson Agent, MAO Type B Inhibitor</b>	
Cholestyramine Resin .....	5	Selegiline .....	21
Colestipol .....	6	<b>Antiplatelet Agent</b>	
<b>Antilipemic Agent, Fibric Acid</b>		Aspirin .....	3
Fenofibrate and Derivatives .....	11	Aspirin and Dipyridamole .....	3
Gemfibrozil .....	12	Cilostazol .....	5
<b>Antilipemic Agent, HMG-CoA Reductase Inhibitor</b>		Clopidogrel .....	6
AtorvaSTATIn .....	3	Prasugrel .....	19
Lovastatin .....	15	Ticagrelor .....	23
Pravastatin .....	20	<b>Antiplatelet Agent, Cyclopentyltriazolopyrimidine</b>	
Rosuvastatin .....	21	Ticagrelor .....	23
Simvastatin .....	21	<b>Antiplatelet Agent, Glycoprotein IIb/IIIa Inhibitor</b>	
<b>Antilipemic Agent, Miscellaneous</b>		Tirofiban .....	23
Niacin .....	17	<b>Antiplatelet Agent, Thienopyridine</b>	
<b>Antimalarial Agent</b>		Clopidogrel .....	6
Atovaquone and Proguanil .....	3	Prasugrel .....	19
Chloroquine .....	5	<b>Antiprotozoal, Nitroimidazole</b>	
Hydroxychloroquine .....	13	MetroNIDAZOLE (Systemic) .....	16
Primaquine .....	20	<b>Antiretroviral, Integrase Inhibitor (Anti-HIV)</b>	
<b>Antimanic Agent</b>		Abacavir, Dolutegravir, and Lamivudine .....	2
ChlorproMAZINE .....	5	Dolutegravir .....	8
Lithium .....	15	Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir .....	9
OLANZapine .....	18	Raltegravir .....	20
RisperiDONE .....	21	<b>Antiretroviral, Protease Inhibitor (Anti-HIV)</b>	
Valproic Acid and Derivatives .....	24	Atazanavir .....	3
<b>Antimigraine Agent</b>		Darunavir .....	7
Acetaminophen, Caffeine, and Isometheptene Mucate .....	2	Lopinavir and Ritonavir .....	15
Rizatriptan .....	21	Ritonavir .....	21
SUMATriptan .....	22	<b>Antiretroviral, Reverse Transcriptase Inhibitor, Non-nucleoside (Anti-HIV)</b>	
ZOLMitriptan .....	24	Efavirenz .....	8
<b>Antineoplastic Agent, Alkylating Agent</b>		Efavirenz, Emtricitabine, and Tenofovir .....	8
Melphalan .....	15		
<b>Antineoplastic Agent, Alkylating Agent (Nitrogen Mustard)</b>			
Melphalan .....	15		
<b>Antineoplastic Agent, Antiandrogen</b>			
Bicalutamide .....	4		
<b>Antineoplastic Agent, Antimetabolite</b>			
Capecitabine .....	5		

**ANTIRETROVIRAL, REVERSE TRANSCRIPTASE INHIBITOR, NUCLEOSIDE (ANTI-HIV)**

**Antiretroviral, Reverse Transcriptase Inhibitor, Nucleoside (Anti-HIV)**

Abacavir .....2  
 Abacavir and Lamivudine .....2  
 Abacavir, Dolutegravir, and Lamivudine .....2  
 Efavirenz, Emtricitabine, and Tenofovir .....8  
 Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir .....9  
 Emtricitabine and Tenofovir .....9  
 Lamivudine .....14  
 Lamivudine and Zidovudine .....14

**Antiretroviral, Reverse Transcriptase Inhibitor, Nucleotide (Anti-HIV)**

Efavirenz, Emtricitabine, and Tenofovir .....8  
 Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir .....9  
 Emtricitabine and Tenofovir .....9

**Antirheumatic, Disease Modifying**

Adalimumab .....2  
 Leflunomide .....14  
 Methotrexate .....16

**Antiseborrheic Agent, Topical**

Selenium Sulfide .....21  
 Sulfur and Sulfacetamide .....22

**Antispasmodic Agent, Gastrointestinal**

Clidinium and Chlordiazepoxide .....6  
 Hyoscyamine, Atropine, Scopolamine, and Phenobarbital .....13

**Antispasmodic Agent, Urinary**

Belladonna and Opium .....4  
 Oxybutynin .....18

**Antithyroid Agent**

MethIMazole .....16  
 Propylthiouracil .....20

**Antitubercular Agent**

Ethambutol .....10  
 Isoniazid .....14  
 Pyrazinamide .....20  
 Rifabutin .....20  
 RifAMPin .....20  
 Rifapentine .....20

**Antitussive**

Benzonate .....4  
 Codeine .....6  
 Guaifenesin and Codeine .....12  
 Guaifenesin and Dextromethorphan .....12  
 Hydrocodone and Chlorpheniramine .....12

**Antiviral Agent**

Acyclovir (Systemic) .....2  
 Amantadine .....2  
 Famciclovir .....10  
 Oseltamivir .....18  
 Penciclovir .....19  
 ValACYclovir .....23

**Antiviral Agent, Adamantane**

Amantadine .....2

**Antiviral Agent, Ophthalmic**

Ganciclovir (Ophthalmic) .....12

**Antiviral Agent, Oral**

ValACYclovir .....23

**Appetite Stimulant**

Megestrol .....15

**Barbiturate**

Butalbital, Acetaminophen, and Caffeine .....4  
 Butalbital, Aspirin, and Caffeine .....4  
 PHENobarbital .....19  
 Primidone .....20

**Benzodiazepine**

ALPRAZolam .....2  
 Clidinium and Chlordiazepoxide .....6  
 CloBAZam .....6  
 Clonazepam .....6  
 Diazepam .....8  
 LORazepam .....15  
 Temazepam .....22  
 Triazolam .....23

**Beta<sub>2</sub>-Adrenergic Agonist**

Ipratropium and Albuterol .....13

**Beta<sub>2</sub>-Adrenergic Agonist, Long-Acting**

Fluticasone and Salmeterol .....11  
 Salmeterol .....21  
 Umeclidinium and Vilanterol .....23

**Beta<sub>2</sub> Agonist**

Albuterol .....2  
 Fluticasone and Salmeterol .....11  
 Salmeterol .....21  
 Terbutaline .....22  
 Umeclidinium and Vilanterol .....23

**Beta-Adrenergic Blocker, Nonselective**

Dorzolamide and Timolol .....8  
 Propranolol .....20  
 Sotalol .....22

**Beta-Blocker, Beta-1 Selective**

Atenolol .....3  
 Bisoprolol .....4  
 Metoprolol .....16

**Beta-Blocker, Nonselective**

Brimonidine and Timolol .....4  
 Timolol (Ophthalmic) .....23

**Beta-Blocker With Alpha-Blocking Activity**

Carvedilol .....5  
 Labetalol .....14

**Beta-Blocker With Intrinsic Sympathomimetic Activity**

Acebutolol .....2

**Biological, Miscellaneous**

Glatiramer Acetate .....12

**Bisphosphonate Derivative**

Alendronate .....2  
 Ibandronate .....13

**Blood Viscosity Reducer Agent**

Pentoxifylline .....19

**Calcimimetic**

Cinacalcet .....6

**Calcineurin Inhibitor**

CycloSPORINE (Ophthalmic) .....7  
 CycloSPORINE (Systemic) .....7  
 Pimecrolimus .....19  
 Tacrolimus (Systemic) .....22  
 Tacrolimus (Topical) .....22

**Calcium Channel Blocker**

AmLODIPine .....2  
 Amlodipine and Benazepril .....3  
 Amlodipine and Valsartan .....3  
 Amlodipine, Valsartan, and Hydrochlorothiazide .....3  
 Diltiazem .....8  
 NIFEdipine .....17  
 Verapamil .....24

**Calcium Channel Blocker, Dihydropyridine**

AmLODIPine .....2  
 Amlodipine and Benazepril .....3  
 Amlodipine and Valsartan .....3  
 Amlodipine, Valsartan, and Hydrochlorothiazide .....3  
 NIFEdipine .....17

**Calcium Channel Blocker, Nondihydropyridine**

Diltiazem .....8  
 Verapamil .....24

**Calcium Salt**

Calcium Acetate .....4  
 Calcium Carbonate .....5

**Carbonic Anhydrase Inhibitor**

AcetaZOLAMIDE .....2  
 MethazolAMIDE .....16

**Carbonic Anhydrase Inhibitor (Ophthalmic)**

Dorzolamide .....8  
 Dorzolamide and Timolol .....8

**Cardiac Glycoside**

Digoxin .....8

**Cardiovascular Agent, Miscellaneous**

Ranolazine .....20

**Cathartic**

Sodium Phosphates .....22

<b>Central Nervous System Stimulant</b>		<b>Diagnostic Agent</b>	
Dexmethylphenidate .....	7	Glucagon .....	12
Dextroamphetamine .....	7	<b>Dietary Supplement</b>	
Dextroamphetamine and Amphetamine .....	7	Lactobacillus .....	14
Methylphenidate .....	16	<b>Direct Oral Anticoagulant (DOAC)</b>	
Modafinil .....	17	Apixaban .....	3
<b>Chemotherapy Modulating Agent</b>		Dabigatran Etexilate .....	7
Leucovorin Calcium .....	14	Edoxaban .....	8
<b>Chloride Channel Activator</b>		Rivaroxaban .....	21
Lubiprostone .....	15	<b>Diuretic, Carbonic Anhydrase Inhibitor</b>	
<b>Cholinergic Agonist</b>		AcetaZOLAMIDE .....	2
Pilocarpine (Systemic) .....	19	MethazolAMIDE .....	16
<b>Colony Stimulating Factor</b>		<b>Diuretic, Loop</b>	
Darbepoetin Alfa .....	7	Bumetanide .....	4
Epoetin Alfa .....	9	Furosemide .....	12
<b>Contraceptive</b>		Torsemide .....	23
Copper IUD .....	6	<b>Diuretic, Potassium-Sparing</b>	
Ethinyl Estradiol and Desogestrel .....	10	AMILoride .....	2
Ethinyl Estradiol and Drospirenone .....	10	Eplerenone .....	9
Ethinyl Estradiol and Ethynodiol Diacetate .....	10	Hydrochlorothiazide and Triamterene .....	12
Ethinyl Estradiol and Etonogestrel .....	10	Spirinolactone .....	22
Ethinyl Estradiol and Levonorgestrel .....	10	<b>Diuretic, Thiazide</b>	
Ethinyl Estradiol and Norelgestromin .....	10	Amlodipine, Valsartan, and Hydrochlorothiazide .....	3
Ethinyl Estradiol and Norethindrone .....	10	HydroCHLOROthiazide .....	12
Ethinyl Estradiol and Norgestimate .....	10	Hydrochlorothiazide and Triamterene .....	12
Ethinyl Estradiol and Norgestrel .....	10	Lisinopril and Hydrochlorothiazide .....	15
Levonorgestrel (IUD) .....	14	Losartan and Hydrochlorothiazide .....	15
Levonorgestrel (Systemic) .....	14	Telmisartan and Hydrochlorothiazide .....	22
MedroxyPROGESTERone .....	15	Valsartan and Hydrochlorothiazide .....	24
Norethindrone .....	18	<b>Diuretic, Thiazide-Related</b>	
<b>Corticosteroid, Inhalant (Oral)</b>		Chlorthalidone .....	5
Budesonide (Oral Inhalation) .....	4	MetOLazone .....	16
Fluticasone and Salmeterol .....	11	<b>Electrolyte Supplement, Oral</b>	
Fluticasone (Oral Inhalation) .....	11	Calcium Carbonate .....	5
<b>Corticosteroid, Nasal</b>		Magnesium Gluconate .....	15
Flunisolide (Nasal) .....	11	Magnesium Oxide .....	15
Fluticasone (Nasal) .....	11	Potassium Bicarbonate and Potassium Citrate .....	19
Mometasone (Nasal) .....	17	Potassium Chloride .....	19
Triamcinolone (Nasal) .....	23	Sodium Bicarbonate .....	21
<b>Corticosteroid, Ophthalmic</b>		<b>Electrolyte Supplement, Parenteral</b>	
Difluprednate .....	8	Potassium Chloride .....	19
Fluorometholone .....	11	Sodium Bicarbonate .....	21
PrednisoLONE (Ophthalmic) .....	20	Sodium Chloride .....	21
<b>Corticosteroid, Otic</b>		Sodium Phosphates .....	22
Ciprofloxacin and Dexamethasone .....	6	<b>Enzyme</b>	
Neomycin, Polymyxin B, and Hydrocortisone (Otic) .....	17	Pancrelipase .....	18
<b>Corticosteroid, Rectal</b>		<b>Enzyme, Topical Debridement</b>	
Hydrocortisone (Topical) .....	13	Collagenase (Topical) .....	6
<b>Corticosteroid, Systemic</b>		<b>Ergot Derivative</b>	
Budesonide (Systemic) .....	4	Bromocriptine .....	4
Dexamethasone (Systemic) .....	7	Methylergonovine .....	16
Fludrocortisone .....	11	<b>Erythropoiesis-Stimulating Agent (ESA)</b>	
Hydrocortisone (Systemic) .....	13	Darbepoetin Alfa .....	7
MethylPREDNISolone .....	16	Epoetin Alfa .....	9
PrednisoLONE (Systemic) .....	20	<b>Estrogen and Androgen Combination</b>	
PredniSONE .....	20	Estrogens (Esterified) and Methyltestosterone .....	10
<b>Corticosteroid, Topical</b>		<b>Estrogen and Progestin Combination</b>	
Alclometasone .....	2	Estradiol and Levonorgestrel .....	9
Betamethasone (Topical) .....	4	Estrogens (Conjugated/Equine) and Medroxyprogesterone .....	9
Clobetasol .....	6	Ethinyl Estradiol and Desogestrel .....	10
Desonide .....	7	Ethinyl Estradiol and Drospirenone .....	10
Fluocinolone (Topical) .....	11	Ethinyl Estradiol and Ethynodiol Diacetate .....	10
Fluocinonide .....	11	Ethinyl Estradiol and Etonogestrel .....	10
Flurandrenolide .....	11	Ethinyl Estradiol and Levonorgestrel .....	10
Hydrocortisone (Topical) .....	13	Ethinyl Estradiol and Norelgestromin .....	10
Mometasone (Topical) .....	17	Ethinyl Estradiol and Norethindrone .....	10
Triamcinolone (Topical) .....	23	Ethinyl Estradiol and Norgestimate .....	10
<b>Cytochrome P-450 Inhibitor</b>		Ethinyl Estradiol and Norgestrel .....	10
Elvitegravir, Cobicistat, Emtricitabine, and Tenofovir .....	9	<b>Estrogen Derivative</b>	
<b>Decongestant</b>		Estradiol (Systemic) .....	9
Fexofenadine and Pseudoephedrine .....	11	Estradiol (Topical) .....	9
Oxymetazoline (Nasal) .....	18	Estrogens (Conjugated/Equine, Systemic) .....	9
Phenylephrine (Nasal) .....	19	Estrogens (Conjugated/Equine, Topical) .....	10
Pseudoephedrine .....	20	<b>Ethanolamine Derivative</b>	
<b>Depigmenting Agent</b>		DiphenhydrAMINE (Systemic) .....	8
Hydroquinone .....	13		

**EXPECTORANT**

<b>Expectorant</b>			
GuaiFENesin .....	12	<b>Histone Deacetylase Inhibitor</b>	
Guaifenesin and Codeine .....	12	Valproic Acid and Derivatives .....	24
Guaifenesin and Dextromethorphan .....	12	<b>Hormone</b>	
Guaifenesin and Pseudoephedrine .....	12	Melatonin .....	15
<b>First Generation (Typical) Antipsychotic</b>		<b>Hormone, Posterior Pituitary</b>	
ChlorproMAZINE .....	5	Desmopressin .....	7
Prochlorperazine .....	20	<b>Hypnotic, Miscellaneous</b>	
<b>GABA Analog</b>		Eszopiclone .....	10
Gabapentin .....	12	Melatonin .....	15
<b>Gallstone Dissolution Agent</b>		Zolpidem .....	24
Ursodiol .....	23	<b>Imidazoline Derivative</b>	
<b>Gastrointestinal Agent, Miscellaneous</b>		Naphazoline and Pheniramine .....	17
Adalimumab .....	2	Oxymetazoline (Nasal) .....	18
Lubiprostone .....	15	<b>Immunosuppressant Agent</b>	
Sucralfate .....	22	AzaTHIOprine .....	3
<b>Gastrointestinal Agent, Prokinetic</b>		CycloSPORINE (Ophthalmic) .....	7
Metoclopramide .....	16	CycloSPORINE (Systemic) .....	7
<b>General Anesthetic</b>		Mercaptopurine .....	16
FentaNYL .....	11	Methotrexate .....	16
<b>Genitourinary Irrigant</b>		Mycophenolate .....	17
Neomycin and Polymyxin B .....	17	Pimecrolimus .....	19
Sodium Chloride .....	21	Tacrolimus (Systemic) .....	22
<b>Glutamate Inhibitor</b>		Tacrolimus (Topical) .....	22
Riluzole .....	20	<b>Inhalation, Miscellaneous</b>	
<b>Glycopeptide</b>		Inhalation Devices .....	13
Vancomycin .....	24	<b>Insulin, Combination</b>	
<b>Gonadotropin Releasing Hormone Agonist</b>		Insulin Aspart Protamine and Insulin Aspart .....	13
Goserelin .....	12	Insulin NPH and Insulin Regular .....	13
Leuprolide .....	14	<b>Insulin, Intermediate-Acting</b>	
<b>Growth Hormone</b>		Insulin NPH .....	13
Somatropin .....	22	<b>Insulin, Long-Acting</b>	
<b>Hematopoietic Agent</b>		Insulin Glargine .....	13
Darbepoetin Alfa .....	7	<b>Insulin, Rapid-Acting</b>	
Epoetin Alfa .....	9	Insulin Aspart .....	13
<b>Hemostatic Agent</b>		<b>Insulin, Short-Acting</b>	
Aluminum Chloride Hexahydrate .....	2	Insulin Regular .....	13
Desmopressin .....	7	<b>Interferon</b>	
Tranexamic Acid .....	23	Interferon Beta-1b .....	13
<b>Histamine H<sub>1</sub> Antagonist</b>		<b>Iron Salt</b>	
Azelastine (Nasal) .....	3	Ferrous Sulfate .....	11
Cetirizine (Systemic) .....	5	<b>Irrigant</b>	
Chlorpheniramine .....	5	Sodium Chloride .....	21
Cyproheptadine .....	7	<b>Keratolytic Agent</b>	
DiphenhydrAMINE (Systemic) .....	8	Podofilox .....	19
Fexofenadine .....	11	Salicylic Acid .....	21
Fexofenadine and Pseudoephedrine .....	11	Tazarotene .....	22
Hydrocodone and Chlorpheniramine .....	12	Urea (Topical) .....	23
HydrOXYzine .....	13	<b>Laxative</b>	
Loratadine .....	15	Magnesium Hydroxide .....	15
Meclizine .....	15	<b>Laxative, Bowel Evacuant</b>	
Naphazoline and Pheniramine .....	17	Sodium Phosphates .....	22
Olopatadine (Ophthalmic) .....	18	<b>Laxative, Lubricant</b>	
Promethazine .....	20	Mineral Oil .....	16
<b>Histamine H<sub>1</sub> Antagonist, First Generation</b>		<b>Laxative, Osmotic</b>	
Chlorpheniramine .....	5	Lactulose .....	14
Cyproheptadine .....	7	Polyethylene Glycol 3350 .....	19
DiphenhydrAMINE (Systemic) .....	8	Polyethylene Glycol-Electrolyte Solution .....	19
Hydrocodone and Chlorpheniramine .....	12	<b>Laxative, Saline</b>	
HydrOXYzine .....	13	Magnesium Citrate .....	15
Meclizine .....	15	<b>Laxative, Stimulant</b>	
Naphazoline and Pheniramine .....	17	Bisacodyl .....	4
Promethazine .....	20	Docusate and Senna .....	8
<b>Histamine H<sub>1</sub> Antagonist, Second Generation</b>		<b>Leukotriene-Receptor Antagonist</b>	
Azelastine (Nasal) .....	3	Montelukast .....	17
Cetirizine (Systemic) .....	5	<b>Local Anesthetic</b>	
Fexofenadine .....	11	Bupivacaine (Liposomal) .....	4
Fexofenadine and Pseudoephedrine .....	11	Lidocaine (Topical) .....	15
Loratadine .....	15	<b>Lubricant, Ocular</b>	
Olopatadine (Ophthalmic) .....	18	Ocular Lubricant .....	18
<b>Histamine H<sub>2</sub> Antagonist</b>		Sodium Chloride .....	21
Cimetidine .....	5		
Famotidine .....	10		
RaNITidine .....	20		



<b>Lysine Analog</b>			
Tranexamic Acid .....	23	<b>Ophthalmic Agent, Miscellaneous</b>	
<b>Magnesium Salt</b>		Carboxymethylcellulose .....	5
Magnesium Citrate .....	15	Ocular Lubricant .....	18
Magnesium Gluconate .....	15	<b>Ophthalmic Agent, Mydriatic</b>	
Magnesium Hydroxide .....	15	Atropine (Ophthalmic) .....	3
Magnesium Oxide .....	15	Cyclopentolate and Phenylephrine .....	7
<b>Mast Cell Stabilizer</b>		Homatropine .....	12
Cromolyn (Ophthalmic) .....	6	Phenylephrine (Ophthalmic) .....	19
<b>Melatonin Receptor Agonist</b>		Tropicamide .....	23
Melatonin .....	15	<b>Ophthalmic Agent, Vasoconstrictor</b>	
<b>Mineralocorticoid (Aldosterone) Receptor Antagonists</b>		Naphazoline and Pheniramine .....	17
Eplerenone .....	9	<b>Opioid Antagonist</b>	
Spirolactone .....	22	Naloxone .....	17
<b>Miscellaneous Product</b>		<b>Otic Agent, Anti-infective</b>	
Diabetic Supplies .....	7	Acetic Acid (Otic) .....	2
<b>Monoclonal Antibody</b>		<b>Otic Agent, Cerumenolytic</b>	
Adalimumab .....	2	Carbamide Peroxide .....	5
IdaruCIZUmab .....	13	<b>Ovulation Stimulator</b>	
<b>Nephrilysin Inhibitor</b>		ClomiPHENE .....	6
Sacubitril and Valsartan .....	21	<b>Partial Nicotine Agonist</b>	
<b>Neuraminidase Inhibitor</b>		Varenicline .....	24
Oseltamivir .....	18	<b>Pediculocide</b>	
<b>N-Methyl-D-Aspartate Receptor Antagonist</b>		Permethrin .....	19
Memantine .....	15	<b>Phenothiazine Derivative</b>	
<b>Nonsteroidal Anti-inflammatory Drug (NSAID)</b>		ChlorproMAZINE .....	5
Diclofenac (Systemic) .....	8	Prochlorperazine .....	20
Diclofenac (Topical) .....	8	Promethazine .....	20
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), COX-2 Selective</b>		<b>Phosphate Binder</b>	
Celecoxib .....	5	Calcium Acetate .....	4
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Ophthalmic</b>		Calcium Carbonate .....	5
Flurbiprofen (Ophthalmic) .....	11	Sevelamer .....	21
Ketorolac (Ophthalmic) .....	14	<b>Phosphodiesterase-3 Enzyme Inhibitor</b>	
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Oral</b>		Cilostazol .....	5
Aspirin .....	3	<b>Phosphodiesterase-4 Enzyme Inhibitor</b>	
Diclofenac (Systemic) .....	8	Roflumilast .....	21
Hydrocodone and Ibuprofen .....	12	<b>Phosphodiesterase-5 Enzyme Inhibitor</b>	
Ibuprofen .....	13	Sildenafil .....	21
Indomethacin .....	13	<b>Phosphodiesterase Enzyme Inhibitor, Nonselective</b>	
Meloxicam .....	15	Theophylline .....	23
Nabumetone .....	17	<b>Piperazine Derivative</b>	
Naproxen .....	17	Cetirizine (Systemic) .....	5
Oxaprozin .....	18	HydroXYzine .....	13
Piroxicam (Systemic) .....	19	Meclizine .....	15
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Parenteral</b>		<b>Piperidine Derivative</b>	
Ibuprofen .....	13	Cyproheptadine .....	7
Indomethacin .....	13	Fexofenadine .....	11
<b>Nonsteroidal Anti-inflammatory Drug (NSAID), Topical</b>		Fexofenadine and Pseudoephedrine .....	11
Diclofenac (Topical) .....	8	Loratadine .....	15
<b>Norepinephrine Reuptake Inhibitor, Selective</b>		Olopatadine (Ophthalmic) .....	18
AtoMOXetine .....	3	<b>Probiotic</b>	
<b>Nutritional Supplement</b>		Lactobacillus .....	14
Fluoride .....	11	<b>Progestin</b>	
<b>Ophthalmic Agent</b>		Levonorgestrel (IUD) .....	14
Aflibercept (Ophthalmic) .....	2	Levonorgestrel (Systemic) .....	14
<b>Ophthalmic Agent, Antiglaucoma</b>		MedroxyPROGESTERone .....	15
AcetaZOLAMIDE .....	2	Megestrol .....	15
Betaxolol (Ophthalmic) .....	4	Norethindrone .....	18
Bimatoprost .....	4	Progesterone .....	20
Brimonidine and Timolol .....	4	<b>Prostaglandin</b>	
Brimonidine (Ophthalmic) .....	4	Alprostadil .....	2
Carteolol (Ophthalmic) .....	5	MiSOPROStol .....	16
Dorzolamide .....	8	<b>Prostaglandin, Ophthalmic</b>	
Dorzolamide and Timolol .....	8	Bimatoprost .....	4
Latanoprost .....	14	Latanoprost .....	14
MethazolAMIDE .....	16	<b>Proton Pump Inhibitor</b>	
Phenylephrine (Ophthalmic) .....	19	Esomeprazole .....	9
Pilocarpine (Ophthalmic) .....	19	Omeprazole .....	18
Timolol (Ophthalmic) .....	23	Pantoprazole .....	18
<b>Ophthalmic Agent, Miotic</b>		<b>Radiopaque Agents</b>	
Pilocarpine (Ophthalmic) .....	19	Barium .....	4
		<b>Renin Inhibitor</b>	
		Aliskiren .....	2

**RESCUE AGENT (CHEMOTHERAPY)**

<b>Rescue Agent (Chemotherapy)</b>	
Leucovorin Calcium .....	14
<b>Retinoic Acid Derivative</b>	
ISOTretinoin .....	14
Tretinoin (Topical) .....	23
<b>Rifamycin</b>	
Rifabutin .....	20
RifAMPin .....	20
Rifapentine .....	20
<b>Salicylate</b>	
Aspirin .....	3
Salsalate .....	21
<b>Scabicial Agent</b>	
Permethrin .....	19
<b>Second Generation (Atypical) Antipsychotic</b>	
ARIPiprazole .....	3
Lurasidone .....	15
OLANZapine .....	18
QUEtiapine .....	20
RisperiDONE .....	21
Ziprasidone .....	24
<b>Selective 5-HT<sub>3</sub> Receptor Antagonist</b>	
Ondansetron .....	18
<b>Selective Estrogen Receptor Modulator (SERM)</b>	
ClomiPHENE .....	6
Raloxifene .....	20
Tamoxifen .....	22
<b>Serotonin 5-HT<sub>1B</sub>, <sub>1D</sub> Receptor Agonist</b>	
Rizatriptan .....	21
SUMAtriptan .....	22
ZOLMitriptan .....	24
<b>Skeletal Muscle Relaxant</b>	
Baclofen .....	4
Cyclobenzaprine .....	7
Metaxalone .....	16
Methocarbamol .....	16
<b>Skin and Mucous Membrane Agent</b>	
Imiquimod .....	13
<b>Skin and Mucous Membrane Agent, Miscellaneous</b>	
Emollients .....	9
<b>Smoking Cessation Aid</b>	
BuPROPion .....	4
Nicotine .....	17
Varenicline .....	24
<b>Sodium Salt</b>	
Sodium Chloride .....	21
<b>Somatostatin Analog</b>	
Octreotide .....	18
<b>Stool Softener</b>	
Docusate .....	8
Docusate and Senna .....	8
<b>Substituted Benzimidazole</b>	
Esomeprazole .....	9
Omeprazole .....	18
Pantoprazole .....	18
<b>Thioamide</b>	
MethlMAzole .....	16
Propylthiouracil .....	20
<b>Thyroid Product</b>	
Levothyroxine .....	14
Liothyronine .....	15
<b>Topical Skin Product</b>	
Aluminum Chloride Hexahydrate .....	2
Benzoyl Peroxide .....	4
Calcipotriene .....	4
Clindamycin and Benzoyl Peroxide .....	6
Emollients .....	9
Erythromycin (Topical) .....	9
Fluorouracil (Topical) .....	11
Imiquimod .....	13
Lactic Acid and Ammonium Hydroxide .....	14
Pimecrolimus .....	19
Podofilox .....	19
Selenium Sulfide .....	21
Tacrolimus (Topical) .....	22
Urea (Topical) .....	23
Zinc Oxide .....	24
<b>Topical Skin Product, Acne</b>	
Adapalene .....	2
Azelaic Acid .....	3
Benzoyl Peroxide .....	4
Clindamycin and Benzoyl Peroxide .....	6
Clindamycin (Topical) .....	6
Erythromycin (Topical) .....	9
Salicylic Acid .....	21
Sulfur and Sulfacetamide .....	22
Tazarotene .....	22
Tretinoin (Topical) .....	23
<b>Tumor Necrosis Factor (TNF) Blocking Agent</b>	
Adalimumab .....	2
<b>Uricosuric Agent</b>	
Probenecid .....	20
<b>Vascular Endothelial Growth Factor (VEGF) Inhibitor</b>	
Aflibercept (Ophthalmic) .....	2
<b>Vasodilator</b>	
Alprostadil .....	2
Cilostazol .....	5
HydrALAZINE .....	12
Isosorbide Dinitrate .....	14
Isosorbide Dinitrate and Hydralazine .....	14
Isosorbide Mononitrate .....	14
Nitroglycerin .....	17
<b>Vasodilator, Direct-Acting</b>	
Minoxidil (Systemic) .....	16
<b>Vasopressin Analog, Synthetic</b>	
Desmopressin .....	7
<b>Vitamin</b>	
Vitamins (Multiple/Oral) .....	24
Vitamins (Multiple/Pediatric) .....	24
Vitamins (Multiple/Prenatal) .....	24
<b>Vitamin D Analog</b>	
Calcipotriene .....	4
Calcitriol (Systemic) .....	4
Cholecalciferol .....	5
Ergocalciferol .....	9
Paricalcitol .....	18
<b>Vitamin, Fat Soluble</b>	
Phytonadione .....	19
<b>Vitamin, Water Soluble</b>	
Cyanocobalamin .....	6
Folic Acid .....	11
Leucovorin Calcium .....	14
Niacin .....	17
Pyridoxine .....	20
Thiamine .....	23
<b>Xanthine Oxidase Inhibitor</b>	
Allopurinol .....	2